# (19) World Intellectual Property Organization International Bureau





### (43) International Publication Date 1 August 2002 (01.08.2002)

### **PCT**

# (10) International Publication Number WO 02/059377 A2

(51) International Patent Classification7:

C12Q 1/68

(21) International Application Number: PCT/US02/02242

(22) International Filing Date: 24 January 2002 (24.01.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/263,965	24 January 2001 (24.01.2001)	US
60/265,928	2 February 2001 (02.02.2001)	US
09/829,472	9 April 2001 (09.04.2001)	US
60/282,698	9 April 2001 (09.04.2001)	US
60/288,590	4 May 2001 (04.05.2001)	US
60/294,443	29 May 2001 (29.05.2001)	US
	• • • • • • • • • • • • • • • • • • • •	

- (71) Applicant: EOS BIOTECHNOLOGY, INC. [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080-7019 (US).
- (72) Inventors: MACK, David, H.; 2076 Monterey Avenue, Menlo Park, CA 94025 (US). GISH, Kurt, C.; 40 Perego Terrace #2, San Francisco, CA 94131 (US). AFAR, Daniel; 435 Visitacion Avenue, Brisbane, CA 94005 (US).

- (74) Agents: BASTIAN, Kevin, L. et al.; Townsend and Townsend and Crew LLP, Two Embarcadero Center, 8th Floor, San Francisco, CA 94111-3834 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

59377 A

(54) Title: METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

(57) Abstract: Described herein are genes whose expression are up-regulated or down-regulated in breast cancer. Related methods and compositions that can be used for diagnosis and treatment of breast cancer are disclosed. Also described herein are methods that can be used to identify modulators of breast cancer.

# METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

5

10

# CROSS-REFERENCES TO RELATED APPLICATIONS

This application claims priority to USSN 60/263,965, filed January 24, 2001; USSN 60/265,928, filed February 2, 2001; USSN 09/829,472 filed April 9, 2001; USSN 60/282,698, filed April 9, 2001; USSN 60/288,590, filed May 4, 2001; and USSN 60/294,443, filed May 29, 2001, all of which are incorporated herein by reference in their entirety.

## FIELD OF THE INVENTION

The invention relates to the identification of nucleic acid and protein expression profiles and nucleic acids, products, and antibodies thereto that are involved in breast cancer; and to the use of such expression profiles and compositions in the diagnosis, prognosis and therapy of breast cancer. The invention further relates to methods for identifying and using agents and/or targets that inhibit breast cancer.

20

25

15

# BACKGROUND OF THE INVENTION

Breast cancer is one of the most frequently diagnosed cancers and the second leading cause of female cancer death in North America and northern Europe, with lung cancer being the leading cause. Lifetime incidence of the disease in the United States is one-in-eight, with a 1-in-29 lifetime risk of dying from breast cancer. Early detection of breast cancer, using mammography, clinical breast examination, and self breast examination, has dramatically improved the treatment of the disease, although sensitivity is still major concern, as mammographic sensitivity has been estimated at only 60%–90%. Treatment of breast cancer consists largely of surgical lumpectomy or mastectomy, radiation therapy, anti-

hormone therapy, and/or chemotherapy. Although many breast cancer patients are effectively treated, the current therapies can all induce serious side effects which diminish quality of life. Deciding on a particular course of treatment is typically based on a variety of prognostic parameters and markers (Fitzgibbons et al., 2000, Arch. Pathol. Lab. Med. 124:966-978; Hamilton and Piccart, 2000, Ann. Oncol. 11:647-663), including genetic predispostion markers BRCA-1 and BRCA-2 (Robson, 2000, J. Clin. Oncol. 18:113sup-118sup).

Imaging of breast cancer for diagnosis has been problematic and limited. In addition, dissemination of tumor cells (metastases) to locoregional lymph nodes is an important prognostic factor; five year survival rates drop from 80 percent in patients with no lymph node metastases to 45 to 50 percent in those patients who do have lymph node metastases. A recent report showed that micrometastases can be detected from lymph nodes using reverse transcriptase-PCR methods based on the presence of mRNA for carcinoembryonic antigen, which has previously been shown to be present in the vast majority of breast cancers but not in normal tissues. Liefers et al., New England J. of Med. 339(4):223 (1998).

The identification of novel therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Recent advances in molecular medicine have increased the interest in tumor-specific cell surface antigens that could serve as targets for various immunotherapeutic or small molecule strategies. Antigens suitable for immunotherapeutic strategies should be highly expressed in cancer tissues and ideally not expressed in normal adult tissues. Expression in tissues that are dispensable for life, however, may be tolerated. Examples of such antigens include Her2/neu and the B-cell antigen CD20. Humanized monclonal antibodies directed to Her2/neu (Herceptin®/trastuzumab) are currently in use for the treatment of metastatic breast cancer (Ross and Fletcher, 1998, Stem Cells 16:413-428). Similarly, anti-CD20 monoclonal antibodies (Rituxin®/rituximab) are used to effectively treat non-Hodgekin's lymphoma (Maloney et al., 1997, Blood 90:2188-2195; Leget and Czuczman, 1998, Curr. Opin. Oncol. 10:548-551).

Other potential immunotherapeutic targets have been identified for breast cancer. One such target is polymorphic epithelial mucin (MUC1). MUC1 is a transmembrane

5

10

15

.20

25

protein, present at the apical surface of glandular epithelial cells. It is often overexpressed in breast cancer, and typically exhibits an altered glycosylation pattern, resulting in an antigenically distinct molecule, and is in early clinical trials as a vaccine target (Gilewski et al., 2000, Clin. Cancer Res. 6:1693-1701; Scholl et al., 2000, J. Immunother. 23:570-580). The tumor-expressed protein is often cleaved into the circulation, where it is detectable as the tumor marker, CA 15-3 (Bon et al., 1997, Clin. Chem. 43:585-593). However, many patients have tumors that express neither HER2 nor MUC-1; therefore, it is clear that other targets need to be identified to manage localized and metastatic disease. Many other genes have been reported to be overexpressed in breast cancer, such as EGFR (Sainsbury et al., 1987, Lancet 1(8547):1398-1402), c-erbB3 (Naidu et al., 1988, Br. J. Cancer 78:1385-1390), FGFR2 (Penault-Llorca et al., 1991, Int. J. Cancer 61:170-176), PKW (Preiherr et al., 2000, Anticancer Res. 20:2255-2264), MTA1 (Nawa et al., 2000, J. Cell Biochem. 79:202-212), breast cancer associated gene 1 (Kurt et al., 2000, Breast Cancer Res. Treat. 59:41-48). Although monoclonal antibodies to the protein products of some of these overexpressed genes have been reported (for review, see Green et al., 2000, Cancer Treat. Rev. 26:269-286), none are currently approved for breast cancer therapy in the US.

Disclosures of certain genes and ESTs described as being expressed in breast cancer are found in international patent applications WO-99/33869, WO-97/25426, WO-97/02280 and WO-00/55173, WO-98/45328 and WO-00/22130. Similarly, genes and ESTs described as being expressed in breast cancer are disclosed in US Patent Nos. 5,759,776 and 5,693,522. The utility of such genes is described in each of these publications, and their disclosures are incorporated herein in their entirety.

While industry and academia have identified novel sequences, there has not been an equal effort exerted to identify the function of these novel sequences. The elucidation of a role for novel proteins and compounds in disease states for identification of therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Accordingly, provided herein are molecular targets for therapeutic intervention in breast and other cancers. Additionally, provided herein are methods that can be used in diagnosis and prognosis of breast cancer. Further provided are methods that can be used to screen candidate bioactive agents for the ability to modulate breast cancer.

5

10

15

20

25

5

10

15

20

25

#### SUMMARY OF THE INVENTION

The present invention therefore provides nucleotide sequences of genes that are up- and down-regulated in breast cancer cells. Such genes are useful for diagnostic purposes, and also as targets for screening for therapeutic compounds that modulate breast cancer, such as hormones or antibodies. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

In one aspect, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the present invention provides a method of determining the level of a breast cancer associated transcript in a cell from a patient.

In one embodiment, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the polynucleotide selectively hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1-25.

In one embodiment, the biological sample is a tissue sample. In another embodiment, the biological sample comprises isolated nucleic acids, e.g., mRNA.

In one embodiment, the polynucleotide is labeled, e.g., with a fluorescent label.

In one embodiment, the polynucleotide is immobilized on a solid surface.

In one embodiment, the patient is undergoing a therapeutic regimen to treat breast cancer. In another embodiment, the patient is suspected of having metastatic breast cancer.

In one embodiment, the patient is a human.

In one embodiment, the breast cancer associated transcript is mRNA.

In one embodiment, the method further comprises the step of amplifying nucleic acids before the step of contacting the biological sample with the polynucleotide.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of breast cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a breast cancer-associated transcript in the biological sample by contacting the biological sample with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25, thereby monitoring the efficacy of the therapy. In a further embodiment, the patient has metastatic breast cancer. In a further embodiment, the patient has a drug resistant form of breast cancer.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the breast cancer-associated transcript to a level of the breast cancer-associated transcript in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

Additionally, provided herein is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a patient and removing a cell sample from the patient. The expression profile of the cell is then determined. This method may further comprise comparing the expression profile to an expression profile of a healthy individual. In a preferred embodiment, said expression profile includes a gene of Tables 1-25.

In one aspect, the present invention provides an isolated nucleic acid molecule consisting of a polynucleotide sequence as shown in Tables 1-25.

In one embodiment, an expression vector or cell comprises the isolated nucleic acid.

In one aspect, the present invention provides an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

In another aspect, the present invention provides an antibody that specifically binds to an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

5

10

15

20

In one embodiment, the antibody is conjugated to an effector component, e.g., a fluorescent label, a radioisotope or a cytotoxic chemical.

In one embodiment, the antibody is an antibody fragment. In another embodiment, the antibody is humanized.

In one aspect, the present invention provides a method of detecting a breast cancer cell in a biological sample from a patient, the method comprising contacting the biological sample with an antibody as described herein.

In another aspect, the present invention provides a method of detecting antibodies specific to breast cancer in a patient, the method comprising contacting a biological sample from the patient with a polypeptide encoded by a nucleic acid comprising a sequence from Tables 1-25.

In another aspect, the present invention provides a method for identifying a compound that modulates a breast cancer-associated polypeptide, the method comprising the steps of: (i) contacting the compound with a breast cancer-associated polypeptide, the polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25; and (ii) determining the functional effect of the compound upon the polypeptide.

In one embodiment, the functional effect is a physical effect, an enzymatic effect, or a chemical effect.

In one embodiment, the polypeptide is expressed in a eukaryotic host cell or cell membrane. In another embodiment, the polypeptide is recombinant.

In one embodiment, the functional effect is determined by measuring ligand binding to the polypeptide.

In another aspect, the present invention provides a method of inhibiting proliferation of a breast cancer-associated cell to treat breast cancer in a patient, the method comprising the step of administering to the subject a therapeutically effective amount of a compound identified as described herein.

In one embodiment, the compound is an antibody.

In another aspect, the present invention provides a drug screening assay comprising the steps of: (i) administering a test compound to a mammal having breast cancer

5

15

20

or to a cell sample isolated therefrom; (ii) comparing the level of gene expression of a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a treated cell or mammal with the level of gene expression of the polynucleotide in a control cell sample or mammal, wherein a test compound that modulates the level of expression of the polynucleotide is a candidate for the treatment of breast cancer.

In one embodiment, the control is a mammal with breast cancer or a cell sample therefrom that has not been treated with the test compound. In another embodiment, the control is a normal cell or mammal.

In one embodiment, the test compound is administered in varying amounts or concentrations. In another embodiment, the test compound is administered for varying time periods. In another embodiment, the comparison can occur after addition or removal of the drug candidate.

In one embodiment, the levels of a plurality of polynucleotides that selectively hybridize to a sequence at least 80% identical to a sequence as shown in Tables 1-25 are individually compared to their respective levels in a control cell sample or mammal. In a preferred embodiment the plurality of polynucleotides is from three to ten.

In another aspect, the present invention provides a method for treating a mammal having breast cancer comprising administering a compound identified by the assay described herein.

In another aspect, the present invention provides a pharmaceutical composition for treating a mammal having breast cancer, the composition comprising a compound identified by the assay described herein and a physiologically acceptable excipient.

In one aspect, the present invention provides a method of screening drug candidates by providing a cell expressing a gene that is up- and down-regulated as in a breast cancer. In one embodiment, a gene is selected from Tables 1-25. The method further includes adding a drug candidate to the cell and determining the effect of the drug candidate on the expression of the expression profile gene.

In one embodiment, the method of screening drug candidates includes comparing the level of expression in the absence of the drug candidate to the level of

5

10

15

20

25

expression in the presence of the drug candidate, wherein the concentration of the drug candidate can vary when present, and wherein the comparison can occur after addition or removal of the drug candidate. In a preferred embodiment, the cell expresses at least two expression profile genes. The profile genes may show an increase or decrease.

Also provided is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a transgenic animal expressing or over-expressing the breast cancer modulatory protein, or an animal lacking the breast cancer modulatory protein, for example as a result of a gene knockout.

Moreover, provided herein is a biochip comprising one or more nucleic acid segments of Tables 1-25, wherein the biochip comprises fewer than 1000 nucleic acid probes. Preferably, at least two nucleic acid segments are included. More preferably, at least three nucleic acid segments are included.

Furthermore, a method of diagnosing a disorder associated with breast cancer is provided. The method comprises determining the expression of a gene of Tables 1-25, preferably a gene of Table 25, in a first tissue type of a first individual, and comparing the distribution to the expression of the gene from a second normal tissue type from the first individual or a second unaffected individual. A difference in the expression indicates that the first individual has a disorder associated with breast cancer.

In a further embodiment, the biochip also includes a polynucleotide sequence of a gene that is not up- and down-regulated in breast cancer.

In one embodiment a method for screening for a bioactive agent capable of interfering with the binding of a breast cancer modulating protein (breast cancer modulatory protein) or a fragment thereof and an antibody which binds to said breast cancer modulatory protein or fragment thereof. In a preferred embodiment, the method comprises combining a breast cancer modulatory protein or fragment thereof, a candidate bioactive agent and an antibody which binds to said breast cancer modulatory protein or fragment thereof. The method further includes determining the binding of said breast cancer modulatory protein or fragment thereof and said antibody. Wherein there is a change in binding, an agent is identified as an interfering agent. The interfering agent can be an agonist or an antagonist.

Preferably, the agent inhibits breast cancer.

5

10

15

20

25

5

10

15

20

25

30

Also provided herein are methods of eliciting an immune response in an individual. In one embodiment a method provided herein comprises administering to an individual a composition comprising a breast cancer modulating protein, or a fragment thereof. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

Further provided herein are compositions capable of eliciting an immune response in an individual. In one embodiment, a composition provided herein comprises a breast cancer modulating protein, preferably encoded by a nucleic acid of Tables 1-25, more preferably of Table 25, or a fragment thereof, and a pharmaceutically acceptable carrier. In another embodiment, said composition comprises a nucleic acid comprising a sequence encoding a breast cancer modulating protein, preferably selected from the nucleic acids of Tables 1-25, and a pharmaceutically acceptable carrier.

Also provided are methods of neutralizing the effect of a breast cancer protein, or a fragment thereof, comprising contacting an agent specific for said protein with said protein in an amount sufficient to effect neutralization. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

In another aspect of the invention, a method of treating an individual for breast cancer is provided. In one embodiment, the method comprises administering to said individual an inhibitor of a breast cancer modulating protein. In another embodiment, the method comprises administering to a patient having breast cancer an antibody to a breast cancer modulating protein conjugated to a therapeutic moiety. Such a therapeutic moiety can be a cytotoxic agent or a radioisotope.

# DETAILED DESCRIPTION OF THE INVENTION

In accordance with the objects outlined above, the present invention provides novel methods for diagnosis and prognosis evaluation for breast cancer (PC), including metastatic breast cancer, as well as methods for screening for compositions which modulate breast cancer. Also provided are methods for treating breast cancer.

Tables 1-24B provide unigene cluster identification numbers for the nucleotide sequence of genes that exhibit increased or decreased expression in breast cancer

samples. Tables 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 18, 19, 20, 21, and 22 list those genes that are up-regulated in breast cancer cells. Table 14 lists those genes that are highly upregulated in breast cancer cells. Table 1, 2, 3, 15, and 23 list genes that are down-regulated in breast cancer cells and Table 16, lists genes that are highly down-regulated in breast cancer genes. The Tables also provide an exemplar accession number that provides a nucleotide sequence that is part of the unigene cluster.

#### **Definitions**

5

10

15

20

25

The term "breast cancer protein" or "breast cancer polynucleotide" or "breast cancer-associated transcript" refers to nucleic acid and polypeptide polymorphic variants, alleles, mutants, and interspecies homologues that: (1) have a nucleotide sequence that has greater than about 60% nucleotide sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater nucleotide sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more nucleotides, to a nucleotide sequence of or associated with a gene of Tables 1-25; (2) bind to antibodies, e.g., polyclonal antibodies, raised against an immunogen comprising an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25, and conservatively modified variants thereof; (3) specifically hybridize under stringent hybridization conditions to a nucleic acid sequence, or the complement thereof of Tables 1-25 and conservatively modified variants thereof or (4) have an amino acid sequence that has greater than about 60% amino acid sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater amino sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more amino acid, to an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25. A polynucleotide or polypeptide sequence is typically from a mammal including, but not limited to, primate, e.g., human; rodent, e.g., rat, mouse, hamster; cow, pig, horse, sheep, or other mammal. A "breast cancer polypeptide" and a "breast cancer polynucleotide," include both naturally occurring or recombinant forms.

A "full length" breast cancer protein or nucleic acid refers to a breast cancer polypeptide or polynucleotide sequence, or a variant thereof, that contains all of the elements normally contained in one or more naturally occurring, wild type breast cancer polynucleotide or polypeptide sequences. The "full length" may be prior to, or after, various stages of post-translation processing or splicing, including alternative splicing.

"Biological sample" as used herein is a sample of biological tissue or fluid that contains nucleic acids or polypeptides, e.g., of a breast cancer protein, polynucleotide or transcript. Such samples include, but are not limited to, tissue isolated from primates, e.g., humans, or rodents, e.g., mice, and rats. Biological samples may also include sections of tissues such as biopsy and autopsy samples, frozen sections taken for histologic purposes, blood, plasma, serum, sputum, stool, tears, mucus, hair, skin, etc. Biological samples also include explants and primary and/or transformed cell cultures derived from patient tissues. A biological sample is typically obtained from a eukaryotic organism, most preferably a mammal such as a primate e.g., chimpanzee or human; cow; dog; cat; a rodent, e.g., guinea pig, rat, mouse; rabbit; or a bird; reptile; or fish.

"Providing a biological sample" means to obtain a biological sample for use in methods described in this invention. Most often, this will be done by removing a sample of cells from an animal, but can also be accomplished by using previously isolated cells (e.g., isolated by another person, at another time, and/or for another purpose), or by performing the methods of the invention *in vivo*. Archival tissues, having treatment or outcome history, will be particularly useful.

The terms "identical" or percent "identity," in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or nucleotides that are the same (i.e., about 60% identity, preferably 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as measured using a BLAST or BLAST 2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection (see, e.g., NCBI web site http://www.ncbi.nlm.nih.gov/BLAST/ or the like). Such sequences are then said to

5

10

15

20

25

be "substantially identical." This definition also refers to, or may be applied to, the compliment of a test sequence. The definition also includes sequences that have deletions and/or additions, as well as those that have substitutions, as well as naturally occurring, e.g., polymorphic or allelic variants, and man-made variants. As described below, the preferred algorithms can account for gaps and the like. Preferably, identity exists over a region that is at least about 25 amino acids or nucleotides in length, or more preferably over a region that is 50-100 amino acids or nucleotides in length.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Preferably, default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A "comparison window", as used herein, includes reference to a segment of one of the number of contiguous positions selected from the group consisting typically of from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith & Waterman, Adv. Appl. Math. 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, J. Mol. Biol. 48:443 (1970), by the search for similarity method of Pearson & Lipman, Proc. Nat'l. Acad. Sci. USA 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (see, e.g., Current Protocols in Molecular Biology (Ausubel et al., eds. 1995 supplement)).

Preferred examples of algorithms that are suitable for determining percent sequence identity and sequence similarity include the BLAST and BLAST 2.0 algorithms,

5

10

15

20

25

which are described in Altschul et al., Nuc. Acids Res. 25:3389-3402 (1977) and Altschul et al., J. Mol. Biol. 215:403-410 (1990). BLAST and BLAST 2.0 are used, with the parameters described herein, to determine percent sequence identity for the nucleic acids and proteins of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., supra). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, e.g., for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=-4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff & Henikoff, Proc. Natl. Acad. Sci. USA 89:10915 (1989)) alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands.

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, e.g., Karlin & Altschul, Proc. Nat'l. Acad. Sci. USA 90:5873-5787 (1993)). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a

5

10

15

20

25

nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Log values may be large negative numbers, e.g., 5, 10, 20, 30, 40, 40, 70, 90, 110, 150, 170, etc.

An indication that two nucleic acid sequences or polypeptides are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid, as described below. Thus, a polypeptide is typically substantially identical to a second polypeptide, e.g., where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules or their complements hybridize to each other under stringent conditions, as described below. Yet another indication that two nucleic acid sequences are substantially identical is that the same primers can be used to amplify the sequences.

A "host cell" is a naturally occurring cell or a transformed cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be cultured cells, explants, cells *in vivo*, and the like. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, and the like (see, e.g., the American Type Culture Collection catalog or web site, www.atcc.org).

The terms "isolated," "purified," or "biologically pure" refer to material that is substantially or essentially free from components that normally accompany it as found in its native state. Purity and homogeneity are typically determined using analytical chemistry techniques such as polyacrylamide gel electrophoresis or high performance liquid chromatography. A protein or nucleic acid that is the predominant species present in a preparation is substantially purified. In particular, an isolated nucleic acid is separated from some open reading frames that naturally flank the gene and encode proteins other than protein encoded by the gene. The term "purified" in some embodiments denotes that a nucleic acid or protein gives rise to essentially one band in an electrophoretic gel. Preferably, it means that the nucleic acid or protein is at least 85% pure, more preferably at least 95% pure, and most preferably at least 99% pure. "Purify" or "purification" in other embodiments means

5

10

15

20

25

removing at least one contaminant from the composition to be purified. In this sense, purification does not require that the purified compound be homogenous, e.g., 100% pure.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers, those containing modified residues, and non-naturally occurring amino acid polymer.

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function similarly to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ-carboxyglutamate, and O-phosphoserine. Amino acid analogs refers to compounds that have the same basic chemical structure as a naturally occurring amino acid, e.g., an α carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine, norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs may have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refers to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that functions similarly to a naturally occurring amino acid.

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Conservatively modified variants" applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical or associated, e.g., naturally contiguous, sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode most proteins. For instance, the codons GCA, GCC, GCG and GCU all encode the amino

5

10

15

20

25

acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to another of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes silent variations of the nucleic acid. One of skill will recognize that in certain contexts each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, often silent variations of a nucleic acid which encodes a polypeptide is implicit in a described sequence with respect to the expression product, but not with respect to actual probe sequences.

As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid.

Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the invention typically conservative substitutions for one another: 1) Alanine (A), Glycine (G); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5)

Isoleucine (I), Leucine (L), Methionine (M), Valine (V); 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); 7) Serine (S), Threonine (T); and 8) Cysteine (C), Methionine (M) (see, e.g., Creighton, Proteins (1984)).

Macromolecular structures such as polypeptide structures can be described in terms of various levels of organization. For a general discussion of this organization, see, e.g., Alberts et al., Molecular Biology of the Cell (3<sup>rd</sup> ed., 1994) and Cantor & Schimmel, Biophysical Chemistry Part I: The Conformation of Biological Macromolecules (1980). "Primary structure" refers to the amino acid sequence of a particular peptide. "Secondary structure" refers to locally ordered, three dimensional structures within a polypeptide. These structures are commonly known as domains. Domains are portions of a polypeptide that

5

10

15

20

25

often form a compact unit of the polypeptide and are typically 25 to approximately 500 amino acids long. Typical domains are made up of sections of lesser organization such as stretches of  $\beta$ -sheet and  $\alpha$ -helices. "Tertiary structure" refers to the complete three dimensional structure of a polypeptide monomer. "Quaternary structure" refers to the three dimensional structure formed, usually by the noncovalent association of independent tertiary units. Anisotropic terms are also known as energy terms.

"Nucleic acid" or "oligonucleotide" or "polynucleotide" or grammatical equivalents used herein means at least two nucleotides covalently linked together. Oligonucleotides are typically from about 5, 6, 7, 8, 9, 10, 12, 15, 25, 30, 40, 50 or more nucleotides in length, up to about 100 nucleotides in length. Nucleic acids and polynucleotides are a polymers of any length, including longer lengths, e.g., 200, 300, 500, 1000, 2000, 3000, 5000, 7000, 10,000, etc. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, nucleic acid analogs are included that may have alternate backbones, comprising, e.g., phosphoramidate, phosphorothioate, phosphorodithioate, or O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press); and peptide nucleic acid backbones and linkages. Other analog nucleic acids include those with positive backbones; non-ionic backbones, and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, Carbohydrate Modifications in Antisense Research, Sanghui & Cook, eds.. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids. Modifications of the ribose-phosphate backbone may be done for a variety of reasons, e.g. to increase the stability and half-life of such molecules in physiological environments or as probes on a biochip. Mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

A variety of references disclose such nucleic acid analogs, including, for example, phosphoramidate (Beaucage et al., Tetrahedron 49(10):1925 (1993) and references therein; Letsinger, J. Org. Chem. 35:3800 (1970); Sprinzl et al., Eur. J. Biochem. 81:579 (1977); Letsinger et al., Nucl. Acids Res. 14:3487 (1986); Sawai et al, Chem. Lett. 805

5

10

15

20

25

(1984), Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); and Pauwels et al., Chemica Scripta 26:141 91986)), phosphorothioate (Mag et al., Nucleic Acids Res. 19:1437 (1991); and U.S. Patent No. 5,644,048), phosphorodithioate (Briu et al., J. Am. Chem. Soc. 111:2321 (1989), O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press), and peptide nucleic acid backbones and linkages (see Egholm, J. Am. Chem. Soc. 114:1895 (1992); Meier et al., Chem. Int. Ed. Engl. 31:1008 (1992); Nielsen, Nature, 365:566 (1993); Carlsson et al., Nature 380:207 (1996), all of which are incorporated by reference). Other analog nucleic acids include those with positive backbones (Denpcy et al., Proc. Natl. Acad. Sci. USA 92:6097 (1995); non-ionic backbones (U.S. Patent Nos. 5,386,023, 5,637,684, 5,602,240, 5,216,141 and 4,469,863; Kiedrowshi et al., Angew. Chem. Intl. Ed. English 30:423 (1991); Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); Letsinger et al., Nucleoside & Nucleotide 13:1597 (1994); Chapters 2 and 3, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook; Mesmaeker et al., Bioorganic & Medicinal Chem. Lett. 4:395 (1994); Jeffs et al., J. Biomolecular NMR 34:17 (1994); Tetrahedron Lett. 37:743 (1996)) and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids (see Jenkins et al., Chem. Soc. Rev. (1995) pp 169-176). Several nucleic acid analogs are described in Rawls, C & E News June 2, 1997 page 35. All of these references are hereby expressly incorporated by reference.

Particularly preferred are peptide nucleic acids (PNA) which includes peptide nucleic acid analogs. These backbones are substantially non-ionic under neutral conditions, in contrast to the highly charged phosphodiester backbone of naturally occurring nucleic acids. This results in two advantages. First, the PNA backbone exhibits improved hybridization kinetics. PNAs have larger changes in the melting temperature (T<sub>m</sub>) for mismatched versus perfectly matched basepairs. DNA and RNA typically exhibit a 2-4°C drop in T<sub>m</sub> for an internal mismatch. With the non-ionic PNA backbone, the drop is closer to 7-9°C. Similarly, due to their non-ionic nature, hybridization of the bases attached to these backbones is

5

10

15

20

25

PCT/US02/02242 WO 02/059377

relatively insensitive to salt concentration. In addition, PNAs are not degraded by cellular enzymes, and thus can be more stable.

The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated 5 by those in the art, the depiction of a single strand also defines the sequence of the complementary strand; thus the sequences described herein also provide the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA or a hybrid, where the nucleic acid may contain combinations of deoxyribo- and ribo-nucleotides, and combinations of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine hypoxanthine, isocytosine, isoguanine, etc. "Transcript" typically refers to a naturally occurring RNA, e.g., a pre-mRNA, hnRNA, or mRNA. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes nonnaturally occurring analog structures. Thus, e.g. the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside.

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, chemical, or other physical means. For example, useful labels include <sup>32</sup>P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins or other entities which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide. The labels may be incorporated into the breast cancer nucleic acids, proteins and antibodies at any position. Any method known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

An "effector" or "effector moiety" or "effector component" is a molecule that is bound (or linked, or conjugated), either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds, to an antibody. The "effector" can be a variety of molecules including, e.g., detection moieties including

10

15

20

25

radioactive compounds, fluorescent compounds, an enzyme or substrate, tags such as epitope tags, a toxin; activatable moieties, a chemotherapeutic agent; a lipase; an antibiotic; or a radioisotope emitting "hard" e.g., beta radiation.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe. Alternatively, method using high affinity interactions may achieve the same results where one of a pair of binding partners binds to the other, e.g., biotin, streptavidin.

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not functionally interfere with hybridization. Thus, e.g., probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled as with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence. Diagnosis or prognosis may be based at the genomic level, or at the level of RNA or protein expression.

The term "recombinant" when used with reference, e.g., to a cell, or nucleic acid, protein, or vector, indicates that the cell, nucleic acid, protein or vector, has been modified by the introduction of a heterologous nucleic acid or protein or the alteration of a native nucleic acid or protein, or that the cell is derived from a cell so modified. Thus, e.g., recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed

5

10

15

20

25

or not expressed at all. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed *in vitro*, in general, by the manipulation of nucleic acid, e.g., using polymerases and endonucleases, in a form not normally found in nature. In this manner, operably linkage of different sequences is achieved. Thus an isolated nucleic acid, in a linear form, or an expression vector formed *in vitro* by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate non-recombinantly, i.e., using the *in vivo* cellular machinery of the host cell rather than *in vitro* manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered recombinant for the purposes of the invention. Similarly, a "recombinant protein" is a protein made using recombinant techniques, i.e., through the expression of a recombinant nucleic acid as depicted above.

The term "heterologous" when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not normally found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences, e.g., from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one source and a coding region from another source. Similarly, a heterologous protein will often refer to two or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

A "promoter" is defined as an array of nucleic acid control sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type promoter, a TATA element. A promoter also eptionally includes distal enhancer or repressor elements, which can be located as much as second thousand base pairs from the start site of transcription. A "constitutive" promoter is a promoter that is active under most environmental and developmental conditions. An "inducible" promoter is a promoter that is active under environmental or developmental regulation. The term "operably linked" refers to a functional linkage between a nucleic acid expression control sequence (such as a

promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

An "expression vector" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements that permit transcription of a particular nucleic acid in a host cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the expression vector includes a nucleic acid to be transcribed operably linked to a promoter.

The phrase "selectively (or specifically) hybridizes to" refers to the binding, duplexing, or hybridizing of a molecule only to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acids, but to no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Probes, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent conditions are selected to be about 5-10°C lower than the thermal melting point (T<sub>m</sub>) for the specific sequence at a defined ionic strength pH. The T<sub>m</sub> is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T<sub>m</sub>, 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides) and at least about 60°C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is at least two times

5

10

15

20

25

.30

background, preferably 10 times background hybridization. Exemplary stringent hybridization conditions can be as following: 50% formamide, 5x SSC, and 1% SDS, incubating at 42°C, or, 5x SSC, 1% SDS, incubating at 65°C, with wash in 0.2x SSC, and 0.1% SDS at 65°C. For PCR, a temperature of about 36°C is typical for low stringency amplification, although annealing temperatures may vary between about 32°C and 48°C depending on primer length. For high stringency PCR amplification, a temperature of about 62°C is typical, although high stringency annealing temperatures can range from about 50°C to about 65°C, depending on the primer length and specificity. Typical cycle conditions for both high and low stringency amplifications include a denaturation phase of 90°C - 95°C for 30 sec - 2 min., an annealing phase lasting 30 sec. - 2 min., and an extension phase of about 72°C for 1 - 2 min. Protocols and guidelines for low and high stringency amplification reactions are provided, e.g., in Innis et al. (1996) PCR Protocols, A Guide to Methods and Applications, Academic Press, Inc. N.Y.).

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 1X SSC at 45°C. A positive hybridization is at least twice background. Those of ordinary skill will readily recognize that alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency. Additional guidelines for determining hybridization parameters are provided in numerous reference, e.g., and Current Protocols in Molecular Biology, ed. Ausubel, et al.

The phrase "functional effects" in the context of assays for testing compounds that modulate activity of a breast cancer protein includes the determination of a parameter that is indirectly or directly under the influence of the breast cancer protein or nucleic acid, e.g., a functional, physical, or chemical effect, such as the ability to decrease breast cancer. It includes ligand binding activity; cell growth on soft agar; anchorage dependence; contact

5

10

15

20

inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. "Functional effects" include *in vitro*, *in vivo*, and *ex vivo* activities.

By "determining the functional effect" is meant assaying for a compound that increases or decreases a parameter that is indirectly or directly under the influence of a breast cancer protein sequence, e.g., functional, enzymatic, physical and chemical effects. Such functional effects can be measured by any means known to those skilled in the art, e.g., changes in spectroscopic characteristics (e.g., fluorescence, absorbance, refractive index), hydrodynamic (e.g., shape), chromatographic, or solubility properties for the protein, measuring inducible markers or transcriptional activation of the breast cancer protein; measuring binding activity or binding assays, e.g. binding to antibodies or other ligands, and measuring cellular proliferation. Determination of the functional effect of a compound on breast cancer can also be performed using breast cancer assays known to those of skill in the art such as an in vitro assays, e.g., cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis in vivo; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. The functional effects can be evaluated by many means known to those skilled in the art, e.g., microscopy for quantitative or qualitative measures of alterations in morphological features, measurement of changes in RNA or protein levels for breast cancer-associated sequences, measurement of RNA stability, identification of downstream or reporter gene expression (CAT, luciferase, β-gal, GFP and the like), e.g., via chemiluminescence, fluorescence, colorimetric reactions, antibody binding, inducible markers, and ligand binding assays.

"Inhibitors", "activators", and "modulators" of breast cancer polynucleotide and polypeptide sequences are used to refer to activating, inhibitory, or modulating molecules or compounds identified using *in vitro* and *in vivo* assays of breast cancer polynucleotide and polypeptide sequences. Inhibitors are compounds that, e.g., bind to, partially or totally block

5

10

15

20

25

activity, decrease, prevent, delay activation, inactivate, desensitize, or down regulate the activity or expression of breast cancer proteins, e.g., antagonists. Antisense nucleic acids may seem to inhibit expression and subsequent function of the protein. "Activators" are compounds that increase, open, activate, facilitate, enhance activation, sensitize, agonize, or up regulate breast cancer protein activity. Inhibitors, activators, or modulators also include genetically modified versions of breast cancer proteins, e.g., versions with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, antibodies, small chemical molecules and the like. Such assays for inhibitors and activators include, e.g., expressing the breast cancer protein *in vitro*, in cells, or cell membranes, applying putative modulator compounds, and then determining the functional effects on activity, as described above. Activators and inhibitors of breast cancer can also be identified by incubating breast cancer cells with the test compound and determining increases or decreases in the expression of 1 or more breast cancer proteins, e.g., 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50 or more breast cancer proteins, such as breast cancer proteins encoded by the sequences set out in Tables 1-25.

Samples or assays comprising breast cancer proteins that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of inhibition. Control samples (untreated with inhibitors) are assigned a relative protein activity value of 100%. Inhibition of a polypeptide is achieved when the activity value relative to the control is about 80%, preferably 50%, more preferably 25-0%. Activation of a breast cancer polypeptide is achieved when the activity value relative to the control (untreated with activators) is 110%, more preferably 150%, more preferably 200-500% (i.e., two to five fold higher relative to the control), more preferably 1000-3000% higher.

The phrase "changes in cell growth" refers to any change in cell growth and proliferation characteristics in vitro or in vivo, such as formation of foci, anchorage independence, semi-solid or soft agar growth, changes in contact inhibition and density limitation of growth, loss of growth factor or serum requirements, changes in cell morphology, gaining or losing immortalization, gaining or losing tumor specific markers, ability to form or suppress tumors when injected into suitable animal hosts, and/or

5

10 .

15

20

25

immortalization of the cell. See, e.g., Freshney, Culture of Animal Cells a Manual of Basic Technique pp. 231-241 (3<sup>rd</sup> ed. 1994).

"Tumor cell" refers to precancerous, cancerous, and normal cells in a tumor.

"Cancer cells," "transformed" cells or "transformation" in tissue culture, refers to spontaneous or induced phenotypic changes that do not necessarily involve the uptake of new genetic material. Although transformation can arise from infection with a transforming virus and incorporation of new genomic DNA, or uptake of exogenous DNA, it can also arise spontaneously or following exposure to a carcinogen, thereby mutating an endogenous gene. Transformation is associated with phenotypic changes, such as immortalization of cells, aberrant growth control, nonmorphological changes, and/or malignancy (see, Freshney, Culture of Animal Cells a Manual of Basic Technique (3<sup>rd</sup> ed. 1994)).

"Antibody" refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD and IgE, respectively. Typically, the antigen-binding region of an antibody or its functional equivalent will be most critical in specificity and affinity of binding. See Paul, Fundamental Immunology.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kD) and one "heavy" chain (about 50-70 kD). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The terms variable light chain (V<sub>L</sub>) and variable heavy chain (V<sub>H</sub>) refer to these light and heavy chains respectively.

Antibodies exist, e.g., as intact immunoglobulins or as a number of well-characterized fragments produced by digestion with various peptidases. Thus, e.g., pepsin digests an antibody below the disulfide linkages in the hinge region to produce F(ab)'<sub>2</sub>, a dimer of Fab which itself is a light chain joined to V<sub>H</sub>-C<sub>H</sub>1 by a disulfide bond. The F(ab)'<sub>2</sub>

5

10

15

20

25

may be reduced under mild conditions to break the disulfide linkage in the hinge region, thereby converting the F(ab)'<sub>2</sub> dimer into an Fab' monomer. The Fab' monomer is essentially Fab with part of the hinge region (see Fundamental Immunology (Paul ed., 3d ed. 1993). While various antibody fragments are defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized de novo either chemically or by using recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments either produced by the modification of whole antibodies, or those synthesized de novo using recombinant DNA methodologies (e.g., single chain Fv) or those identified using phage display libraries (see, e.g., McCafferty et al., Nature 348:552-554 (1990))

For preparation of antibodies, e.g., recombinant, monoclonal, or polyclonal antibodies, many technique known in the art can be used (see, e.g., Kohler & Milstein, Nature 256:495-497 (1975); Kozbor et al., Immunology Today 4:72 (1983); Cole et al., pp. 77-96 in Monoclonal Antibodies and Cancer Therapy (1985); Coligan, Current Protocols in Immunology (1991); Harlow & Lane, Antibodies, A Laboratory Manual (1988); and Goding, Monoclonal Antibodies: Principles and Practice (2d ed. 1986)). Techniques for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies. Alternatively, phage display technology can be used to identify antibodies and heteromeric Fab fragments that specifically bind to selected antigens (see, e.g., McCafferty et al., Nature 348:552-554 (1990); Marks et al., Biotechnology 10:779-783 (1992)).

A "chimeric antibody" is an antibody molecule in which (a) the constant region, or a portion thereof, is altered, replaced or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, e.g., an enzyme, toxin, hormone, growth factor, drug, etc.; or (b) the variable region, or a portion thereof, is altered, replaced or exchanged with a variable region having a different or altered antigen specificity.

30

25

5

10

15

20.

### Identification of breast cancer-associated sequences

In one aspect, the expression levels of genes are determined in different patient samples for which diagnosis information is desired, to provide expression profiles. An expression profile of a particular sample is essentially a "fingerprint" of the state of the sample; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is characteristic of the state of the cell. That is, normal tissue (e.g., normal breast or other tissue) may be distinguished from cancerous or metastatic cancerous tissue of the breast, or breast cancer tissue or metastatic breast cancerous tissue can be compared with tissue samples of breast and other tissues from surviving cancer patients. By comparing expression profiles of tissue in known different breast cancer states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained.

The identification of sequences that are differentially expressed in breast cancer versus non-breast cancer tissue allows the use of this information in a number of ways. For example, a particular treatment regime may be evaluated: does a chemotherapeutic drug act to down-regulate breast cancer, and thus tumor growth or recurrence, in a particular patient. Similarly, diagnosis and treatment outcomes may be done or confirmed by comparing patient samples with the known expression profiles. Metastatic tissue can also be analyzed to determine the stage of breast cancer in the tissue. Furthermore, these gene expression profiles (or individual genes) allow screening of drug candidates with an eye to mimicking or altering a particular expression profile; e.g., screening can be done for drugs that suppress the breast cancer expression profile. This may be done by making biochips comprising sets of the important breast cancer genes, which can then be used in these screens. These methods can also be done on the protein basis; that is, protein expression levels of the breast cancer proteins can be evaluated for diagnostic purposes or to screen candidate agents. In addition, the breast cancer nucleic acid sequences can be administered for gene therapy purposes, including the administration of antisense nucleic acids, or the breast cancer proteins (including antibodies and other modulators thereof) administered as therapeutic drugs.

5

10

15

20

Thus the present invention provides nucleic acid and protein sequences that are differentially expressed in breast cancer, herein termed "breast cancer sequences." As outlined below, breast cancer sequences include those that are up-regulated (i.e., expressed at a higher level) in breast cancer, as well as those that are down-regulated (i.e., expressed at a lower level). In a preferred embodiment, the breast cancer sequences are from humans; however, as will be appreciated by those in the art, breast cancer sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other breast cancer sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows, horses, etc.) and pets, e.g., (dogs, cats, etc.). Breast cancer sequences from other organisms may be obtained using the techniques outlined below.

Breast cancer sequences can include both nucleic acid and amino acid sequences. As will be appreciated by those in the art and is more fully outlined below, breast cancer nucleic acid sequences are useful in a variety of applications, including diagnostic applications, which will detect naturally occurring nucleic acids, as well as screening applications; e.g., biochips comprising nucleic acid probes or PCR microtiter plates with selected probes to the breast cancer sequences can be generated.

A breast cancer sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the breast cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

For identifying breast cancer-associated sequences, the breast cancer screen typically includes comparing genes identified in different tissues, e.g., normal and cancerous tissues, or tumor tissue samples from patients who have metastatic disease vs. non metastatic tissue. Other suitable tissue comparisons include comparing breast cancer samples with metastatic cancer samples from other cancers, such as lung, breast, gastrointestinal cancers, ovarian, etc. Samples of different stages of breast cancer, e.g., survivor tissue, drug resistant states, and tissue undergoing metastasis, are applied to biochips comprising nucleic acid probes. The samples are first microdissected, if applicable, and treated as is known in the art

5

1.0

15

20

25

for the preparation of mRNA. Suitable biochips are commercially available, e.g. from Affymetrix. Gene expression profiles as described herein are generated and the data analyzed.

In one embodiment, the genes showing changes in expression as between normal and disease states are compared to genes expressed in other normal tissues, preferably normal breast, but also including, and not limited to lung, heart, brain, liver, breast, kidney, muscle, colon, small intestine, large intestine, spleen, bone and placenta. In a preferred embodiment, those genes identified during the breast cancer screen that are expressed in any significant amount in other tissues are removed from the profile, although in some embodiments, this is not necessary. That is, when screening for drugs, it is usually preferable that the target be disease specific, to minimize possible side effects.

In a preferred embodiment, breast cancer sequences are those that are upregulated in breast cancer; that is, the expression of these genes is higher in the breast cancer tissue as compared to non-cancerous tissue. "Up-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred. All unigene cluster identification numbers and accession numbers herein are for the GenBank sequence database and the sequences of the accession numbers are hereby expressly incorporated by reference. GenBank is known in the art, see, e.g., Benson, DA, et al., Nucleic Acids Research 26:1-7 (1998) and http://www.ncbi.nlm.nih.gov/. Sequences are also available in other databases, e.g., European Molecular Biology Laboratory (EMBL) and DNA Database of Japan (DDBJ). U.S. Patent Application N. 09/687,576, with the same assignee as the present application, further discloses related sequences, compositions, and methods of diagnosis and treatment of breast cancer is hereby expressly incorporated by reference.

In another preferred embodiment, breast cancer sequences are those that are down-regulated in the breast cancer; that is, the expression of these genes is lower in breast cancer tissue as compared to non-cancerous tissue (see, e.g., Tables 1,2, 3, 15, 16 etc...). "Down-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred.

5

10

15

20

#### **Informatics**

. 10

15

20

25

30

The ability to identify genes that are over or under expressed in breast cancer can additionally provide high-resolution, high-sensitivity datasets which can be used in the areas of diagnostics, therapeutics, drug development, pharmacogenetics, protein structure, biosensor development, and other related areas. For example, the expression profiles can be used in diagnostic or prognostic evaluation of patients with breast cancer. Or as another example, subcellular toxicological information can be generated to better direct drug structure and activity correlation (see Anderson, Pharmaceutical Proteomics: Targets, Mechanism, and Function, paper presented at the IBC Proteomics conference, Coronado, CA (June 11-12, 1998)). Subcellular toxicological information can also be utilized in a biological sensor device to predict the likely toxicological effect of chemical exposures and likely tolerable exposure thresholds (see U.S. Patent No. 5,811,231). Similar advantages accrue from datasets relevant to other biomolecules and bioactive agents (e.g., nucleic acids, saccharides, lipids, drugs, and the like).

Thus, in another embodiment, the present invention provides a database that includes at least one set of assay data. The data contained in the database is acquired, e.g., using array analysis either singly or in a library format. The database can be in substantially any form in which data can be maintained and transmitted, but is preferably an electronic database. The electronic database of the invention can be maintained on any electronic device allowing for the storage of and access to the database, such as a personal computer, but is preferably distributed on a wide area network, such as the World Wide Web.

The focus of the present section on databases that include peptide sequence data is for clarity of illustration only. It will be apparent to those of skill in the art that similar databases can be assembled for any assay data acquired using an assay of the invention.

The compositions and methods for identifying and/or quantitating the relative and/or absolute abundance of a variety of molecular and macromolecular species from a biological sample undergoing breast cancer, i.e., the identification of breast cancer-associated sequences described herein, provide an abundance of information, which can be correlated with pathological conditions, predisposition to disease, drug testing, therapeutic monitoring,

gene-disease causal linkages, identification of correlates of immunity and physiological status, among others. Although the data generated from the assays of the invention is suited for manual review and analysis, in a preferred embodiment, prior data processing using high-speed computers is utilized.

An array of methods for indexing and retrieving biomolecular information is known in the art. For example, U.S. Patents 6,023,659 and 5,966,712 disclose a relational database system for storing biomolecular sequence information in a manner that allows sequences to be catalogued and searched according to one or more protein function hierarchies. U.S. Patent 5,953,727 discloses a relational database having sequence records containing information in a format that allows a collection of partial-length DNA sequences to be catalogued and searched according to association with one or more sequencing projects for obtaining full-length sequences from the collection of partial length sequences. U.S. Patent 5,706,498 discloses a gene database retrieval system for making a retrieval of a gene sequence similar to a sequence data item in a gene database based on the degree of similarity between a key sequence and a target sequence. U.S. Patent 5,538,897 discloses a method using mass spectroscopy fragmentation patterns of peptides to identify amino acid sequences in computer databases by comparison of predicted mass spectra with experimentally-derived mass spectra using a closeness-of-fit measure. U.S. Patent 5,926,818 discloses a multidimensional database comprising a functionality for multi-dimensional data analysis described as on-line analytical processing (OLAP), which entails the consolidation of projected and actual data according to more than one consolidation path or dimension. U.S. Patent 5,295,261 reports a hybrid database structure in which the fields of each database record are divided into two classes, navigational and informational data, with navigational fields stored in a hierarchical topological map which can be viewed as a tree structure or as the merger of two or more such tree structures.

See also Mount et al., Bioinformatics (2001); Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids (Durbin et al., eds., 1999); Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins (Baxevanis & Oeullette eds., 1998)); Rashidi & Buehler, Bioinformatics: Basic Applications in Biological Science and Medicine (1999); Introduction to Computational Molecular Biology (Setubal et

5

10

15

20

25

al., eds 1997); Bioinformatics: Methods and Protocols (Misener & Krawetz, eds, 2000); Bioinformatics: Sequence, Structure, and Databanks: A Practical Approach (Higgins & Taylor, eds., 2000); Brown, Bioinformatics: A Biologist's Guide to Biocomputing and the Internet (2001); Han & Kamber, Data Mining: Concepts and Techniques (2000); and Waterman, Introduction to Computational Biology: Maps, Sequences, and Genomes (1995).

The present invention provides a computer database comprising a computer and software for storing in computer-retrievable form assay data records cross-tabulated, e.g., with data specifying the source of the target-containing sample from which each sequence specificity record was obtained.

In an exemplary embodiment, at least one of the sources of target-containing sample is from a control tissue sample known to be free of pathological disorders. In a variation, at least one of the sources is a known pathological tissue specimen, e.g., a neoplastic lesion or another tissue specimen to be analyzed for breast cancer. In another variation, the assay records cross-tabulate one or more of the following parameters for each target species in a sample: (1) a unique identification code, which can include, e.g., a target molecular structure and/or characteristic separation coordinate (e.g., electrophoretic coordinates); (2) sample source; and (3) absolute and/or relative quantity of the target species present in the sample.

The invention also provides for the storage and retrieval of a collection of target data in a computer data storage apparatus, which can include magnetic disks, optical disks, magneto-optical disks, DRAM, SRAM, SGRAM, SDRAM, RDRAM, DDR RAM, magnetic bubble memory devices, and other data storage devices, including CPU registers and on-CPU data storage arrays. Typically, the target data records are stored as a bit pattern in an array of magnetic domains on a magnetizable medium or as an array of charge states or transistor gate states, such as an array of cells in a DRAM device (e.g., each cell comprised of a transistor and a charge storage area, which may be on the transistor). In one embodiment, the invention provides such storage devices, and computer systems built therewith, comprising a bit pattern encoding a protein expression fingerprint record comprising unique identifiers for at least 10 target data records cross-tabulated with target source.

5

10

15

20

When the target is a peptide or nucleic acid, the invention preferably provides a method for identifying related peptide or nucleic acid sequences, comprising performing a computerized comparison between a peptide or nucleic acid sequence assay record stored in or retrieved from a computer storage device or database and at least one other sequence. The comparison can include a sequence analysis or comparison algorithm or computer program embodiment thereof (e.g., FASTA, TFASTA, GAP, BESTFIT) and/or the comparison may be of the relative amount of a peptide or nucleic acid sequence in a pool of sequences determined from a polypeptide or nucleic acid sample of a specimen.

The invention also preferably provides a magnetic disk, such as an IBM-compatible (DOS, Windows, Windows95/98/2000, Windows NT, OS/2) or other format (e.g., Linux, SunOS, Solaris, AIX, SCO Unix, VMS, MV, Macintosh, etc.) floppy diskette or hard (fixed, Winchester) disk drive, comprising a bit pattern encoding data from an assay of the invention in a file format suitable for retrieval and processing in a computerized sequence analysis, comparison, or relative quantitation method.

The invention also provides a network, comprising a plurality of computing devices linked via a data link, such as an Ethernet cable (coax or 10BaseT), telephone line, ISDN line, wireless network, optical fiber, or other suitable signal transmission medium, whereby at least one network device (e.g., computer, disk array, etc.) comprises a pattern of magnetic domains (e.g., magnetic disk) and/or charge domains (e.g., an array of DRAM cells) composing a bit pattern encoding data acquired from an assay of the invention.

The invention also provides a method for transmitting assay data that includes generating an electronic signal on an electronic communications device, such as a modem, ISDN terminal adapter, DSL, cable modem, ATM switch, or the like, wherein the signal includes (in native or encrypted format) a bit pattern encoding data from an assay or a database comprising a plurality of assay results obtained by the method of the invention.

In a preferred embodiment, the invention provides a computer system for comparing a query target to a database containing an array of data structures, such as an assay result obtained by the method of the invention, and ranking database targets based on the degree of identity and gap weight to the target data. A central processor is preferably initialized to load and execute the computer program for alignment and/or comparison of the

5

10

15

20

25

assay results. Data for a query target is entered into the central processor via an I/O device. Execution of the computer program results in the central processor retrieving the assay data from the data file, which comprises a binary description of an assay result.

The target data or record and the computer program can be transferred to secondary memory, which is typically random access memory (e.g., DRAM, SRAM, SGRAM, or SDRAM). Targets are ranked according to the degree of correspondence between a selected assay characteristic (e.g., binding to a selected affinity moiety) and the same characteristic of the query target and results are output via an I/O device. For example, a central processor can be a conventional computer (e.g., Intel Pentium, PowerPC, Alpha, PA-8000, SPARC, MIPS 4400, MIPS 10000, VAX, etc.); a program can be a commercial or public domain molecular biology software package (e.g., UWGCG Sequence Analysis Software, Darwin); a data file can be an optical or magnetic disk, a data server, a memory device (e.g., DRAM, SRAM, SGRAM, SDRAM, EPROM, bubble memory, flash memory, etc.); an I/O device can be a terminal comprising a video display and a keyboard, a modem, an ISDN terminal adapter, an Ethernet port, a punched card reader, a magnetic strip reader, or other suitable I/O device.

The invention also preferably provides the use of a computer system, such as that described above, which comprises: (1) a computer; (2) a stored bit pattern encoding a collection of peptide sequence specificity records obtained by the methods of the invention, which may be stored in the computer; (3) a comparison target, such as a query target; and (4) a program for alignment and comparison, typically with rank-ordering of comparison results on the basis of computed similarity values.

# Characteristics of breast cancer-associated proteins

Breast cancer proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In one embodiment, the breast cancer protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus. Intracellular proteins are involved in all aspects of cellular function and replication (including, e.g., signaling pathways); aberrant expression of such proteins often results in unregulated or disregulated cellular processes (see, e.g., Molecular

5

10

15

20

25

Biology of the Cell (Alberts, ed., 3rd ed., 1994). For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

5

10

15

20

25 ·

30

BNSDOCID: <WO

\_02059377A2\_1\_>\*

An increasingly appreciated concept in characterizing proteins is the presence in the proteins of one or more motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2 domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of primary sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate. One useful database is Pfam (protein families), which is a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains. Versions are available via the internet from Washington University in St. Louis, the Sanger Center in England, and the Karolinska Institute in Sweden (see, e.g., Bateman et al., Nuc. Acids Res. 28:263-266 (2000); Sonnhammer et al., Proteins 28:405-420 (1997); Bateman et al., Nuc. Acids Res. 27:260-262 (1999); and Sonnhammer et al., Nuc. Acids Res. 26:320-322-(1998)).

In another embodiment, the breast cancer sequences are transmembrane proteins. Transmembrane proteins are molecules that span a phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described

for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors such as G protein coupled receptors (GPCRs) are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Characteristics of transmembrane domains include approximately 20 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the localization and number of transmembrane domains within the protein may be predicted (see, e.g. PSORT web site http://psort.nibb.ac.jp/). Important transmembrane protein receptors include, but are not limited to the insulin receptor, insulin-like growth factor receptor, human growth hormone receptor, glucose transporters, transferrin receptor, epidermal growth factor receptor, low density lipoprotein receptor, epidermal growth factor receptor, leptin receptor, interleukin receptors, e.g. IL-1 receptor, IL-2 receptor,

The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are found on receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include

5

10

15

20

25

cytokines, mitogenic factors, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they mediate cell-cell interactions. Cell-associated ligands can be tethered to the cell, e.g., via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

Breast cancer proteins that are transmembrane are particularly preferred in the present invention as they are readily accessible targets for immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities. Antibodies may be used to label such readily accessible proteins in situ. Alternatively, antibodies can also label intracellular proteins, in which case samples are typically permeablized to provide access to intracellular proteins.

It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, e.g., through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

In another embodiment, the breast cancer proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; by virtue of their circulating nature, they serve to transmit signals to various other cell types. The secreted protein may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor) or an endocrine manner (acting on cells at a distance). Thus secreted molecules find use in modulating or altering numerous aspects of physiology. Breast cancer proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, e.g., for blood, plasma, serum, or stool tests.

#### Use of breast cancer nucleic acids

As described above, breast cancer sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology or linkage to the breast cancer

5

10

15

20

25

sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions. Typically, linked sequences on a mRNA are found on the same molecule.

The breast cancer nucleic acid sequences of the invention, e.g., the sequences in Tables 1-25, can be fragments of larger genes, i.e., they are nucleic acid segments. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, extended sequences, in either direction, of the breast cancer genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Ausubel, *et al.*, *supra*. Much can be done by informatics and many sequences can be clustered to include multiple sequences corresponding to a single gene, e.g., systems such as UniGene (see, http://www.ncbi.nlm.nih.gov/UniGene/).

Once the breast cancer nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire breast cancer nucleic acid coding regions or the entire mRNA sequence. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant breast cancer nucleic acid can be further-used as a probe to identify and isolate other breast cancer nucleic acids, e.g., extended coding regions. It can also be used as a "precursor" nucleic acid to make modified or variant breast cancer nucleic acids and proteins.

The breast cancer nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the breast cancer nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, e.g., for gene therapy, vaccine, and/or antisense applications.

Alternatively, the breast cancer nucleic acids that include coding reasons of breast cancer proteins can be put into expression vectors for the expression of breast cancer proteins, again for screening purposes or for administration to a patient.

In a preferred embodiment, nucleic acid probes to breast cancer nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are

5

10

15

20

25

made. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the breast cancer nucleic acids, *i.e.* the target sequence (either the target sequence of the sample or to other probe sequences, e.g., in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be any number of base pair mismatches which will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under normal reaction conditions, particularly high stringency conditions, as outlined herein.

A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally whole genes are not used. In some embodiments, much longer nucleic acids can be used, up to hundreds of bases.

In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a particular target. The probes can be overlapping (i.e., have some sequence in common), or separate. In some cases, PCR primers may be used to amplify signal for higher sensitivity.

As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can typically be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is meant one or more of electrostatic,

5

10

15

20

25.

hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

In general, the probes are attached to the biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

The biochip comprises a suitable solid substrate. By "substrate" or "solid support" or other grammatical equivalents herein is meant a material that can be modified to contain discrete individual sites appropriate for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene, polyurethanes, TeflonJ, etc.), polysaccharides, nylon or nitrocellulose, resins, silica or silicabased materials including silicon and modified silicon, carbon, metals, inorganic glasses, plastics, etc. In general, the substrates allow optical detection and do not appreciably fluoresce. A preferred substrate is described in copending application entitled Reusable Low Fluorescent Plastic Biochip, U.S. Application Serial No. 09/270,214, filed March 15, 1999, herein incorporated by reference in its entirety.

Generally the substrate is planar, although as will be appreciated by those in the art, other configurations of substrates may be used as well. For example, the probes may be placed on the inside surface of a tube, for flow-through sample analysis to minimize

10

15

20

sample volume. Similarly, the substrate may be flexible, such as a flexible foam, including closed cell foams made of particular plastics.

In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, e.g., the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, e.g. using linkers as are known in the art; e.g., homo-or hetero-bifunctional linkers as are well known (see 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

In this embodiment, oligonucleotides are synthesized as is known in the art, and then attached to the surface of the solid support. As will be appreciated by those skilled in the art, either the 5' or 3' terminus may be attached to the solid support, or attachment may be via an internal nucleoside.

In another embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized in situ, using well known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of which are expressly incorporated by reference; these methods of attachment form the basis of the Affirmetrix GeneChip<sup>TM</sup> technology.

Often, amplification-based assays are performed to measure the expression level of breast cancer-associated sequences. These assays are typically performed in conjunction with reverse transcription. In such assays, a breast cancer-associated nucleic acid

5

10

15

20

25

sequence acts as a template in an amplification reaction (e.g., Polymerase Chain Reaction, or PCR). In a quantitative amplification, the amount of amplification product will be proportional to the amount of template in the original sample. Comparison to appropriate controls provides a measure of the amount of breast cancer-associated RNA. Methods of quantitative amplification are well known to those of skill in the art. Detailed protocols for quantitative PCR are provided, e.g., in Innis et al., PCR Protocols, A Guide to Methods and Applications (1990).

In some embodiments, a TaqMan based assay is used to measure expression. TaqMan based assays use a fluorogenic oligonucleotide probe that contains a 5' fluorescent dye and a 3' quenching agent. The probe hybridizes to a PCR product, but cannot itself be extended due to a blocking agent at the 3' end. When the PCR product is amplified in subsequent cycles, the 5' nuclease activity of the polymerase, e.g., AmpliTaq, results in the cleavage of the TaqMan probe. This cleavage separates the 5' fluorescent dye and the 3' quenching agent, thereby resulting in an increase in fluorescence as a function of amplification (see, e.g., literature provided by Perkin-Elmer, e.g., www2.perkin-elmer.com).

Other suitable amplification methods include, but are not limited to, ligase chain reaction (LCR) (see Wu & Wallace, Genomics 4:560 (1989), Landegren et al., Science 241:1077 (1988), and Barringer et al., Gene 89:117 (1990)), transcription amplification (Kwoh et al., Proc. Natl. Acad. Sci. USA 86:1173 (1989)), self-sustained sequence replication (Guatelli et al., Proc. Nat. Acad. Sci. USA 87:1874 (1990)), dot PCR, and linker adapter PCR, etc.

#### Expression of breast cancer proteins from nucleic acids

In a preferred embodiment, breast cancer nucleic acids, e.g., encoding breast cancer proteins are used to make a variety of expression vectors to express breast cancer proteins which can then be used in screening assays, as described below. Expression vectors and recombinant DNA technology are well known to those of skill in the art (see, e.g., Ausubel, supra, and Gene Expression Systems (Fernandez & Hoeffler, eds, 1999)) and are used to express proteins. The expression vectors may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these

5

10

15

20

25

expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the breast cancer protein. The term "control sequences" refers to DNA sequences used for the expression of an operably linked coding sequence in a particular host organism. Control sequences that are suitable for prokaryotes, e.g., include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation.

Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is typically accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice. Transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the breast cancer protein. Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

In general, transcriptional and translational regulatory sequences may include, but are not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

Promoter sequences encode either constitutive or inducible promoters. The promoters may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.

5

10

15

20

In addition, an expression vector may comprise additional elements. For example, the expression vector may have two replication systems, thus allowing it to be maintained in two organisms, e.g. in mammalian or insect cells for expression and in a procaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences which flank the expression construct. The integrating vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art (e.g., Fernandez & Hoeffler, supra).

In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

The breast cancer proteins of the present invention are produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a breast cancer protein, under the appropriate conditions to induce or cause expression of the breast cancer protein. Conditions appropriate for breast cancer protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation or optimization. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

Appropriate host cells include yeast, bacteria, archaebacteria, fungi, and insect and animal cells, including mammalian cells. Of particular interest are Saccharomyces cerevisiae and other yeasts, E. coli, Bacillus subtilis, Sf9 cells, C129 cells, 293 cells, Neurospora, BHK, CHO, COS, HeLa cells, HUVEC (human umbilical vein endothelial cells), THP1 cells (a macrophage cell line) and various other human cells and cell lines.

In a preferred embodiment, the breast cancer proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include

5

10

15

20

25

retroviral and adenoviral systems. One expression vector system is a retroviral vector system such as is generally described in PCT/US97/01019 and PCT/US97/01048, both of which are hereby expressly incorporated by reference. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter (see, e.g., Fernandez & Hoeffler, supra). Typically, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenlyation signals include those derived form SV40.

The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used. Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

In a preferred embodiment, breast cancer proteins are expressed in bacterial systems. Bacterial expression systems are well known in the art. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; e.g., the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the breast cancer protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which

5

10

15

20

25

render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others (e.g., Fernandez & Hoeffler, *supra*). The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

In one embodiment, breast cancer proteins are produced in insect cells.

Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

In a preferred embodiment, breast cancer protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for Saccharomyces cerevisiae, Candida albicans and C. maltosa, Hansenula polymorpha, Kluyveromyces fragilis and K. lactis, Pichia guillerimondii and P. pastoris, Schizosaccharomyces pombe, and Yarrowia lipolytica.

The breast cancer protein may also be made as a fusion protein, using techniques well known in the art. Thus, e.g., for the creation of monoclonal antibodies, if the desired epitope is small, the breast cancer protein may be fused to a carrier protein to form an immunogen. Alternatively, the breast cancer protein may be made as a fusion protein to increase expression, or for other reasons. For example, when the breast cancer protein is a breast cancer peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

In a preferred embodiment, the breast cancer protein is purified or isolated after expression. Breast cancer proteins may be isolated or purified in a variety of ways known to those skilled in the art depending on what other components are present in the sample. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reverse-phase HPLC chromatography, and chromatofocusing. For example, the breast cancer protein may be purified using a standard anti-breast cancer protein antibody column. Ultrafiltration

5

10

15

20

25

and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes, *Protein Purification* (1982). The degree of purification necessary will vary depending on the use of the breast cancer protein. In some instances no purification will be necessary.

Once expressed and purified if necessary, the breast cancer proteins and nucleic acids are useful in a number of applications. They may be used as immunoselection reagents, as vaccine reagents, as screening agents, etc.

### Variants of breast cancer proteins

5

10

15

20

25

30

In one embodiment, the breast cancer proteins are derivative or variant breast cancer proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative breast cancer peptide will often contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at any residue within the breast cancer peptide.

Also included within one embodiment of breast cancer proteins of the present invention are amino acid sequence variants. These variants typically fall into one or more of three classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the breast cancer protein, using cassette or PCR mutagenesis or other techniques well known in the art, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above. However, variant breast cancer protein fragments having up to about 100-150 residues may be prepared by in vitro synthesis using established techniques. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the breast cancer protein amino acid sequence. The variants typically exhibit the same qualitative biological activity as the naturally occurring analogue, although variants can also be selected which have modified characteristics as will be more fully outlined below.

While the site or region for introducing an amino acid sequence variation is predetermined, the mutation per se need not be predetermined. For example, in order to

optimize the performance of a mutation at a given site, random mutagenesis may be conducted at the target codon or region and the expressed breast cancer variants screened for the optimal combination of desired activity. Techniques for making substitution mutations at predetermined sites in DNA having a known sequence are well known, e.g., M13 primer mutagenesis and PCR mutagenesis. Screening of the mutants is done using assays of breast cancer protein activities.

Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be tolerated. Deletions range from about 1 to about 20 residues, although in some cases deletions may be much larger.

Substitutions, deletions, insertions or any combination thereof may be used to arrive at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. However, larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of the breast cancer protein are desired, substitutions are generally made in accordance with the amino acid substitution relationships provided in the definition section.

The variants typically exhibit the same qualitative biological activity and will elicit the same immune response as the naturally-occurring analog, although variants also are selected to modify the characteristics of the breast cancer proteins as needed. Alternatively, the variant may be designed such that the biological activity of the breast cancer protein is altered. For example, glycosylation sites may be altered or removed.

Substantial changes in function or immunological identity are made by selecting substitutions that are less conservative than those described above. For example, substitutions may be made which more significantly affect: the structure of the polypeptide backbone in the area of the alteration, for example the alpha-helical or beta-sheet structure; the charge or hydrophobicity of the molecule at the target site; or the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in the polypeptide's properties are those in which (a) a hydrophilic residue, e.g. seryl or threonyl is substituted for (or by) a hydrophobic residue, e.g. leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue

5

10

15

20

25

having an electropositive side chain, e.g. lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g. glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g. phenylalanine, is substituted for (or by) one not having a side chain, e.g. glycine.

Covalent modifications of breast cancer polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a breast cancer polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a breast cancer polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking breast cancer polypeptides to a water-insoluble support matrix or surface for use in the method for purifying anti-breast cancer polypeptide antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, e.g., esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimidate.

Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, threonyl or tyrosyl residues, methylation of the amino groups of the lysine, arginine, and histidine side chains (Creighton, *Proteins: Structure and Molecular Properties*, pp. 79-86 (1983)), acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the breast cancer polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence breast cancer polypeptide, and/or adding one or more glycosylation sites that are not present in the native sequence breast cancer polypeptide. Glycosylation patterns can be altered in many ways. For example the use of different cell types to express breast cancer-associated sequences can result in different glycosylation patterns.

5

10

15

20

Addition of glycosylation sites to breast cancer polypeptides may also be accomplished by altering the amino acid sequence thereof. The alteration may be made, e.g., by the addition of, or substitution by, one or more serine or threonine residues to the native sequence breast cancer polypeptide (for O-linked glycosylation sites). The breast cancer amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the breast cancer polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the breast cancer polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330, and in Aplin & Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the breast cancer polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of breast cancer comprises linking the breast cancer polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

Breast cancer polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising a breast cancer polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric molecule comprises a fusion of a breast cancer polypeptide with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the breast cancer polypeptide. The presence of such epitope-tagged forms of a breast cancer polypeptide can be detected using

5

10

15

20

25

.10

15

20

25

30

an antibody against the tag polypeptide. Also, provision of the epitope tag enables the breast cancer polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of a breast cancer polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; HIS6 and metal chelation tags, the flu HA tag polypeptide and its antibody 12CA5 (Field et al., Mol. Cell. Biol. 8:2159-2165 (1988)); the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto (Evan et al., Molecular and Cellular Biology 5:3610-3616 (1985)); and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody (Paborsky et al., Protein Engineering 3(6):547-553 (1990)). Other tag polypeptides include the Flag-peptide (Hopp et al., BioTechnology 6:1204-1210 (1988)); the KT3 epitope peptide (Martin et al., Science 255:192-194 (1992)); tubulin epitope peptide (Skinner et al., J. Biol. Chem. 266:15163-15166 (1991)); and the T7 gene 10 protein peptide tag (Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA 87:6393-6397 (1990)).

Also included are other breast cancer proteins of the breast cancer family, and breast cancer proteins from other organisms, which are cloned and expressed as outlined below. Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related breast cancer proteins from humans or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include the unique areas of the breast cancer nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred, and may contain inosine as needed. The conditions for the PCR reaction are well known in the art (e.g., Innis, PCR Protocols, supra).

#### Antibodies to breast cancer proteins

In a preferred embodiment, when the breast cancer protein is to be used to generate antibodies, e.g., for immunotherapy or immunodiagnosis, the breast cancer protein

should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is typically meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller breast cancer protein will be able to bind to the full-length protein, particularly linear epitopes. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

Methods of preparing polyclonal antibodies are known to the skilled artisan (e.g., Coligan, *supra*; and Harlow & Lane, *supra*). Polyclonal antibodies can be raised in a mammal, e.g., by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of the figures or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler & Milstein, *Nature* 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized in vitro. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of Tables 1-25 or fragment thereof, or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene

5

10

15

20

25

glycol, to form a hybridoma cell (Goding, *Monoclonal Antibodies: Principles and Practice*, pp. 59-103 (1986)). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

10

5

In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens or that have binding specificities for two epitopes on the same antigen. In one embodiment, one of the binding specificities is for a protein encoded by a nucleic acid Tables 1-25 or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific. Alternatively, tetramer-type technology may create multivalent reagents.

20

15

In a preferred embodiment, the antibodies to breast cancer protein are capable of reducing or eliminating a biological function of a breast cancer protein, as is described below. That is, the addition of anti-breast cancer protein antibodies (either polyclonal or preferably monoclonal) to breast cancer tissue (or cells containing breast cancer) may reduce or eliminate the breast cancer. Generally, at least a 25% decrease in activity, growth, size or the like is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

25

30

In a preferred embodiment the antibodies to the breast cancer proteins are humanized antibodies (e.g., Xenerex Biosciences, Mederex, Inc., Abgenix, Inc., Protein Design Labs,Inc.) Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')2 or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include

5.

10

15

20

25

30

human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a nonhuman species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework (FR) regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol. 2:593-596 (1992)). Humanization can be essentially performed following the method of Winter and co-workers (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-327 (1988); Verhoeyen et al., Science 239:1534-1536 (1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a nonhuman species.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries (Hoogenboom & Winter, J. Mol. Biol. 227:381 (1991); Marks et al., J. Mol. Biol. 222:581 (1991)). The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., Monoclonal Antibodies and Cancer Therapy, p. 77 (1985) and Boerner et al., J. Immunol. 147(1):86-95 (1991)). Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all

10

15

20

25

30

respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, e.g., in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., Bio/Technology 10:779-783 (1992); Lonberg et al., Nature 368:856-859 (1994); Morrison, Nature 368:812-13 (1994); Fishwild et al., Nature Biotechnology 14:845-51 (1996); Neuberger, Nature Biotechnology 14:826 (1996); Lonberg & Huszar, Intern. Rev. Immunol. 13:65-93 (1995).

By immunotherapy is meant treatment of breast cancer with an antibody raised against breast cancer proteins. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. As appreciated by one of ordinary skill in the art, the antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen, leading to an immune response.

In a preferred embodiment the breast cancer proteins against which antibodies are raised are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted breast cancer protein.

In another preferred embodiment, the breast cancer protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment, bind the extracellular domain of the breast cancer protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The antibody may cause down-regulation of the transmembrane breast cancer protein. As will be appreciated by one of ordinary skill in the art, the antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the breast cancer protein. The antibody is also an antagonist of the breast cancer protein. Further, the antibody prevents activation of the transmembrane breast cancer protein. In one aspect, when the antibody prevents the binding of other molecules to the breast cancer

10

15

20

25

30

protein, the antibody prevents growth of the cell. The antibody may also be used to target or sensitize the cell to cytotoxic agents, including, but not limited to TNF-α, TNF-β, IL-1, INF-γ and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody belongs to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity or antigen-dependent cytotoxicity (ADCC). Thus, breast cancer is treated by administering to a patient antibodies directed against the transmembrane breast cancer protein. Antibody-labeling may activate a co-toxin, localize a toxin payload, or otherwise provide means to locally ablate cells.

In another preferred embodiment, the antibody is conjugated to an effector moiety. The effector moiety can be any number of molecules, including labelling moieties such as radioactive labels or fluorescent labels, or can be a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of the breast cancer protein. In another aspect the therapeutic moiety modulates the activity of molecules associated with or in close proximity to the breast cancer protein. The therapeutic moiety may inhibit enzymatic activity such as protease or collagenase or protein kinase activity associated with breast cancer.

In a preferred embodiment, the therapeutic moiety can also be a cytotoxic agent. In this method, targeting the cytotoxic agent to breast cancer tissue or cells, results in a reduction in the number of afflicted cells, thereby reducing symptoms associated with breast cancer. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, crotin, phenomycin, enomycin and the like. Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against breast cancer proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane breast cancer proteins not only serves to increase the local concentration of therapeutic moiety in the breast cancer afflicted area, but also serves to reduce deleterious side effects that may be associated with the therapeutic moiety.

10

15

20

25

30

In another preferred embodiment, the breast cancer protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the breast cancer protein can be targeted within a cell, i.e., the nucleus, an antibody thereto contains a signal for that target localization, i.e., a nuclear localization signal.

The breast cancer antibodies of the invention specifically bind to breast cancer proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a  $K_d$  of at least about 0.1 mM, more usually at least about 1  $\mu$ M, preferably at least about 0.1  $\mu$ M or better, and most preferably, 0.01  $\mu$ M or better. Selectivity of binding is also important.

# Detection of breast cancer sequence for diagnostic and therapeutic applications

In one aspect, the RNA expression levels of genes are determined for different cellular states in the breast cancer phenotype. Expression levels of genes in normal tissue (i.e., not undergoing breast cancer) and in breast cancer tissue (and in some cases, for varying severities of breast cancer that relate to prognosis, as outlined below) are evaluated to provide expression profiles. An expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state. While two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is reflective of the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be performed or confirmed to determine whether a tissue sample has the gene expression profile of normal or cancerous tissue. This will provide for molecular diagnosis of related conditions.

"Differential expression," or grammatical equivalents as used herein, refers to qualitative or quantitative differences in the temporal and/or cellular gene expression patterns within and among cells and tissue. Thus, a differentially expressed gene can

10

15

20

25

qualitatively have its expression altered, including an activation or inactivation, in, e.g., normal versus breast cancer tissue. Genes may be turned on or turned off in a particular state, relative to another state thus permitting comparison of two or more states. A qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques. Some genes will be expressed in one state or cell type, but not in both. Alternatively, the difference in expression may be quantitative, e.g., in that expression is increased or decreased; i.e., gene expression is either upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip™ expression arrays, Lockhart, Nature Biotechnology 14:1675-1680 (1996), hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e., upregulation or downregulation) is at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably at least about 200%, with from 300 to at least 1000% being especially preferred.

Evaluation may be at the gene transcript, or the protein level. The amount of gene expression may be monitored using nucleic acid probes to the DNA or RNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, e.g., with antibodies to the breast cancer protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Proteins corresponding to breast cancer genes, i.e., those identified as being important in a breast cancer phenotype, can be evaluated in a breast cancer diagnostic test.

In a preferred embodiment, gene expression monitoring is performed simultaneously on a number of genes. Multiple protein expression monitoring can be performed as well. Similarly, these assays may be performed on an individual basis as well.

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in

10

15

20

25

30

a particular cell. The assays are further described below in the example. PCR techniques can be used to provide greater sensitivity.

In a preferred embodiment nucleic acids encoding the breast cancer protein are detected. Although DNA or RNA encoding the breast cancer protein may be detected, of particular interest are methods wherein an mRNA encoding a breast cancer protein is detected. Probes to detect mRNA can be a nucleotide/deoxynucleotide probe that is complementary to and hybridizes with the mRNA and includes, but is not limited to, oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed in situ. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxygenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a breast cancer protein is detected by binding the digoxygenin with an anti-digoxygenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3indoyl phosphate.

In a preferred embodiment, various proteins from the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in diagnostic assays. This can be performed on an individual gene or corresponding polypeptide level. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes and/or corresponding polypeptides.

As described and defined herein, breast cancer proteins, including intracellular, transmembrane or secreted proteins, find use as markers of breast cancer.

Detection of these proteins in putative breast cancer tissue allows for detection or diagnosis

of breast cancer. In one embodiment, antibodies are used to detect breast cancer proteins. A preferred method separates proteins from a sample by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be another type of gel, including isoelectric focusing gels and the like). Following separation of proteins, the breast cancer protein is detected, e.g., by immunoblotting with antibodies raised against the breast cancer protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

In another preferred method, antibodies to the breast cancer protein find use in in situ imaging techniques, e.g., in histology (e.g., Methods in Cell Biology: Antibodies in Cell Biology, volume 37 (Asai, ed. 1993)). In this method cells are contacted with from one to many antibodies to the breast cancer protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label. In another method the primary antibody to the breast cancer protein(s) contains a detectable label, e.g. an enzyme marker that can act on a substrate. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of breast cancer proteins. As will be appreciated by one of ordinary skill in the art, many other histological imaging techniques are also provided by the invention.

In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

In another preferred embodiment, antibodies find use in diagnosing breast cancer from blood, serum, plasma, stool, and other samples. Such samples, therefore, are useful as samples to be probed or tested for the presence of breast cancer proteins.

Antibodies can be used to detect a breast cancer protein by previously described immunoassay techniques including ELISA, immunoblotting (western bletting),

immunoassay techniques including ELISA, immunoblotting (western bletting), immunoprecipitation, BIACORE technology and the like. Conversely, the presence of antibodies may indicate an immune response against an endogenous breast cancer protein.

In a preferred embodiment, in situ hybridization of labeled breast cancer nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including

5

10

15

20

25

breast cancer tissue and/or normal tissue, are made. In situ hybridization (see, e.g., Ausubel, supra) is then performed. When comparing the fingerprints between an individual and a standard, the skilled artisan can make a diagnosis, a prognosis, or a prediction based on the findings. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis and molecular profiling of the condition of the cells may lead to distinctions between responsive or refractory conditions or may be predictive of outcomes.

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to breast cancer, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. As above, breast cancer probes may be attached to biochips for the detection and quantification of breast cancer sequences in a tissue or patient. The assays proceed as outlined above for diagnosis. PCR method may provide more sensitive and accurate quantification.

## Assays for therapeutic compounds

In a preferred embodiment members of the proteins, nucleic acids, and antibodies as described herein are used in drug screening assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in drug screening assays or by evaluating the effect of drug candidates on a "gene expression profile" or expression profile of polypeptides. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent (e.g., Zlokarnik, et al., Science 279:84-8 (1998); Heid, Genome Res 6:986-94, 1996).

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified breast cancer proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the breast cancer phenotype or an identified physiological function of a breast cancer protein. As above, this can be done on an individual gene level or

5

10

15

20

25

by evaluating the effect of drug candidates on a "gene expression profile". In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, *supra*.

Having identified the differentially expressed genes herein, a variety of assays may be executed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene as up regulated in breast cancer, test compounds can be screened for the ability to modulate gene expression or for binding to the breast cancer protein. "Modulation" thus includes both an increase and a decrease in gene expression. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tissue undergoing breast cancer, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4-fold increase in breast cancer tissue compared to normal tissue, a decrease of about four-fold is often desired; similarly, a 10-fold decrease in breast cancer tissue compared to normal tissue often provides a target value of a 10-fold increase in expression to be induced by the test compound.

The amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the gene product itself can be monitored, e.g., through the use of antibodies to the breast cancer protein and standard immunoassays. Proteomics and separation techniques may also allow quantification of expression.

In a preferred embodiment, gene expression or protein monitoring of a number of entities, i.e., an expression profile, is monitored simultaneously. Such profiles will typically involve a plurality of those entities described herein..

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in a particular cell. Alternatively, PCR may be used. Thus, a series, e.g., of microtiter plate, may be used with dispensed primers in desired wells. A PCR reaction can then be performed and analyzed for each well.

5

10

15

20

Expression monitoring can be performed to identify compounds that modify the expression of one or more breast cancer-associated sequences, e.g., a polynucleotide sequence set out inTable 17. Generally, in a preferred embodiment, a test modulator is added to the cells prior to analysis. Moreover, screens are also provided to identify agents that modulate breast cancer, modulate breast cancer proteins, bind to a breast cancer protein, or interfere with the binding of a breast cancer protein and an antibody or other binding partner.

The term "test compound" or "drug candidate" or "modulator" or grammatical equivalents as used herein describes any molecule, e.g., protein, oligopeptide, small organic molecule, polysaccharide, polynucleotide, etc., to be tested for the capacity to directly or indirectly alter the breast cancer phenotype or the expression of a breast cancer sequence, e.g., a nucleic acid or protein sequence. In preferred embodiments, modulators alter expression profiles, or expression profile nucleic acids or proteins provided herein. In one embodiment, the modulator suppresses a breast cancer phenotype, e.g. to a normal tissue fingerprint. In another embodiment, a modulator induced a breast cancer phenotype. Generally, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

Drug candidates encompass numerous chemical classes, though typically they are organic molecules, preferably small organic compounds having a molecular weight of more than 100 and less than about 2,500 daltons. Preferred small molecules are less than 2000, or less than 1500 or less than 1000 or less than 500 D. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof. Particularly preferred are peptides.

5

10

15

20

25

In one aspect, a modulator will neutralize the effect of a breast cancer protein. By "neutralize" is meant that activity of a protein is inhibited or blocked and the consequent effect on the cell.

In certain embodiments, combinatorial libraries of potential modulators will be screened for an ability to bind to a breast cancer polypeptide or to modulate activity. Conventionally, new chemical entities with useful properties are generated by identifying a chemical compound (called a "lead compound") with some desirable property or activity, e.g., inhibiting activity, creating variants of the lead compound, and evaluating the property and activity of those variant compounds. Often, high throughput screening (HTS) methods are employed for such an analysis.

In one preferred embodiment, high throughput screening methods involve providing a library containing a large number of potential therapeutic compounds (candidate compounds). Such "combinatorial chemical libraries" are then screened in one or more assays to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide (e.g., mutein) library, is formed by combining a set of chemical building blocks called amino acids in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks (Gallop *et al.*, *J. Med. Chem.* 37(9):1233-1251 (1994)).

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (*see*, *e.g.*, U.S. Patent No. 5,010,175, Furka, *Pept. Prot. Res.* 37:487-493 (1991), Houghton *et al.*, *Nature*, 354:84-88 (1991)), peptoids (PCT Publication No WO 91/19735), encoded peptides (PCT Publication WO 93/20242), random bio-oligomers (PCT Publication WO 92/00091), benzodiazepines (U.S. Pat. No. 5,288,514), diversomers such as

5

10

15

20

25

hydantoins, benzodiazepines and dipeptides (Hobbs et al., Proc. Nat. Acad. Sci. USA 90:6909-6913 (1993)), vinylogous polypeptides (Hagihara et al., J. Amer. Chem. Soc. 114:6568 (1992)), nonpeptidal peptidomimetics with a Beta-D-Glucose scaffolding (Hirschmann et al., J. Amer. Chem. Soc. 114:9217-9218 (1992)), analogous organic syntheses of small compound libraries (Chen et al., J. Amer. Chem. Soc. 116:2661 (1994)), oligocarbamates (Cho, et al., Science 261:1303 (1993)), and/or peptidyl phosphonates (Campbell et al., J. Org. Chem. 59:658 (1994)). See, generally, Gordon et al., J. Med. Chem. 37:1385 (1994), nucleic acid libraries (see, e.g., Strategene, Corp.), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), antibody libraries (see, e.g., Vaughn et al., Nature Biotechnology 14(3):309-314 (1996), and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang et al., Science 274:1520-1522 (1996), and U.S. Patent No. 5,593,853), and small organic molecule libraries (see, e.g., benzodiazepines, Baum, C&EN, Jan 18, page 33 (1993); isoprenoids, U.S. Patent No. 5,569,588; thiazolidinones and metathiazanones, U.S. Patent No. 5,549,974; pyrrolidines, U.S. Patent Nos. 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent No. 5,506,337; benzodiazepines, U.S. Patent No. 5,288,514; and the like).

Devices for the preparation of combinatorial libraries are commercially available (see, e.g., 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY, Symphony, Rainin, Woburn, MA, 433A Applied Biosystems, Foster City, CA, 9050 Plus, Millipore, Bedford, MA).

A number of well known robotic systems have also been developed for solution phase chemistries. These systems include automated workstations like the automated synthesis apparatus developed by Takeda Chemical Industries, LTD. (Osaka, Japan) and many robotic systems utilizing robotic arms (Zymate II, Zymark Corporation, Hopkinton, Mass.; Orca, Hewlett-Packard, Palo Alto, Calif.), which mimic the manual synthetic operations performed by a chemist. Any of the above devices are suitable for use with the present invention. The nature and implementation of modifications to these devices (if any) so that they can operate as discussed herein will be apparent to persons skilled in the relevant art. In addition, numerous combinatorial libraries are themselves commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis,

10

15

20

MO, ChemStar, Ltd, Moscow, RU, 3D Pharmaceuticals, Exton, PA, Martek Biosciences, Columbia, MD, etc.).

The assays to identify modulators are amenable to high throughput screening. Preferred assays thus detect enhancement or inhibition of breast cancer gene transcription, inhibition or enhancement of polypeptide expression, and inhibition or enhancement of polypeptide activity.

High throughput assays for the presence, absence, quantification, or other properties of particular nucleic acids or protein products are well known to those of skill in the art. Similarly, binding assays and reporter gene assays are similarly well known. Thus, e.g., U.S. Patent No. 5,559,410 discloses high throughput screening methods for proteins, U.S. Patent No. 5,585,639 discloses high throughput screening methods for nucleic acid binding (i.e., in arrays), while U.S. Patent Nos. 5,576,220 and 5,541,061 disclose high throughput methods of screening for ligand/antibody binding.

In addition, high throughput screening systems are commercially available (see, e.g., Zymark Corp., Hopkinton, MA; Air Technical Industries, Mentor, OH; Beckman Instruments, Inc. Fullerton, CA; Precision Systems, Inc., Natick, MA, etc.). These systems typically automate entire procedures, including all sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. The manufacturers of such systems provide detailed protocols for various high throughput systems. Thus, e.g., Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like.

In one embodiment, modulators are proteins, often naturally occurring proteins or fragments of naturally occurring proteins. Thus, e.g., cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially

5

10

15

20

25 -

preferred. Particularly useful test compound will be directed to the class of proteins to which the target belongs, e.g., substrates for enzymes or ligands and receptors.

In a preferred embodiment, modulators are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring proteins as is outlined above, random peptides, or "biased" random peptides. By "randomized" or grammatical equivalents herein is meant that each nucleic acid and peptide consists of essentially random nucleotides and amino acids, respectively. Since generally these random peptides (or nucleic acids, discussed below) are chemically synthesized, they may incorporate any nucleotide or amino acid at any position. The synthetic process can be designed to generate randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. For example, in a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, e.g., of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc., or to purines, etc.

Modulators of breast cancer can also be nucleic acids, as defined above.

As described above generally for proteins, nucleic acid modulating agents may be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids. For example, digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

In a preferred embodiment, the candidate compounds are organic chemical moieties, a wide variety of which are available in the literature.

5

10

15

20

After the candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing a target sequence to be analyzed is added to the biochip. If required, the target sequence is prepared using known techniques. For example, the sample may be treated to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR performed as appropriate. For example, an *in vitro* transcription with labels covalently attached to the nucleotides is performed. Generally, the nucleic acids are labeled with biotin-FITC or PE, or with cy3 or cy5.

In a preferred embodiment, the target sequence is labeled with, e.g., a fluorescent, a chemiluminescent, a chemical, or a radioactive signal, to provide a means of detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as, alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin is labeled as described above, thereby, providing a detectable signal for the bound target sequence. Unbound labeled streptavidin is typically removed prior to analysis.

As will be appreciated by those in the art, these assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos. 5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allows formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to,

5

10

15

20

25

temperature, formamide concentration, salt concentration, chaotropic salt concentration pH, organic solvent concentration, etc.

These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

The reactions outlined herein may be accomplished in a variety of ways. Components of the reaction may be added simultaneously, or sequentially, in different orders, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents. These include salts, buffers, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may also be used as appropriate, depending on the sample preparation methods and purity of the target.

The assay data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

Screens are performed to identify modulators of the breast cancer phenotype. In one embodiment, screening is performed to identify modulators that can induce or suppress a particular expression profile, thus preferably generating the associated phenotype. In another embodiment, e.g., for diagnostic applications, having identified differentially expressed genes important in a particular state, screens can be performed to identify modulators that alter expression of individual genes. In an another embodiment, screening is performed to identify modulators that alter a biological function of the expression product of a differentially expressed gene. Again, having identified the importance of a gene in a particular state, screens are performed to identify agents that bind and/or modulate the biological activity of the gene product.

In addition screens can be done for genes that are induced in response to a candidate agent. After identifying a modulator based upon its ability to suppress a breast cancer expression pattern leading to a normal expression pattern, or to modulate a single breast cancer gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically

5

10

15

20

25

modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated breast cancer tissue reveals genes that are not expressed in normal tissue or breast cancer tissue, but are expressed in agent treated tissue. These agent-specific sequences can be identified and used by methods described herein for breast cancer genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated breast cancer tissue sample.

Thus, in one embodiment, a test compound is administered to a population of breast cancer cells, that have an associated breast cancer expression profile. By "administration" or "contacting" herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e., a peptide) may be put into a viral construct such as an adenoviral or retroviral construct, and added to the cell, such that expression of the peptide agent is accomplished, e.g., PCT US97/01019. Regulatable gene therapy systems can also be used.

Once the test compound has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

Thus, e.g., breast cancer tissue may be screened for agents that modulate, e.g., induce or suppress the breast cancer phenotype. A change in at least one gene, preferably many, of the expression profile indicates that the agent has an effect on breast cancer activity. By defining such a signature for the breast cancer phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of

0205027782-1

5

10

15

20

25

either the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins" or a "breast cancer modulatory protein". The breast cancer modulatory protein may be a fragment, or alternatively, be the full length protein to the fragment encoded by the nucleic acids of the Tables. Preferably, the breast cancer modulatory protein is a fragment. In a preferred embodiment, the breast cancer amino acid sequence which is used to determine sequence identity or similarity is encoded by a nucleic acid of Table 25. In another embodiment, the sequences are naturally occurring allelic variants of a protein encoded by a nucleic acid of Table 25. In another embodiment, the sequences are sequence variants as further described herein.

Preferably, the breast cancer modulatory protein is a fragment of approximately 14 to 24 amino acids long. More preferably the fragment is a soluble fragment. Preferably, the fragment includes a non-transmembrane region. In a preferred embodiment, the fragment has an N-terminal Cys to aid in solubility. In one embodiment, the C-terminus of the fragment is kept as a free acid and the N-terminus is a free amine to aid in coupling, i.e., to cysteine.

In one embodiment the breast cancer proteins are conjugated to an immunogenic agent as discussed herein. In one embodiment the breast cancer protein is conjugated to BSA.

Measurements of breast cancer polypeptide activity, or of breast cancer or the breast cancer phenotype can be performed using a variety of assays. For example, the effects of the test compounds upon the function of the breast cancer polypeptides can be measured by examining parameters described above. A suitable physiological change that affects activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as, in the case of breast cancer associated with tumors, tumor growth, tumor metastasis, neovascularization, hormone release, transcriptional changes to both known and uncharacterized genetic markers (e.g., northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second

10

15

20

messengers such as cGMP. In the assays of the invention, mammalian breast cancer polypeptide is typically used, e.g., mouse, preferably human.

Assays to identify compounds with modulating activity can be performed *in vitro*. For example, a breast cancer polypeptide is first contacted with a potential modulator and incubated for a suitable amount of time, e.g., from 0.5 to 48 hours. In one embodiment, the breast cancer polypeptide levels are determined *in vitro* by measuring the level of protein or mRNA. The level of protein is measured using immunoassays such as western blotting, ELISA and the like with an antibody that selectively binds to the breast cancer polypeptide or a fragment thereof. For measurement of mRNA, amplification, e.g., using PCR, LCR, or hybridization assays, e.g., northern hybridization, RNAse protection, dot blotting, are preferred. The level of protein or mRNA is detected using directly or indirectly labeled detection agents, e.g., fluorescently or radioactively labeled nucleic acids, radioactively or enzymatically labeled antibodies, and the like, as described herein.

Alternatively, a reporter gene system can be devised using the breast cancer protein promoter operably linked to a reporter gene such as luciferase, green fluorescent protein, CAT, or  $\beta$ -gal. The reporter construct is typically transfected into a cell. After treatment with a potential modulator, the amount of reporter gene transcription, translation, or activity is measured according to standard techniques known to those of skill in the art.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins." The breast cancer protein may be a fragment, or alternatively, be the full length protein to a fragment shown herein.

In one embodiment, screening for modulators of expression of specific genes is performed. Typically, the expression of only one or a few genes are evaluated. In another embodiment, screens are designed to first find compounds that bind to differentially expressed proteins. These compounds are then evaluated for the ability to modulate

5

10

15

20

differentially expressed activity. Moreover, once initial candidate compounds are identified, variants can be further screened to better evaluate structure activity relationships.

In a preferred embodiment, binding assays are done. In general, purified or isolated gene product is used; that is, the gene products of one or more differentially expressed nucleic acids are made. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the breast cancer proteins can be used in the assays.

Thus, in a preferred embodiment, the methods comprise combining a breast cancer protein and a candidate compound, and determining the binding of the compound to the breast cancer protein. Preferred embodiments utilize the human breast cancer protein, although other mammalian proteins may also be used, e.g. for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative breast cancer proteins may be used.

Generally, in a preferred embodiment of the methods herein, the breast cancer protein or the candidate agent is non-diffusably bound to an insoluble support having isolated sample receiving areas (e.g. a microtiter plate, an array, etc.). The insoluble supports may be made of any composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of screening. The surface of such supports may be solid or porous and of any convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, teflon<sup>TM</sup>, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents and samples. The particular manner of binding of the composition is not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition and is nondiffusable. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation sequence when the protein is bound to the support), direct binding to "sticky" or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving

5

10

15

20

25

areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

In a preferred embodiment, the breast cancer protein is bound to the support, and a test compound is added to the assay. Alternatively, the candidate agent is bound to the support and the breast cancer protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled in vitro protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

The determination of the binding of the test modulating compound to the breast cancer protein may be done in a number of ways. In a preferred embodiment, the compound is labeled, and binding determined directly, e.g., by attaching all or a portion of the breast cancer protein to a solid support, adding a labeled candidate agent (e.g., a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as appropriate.

In some embodiments, only one of the components is labeled, e.g., the proteins (or proteinaceous candidate compounds) can be labeled. Alternatively, more than one component can be labeled with different labels, e.g., <sup>125</sup>I for the proteins and a fluorophor for the compound. Proximity reagents, e.g., quenching or energy transfer reagents are also useful.

In one embodiment, the binding of the test compound is determined by competitive binding assay. The competitor is a binding moiety known to bind to the target molecule (i.e., a breast cancer protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding between the compound and the binding moiety, with the binding moiety displacing the compound. In one embodiment, the test compound is labeled. Either the compound, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at a temperature which facilitates optimal activity, typically between 4 and 40°C. Incubation periods are typically optimized, e.g., to facilitate rapid high throughput

5

10

15

20

25

screening. Typically between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

In a preferred embodiment, the competitor is added first, followed by the test compound. Displacement of the competitor is an indication that the test compound is binding to the breast cancer protein and thus is capable of binding to, and potentially modulating, the activity of the breast cancer protein. In this embodiment, either component can be labeled. Thus, e.g., if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the test compound is labeled, the presence of the label on the support indicates displacement.

In an alternative embodiment, the test compound is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the test compound is bound to the breast cancer protein with a higher affinity. Thus, if the test compound is labeled, the presence of the label on the support, coupled with a lack of competitor binding, may indicate that the test compound is capable of binding to the breast cancer protein.

In a preferred embodiment, the methods comprise differential screening to identity agents that are capable of modulating the activity of the breast cancer proteins. In this embodiment, the methods comprise combining a breast cancer protein and a competitor in a first sample. A second sample comprises a test compound, a breast cancer protein, and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the breast cancer protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the agent is capable of binding to the breast cancer protein.

Alternatively, differential screening is used to identify drug candidates that bind to the native breast cancer protein, but cannot bind to modified breast cancer proteins. The structure of the breast cancer protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect the activity of a

5

10

15

20

breast cancer protein are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

Positive controls and negative controls may be used in the assays. Preferably control and test samples are performed in at least triplicate to obtain statistically significant results. Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in an order that provides for the requisite binding.

In a preferred embodiment, the invention provides methods for screening for a compound capable of modulating the activity of a breast cancer protein. The methods comprise adding a test compound, as defined above, to a cell comprising breast cancer proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a breast cancer protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, e.g. hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (i.e. cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

In this way, compounds that modulate breast cancer agents are identified. Compounds with pharmacological activity are able to enhance or interfere with the activity of the breast cancer protein. Once identified, similar structures are evaluated to identify critical structural feature of the compound.

5

10

15

20

25

In one embodiment, a method of inhibiting breast cancer cell division is provided. The method comprises administration of a breast cancer inhibitor. In another embodiment, a method of inhibiting breast cancer is provided. The method comprises administration of a breast cancer inhibitor. In a further embodiment, methods of treating cells or individuals with breast cancer are provided. The method comprises administration of a breast cancer inhibitor.

In one embodiment, a breast cancer inhibitor is an antibody as discussed above. In another embodiment, the breast cancer inhibitor is an antisense molecule.

A variety of cell growth, proliferation, and metastasis assays are known to those of skill in the art, as described below.

Soft agar growth or colony formation in suspension

Normal cells require a solid substrate to attach and grow. When the cells are transformed, they lose this phenotype and grow detached from the substrate. For example, transformed cells can grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft agar. The transformed cells, when transfected with tumor suppressor genes, regenerate normal phenotype and require a solid substrate to attach and grow. Soft agar growth or colony formation in suspension assays can be used to identify modulators of breast cancer sequences, which when expressed in host cells, inhibit abnormal cellular proliferation and transformation. A therapeutic compound would reduce or eliminate the host cells' ability to grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft.

Techniques for soft agar growth or colony formation in suspension assays are described in Freshney, *Culture of Animal Cells a Manual of Basic Technique* (3<sup>rd</sup> ed., 1994), herein incorporated by reference. *See also*, the methods section of Garkavtsev *et al.* (1996), *supra*, herein incorporated by reference.

Contact inhibition and density limitation of growth

Normal cells typically grow in a flat and organized pattern in a petri dish until they touch other cells. When the cells touch one another, they are contact inhibited and stop growing. When cells are transformed, however, the cells are not contact inhibited and continue to grow to high densities in disorganized foci. Thus, the transformed cells grow to a

5

10

15

20

25

higher saturation density than normal cells. This can be detected morphologically by the formation of a disoriented monolayer of cells or rounded cells in foci within the regular pattern of normal surrounding cells. Alternatively, labeling index with (<sup>3</sup>H)-thymidine at saturation density can be used to measure density limitation of growth. *See* Freshney (1994), *supra*. The transformed cells, when transfected with tumor suppressor genes, regenerate a normal phenotype and become contact inhibited and would grow to a lower density.

In this assay, labeling index with (<sup>3</sup>H)-thymidine at saturation density is a preferred method of measuring density limitation of growth. Transformed host cells are transfected with a breast cancer-associated sequence and are grown for 24 hours at saturation density in non-limiting medium conditions. The percentage of cells labeling with (<sup>3</sup>H)-thymidine is determined autoradiographically. *See*, Freshney (1994), *supra*.

### Growth factor or serum dependence

Transformed cells have a lower serum dependence than their normal counterparts (see, e.g., Temin, J. Natl. Cancer Insti. 37:167-175 (1966); Eagle et al., J. Exp. Med. 131:836-879 (1970)); Freshney, supra. This is in part due to release of various growth factors by the transformed cells. Growth factor or serum dependence of transformed host cells can be compared with that of control.

### Tumor specific markers levels

Tumor cells release an increased amount of certain factors (hereinafter "tumor specific markers") than their normal counterparts. For example, plasminogen activator (PA) is released from human glioma at a higher level than from normal brain cells (see, e.g., Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985)). Similarly, Tumor angiogenesis factor (TAF) is released at a higher level in tumor cells than their normal counterparts. See, e.g., Folkman, Angiogenesis and Cancer, Sem Cancer Biol. (1992)).

Various techniques which measure the release of these factors are described in Freshney (1994), *supra*. Also, *see*, Unkless *et al.*, *J. Biol. Chem.* 249:4295-4305 (1974); Strickland & Beers, *J. Biol. Chem.* 251:5694-5702 (1976); Whur *et al.*, *Br. J. Cancer* 42:305-

5

10

15

20

25

312 (1980); Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985); Freshney Anticancer Res. 5:111-130 (1985).

### Invasiveness into Matrigel

The degree of invasiveness into Matrigel or some other extracellular matrix constituent can be used as an assay to identify compounds that modulate breast cancer-associated sequences. Tumor cells exhibit a good correlation between malignancy and invasiveness of cells into Matrigel or some other extracellular matrix constituent. In this assay, tumorigenic cells are typically used as host cells. Expression of a tumor suppressor gene in these host cells would decrease invasiveness of the host cells.

Techniques described in Freshney (1994), *supra*, can be used. Briefly, the level of invasion of host cells can be measured by using filters coated with Matrigel or some other extracellular matrix constituent. Penetration into the gel, or through to the distal side of the filter, is rated as invasiveness, and rated histologically by number of cells and distance moved, or by prelabeling the cells with <sup>125</sup>I and counting the radioactivity on the distal side of the filter or bottom of the dish. *See, e.g.*, Freshney (1984), *supra*.

### Tumor growth in vivo

Effects of breast cancer-associated sequences on cell growth can be tested in transgenic or immune-suppressed mice. Knock-out transgenic mice can be made, in which the breast cancer gene is disrupted or in which a breast cancer gene is inserted. Knock-out transgenic mice can be made by insertion of a marker gene or other heterologous gene into the endogenous breast cancer gene site in the mouse genome via homologous recombination. Such mice can also be made by substituting the endogenous breast cancer gene with a mutated version of the breast cancer gene, or by mutating the endogenous breast cancer gene, e.g., by exposure to carcinogens.

A DNA construct is introduced into the nuclei of embryonic stem cells. Cells containing the newly engineered genetic lesion are injected into a host mouse embryo, which is re-implanted into a recipient female. Some of these embryos develop into chimeric mice

5

10

15

20

25

that possess germ cells partially derived from the mutant cell line. Therefore, by breeding the chimeric mice it is possible to obtain a new line of mice containing the introduced genetic lesion (see, e.g., Capecchi et al., Science 244:1288 (1989)). Chimeric targeted mice can be derived according to Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory (1988) and Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, Robertson, ed., IRL Press, Washington, D.C., (1987).

Alternatively, various immune-suppressed or immune-deficient host animals can be used. For example, genetically athymic "nude" mouse (see, e.g., Giovanella et al., J. Natl. Cancer Inst. 52:921 (1974)), a SCID mouse, a thymectomized mouse, or an irradiated mouse (see, e.g., Bradley et al., Br. J. Cancer 38:263 (1978); Selby et al., Br. J. Cancer 41:52 (1980)) can be used as a host. Transplantable tumor cells (typically about 10<sup>6</sup> cells) injected into isogenic hosts will produce invasive tumors in a high proportions of cases, while normal cells of similar origin will not. In hosts which developed invasive tumors, cells expressing a breast cancer-associated sequences are injected subcutaneously. After a suitable length of time, preferably 4-8 weeks, tumor growth is measured (e.g., by volume or by its two largest dimensions) and compared to the control. Tumors that have statistically significant reduction (using, e.g., Student's T test) are said to have inhibited growth.

### Polynucleotide modulators of breast cancer

Antisense Polynucleotides

In certain embodiments, the activity of a breast cancer-associated protein is down-regulated, or entirely inhibited, by the use of antisense polynucleotide, *i.e.*, a nucleic acid complementary to, and which can preferably hybridize specifically to, a coding mRNA nucleic acid sequence, e.g., a breast cancer protein mRNA, or a subsequence thereof. Binding of the antisense polynucleotide to the mRNA reduces the translation and/or stability of the mRNA.

In the context of this invention, antisense polynucleotides can comprise naturally-occurring nucleotides, or synthetic species formed from naturally-occurring subunits or their close homologs. Antisense polynucleotides may also have altered sugar moieties or inter-sugar linkages. Exemplary among these are the phosphorothioate and other

5

10

15

20

25

sulfur containing species which are known for use in the art. Analogs are comprehended by this invention so long as they function effectively to hybridize with the breast cancer protein mRNA. See, e.g., Isis Pharmaceuticals, Carlsbad, CA; Sequitor, Inc., Natick, MA.

Such antisense polynucleotides can readily be synthesized using recombinant means, or can be synthesized *in vitro*. Equipment for such synthesis is sold by several vendors, including Applied Biosystems. The preparation of other oligonucleotides such as phosphorothioates and alkylated derivatives is also well known to those of skill in the art.

Antisense molecules as used herein include antisense or sense oligonucleotides. Sense oligonucleotides can, e.g., be employed to block transcription by binding to the anti-sense strand. The antisense and sense oligonucleotide comprise a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for breast cancer molecules. A preferred antisense molecule is for a breast cancer sequences in Tables 1-25, or for a ligand or activator thereof. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, e.g., Stein & Cohen (Cancer Res. 48:2659 (1988 and van der Krol et al. (BioTechniques 6:958 (1988)).

### Ribozymes

In addition to antisense polynucleotides, ribozymes can be used to target and inhibit transcription of breast cancer-associated nucleotide sequences. A ribozyme is an RNA molecule that catalytically cleaves other RNA molecules. Different kinds of ribozymes have been described, including group I ribozymes, hammerhead ribozymes, hairpin ribozymes, RNase P, and axhead ribozymes (see, e.g., Castanotto et al., Adv. in Pharmacology 25: 289-317 (1994) for a general review of the properties of different ribozymes).

The general features of hairpin ribozymes are described, e.g., in Hampel et al., Nucl. Acids Res. 18:299-304 (1990); European Patent Publication No. 0 360 257; U.S. Patent No. 5,254,678. Methods of preparing are well known to those of skill in the art (see, e.g.,

5

10

15

20

25

WO 94/26877; Ojwang et al., Proc. Natl. Acad. Sci. USA 90:6340-6344 (1993); Yamada et al., Human Gene Therapy 1:39-45 (1994); Leavitt et al., Proc. Natl. Acad. Sci. USA 92:699-703 (1995); Leavitt et al., Human Gene Therapy 5:1151-120 (1994); and Yamada et al., Virology 205: 121-126 (1994)).

Polynucleotide modulators of breast cancer may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a polynucleotide modulator of breast cancer may be introduced into a cell containing the target nucleic acid sequence, e.g., by formation of an polynucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

Thus, in one embodiment, methods of modulating breast cancer in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-breast cancer antibody that reduces or eliminates the biological activity of an endogenous breast cancer protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a breast cancer protein. This may be accomplished in any number of ways. In a preferred embodiment, e.g. when the breast cancer sequence is down-regulated in breast cancer, such state may be reversed by increasing the amount of breast cancer gene product in the cell. This can be accomplished, e.g., by overexpressing the endogenous breast cancer gene or administering a gene encoding the breast cancer sequence, using known gene-therapy techniques, e.g.. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), e.g. as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, e.g. when the breast cancer

. 5

10

15

20

sequence is up-regulated in breast cancer, the activity of the endogenous breast cancer gene is decreased, e.g. by the administration of a breast cancer antisense nucleic acid.

In one embodiment, the breast cancer proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to breast cancer proteins. Similarly, the breast cancer proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify breast cancer antibodies useful for production, diagnostic, or therapeutic purposes. In a preferred embodiment, the antibodies are generated to epitopes unique to a breast cancer protein; that is, the antibodies show little or no cross-reactivity to other proteins. The breast cancer antibodies may be coupled to standard affinity chromatography columns and used to purify breast cancer proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the breast cancer protein.

### Methods of identifying variant breast cancer-associated sequences

Without being bound by theory, expression of various breast cancer sequences is correlated with breast cancer. Accordingly, disorders based on mutant or variant breast cancer genes may be determined. In one embodiment, the invention provides methods for identifying cells containing variant breast cancer genes, e.g., determining all or part of the sequence of at least one endogenous breast cancer genes in a cell. This may be accomplished using any number of sequencing techniques. In a preferred embodiment, the invention provides methods of identifying the breast cancer genotype of an individual, e.g., determining all or part of the sequence of at least one breast cancer gene of the individual. This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced breast cancer gene to a known breast cancer gene, i.e., a wild-type gene.

The sequence of all or part of the breast cancer gene can then be compared to the sequence of a known breast cancer gene to determine if any differences exist. This can be done using any number of known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the breast cancer gene of

5

10

15

20

25

the patient and the known breast cancer gene correlates with a disease state or a propensity for a disease state, as outlined herein.

In a preferred embodiment, the breast cancer genes are used as probes to determine the number of copies of the breast cancer gene in the genome.

In another preferred embodiment, the breast cancer genes are used as probes to determine the chromosomal localization of the breast cancer genes. Information such as chromosomal localization finds use in providing a diagnosis or prognosis in particular when chromosomal abnormalities such as translocations, and the like are identified in the breast cancer gene locus.

10

15

20

25

30

5

## Administration of pharmaceutical and vaccine compositions

In one embodiment, a therapeutically effective dose of a breast cancer protein or modulator thereof, is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (e.g., Ansel et al., Pharmaceutical Dosage Forms and Drug Delivery; Lieberman, Pharmaceutical Dosage Forms (vols. 1-3, 1992), Dekker, ISBN 0824770846, 082476918X, 0824712692, 0824716981; Lloyd, The Art, Science and Technology of Pharmaceutical Compounding (1999); and Pickar, Dosage Calculations (1999)). As is known in the art, adjustments for breast cancer degradation, systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration, drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art. U.S. Patent Application N. 09/687,576, further discloses the use of compositions and methods of diagnosis and treatment in breast cancer is hereby expressly incorporated by reference.

A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, preferably a primate, and in the most preferred embodiment the patient is human.

The administration of the breast cancer proteins and modulators thereof of the present invention can be done in a variety of ways as discussed above, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, e.g., in the treatment of wounds and inflammation, the breast cancer proteins and modulators may be directly applied as a solution or spray.

The pharmaceutical compositions of the present invention comprise a breast cancer protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose, lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol.

5

10

15

20

The pharmaceutical compositions can be administered in a variety of unit dosage forms depending upon the method of administration. For example, unit dosage forms suitable for oral administration include, but are not limited to, powder, tablets, pills, capsules and lozenges. It is recognized that breast cancer protein modulators (e.g., antibodies, antisense constructs, ribozymes, small organic molecules, etc.) when administered orally, should be protected from digestion. This is typically accomplished either by complexing the molecule(s) with a composition to render it resistant to acidic and enzymatic hydrolysis, or by packaging the molecule(s) in an appropriately resistant carrier, such as a liposome or a protection barrier. Means of protecting agents from digestion are well known in the art.

The compositions for administration will commonly comprise a breast cancer protein modulator dissolved in a pharmaceutically acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., buffered saline and the like. These solutions are sterile and generally free of undesirable matter. These compositions may be sterilized by conventional, well known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, e.g., sodium acetate, sodium chloride, potassium chloride, calcium chloride, sodium lactate and the like. The concentration of active agent in these formulations can vary widely, and will be selected primarily based on fluid volumes, viscosities, body weight and the like in accordance with the particular mode of administration selected and the patient's needs (e.g., Remington's Pharmaceutical Science (15th ed., 1980) and Goodman & Gillman, The Pharmacologial Basis of Therapeutics (Hardman et al., eds., 1996)).

Thus, a typical pharmaceutical composition for intravenous administration would be about 0.1 to 10 mg per patient per day. Dosages from 0.1 up to about 100 mg per patient per day may be used, particularly when the drug is administered to a secluded site and not into the blood stream, such as into a body cavity or into a lumen of an organ. Substantially higher dosages are possible in topical administration. Actual methods for preparing parenterally administrable compositions will be known or apparent to those skilled in the art, e.g., Remington's Pharmaceutical Science and Goodman and Gillman, The Pharmacologial Basis of Therapeutics, supra.

5

10

15

20

25

The compositions containing modulators of breast cancer proteins can be administered for therapeutic or prophylactic treatments. In therapeutic applications, compositions are administered to a patient suffering from a disease (e.g., a cancer) in an amount sufficient to cure or at least partially arrest the disease and its complications. An amount adequate to accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health. Single or multiple administrations of the compositions may be administered depending on the dosage and frequency as required and tolerated by the patient. In any event, the composition should provide a sufficient quantity of the agents of this invention to effectively treat the patient. An amount of modulator that is capable of preventing or slowing the development of cancer in a mammal is referred to as a "prophylactically effective dose." The particular dose required for a prophylactic treatment will depend upon the medical condition and history of the mammal, the particular cancer being prevented, as well as other factors such as age, weight, gender, administration route, efficiency, etc. Such prophylactic treatments may be used, e.g., in a mammal who has previously had cancer to prevent a recurrence of the cancer, or in a mammal who is suspected of having a significant likelihood of developing cancer.

It will be appreciated that the present breast cancer protein-modulating compounds can be administered alone or in combination with additional breast cancer modulating compounds or with other therapeutic agent, e.g., other anti-cancer agents or treatments.

In numerous embodiments, one or more nucleic acids, e.g., polynucleotides comprising nucleic acid sequences set forth in Tables 1-25, such as antisense polynucleotides or ribozymes, will be introduced into cells, in vitro or in vivo. The present invention provides methods, reagents, vectors, and cells useful for expression of breast cancer-associated polypeptides and nucleic acids using in vitro (cell-free), ex vivo or in vivo (cell or organism-based) recombinant expression systems.

The particular procedure used to introduce the nucleic acids into a host cell for expression of a protein or nucleic acid is application specific. Many procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use

: 5

10

15

20

25

of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasma vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (see, e.g., Berger & Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology volume 152 (Berger), Ausubel et al., eds., Current Protocols (supplemented through 1999), and Sambrook et al., Molecular Cloning - A Laboratory Manual (2nd ed., Vol. 1-3, 1989.

In a preferred embodiment, breast cancer proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above. Similarly, breast cancer genes (including both the full-length sequence, partial sequences, or regulatory sequences of the breast cancer coding regions) can be administered in a gene therapy application. These breast cancer genes can include antisense applications, either as gene therapy (i.e. for incorporation into the genome) or as antisense compositions, as will be appreciated by those in the art.

Breast cancer polypeptides and polynucleotides can also be administered as vaccine compositions to stimulate HTL, CTL and antibody responses.. Such vaccine compositions can include, e.g., lipidated peptides (see, e.g., Vitiello, A. et al., J. Clin. Invest. 95:341 (1995)), peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres (see, e.g., Eldridge, et al., Molec. Immunol. 28:287-294, (1991); Alonso et al., Vaccine 12:299-306 (1994); Jones et al., Vaccine 13:675-681 (1995)), peptide compositions contained in immune stimulating complexes (ISCOMS) (see, e.g., Takahashi et al., Nature 344:873-875 (1990); Hu et al., Clin Exp Immunol. 113:235-243 (1998)), multiple antigen peptide systems (MAPs) (see, e.g., Tam, Proc. Natl. Acad. Sci. U.S.A. 85:5409-5413 (1988); Tam, J. Immunol. Methods 196:17-32 (1996)), peptides formulated as multivalent peptides; peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery vectors (Perkus, et al., In: Concepts in vaccine development (Kaufmann, ed., p. 379, 1996); Chakrabarti, et al., Nature 320:535 (1986); Hu et al., Nature 320:537 (1986); Kieny, et al., AIDS Bio/Technology 4:790 (1986); Top et al., J. Infect. Dis. 124:148 (1971); Chanda et al., Virology 175:535 (1990)), particles of viral or synthetic origin (see, e.g., Kofler et al., J. Immunol. Methods. 192:25 (1996); Eldridge et al., Sem. Hematol. 30:16 (1993); Falo et al., Nature Med. 7:649 (1995)), adjuvants (Warren et al., Annu. Rev. Immunol. 4:369 (1986);

5

10

15

20

25

Gupta et al., Vaccine 11:293 (1993)), liposomes (Reddy et al., J. Immunol. 148:1585 (1992); Rock, Immunol. Today 17:131 (1996)), or, naked or particle absorbed cDNA (Ulmer, et al., Science 259:1745 (1993); Robinson et al., Vaccine 11:957 (1993); Shiver et al., In: Concepts in vaccine development (Kaufmann, ed., p. 423, 1996); Cease & Berzofsky, Annu. Rev. Immunol. 12:923 (1994) and Eldridge et al., Sem. Hematol. 30:16 (1993)). Toxin-targeted delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions often include adjuvants. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bortadella pertussis* or *Mycobacterium tuberculosis* derived proteins. Certain adjuvants are commercially available as, e.g., Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

Vaccines can be administered as nucleic acid compositions wherein DNA or RNA encoding one or more of the polypeptides, or a fragment thereof, is administered to a patient. This approach is described, for instance, in Wolff *et. al.*, *Science* 247:1465 (1990) as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivicaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (*see, e.g.*, U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of

5

10

15

20

25

vaccinia virus, e.g., as a vector to express nucleotide sequences that encode breast cancer polypeptides or polypeptide fragments. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover et al., Nature 351:456-460 (1991). A wide variety of other vectors useful for therapeutic administration or immunization e.g. adeno and adeno-associated virus vectors, retroviral vectors, Salmonella typhi vectors, detoxified anthrax toxin vectors, and the like, will be apparent to those skilled in the art from the description herein (see, e.g., Shata et al., Mol Med Today 6:66-71 (2000); Shedlock et al., J Leukoc Biol 68:793-806 (2000); Hipp et al., In Vivo 14:571-85 (2000)).

Methods for the use of genes as DNA vaccines are well known, and include placing a breast cancer gene or portion of a breast cancer gene under the control of a regulatable promoter or a tissue-specific promoter for expression in a breast cancer patient. The breast cancer gene used for DNA vaccines can encode full-length breast cancer proteins, but more preferably encodes portions of the breast cancer proteins including peptides derived from the breast cancer protein. In one embodiment, a patient is immunized with a DNA vaccine comprising a plurality of nucleotide sequences derived from a breast cancer gene. For example, breast cancer-associated genes or sequence encoding subfragments of a breast cancer protein are introduced into expression vectors and tested for their immunogenicity in the context of Class I MHC and an ability to generate cytotoxic T cell responses. This procedure provides for production of cytotoxic T cell responses against cells which present antigen, including intracellular epitopes.

In a preferred embodiment, the DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the breast cancer polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are available.

In another preferred embodiment breast cancer genes find use in generating animal models of breast cancer. When the breast cancer gene identified is repressed or diminished in cancer tissue, gene therapy technology, e.g., wherein antisense RNA directed

30

5

10

15

20

to the breast cancer gene will also diminish or repress expression of the gene. Animal models of breast cancer find use in screening for modulators of a breast cancer-associated sequence or modulators of breast cancer. Similarly, transgenic animal technology including gene knockout technology, e.g. as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence or increased expression of the breast cancer protein. When desired, tissue-specific expression or knockout of the breast cancer protein may be necessary.

It is also possible that the breast cancer protein is overexpressed in breast cancer. As such, transgenic animals can be generated that overexpress the breast cancer protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene. Animals generated by such methods find use as animal models of breast cancer and are additionally useful in screening for modulators to treat breast cancer.

15

20

25.

10

5

### Kits for Use in Diagnostic and/or Prognostic Applications

For use in diagnostic, research, and therapeutic applications suggested above, kits are also provided by the invention. In the diagnostic and research applications such kits may include any or all of the following: assay reagents, buffers, breast cancer-specific nucleic acids or antibodies, hybridization probes and/or primers, antisense polynucleotides, ribozymes, dominant negative breast cancer polypeptides or polynucleotides, small molecules inhibitors of breast cancer-associated sequences *etc*. A therapeutic product may include sterile saline or another pharmaceutically acceptable emulsion and suspension base.

In addition, the kits may include instructional materials containing directions (i.e., protocols) for the practice of the methods of this invention. While the instructional materials typically comprise written or printed materials they are not limited to such. Any medium capable of storing such instructions and communicating them to an end user is contemplated by this invention. Such media include, but are not limited to electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), and the

like. Such media may include addresses to internet sites that provide such instructional materials.

The present invention also provides for kits for screening for modulators of breast cancer-associated sequences. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise one or more of the following materials: a breast cancer-associated polypeptide or polynucleotide, reaction tubes, and instructions for testing breast cancer-associated activity. Optionally, the kit contains biologically active breast cancer protein. A wide variety of kits and components can be prepared according to the present invention, depending upon the intended user of the kit and the particular needs of the user. Diagnosis would typically involve evaluation of a plurality of genes or products. The genes will be selected based on correlations with important parameters in disease which may be identified in historical or outcome data.

15 EXAMPLES

## Example 1: Tissue Preparation, Labeling Chips, and Fingerprints

## Purifying total RNA from tissue sample using TRIzol Reagent

The sample weight is first estimated. The tissue samples are homogenized in 1 ml of TRIzol per 50 mg of tissue using a homogenizer (e.g., Polytron 3100). The size of the generator/probe used depends upon the sample amount. A generator that is too large for the amount of tissue to be homogenized will cause a loss of sample and lower RNA yield. A larger generator (e.g., 20 mm) is suitable for tissue samples weighing more than 0.6 g. Fill tubes should not be overfilled. If the working volume is greater than 2 ml and no greater than 10 ml, a 15 ml polypropylene tube (Falcon 2059) is suitable for homogenization.

Tissues should be kept frozen until homogenized. The TRIzol is added directly to the frozen tissue before homogenization. Following homogenization, the insoluble material is removed from the homogenate by centrifugation at 7500 x g for 15 min. in a Sorvall superspeed or 12,000 x g for 10 min. in an Eppendorf centrifuge at 4°C. The cleared

5

10

20

25

homogenate is then transferred to a new tube(s). Samples may be frozen and stored at -60 to -70°C for at least one month or else continue with the purification.

The next process is phase separation. The homogenized samples are incubated for 5 minutes at room temperature. Then, 0.2 ml of chloroform per 1ml of TRIzol reagent is added to the homogenization mixture. The tubes are securely capped and shaken vigorously by hand (do not vortex) for 15 seconds. The samples are then incubated at room temp. for 2-3 minutes and next centrifuged at 6500 rpm in a Sorvall superspeed for 30 min. at 4oC.

The next process is RNA Precipitation. The aqueous phase is transferred to a fresh tube. The organic phase can be saved if isolation of DNA or protein is desired. Then 0.5 ml of isopropyl alcohol is added per 1ml of TRIzol reagent used in the original homogenization. Then, the tubes are securely capped and inverted to mix. The samples are then incubated at room temp. for 10 minutes an centrifuged at 6500 rpm in Sorvall for 20 min. at 4°C.

The RNA is then washed. The supernatant is poured off and the pellet washed with cold 75% ethanol. 1 ml of 75% ethanol is used per 1 ml of the TRIzol reagent used in the initial homogenization. The tubes are capped securely and inverted several times to loosen pellet without vortexing. They are next centrifuged at <8000 rpm (<7500 x g) for 5 minutes at 4°C.

The RNA wash is decanted. The pellet is carefully transferred to an Eppendorf tube (sliding down the tube into the new tube by use of a pipet tip to help guide it in if necessary). Tube(s) sizes for precipitating the RNA depending on the working volumes. Larger tubes may take too long to dry. Dry pellet. The RNA is then resuspended in an appropriate volume (e.g., 2 -5 ug/ul) of DEPC  $H_2O$ . The absorbance is then measured.

The poly A+ mRNA may next be purified from total RNA by other methods such as Qiagen's RNeasy kit. The poly A + mRNA is purified from total RNA by adding the oligotex suspension which has been heated to 37°C and mixing prior to adding to RNA.

The Elution Buffer is incubated at 70°C. If there is precipitate in the buffer, warm up the 2 x Binding Buffer at 65°C. The the total RNA is mixed with DEPC-treated water, 2 x Binding

5

10

15

20

Buffer, and Oligotex according to Table 2 on page 16 of the Oligotex Handbook and next incubated for 3 minutes at 65°C and 10 minutes at room temperature.

The preparation is centrifuged for 2 minutes at 14,000 to 18,000 g, preferably, at a "soft setting," The supernatant is removed without disturbing Oligotex pellet. A little bit of solution can be left behind to reduce the loss of Oligotex. The supernatant is saved until satisfactory binding and elution of poly A<sup>+</sup> mRNA has been found.

Then, the preparation is gently resuspended in Wash Buffer OW2 and pipetted onto the spin column and centrifuged at full speed (soft setting if possible) for 1 minute.

Next, the spin column is transferred to a new collection tube and gently resuspended in Wash Buffer OW2 and centrifuged as described herein.

Then, the spin column is transferred to a new tube and eluted with 20 to 100 ul of preheated (70°C) Elution Buffer. The Oligotex resin is gently resuspended by pipetting up and down. The centrifugation is repeated as above and the elution repeated with fresh elution buffer or first eluate to keep the elution volume low.

The absorbance is next read to determine the yield, using diluted Elution Buffer as the blank.

Before proceeding with cDNA synthesis, the mRNA is precipitated before proceeding with cDNA synthesis, as components leftover or in the Elution Buffer from the Oligotex purification procedure will inhibit downstream enzymatic reactions of the mRNA. 0.4 vol. of 7.5 M NH4OAc + 2.5 vol. of cold 100% ethanol is added and the preparation precipitated at -20°C 1 hour to overnight (or 20-30 min. at -70°C), and centrifuged at 14,000-16,000 x g for 30 minutes at 4°C. Next, the pellet is washed with 0.5 ml of 80% ethanol (-20°C) and then centrifuged at 14,000-16,000 x g for 5 minutes at room temperature. The 80% ethanol wash is then repeated. The last bit of ethanol from the pellet is then dried without use of a speed vacuum and the pellet is then resuspended in DEPC H<sub>2</sub>0 at 1 ug/ul concentration.

Alternatively the RNA may be purified using other methods (e.g., Qiagen's RNeasy kit).

5

10

15

20

No more than 100 ug is added to the RNeasy column. The sample volume is adjusted to 100 ul with RNase-free water. 350 ul Buffer RLT and then 250 ul ethanol (100%) are added to the sample. The preparation is then mixed by pipetting and applied to an RNeasy mini spin column for centrifugation (15 sec at >10,000 rpm). If yield is low, reapply the flowthrough to the column and centrifuge again.

Then, transfer column to a new 2 ml collection tube and add 500 ul Buffer RPE and centrifuge for 15 sec at >10,000 rpm. The flowthrough is discarded. 500 ul Buffer RPE and is then added and the preparation is centriuged for 15 sec at >10,000 rpm. The flowthrough is discarded. and the column membrane dried by centrifuging for 2 min at maximum speed. The column is transferred to a new 1.5-ml collection tube. 30-50 ul of RNase-free water is applied directly onto column membrane. The column is then centrifuged for 1 min at >10,000 rpm and the elution step repeated.

The absorbance is then read to determine yield. If necessary, the material may be ethanol precipitated with ammonium acetate and 2.5X volume 100% ethanol.

15

20

25

30

10

### First Strand cDNA Synthesis

The first strand can be make using using Gibco's "SuperScript Choice System for cDNA Synthesis" kit. The starting material is 5 ug of total RNA or 1 ug of polyA+ mRNAl. For total RNA, 2 ul of SuperScript RT is used; for polyA+ mRNA, 1 ul of SuperScript RT is used. The final volume of first strand synthesis mix is 20 ul. The RNA should be in a volume no greater than 10 ul. The RNA is incubated with 1 ul of 100 pmol T7-T24 oligo for 10 min at 70°C followed by addition on ice of 7 ul of: 4ul 5X 1st Strand Buffer, 2 ul of 0.1M DTT, and 1 ul of 10mM dNTP mix. The preparation is then incubated at 37°C for 2 min before addition of the SuperScript RT followed by incubation at 37°C for 1 hour.

### Second Strand Synthesis

For the second strand synthesis, place 1st strand reactions on ice and add: 91 ul DEPC H<sub>2</sub>0; 30 ul 5X 2nd Strand Buffer; 3 ul 10mM dNTP mix; 1 ul 10 U/ul E.coli DNA Ligase; 4 ul 10 U/ul E.coli DNA Polymerase; and 1 ul 2 U/ul RNase H. Mix and incubate 2

hours at 16°C. Add 2 ul T4 DNA Polymerase. Incubate 5 min at 16°C. Add 10 ul of 0.5M EDTA.

### Cleaning up cDNA

The cDNA is purified using Phenol:Chloroform:Isoamyl Alcohol (25:24:1) and Phase-Lock gel tubes. The PLG tubes are centrifuged for 30 sec at maximum speed. The cDNA mix is then transferred to PLG tube. An equal volume of phenol:chloroform:isamyl alcohol is then added, the preparation shaken vigorously (no vortexing), and centrifuged for 5 minutes at maximum speed. The top aqueous solution is transferred to a new tube and ethanol precipitated by adding 7.5X 5M NH4OAc and 2.5X volume of 100% ethanol. Next, it is centrifuged immediately at room temperature for 20 min, maximum speed. The supernatant is removed, and the pellet washed with 2X with cold 80% ethanol. As much ethanol wash as possible should be removed before air drying the pellet; and resuspending it in 3 ul RNase-free water.

15

20

25

10

5

### In vitro Transcription (IVT) and labeling with biotin

In vitro Transcription (IVT) and labeling with biotin is performed as follows: Pipet 1.5 ul of cDNA into a thin-wall PCR tube. Make NTP labeling mix by combining 2 ul T7 10xATP (75 mM) (Ambion); 2 ul T7 10xGTP (75 mM) (Ambion); 1.5 ul T7 10xCTP (75 mM) (Ambion); 3.75 ul 10 mM Bio-11-UTP (Boehringer-Mannheim/Roche or Enzo); 3.75 ul 10 mM Bio-16-CTP (Enzo); 2 ul 10x T7 transcription buffer (Ambion); and 2 ul 10x T7 enzyme mix (Ambion). The final volume is 20 ul. Incubate 6 hours at 37°C in a PCR machine. The RNA can be furthered cleaned. Clean-up follows the previous instructions for RNeasy columns or Qiagen's RNeasy protocol handbook. The cRNA often needs to be ethanol precipitated by resuspension in a volume compatible with the fragmentation step.

Fragmentation is performed as follows. 15 ug of labeled RNA is usually fragmented. Try to minimize the fragmentation reaction volume; a 10 ul volume is recommended but 20 ul is all right. Do not go higher than 20 ul because the magnesium in the fragmentation buffer contributes to precipitation in the hybridization buffer. Fragment

RNA by incubation at 94 C for 35 minutes in 1 x Fragmentation buffer (5 x Fragmentation buffer is 200 mM Tris-acetate, pH 8.1; 500 mM KOAc; 150 mM MgOAc). The labeled RNA transcript can be analyzed before and after fragmentation. Samples can be heated to 65°C for 15 minutes and electrophoresed on 1% agarose/TBE gels to get an approximate idea of the transcript size range

For hybridization, 200 ul (10 ug cRNA) of a hybridization mix is put on the chip. If multiple hybridizations are to be done (such as cycling through a 5 chip set), then it is recommended that an initial hybridization mix of 300 ul or more be made. The hybridization mix is: fragment labeled RNA (50 ng/ul final conc.); 50 pM 948-b control oligo; 1.5 pM BioB; 5 pM BioC; 25 pM BioD; 100 pM CRE; 0.1 mg/ml herring sperm DNA; 0.5 mg/ml acetylated BSA; and 300 ul with 1xMES hyb buffer.

The hybridization reaction is conducted with non-biotinylated IVT (purified by RNeasy columns) (see example 1 for steps from tissue to IVT): The following mixture is prepared:

15 IVT antisense RNA; 4 μg: μl
Random Hexamers (1 μg/μl): 4 μl
H<sub>2</sub>O: μl
14 μl

Incubate the above 14 µl mixture at 70°C for 10 min.; then put on ice.

The Reverse transcription procedure uses the following mixture:

0.1 M DTT: 3  $\mu$ l 50X dNTP mix: 0.6  $\mu$ l H<sub>2</sub>O: 2.4  $\mu$ l Cy3 or Cy5 dUTP (1mM): 3  $\mu$ l SS RT II (BRL): 1  $\mu$ l

The above solution is added to the hybridization reaction and incubated for 30 min., 42°C. Then, 1 µl SSII is added and incubated for another hour before being placed on ice.

16 µl

25

5

The 50X dNTP mix contains 25mM of cold dATP, dCTP, and dGTP, 10mM of dTTP and is made by adding 25  $\mu l$  each of 100mM dATP, dCTP, and dGTP; 10  $\mu l$  of 100mM dTTP to 15  $\mu l$  H<sub>2</sub>O. ]

RNA degradation is performed as follows. Add 86 µl H<sub>2</sub>O, 1.5 µl 1M NaOH/2 mM EDTA and incubate at 65°C, 10 min.. For U-Con 30, 500 µl TE/sample spin at 7000 g for 10 min, save flow through for purification. For Qiagen purification, suspend u-con recovered material in 500 µl buffer PB and proceed using Qiagen protocol. For DNAse digestion, add 1 ul of 1/100 dilution of DNAse/30 ul Rx and incubate at 37°C for 15 min. Incubate at 5 min 95°C to denature the DNAse.

10

5

## Sample preparation

For sample preparation, add Cot-1 DNA, 10 μl; 50X dNTPs, 1 μl; 20X SSC, 2.3 μl; Na pyro phosphate, 7.5 μl; 10 mg/ml Herring sperm DNA; 1 ul of 1/10 dilution to 21.8 final vol. Dry in speed vac. Resuspend in 15 μl H<sub>2</sub>0. Add 0.38 μl 10% SDS. Heat 95°C, 2 min and slow cool at room temp. for 20 min. Put on slide and hybridize overnight at 64°C. Washing after the hybridization: 3X SSC/0.03% SDS: 2 min., 37.5 ml 20X SSC+0.75ml 10% SDS in 250ml H<sub>2</sub>O; 1X SSC: 5 min., 12.5 ml 20X SSC in 250ml H<sub>2</sub>O; 0.2X SSC: 5 min., 2.5 ml 20X SSC in 250ml H<sub>2</sub>O. Dry slides and scan at appropriate PMT's and channels.

# TABLE 1: Figure 1 from BRCA 001 US

Table 1 shows genes, (incorporated in their entirety here and throughout the application where primekeys are provided), downregulated in tumor tissue compared to normal breast tissue.

	15	Pkey: ExAccn: UnigenelD: Unigene Title: R1:		Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of normal breast tissue to tumor			
		Pkey	ExAccn		UnigenelD	UnigeneTitle	R1
	20	100472 D90084 100499 T51986 100545 M55405 100549 BE142019			Hs.222056	pyruvate dehydrogenase (lipoamide) alpha hemoglobin, gamma G gb:Homo sapiens mucin (MUC-3) mRNA, part Homo sapiens cDNA FLJ11572 fis, clone HE	5 10 5 10
	25	100635 100645	A03758	39	Hs.129953	transcription factor 3 (E2A immunoglobul Ewing sarcoma breakpoint region 1 neural cell adhesion molecule 1 NM_000477*:Homo sapiens albumin (ALB), m gb:Human neurofibromatosis 2 (NF2) mRNA,	5 5 5 10 . 5
	30	100971 101125 101166	M60832 BE37977 AJ25056 M90424 NM_001	27 32	Hs.249239 Hs.83213 Hs.82749 Hs.2099 Hs.460	collagen, type VIII, alpha 2 fatty acid binding protein 4, adipocyte transmembrane 4 superfamily member 2 lipocalin 1 (protein migrating faster th activating transcription factor 3	5 10 5 5 10
35 1 1		101336 101367 101447 101461	NM_006 X03350 M21305 N98569 M27826	732	Hs.75678 Hs.4 Hs.76422	FBJ murine osteosarcoma viral oncogene h alcohol dehydrogenase 1B (class I), beta gb:Human alpha satellite and satellite 3 phospholipase A2, group IIA (platelets, endogenous retroviral protease	10 10 10 10 10
	40	101736 102208 102297	AV65026 M74447 U22961 NM_001 U48251		Hs.75765 Hs.502 Hs.198252 Hs.75871	GRO2 oncogene transporter 2, ATP-binding cassette, sub gb:Human mRNA clone with similarity to L G protein-coupled receptor 9 protein kinase C binding protein 1	5- 10 10 5 10
	45	102571 102800 102857	U89337 U60115 AA31353 NM_006 AA8292	744	Hs.239069 Hs.76461 Hs.332053	tenascin XB four and a half LIM domains 1 gb:EST185419 Colon carcinoma (HCC) cell retinol-binding protein 4, interstitial serum amyloid A1	10 5 10 10
	50	103747 103750 103812 103851	X98085 AA0819 AA1261 AA1371 AA3262	29 07 16	Hs.8719	tenascin R (restrictin, janusin) gb:zn26d06.r1 Stratagene neuroepithelium gb:zm78c07.r1 Stratagene neuroepithelium Homo sapiens, clone MGC:16638, mRNA, com hypothetical protein MGC1136	5 10 5 10 5
	55	104093 104106 104109	AB0410 R50727 AA4221 AL3539 F06638	23		kallikrein 11 (KLK11; TLSP; PRSS20; hipp ESTs gb:zv26h12.r1 Soares_NhHMPu_S1 Homo sapi hypothetical protein DKFZp434P0531 Homo sapiens clone 24734 mRNA sequence	5 10 5 10 10
	60	104340 AA426189		Hs.94285 Hs.109650 Hs.572	gb:zw11e09.r1 Soares_NhHMPu_S1 Homo sapi EST	5 10 10 5 10	

	104536	R24024	Hs 158101	Homo sapiens cDNA FLJ14673 fis, clone NT	5
		Y11312		phosphoinositide-3-kinase, class 2, beta	5
		AW969769	Hs.105201		5
		AA009764	Hs.190380		10
5		AA017245	Hs.32794		10
,		AA019300		ESTs, Moderately similar to I54374 gene	10
		AI039243	Hs.278585		5
		AI298208		ESTs	10
		AA130390		hypothetical protein FLJ20898	10
10		R61532	Hs.87016	hypothetical protein FLJ22938	5
	105231	AW970043	Hs.238039	hypothetical protein FLJ11090	5
	105239	AA221036		gb:zr03f12.r1 Stratagene NT2 neuronal pr	10
	105921	AA421973	Hs.169119	ESTs, Weakly similar to T25731 hypotheti	5
	105957	BE242857	Hs.27021	hypothetical protein FLJ11159	5
15	106052	N79885	Hs.6382	ESTs, Highly similar to T00391 hypotheti	10
	106119	AL359624		KIAA1453 protein	5
	106181	A1803651	Hs.191608		10
		AW976171		hypothetical protein FLJ22233	5
••		A1085846		KIAA1808 protein	10
20		AL042069		DKFZP434N061 protein	10
		AW235928	Hs.313182	ESTS	10
		AA135688		Homo sapiens, clone IMAGE:4139786, mRNA,	10
		AA906434	Hs.3776	zinc finger protein 216	5
25		AW054886	Hs.25682		10
25		AI458623	11- 00500	gb:tk04g09.x1 NCI_CGAP_Lu24 Homo sapiens	5 5
		A1983730	Hs.26530	serum deprivation response (phosphatidyl hypothetical protein MGC2605	5
		AI347578		indolethylamine N-methyltransferase	5
		AF128847 AJ223811	Hs.30127	•	5
30		A1446183	Hs.9572	ESTs, Highly similar to CYA5_HUMAN ADENY	5
50		AB006532		RecQ protein-like 4	10
		A1005036	Hs.334305		10
			Hs.5394	myosin IA	10
		AB020672		KIAA0865 protein	10
35		AI905985	Hs.111805		10
55		U51704		ESTs, Moderately similar to ALU8_HUMAN A	5
		W26652	Hs.6163	PTEN induced putative kinase 1	5
		W28516	Hs.19210	hypothetical protein MGC11308	10
	107451	AL042425	Hs.283976	hypthetical protein PRO2389	10
40	107453	AI092790	Hs.334703	hypothetical protein FLJ14529	5
	107459	W38002	•	Empirically selected from AFFX single pr	10
	107683	N53167	Hs.47623	ESTs	10
	107711	W96141	Hs.220687		10
		AA017462	Hs.269244		10
45		BE621721		hypothetical protein FLJ12387 similar to	10
		AA025060	Hs.61246	ESTs	10
		BE271708	Hs.95110		10
		AA025836	Hs.191637		5 10
50		AL049176		chordin-like	10 10
30		AA043675	Hs.62633		5
		AA093668	Hs.28578	muscleblind (Drosophila)-like	10
	100113	AA012881 AA059473	Hs.72531 Hs.66783	hypothetical protein FLJ11838 EST	10
	100230	AA677927	Hs.144269		5
55		AA070500	113.144203	gb:zm70h03.s1 Stratagene neuroepithelium	5
55		AA071193		gb:zf79b12.s1 Soares_pineal_gland_N3HPG	10
		NM_006770	Hs.67726	macrophage receptor with collagenous str	5
		AA075124		gb:zm86a01.s1 Stratagene ovarian cancer	10
		AA079079		gb:zm97c09.s1 Stratagene colon HT29 (937	10
60		AA085383		qb:zn13q03.s1 Stratagene hNT neuron (937	10
		AA074897		gb:zm85a05.r1 Stratagene ovarian cancer	10
		AA934589	Hs.49696	ESTs	5
		2 AF117646	Hs.156637	Cas-Br-M (murine) ectropic retroviral tr	5
	108708	6 AA121820	Hs.74569		10
65		3 AA126583	Hs.158725		10
		7 Al273692	Hs.110470		10
	10912	3 Al028376	Hs.73232	ESIS	10

		AA101325	Hs.86154	hypothetical protein FLJ12457		10
		F01449	Hs.26954	Homo sapiens mRNA; cDNA DKFZp762G123 (fr ESTs, Weakly similar to MCAT_HUMAN MITOC		5 10
		R40604		ring finger protein 24		10
5		AI094674	Hs.30524	ESTs		10
		H46749	Hs.31540	ESTs		5
	110354	AW294162	Hs.22586	UDP-N-acetyl-alpha-D-galactosamine:polyp		10
		H51276	Hs.13526	hypothetical protein FLJ12688		10
		H52576	113.10020	gb:yt85e08.r1 Soares_pineal_gland_N3HPG		5
10		H72639	Hs.167608	· ·		5
10		H60593	Hs.124990			10
		AL044174		patched (Drosophila) homolog		10
		AI753316	Hs.26034	ESTs		5
		N66616		H.sapiens mRNA for subtelomeric repeat s		5
15		AI798376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens		10
		AJ224864	Hs.9688	leukocyte membrane antigen		5
		AA641636	Hs.37477	ESTs, Weakly similar to T46908 hypotheti		5
		R00144	Hs.189771		•	10
		Al168511		gb:ow90h09.s1 Soares_fetal_liver_spleen_		10
20	111651	R16733	Hs.20499	ESTs	•	10
	111738	R26065		gb:yh39d03.s1 Soares placenta Nb2HP Homo		5
	111803	AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A		10
	111995	R42333	Hs.302292			10
	112071	AL117490	Hs.47225	Ras-associated protein Rap1		10
25	112204	NM_006668	Hs.25121	cytochrome P450, subfamily 46 (cholester		10
		R51889	Hs.24990	ESTs		5
		R31094	Hs.24378	ESTs		10
		R77302		gb:yi75h08.s1 Soares placenta Nb2HP Homo		10
20		BE618629	Hs.268809			. 5
30		T98628	Hs.191290			5 5
		AI057205	Hs.14584			10
		AA581428	Hs.5021	EST		5
		T16837	Hs.4241	ESTs		10
35		T51588 T54659	He 201755	gb:yb27e06.s1 Stratagene fetal spleen (9 Homo sapiens cDNA FLJ11465 fis, clone HE		5
23		AA743563	Hs.10305			5
		AW207424	Hs.332594			10
		N92359	Hs.14518			10
		R16763	Hs.268679			5
40		AA913635		Homo sapiens cDNA FLJ20812 fis, clone AD		10
		R06874		ESTs, Moderately similar to ALU1_HUMAN A		5
		Al791905	Hs.95549	hypothetical protein		10
•		Al244311	Hs.26912	ESTs		10
	113807	W07586	Hs.8045	ESTs		3
45	113958	W86195		gb:zh54e05.s1 Soares_fetal_liver_spleen_		10
	114211	Z39319	Hs.27347	EST		10
	114254	AB018263	Hs.180338	tumor necrosis factor receptor superfami		5.
•		AA745978	Hs.28273	ESTs		5
~^		AA020736		gb:ze63b11.s1 Soares retina N2b4HR Homo		5
50		AA034378	Hs.267319	endogenous retroviral protease		.5
		AA065096		gb:zm50a02.s1 Stratagene fibroblast (937		. 5
•		AA081507		gb:zn05b10.r1 Stratagene hNT neuron (937		5
		AA234826	Hs.87386	EST		5
55		AA234462	Hs.87350	ESTs		5 3
55		AK000725	Hs.50579	hypothetical protein FLJ20718		5
		AF173081 AB020649		Vertebrate LIN7 homolog 1, Tax interacti KIAA0842 protein		5
		AA398841	Hs.74569 Hs.39850	hypothetical protein FLJ20517		10
		AI478427	Hs.43125	esophageal cancer related gene 4 protein		10
60		AL133916		hypothetical protein FLJ20093		10
O		AA463902	Hs.13522	ESTs, Weakly similar to I38022 hypotheti		5
		AW968703	Hs.30085	hypothetical protein FLJ23186		5
		AW410377	Hs.41502	hypothetical protein FLJ21276	•	5
		AW194253	Hs.68607	ESTs		10
65		BE314852		Homo sapiens clone 23763 unknown mRNA, p		5
		F10528	Hs.70001	ESTs, Moderately similar to JC6169 nucle		5
	117058	AW801806		gb:lL5-UM0070-110400-062-g07 UM0070 Homo		5

	117151	A1003666	Hs.42373	ECTo	5
	117226	A1803656 N20468	F15.42373	ESTs gb:yx39b10.s1 Soares melanocyte 2NbHM Ho	10
		AI472863	Hs.43387	ESTs	5
		N34417	Hs.44584	ESTs.	3
5		N26627	Hs.82364		5
	117673	N40551	Hs.184043	Homo sapiens Ets-1 binding protein (E18)	10
		N49285	Hs.182391		10.
		AW263476	Hs.44268	myelin gene expression factor 2	10
10		BE222341	Hs.279472	•	. 5
10	118049		He nonco	gb:yv55f09.s1 Soares fetal liver spleen	3 10
		AW955696 Al078236	Hs.90960 Hs.49688	ESTs ESTs	5
		N70907	Hs.230619		. 10
		AL122040		Homo sapiens mRNA; cDNA DKFZp434G1972 (f	3
15		AA993527		hypothetical protein FLJ23403	5
	119039	AI160570		pregnancy specific beta-1-glycoprotein 6	3
•	119159	AF142419	Hs.15020	homolog of mouse quaking QKI (KH domain	5
		AA514422	Hs.221849		5
20		AK002001	Hs.51305		10
20		T77892	11- 00040	gb:yd20f04.s1 Soares fetal liver spleen	5
		T81824 W38051	Hs.90949	EST Empirically selected from AFFX single pr	5 10
		AL049798	Hs.80552	dermatopontin	3
		AF086332	Hs.58314	ESTs	10
25		AF088061	Hs.159690		5
		AF086429	Hs.58429		5
	119923	AW803308	Hs.62954	femilin, heavy polypeptide 1	5
		U34249	Hs.337461	Human putative zinc finger protein (ZNFB	5
20		AL042725	07400	gb:DKFZp434B1822_r1 434 (synonym: htes3)	10
30		AW136934 AA907743	Hs.97162 Hs.142373		5
		AA401695	Hs.97334	ESTs	5 5
		AA401033 AA405763		Homo sapiens cDNA FLJ20470 fis, clone KA	5
		AA421452		ESTs, Weakly similar to KIAA0926 protein	5
35		AK000229	Hs.98017		10
	122441	AA447555	Hs.99116		10
		AA458945	Hs.95898	ESTs	10
		AW135093	Hs.97282		5
40		AA609122		Homo sapiens mRNA; cDNA DKFZp434D2472 (f	5
40		AI024595 AA621529	Hs.97508	a disintegrin and metalloproteinase doma	5 10
		H62570		gb:af47a02.s1 Soares_total_fetus_Nb2HF8_ gb:yr44a01.r1 Soares fetal liver spleen	5
		H83465		gb:ys91a11.s1 Soares retina N2b5HR Homo	5
		AK001527	Hs.163953	hypothetical protein FLJ10665	5
45	125099	NM_014312		cortic al thymocyte receptor (X. laevis	10
		T98199	Hs.48403		10
		BE299567		ESTs, Moderately similar to ALU8_HUMAN A	5
		NM_002666	Hs.103253		10
50		BE256206 AA485421	Hs. 17775	p75NTR-associated cell death executor; o ESTs, Weakly similar to ALU7_HUMAN ALU S	5 10
50		NM_002250	Hs.10082	potassium intermediate/small conductance	10
		R44214	Hs.101189		5
		C16161		hypothetical protein PRO2543	5
		AA193106	Hs.180817	chromosome 11 open reading frame 23	10
55	128870	H39537	Hs.75309	eukaryotic translation elongation factor	10
		AW150717	Hs.296176	STAT induced STAT inhibitor 3	10
		N62889		Homo sapiens cDNA FLJ12965 fis, done NT	10
		AA443323		BPOZ protein Human Chromosome 16 BAC clone CIT987SK-A	5
60		AA056483 NM_013403	Hs.108665		5 10
00		AL117472		SH3-domain protein 5 (ponsin)	5
		AI146494		ESTs, Weakly similar to IRX2_HUMAN IROQU	3
		U40714	Hs.239307	tyrosyl-tRNA synthetase	5
<i></i> .	129265	AA530892 ·		dual specificity phosphatase 1	5
65		BE617015	Hs.11006	ESTs, Moderately similar to T17372 plasm	10
		AF110141	Hs.288908	WAS protein family, member 2	10
	129368	NM_003877	. ris. 1107/6	STAT induced STAT inhibitor-2	5

•					
	129371	X06828	Hs.110802	von Willebrand factor	5
•		AW245805		claudin 5 (transmembrane protein deleted	10
		W37944	Hs.4007	Sarcolemmal-associated protein	5
		BE061069		KIAA0467 protein	10
5		AF020038			10
5			Hs.11223		
		BE222078	Hs.113069		10
		BE622468		ESTs, Weakly similar to I38022 hypotheti	5
	129702	Al304966	Hs.12035	ESTs, Weakly similar to I38022 hypotheti	5
	129778	AK001676	Hs.12457	hypothetical protein FLJ10814	10
10	129893	AK000956	Hs.13209	hypothetical protein FLJ10094	5
		Al338993	Hs.134535		5
		AJ251760		guanine nucleotide binding protein (G pr	5
		NM_000399			5
			Hs.1395	early growth response 2 (Krox-20 (Drosop	
1.5		NM_001158		amine oxidase, copper containing 2 (reti	5
15		M62402		insulin-like growth factor binding prote	10
		AA452006	Hs.333199	ESTs	5
	130162	W80711	Hs.319946	Homo sapiens mRNA for KIAA1727 protein,	5
	130243	D88435	Hs.153227	cyclin G associated kinase	10
		Al241084	Hs.154353	nonselective sodium potassium/proton exc	5
20		AA435746		gb:zt79e03.s1 Soares_testis_NHT Homo sap	5
		V00517	He 283108	hemoglobin, gamma G	10
		NM_001928		D component of complement (adipsin)	10
		X72308		small inducible cytokine A7 (monocyte ch	5
25		BE222978	Hs.15760	MYG1 protein	10
25	130494	AW390834	Hs.75874	pregnancy-associated plasma protein A	. 5
	130563	BE270472	Hs.279900	HSPC015 protein	10
	130589	AL110226	Hs.16441	DKFZP434H204 protein	10
•	130606	AI652143	Hs.288382	hypothetical protein FLJ13111	5
		AI769067		ESTs, Weakly similar to T28770 hypotheti	3
30		AA993269	Hs.17872	Homo sapiens, clone IMAGE:3875012, mRNA	10
50		NM_006691	Hs.17917	extracellular link domain-containing 1	10
		AA232075	Hs.18259		5
				XPA binding protein 1; putative ATP(GTP)	
		AF263462	Hs.18376	KIAA1319 protein	10
25		N41322	Hs.18441	ESTs	5
35		M81349	Hs.1955	serum amyloid A4, constitutive	10
		BE048821	Hs.20144	small inducible cytokine subfamily A (Cy	10
	131184	AB040935	Hs.23954	cerebral cell adhesion molecule	10
	131261	AA360419	Hs.171776	inositol(myo)-1(or 4)-monophosphatase 1	10
	131282	X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
40		AW939251	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	10
		AK000393	Hs.25817	BTB (POZ) domain containing 2	5
		AF110908			5
		H83294		TNF receptor-associated factor 3	2
				Wnt inhibitory factor-1	5
15		BE394648	Hs.27414	hypothetical protein	5
45		AW966881	Hs.41639	programmed cell death 2	10
		BE559681	Hs.30736	KIAA0124 protein	5
	131753	AA829286	Hs.332053	serum amyloid A1	10
	131756	AA443966	Hs.31595	ESTs	10
	131785	H69342	Hs.26320	TRABID protein	10
50	131815	AA021258	Hs.32753	ESTs	5
	131819	BE244961		FE65-LIKE 2	5
		AJ000263		keratin, hair, basic, 6 (monilethrix)	10
		AW294659	Hs.34054	Homo sapiens cDNA: FLJ22488 fis, clone H	5
55		AJ003112	Hs.34780	doublecortex; lissencephaly, X-linked (d	5
55		AK000010		hypothetical protein FLJ20003	10
		H81604		KIAA0798 gene product	5
		X80818		glutamate receptor, metabotropic 4	5
	132296	AA467752	Hs.195161	ESTs	5
	132426	AW118072	Hs.89981	diacylglycerol kinase, zeta (104kD)	10
60		S68874		prostaglandin E receptor 3 (subtype EP3)	5
		Al291496	Hs.5476	Homo sapiens, clone IMAGE:3530123, mRNA,	10
		NM_006283		transforming, acidic coiled-coil contain	10-
	132800	W28548	Hs.224829		10
	132030 13200F	NM_004235	Hs.7934		
65	132303	14W_004233		Kruppel-like factor 4 (gut)	10
65	132933	BE175645		LBP protein 32	5
		BE563966	Hs.6529	ESTs, Weakly similar to 178885 serine/th	5
	133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10

		AF052138 AA668224	Hs.6580 Hs.6634	Homo sapiens cDNA: FLJ23227 fis, clone C Homo sapiens cDNA: FLJ22547 fis, clone H	5 5
		AW956781		ESTs, Weakly similar to FXD2_HUMAN FORKH	5
5		NM_002776	Hs.69423	kallikrein 10 (KLK10) (PRSSL1) (nes1)	5 5
)		AA207059 AF017987	Hs.7306	gb:zq80h09.s1 Stratagene hNT neuron (937 secreted frizzled-related protein 1	5
	133552		Hs.7471	BBP-like protein 1	5
	133702		Hs.75652	glutathione S-transferase M5	5
	133719		Hs.75736	apolipoprotein D	5
10	133731	N71725		hemoglobin, alpha 2	10
	133789		Hs.76239	hypothetical protein FLJ20608	5
		AF072441	Hs.7840	calcineurin binding protein 1	10 10
		D86062 Al372588	Hs.8022	ES1 (zebrafish) protein, human homolog o TU3A protein	10
15		AA081846	Hs.7921	Homo sapiens mRNA; cDNA DKFZp566E183 (fr	10
		BE243319	Hs.79672	KIAA0652 gene product	5
		AW905827	Hs.81454	ketohexokinase (fructokinase)	10
	134361	BE549343	Hs.82208	acyl-Coenzyme A dehydrogenase, very long	5
20		AF207664	Hs.8230	a disintegrin-like and metalloprotease (	5
20		L34155	Hs.83450	laminin, alpha 3 (nicein (150kD), kalini	5 10
,		Al190413 M64936	Hs.8373	ESTs gb:Homo sapiens retinoic acid-inducible	10
		NM_002757	Hs.250870	mitogen-activated protein kinase kinase	10
		M26315	Hs.85258	CD8 antigen, alpha polypeptide (p32)	10
25		BE244323	Hs.85951	exportin, tRNA (nuclear export receptor	5
		U73394		killer cell immunoglobulin-like receptor	5
		AL008583		dynein, axonemal, light polypeptide 4	5 5
		D10216 NM_000078	Hs.89394 Hs.89538	POU domain, class 1, transcription facto cholesteryl ester transfer protein, plas	10
30		T29618	Hs.89640	TEK tyrosine kinase, endothelial (venous	10
50		T87521	Hs.261457		5
		NM_003394	Hs.91985	wingless-type MMTV integration site fami	10
	134969	H22570		hypothetical protein FLJ20093	5
2.5		AA302517	Hs.92732	KIAA1444 protein	5
35		X04430	Hs.93913	Interleukin 6 (interferon, beta 2)	10 10
		AL036557 U76456	Hs.95910 Hs 190787	putative lymphocyte G0/G1 switch gene tissue inhibitor of metalloproteinase 4	5
		AB002361	Hs.96633	KIAA0363 protein	5
		U83171	Hs.97203	small inducible cytokine subfamily A (Cy	5
40	135304	AA416829	Hs.191597		5
		AA905406	Hs.9905	ESTs, Weakly similar to unnamed protein	3
		X55019	Hs.99975	cholinergic receptor, nicotinic, delta p	10 5 ·
		X03350 H39537	Hs.4 Hs.75309	alcohol dehydrogenase 1B (class I), beta eukaryotic translation elongation factor	5
45		AW245805		claudin 5 (transmembrane protein deleted	5
		M62402		insulin-like growth factor binding prote	5
		NM_006691	Hs.17917	extracellular link domain-containing 1	10
		NM_003278		tetranectin (plasminogen-binding protein	3
50		AF017987	Hs.7306	secreted frizzled-related protein 1	5 5
50 .		N71725 AF207664	Hs.272572 Hs.8230	hemoglobin, alpha 2 a disintegrin-like and metalloprotease (	5 5
		X04430	Hs.93913	interleukin 6 (interferon, beta 2)	10
	135173	AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	5
	322580	AK001852	Hs.274151		5
55	408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor, type 2	10
		AW377752	Hs.83341	-AXL receptor tyrosine kinase	5
	427458	BE208364	Hs.29283	ESTs, Weakly similar to LKHU proteoglycan link	5
	4466/4	AA563892 U85642	Hs.305000 Hs.138506	solute carrier family 4 (anion exchanger), memb	10 5
60	443020	RC_H15814_		Human apM1 mRNA for GS3109 (novel adipose specific co	
		YEL024w/RIF		EST - YEL024w/RIP1	3

## **TABLE 1A**

Unique Fos probeset identifier number

Table 1 A shows the accession numbers for those pkeys lacking unigeneID's for Table 1. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

11
v

Pkov

5

15	CAT number: Gene cl		Eos probeset identifier number fluster number fluster number number number numbers				
	Pkey	CAT Number	Accessions				
20	108446 108497	112224_1 110079_2	AA085383 AA126091 AA074174 AA075373 AA079120 AA070831 AA075978 AA075372 AA128503 AA074897 AA113914 AA064871 AA079329 AA071309 AA084710 AA129030 AA075042 AA074794 AA071453 AA078803 AA148628 AA122204 AA074159 AA126185 AA079117 AA127089 AA070912 AA079280 AA131372 AA078833 AA071087 AA076131 AA071047 AA079401 AA083070 AA102076 AA115163 AA074198 AA134725 AA113889 AA121103 AA075041 AA065148 AA071310 AA101144 AA079659 AA078931 AA079209 AA070928 AA068994 AA069817 AA076187 AA069053				
25			AA131489 AA071308 AA063317 AA070156 AA071430 AA076056 AA075684 AA070053 AA126283 AA126078 AA075895 AA079208 AA074583 AA071086 AA079623 AA070627 AA078802 AA076622 AA065051 AA079143 AA071110 AA079434 AA148748 AA079230 AA085188 AA074485 AA070580 AA076151 AA083166 AA085118 AA079450 AA085044 AA120938 AA079200 AA100188 AA081472 AA122355 AA129031 AA085362 AA069220 AA070940 AA075968 AA074563 AA084027 AA115929				
30	124215 117058 110455	1597154_1 1219924_1 46874_1	H62570 H59063 AW801806 H90434 BE086530 H52576 AF085971 H52172				
35	111168	38585_1	AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374 H66215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570				
40	111498 104340 103747 134496	411008_1 46289_10 117944_1 46501_1	Al168511 Al022712 AA700366 R07371 R07324 AA426189 F15201 AA081995 AA101099 M64936 Al025512 Al382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 Al269283 T40311				
	Al684569 A	AA257011	AI079277 AI241318 BE327710 AW975215 AW896268 AA884990 BE327514				
45	103750 105239	118365_1 34624_1	AA126129 AA126033 AA082561 AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904 C16859				
50	120379	34624_3	AL042725 BE063316 AW975610 AA457591 BE062092 AI655202 AA714296 AI267264 AI075321 AA223286 AA071122 AA227849 AA216700 AI696002 AA101867 AA099426 AA135997 AL041698 T02815 T51824 AA207189 T59230 T51868 AA663341 BE165757 AW818104 AW392886 AA584918 AA099408 AW856396 AW861859 AA053045				
	114624	111686_1	AA081507 AA070071 AA070840 AA084362				
55	106851 108392 100545	322947_1 113549_1 22955_11	A1458623 AA639708 AA485409 R22065 AA485570 AA075124 AA075208 M55405 AW752552				
	100654	tigr_HT2969	A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495 X51363 X51364 X51365				
60	100702	tigr_HT3413	L27065				

U22961 AA203623 AA503337 AI174733 AI192802 C06092 AA035357 AI190619 AI199244 AI828450 AA602296 AI378195

Al209170 Al186653 Al127795 Al183846 H77389 Al589465 AA629390 H94306 Al018388 R68584 AA027196 Al745413 Al685092 Al093426 Al623873 Al074570 N50096 AA047486 N25060 AA327614 Al042512 Al383957 AA156873 Al333101

102208

6735\_9

N70806 Al141254 Al383191 Al401237 Al080709 Al093400 W84549 T90806 R00012 W01413 AA630557 Al378348 Al559265

AA877103 W84464 AA625146 R68379 Al133207 Al132980 Al133214 Al064826 Al061615 Al133473 Al174852 Al133404 Al133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645 Al064716 Al064959 H77388 T85706 AF075298 AI110799 D17107 NM\_000477 AF190168 R50724 AI248416 AI207432 AI133684 AI133345 AI174710 Al133290 Al133304 Al174948 Al207484 Al110717 AF074624 Al114515 AF063516 Al110642 Al114559 Al114498 Al114759 5 AI207568 AI064960 AI174753 AI114666 R69184 R00011 AI064997 T60501 AI207701 T71735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701 A1174748 A1114663 A1133104 A1132999 A1133100 A1064925 A1064979 A1133063 AA343347 T69091 AA233989 T39772 A1444620 T52290 D16931 T40012 T48403 T58926 T69195 A1133061 T50850 A1400677 A1091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 10 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786 AI132926 R09237 AI064838 AI133660 T60398 T88753 T55930 T92126 AI444602 T60996 AI114792 H93911 AI133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al133017 Al064857 Al110730 AF074637 Al207567 H71080 T73217 AA343950 AI174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 15 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 Al065049 T84512 T55918 Al207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 AI114676 AI064778 AA035710 W52763 AI114786 T83564 AA341859 T81684 T55769 AI114710 T51776 AA343213 AI114714 T58102 AI110809 R28984 AI174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 AI114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 AI203974 20 Al189471 AA005147 Al478102 Al207662 Al192792 Al768421 Al064737 AW051713 AA936693 Al133117 Al766232 Al913646 T83962 Al065112 Al207689 Al174684 Al207702 T81475 Al133325 Al032512 AA701169 Al936354 Al114720 Al433289 AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363 T78943 Al823481 AA845518 AA719124 AA883454 T68850 T69115 AI935509 AI150977 T62890 T71374 T68294 AI174774 T67411 T68318 AI064689 T56624 T69010 T68982 T68302 AI332829 T72908 AI064819 AI205880 T62895 T69430 T95111 AA025050 T73330 25 W52657 T71984 T69118 W92684 AI114860 T62093 T61797 AI522333 T73322 H92981 T56018 T61811 T57232 AI336158 T61821 T69457 T62900 T62912 T72917 T46885 AI702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 Al187111 T64308 T62071 T69427 Al114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69394 AI207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290 AI312890 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 30 T28321 T55864 genbank\_AA621529 AA621529 123941 genbank\_N53145 118049 N53145 AA313538 U88895 U88902 102800 14782 20 35 104106 AA422123\_i\_atAA422123\_i R26065 111738 genbank\_R26065 113149 genbank\_T51588 T51588 genbank\_W86195 genbank\_AA070500 113958 W86195 AA070500 108335 genbank\_AA071193 40 108351 AA071193 108441 genbank\_AA079079 AA079079 genbank\_H83465 H83465 124276 101447 entrez\_M21305 M21305 N20468 117226 genbank\_N20468 45 genbank\_AA207059 AA207059,AA207241 133379 genbank\_T77892 T7789: NOT\_FOUND\_entrez\_W38051 119366 T77892 119528 W38051 112588 genbank\_R77302 R77302 AA020736 114449 genbank\_AA020736 50 genbank\_AA065096 AA065096 114576 W38002\_s\_at W38002\_s 107459 130339 genbank\_AA435746 AA435746

# TABLE 2: Figure 2 from BRCA 001 US

5 Table 2 shows genes downregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAccn: UnigenelD:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number
10	UnigenelD: Unigene Title: R1:	Unigene number Unigene gene title Ratio of normal breast tissue to tumor

15	Pkey	ExAccn	UnigenelD	Unigene Tittle	R1
					40
		T51986	Hs.283108	hemoglobin, gamma G	10
•		BE142019	Hs.222056	Homo sapiens cDNA FLJ11572 fis, clone HE	10
20		A03758		NM_000477*:Homo sapiens albumin (ALB), m	10
20		BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	10
		NM_001674	Hs.460	activating transcription factor 3	10
		NM_006732	Hs.75678	FBJ murine osteosarcoma viral oncogene h	10
		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
25		M21305	LI. 70400	gb:Human alpha satellite and satellite 3	10
25		N98569	Hs.76422	phospholipase A2, group IIA (platelets,	10 10
		M27826	Hs.267319	endogenous retroviral protease	10
		M74447	Hs.502	transporter 2, ATP-binding cassette, sub-famil	10 .
		U22961 U48251	Hs.75871	gb:Human mRNA clone with similarity to L protein kinase C binding protein 1	10
30		AA313538	HS./30/1	gb:EST185419 Colon carcinoma (HCC) cell	10
50		NM_006744	Hs.76461	retinol-binding protein 4, interstitial	10
		AA829286	Hs.332053	serum amyloid A1	10
		AA023200 AA081995	NS.332033	gb:zn26d06.r1 Stratagene neuroepithelium	10
		AA137107	Hs.326391	Homo sapiens, clone MGC:16638, mRNA, com	10
35		R50727	Hs.336970	ESTs	10
55		AL353957	Hs.284181	hypothetical protein DKFZp434P0531	10
		F06638	Hs.12440	Homo sapiens clone 24734 mRNA sequence	10
		N73185	Hs.94285	EST	10
		N91071	Hs.109650	ESTs	10
40		AI498763	Hs.203013	hypothetical protein FLJ12748	10
		AA009764	Hs.190380	ESTs	10
		AA017245	Hs.32794	ESTs	10
	104731	AA019300	Hs.125070	ESTs, Moderately similar to I54374 gene	10
	105005	A1298208 -	Hs.28805	ESTs	10
45		AA130390	Hs.25549	hypothetical protein FLJ20898	10
	105239	AA221036		gb:zr03f12.r1 Stratagene NT2 neuronal pr	10.
	106052	N79885	Hs.6382	ESTs, Highly similar to T00391 hypotheti	10
	106181	A1803651	Hs.191608	ESTs	10
	106283	AI085846	Hs.25522	KIAA1808 protein	10
50	106379	AL042069	Hs.119021	DKFZP434N061 protein	10
	106451	AW235928	Hs.313182	ESTs	10
		AA135688	Hs.10083	Homo sapiens, clone IMAGE:4139786, mRNA,	10
		AW054886	Hs.25682	Homo sapiens mRNA for KIAA1863 protein,	10
		AB006532	Hs.31442	RecQ protein-like 4	10
55		AI005036	Hs.334305	GS1999full	10
		AF127026	Hs.5394	myosin IA	10
		AB020672	Hs.175411	KIAA0865 protein	10
		AI905985	Hs.111805	ESTs	10
<b>CO</b>		W28516	Hs. 19210	hypothetical protein MGC11308	10
60		AL042425	Hs.283976	hypthetical protein PRO2389	10
		BE271708	Hs.95110	ESTs, Weakly similar to A55943 1-phospha	10
		AA071193	11- 00054	gb:zf79b12.s1 Soares_pineal_gland_N3HPG	10
		F01449	Hs.26954	Homo sapiens mRNA; cDNA DKFZp762G123 (fr	10
CE .		AW294162	Hs.301062	UDP-N-acetyl-alpha-D-galactosamine:polyp	10
65	1109/6	AL044174	Hs.159526	patched (Drosophila) homolog	5

	11110	A1709376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10
	111651	AI798376	Hs.20499	ESTs	10
		AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	10
		AA034378	Hs.267319	endogenous retroviral protease	10
<b>5</b> .		NM_002666	Hs.103253	perilipin	10
٥.		AA193106	Hs.180817	chromosome 11 open reading frame 23	5
		AW150717	Hs.296176	STAT induced STAT inhibitor 3	10
		AF110141	Hs.288908	WAS protein family, member 2	10
		AW245805	Hs.110903	claudin 5 (transmembrane protein deleted	10
10		AF020038	Hs.11223	isocitrate dehydrogenase 1 (NADP+), solu	10
10		BE222078	Hs.113069	ESTs	10
			Hs.274313	insulin-like growth factor binding prote	10
		M62402	Hs.153227	cyclin G associated kinase	10
		D88435	Hs.283108		10
15		V00517		hemoglobin, gamma G	10
13		NM_001928	Hs.155597	D component of complement (adipsin)	10
		BE270472	Hs.279900	HSPC015 protein	10
		AL110226	Hs.16441	DKFZP434H204 protein	
		AA993269	Hs.17872	Homo sapiens, clone IMAGE:3875012, mRNA	10
20		NM_006691	Hs.17917	extracellular link domain-containing 1	10
20		AA046747	Hs.17917	extracellular link domain-containing 1	10 10
		N70196	Hs.18376	KIAA1319 protein	10
		M81349	Hs.1955	serum amyloid A4, constitutive	10
		BE048821 AB040935	Hs.20144	small inducible cytokine subfamily A (Cy	10
25.		,,00,,000	110.2000.	cerebral cell adhesion molecule	10
23.		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
		AW939251	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	10
		AW966881	Hs.41639	programmed cell death 2	10
		AA829286	Hs.332053	serum amyloid A1	10
30		H69342	Hs.26320	TRABID protein	10
30		AJ000263	Hs.278658	keratin, hair, basic, 6 (monilethrix)	10
		AW118072	Hs.89981	diacylglycerol kinase, zeta (104kD)	10
		AI291496	Hs.5476	Homo sapiens, clone IMAGE:3530123, mRNA,	10
		W28548	Hs.224829	ESTs	10
35		NM_004235	Hs.7934	Kruppel-like factor 4 (gut)	
33		NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10 10
		AF017987	Hs.7306	secreted frizzled-related protein 1	10
		H26904	Hs.75736	apolipoprotein D	10
		AF072441 D86062	Hs.7840	calcineurin binding protein 1	10
40			Hs.182423	ES1 (zebrafish) protein, human homolog o	5
40		A1372588	Hs.8022	TU3A protein Homo sapiens mRNA; cDNA DKFZp566E183 (fr	5
		AA081846	Hs.7921 -		10
		BE243319	Hs.79672 Hs.8230	KIAA0652 gene product	10
		AF207664	HS.0230	a disintegrin-like and metalloprotease (	10
45		M64936	La DECOZO	gb:Homo sapiens retinoic acid-inducible mitogen-activated protein kinase kinase	10
40		NM_002757	Hs.250870		5
		M26315	Hs.85258	CD8 antigen, alpha polypeptide (p32)	5
		NM_000078	Hs.89538	cholesteryl ester transfer protein, plas	10
		NM_003394 X04430	Hs.91985 Hs.93913	wingless-type MMTV integration site fami interleukin 6 (interferon, beta 2)	10
50			Hs.47860	neurotrophic tyrosine kinase, receptor, type 2	10
20		AW580227	Hs.306000	solute carrier family 4 (anion exchanger), memb	10
	4400/4	AA563892	115.3V0UUU	Solute carrier laminy 4 (amon exchanger), memb	10

5

## TABLE 2A

Table 2A shows the accession numbers for those pkeys lacking unigenelD's for Table 2. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

	for sec	quences c	omprising each cluster are listed in the "Accession" column.				
10	Pkey: CAT numl Accession	per: Gene o	Eos probeset identifier number duster number nk accession numbers				
15	Pkey	CAT number	r Accessions				
	racy	CAT HUMBE	• Accessions				
20	111168	38585_1	Al798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 Al267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 Al829309 AW991957 N66951 AA527374 H66215 AA045564 Al694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570				
25	103747	117944_1	AA081995 AA101099				
	134496	46501_1	M64936 Al025512 Al382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 Al269283 T40311 Al684569 AA257011 Al079277 Al241318 BE327710 AW975215 AW896268 AA884990 BE327514				
	105239	34624_1	AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241				
30			AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904 C16859				
	100654	tigr_HT2969	A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495 X51363 X51364 X51365				
35	102208	6735_9	U22961 AA203623 AA503337 AI174733 AI192802 C06092 AA035357 AI190619 AI199244 AI828450 AA602296 AI378195 AI209170 AI186653 AI127795 AI183846 H77389 AI589465 AA6229390 H94306 AI018388 R68584 AA027196 AI745413 AI685092 AI093426 AI623873 AI074570 N50096 AA047486 N25060 AA327614 AI042512 AI383957 AA156873 AI333101 N70806 AI141254 AI383191 AI401237 AI080709 AI093400 W84549 T90806 R00012 W01413 AA630557 AI378348 AI559265 AA877103 W84464 AA625146 R68379 AI133207 AI132980 AI133214 AI064826 AI061615 AI133473 AI174852 AI133404				
40			Al133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645. Al064716 Al064959 H77388 T85706 AF075298 Al110799 D17107 NM_000477 AF190168 R50724 Al248416 Al207432 Al133684 Al133345 Al174710 Al133290 Al133304 Al174948 Al207484 Al110717 AF074624 Al114515 AF063516 Al110642 Al114559 Al114498 Al114759 Al207568 Al064960 Al174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T71735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701				
45			Al174748 Al114663 Al133104 Al132999 Al133100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 D16931 T40012 T48403 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786				
50		•	Al132926 R09237 Al064838 Al133660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al133017 Al064857 Al110730 AF074637 Al207567 H71080 T73217 AA343950 Al174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 Al065049 T84512 T55918 Al207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 Al114676 Al064778 AA035710 W52763 Al114746 T5676 Al064778 AA035710 W52765 Al14474 T5676 Al064778 AA035710 W5276 AA03678 AA				
55			T83564 AA341859 T81684 T55769 AI114710 T51776 AA343213 AI114714 T58102 AI110809 R28984 AI174854 AA305675				

AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 AI114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 AI203974

AA845518 AA719124 AA883454 T68850 T69115 Al935509 Al150977 T62890 T71374 T68294 Al174774 T67411 T68318 Al064689 T56624 T69010 T68982 T68302 Al332829 T72908 Al064819 Al205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 Al114860 T62093 T61797 Al522333 T73322 H92981 T56018 T61811 T57232 Al336158

A1189471 AA005147 A1478102 A1207662 A1192792 A1768421 A1064737 AW051713 AA936693 A1133117 A1766232 A1913646 T83962 A1065112 A1207689 A1174684 A1207702 T81475 A1133325 A1032512 AA701169 A1936354 A1114720 A1433289 AA046980 A1823482 A1114536 AA860651 AW242644 R07469 AW300438 A1133416 AW271670 A1991363 T78943 A1823481

55

60

T61821 T69457 T62900 T62912 T72917 T46885 Al702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 Al187111 T64308 T62071 T69427 Al114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69394 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290 Al312890 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 T28321 T55864

102800 108351 101447

5

14782\_20 AA313538 U88895 U88902 genbank\_AA071193 AA071193 entrez\_M21305 M21305

# TABLE 3: Figure 3 from BRCA 001 US

Table 3 shows genes downregulated in tumor tissue compared to normal breast tissue.

	۲	
•	•	

		•
10	Pkey:	Unique Eos probeset identifier number
	ExAccn:	Exemplar Accession number, Genbank accession number
	UnigeneID:	Unigene number
	Unigene Title:	Unigene gene title
	R1·	Ratio of normal breast tissue to tumor

15	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
	101336 102208		Hs.75678	FBJ murine osteosarcoma viral oncogene h ab:Human mRNA clone with similarity to L	10.0 10.0
20	102200		Hs.332053	serum amyloid A1	10.0
	111168	A1798376	•	gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10.0
	111803	AA593731		ESTs, Moderately similar to ALU5_HUMAN A	10.0
	130085	M62402		insulin-like growth factor binding prote	10.0
	130840		Hs.20144	small inducible cytokine subfamily A (Cy	10.0
25	131543	AW966881	Hs.41639	programmed cell death 2	10.0
	133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10.0
	134758	NM_000078	Hs.89538	cholesteryl ester transfer protein, plas	10.0

## TABLE 3A

Table 3A shows the accession numbers for those pkeys lacking unigeneID's for Table 3. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	Pkey: CAT number:	Unique Eos probeset identifier number Gene duster number
	Accession:	Genbank accession numbers

5

			•
15	Pkey	CAT number	Accessions
20	111168	38585_1	AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374 H66215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659
25	10220	86735_9	BE081531 H59570 U22961 AA203623 AA503337 Al174733 Al192802 C06092 AA035357 Al190619 Al199244 Al828450 AA602296 Al378195 Al209170 Al186653 Al127795 Al183846 H77389 Al589465 AA629390 H94306 Al018388 R68584 AA027196 Al745413 Al685092 Al093426 Al623873 Al074570 N50096 AA047486 N25060 AA327614 Al042512 Al383957 AA156873 Al3333101 N70806 Al141254 Al383191 Al401237 Al080709 Al093400 W84549 T90806 R00012 W01413 AA630557 Al378348 Al559265 AA877103 W84464 AA625146 R68379 Al133207 Al132980 Al133214 Al064826 Al061615 Al133473 Al174852 Al133404 Al133272 V00494 M12523
30			M12523 AI207526 AI133120 AI064802 AI174993 AI114729 AI061645 AI064716 AI064959 H77388 T85706 AF075298 AI110799 D17107 NM_000477 AF190168 R50724 AI248416 AI207432 AI133684 AI133345 AI174710 AI133290 AI133304 AI174948 AI207484 AI110717 AF074624 AI114515 AF063516 AI110642 AI114559 AI114498 AI114759 AI207568 AI064960 AI174753 AI114666 R69184 R00011 AI064997 T60501 AI207701 T71735 AA385318 H73569 T60496 H94399 AI133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 AI207490 AI132925 AI064701 AI174748 AI114663 AI133104 AI132999
35			A1133100 A1064925 A1064979 A1133063 AA343347 T69091 AA233989 T39772 A1444620 T52290 D16931 T40012 T48403 T58926 T69195 A1133061 T50850 A1400677 A1091136 AA334608 T57411 Z20979 N56507 T87485 A1133622 AA343370 T40075 T69671 T53849 T74820 AF075316 A1110818 T40121 T57381 A1114468 AA332728 T51362 A1114589 R06691 A1110629 AF063503 A1440543 AA334661 AA332720 AA343262 T73513 T86549 A1114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 A1174786 A1132926 R09237 A1054838 A1133660 T60398 T88753
40			T55930 T92126 AI444602 T60996 AI114792 H93911 AI133106 R10779 AI065020 T90925 T50889 D17029 AI133703 AA333805 AI133040 AI133017 AI064857 AI110730 AF074637 AI207567 H71080 T73217 AA343950 AI174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 AI065049 T84512 T55918 AI207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 AI114676 AI064778 AA035710 W52763 AI114786 T83564 AA341859 T81684 T55769 AI114710 T51776 AA343213 AI114714 T58102
45			Al110809 R28984 Al174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 Al114590 T48317 T55508 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 Al203974 Al189471 AA005147 Al478102 Al207662 Al192792 Al768421 Al064737 AW051713 AA936693 Al133117 Al766232 Al913646 T83962 Al065112 Al207689 Al174684 Al207702 T81475 Al133325 Al032512 AA701169 Al936354 Al114770 Al433289 AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363
50	٠.		T78943 AI823481 AA845518 AA719124 AA883454 T68850 T69115 AI935509 AI150977 T62890 T71374 T68294 AI174774 T67411 T68318 AI064689 T56624 T69010 T68982 T68302 AI332829 T72908 AI064819 AI205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 AI114860 T62093 T61797 AI522333 T73322 H92981 T56018 T61811 T57232 AI336158 T61821 T69457 T62900 T62912 T72917 T46885 AI702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 AI187111 T64308 T62071 T69427 AI114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809
55			T69394 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290 Al312890 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 T28321 T55864

## TABLE 4: Figure 4 from BRCA 001 US

#### Table 4 shows genes upregulated in tumor tissue compared to normal breast tissue. 5

10	Pkey: ExAccn: UnigeneID: Unigene Title: R1:		Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of tumor to normal breast tissue				
15	Pkey	ExAccn	UnigenelD	Unigene Title	R1		
•	100113	NM 001	269Hs.84746	chromosome condensation 1	2.3		
		X02308	Hs.82962	thymidylate synthetase	2.9		
		D12485	Hs.11951	ectonucleotide pyrophosphatase/phosphodiesterase 1	1.9		
20			99 Hs.2471	KIAA0020 gene product	1.9		
		D13666		osteoblast specific factor 2 (fasciclin I-like) (periostin)	7.5		
		H60720		KIAA0101 gene product	9.2		
		W44671		gene predicted from cDNA with a complete coding sequence	1.6		
			34 Hs.217493		2.0		
25		D38521	Hs.112396	KIAA0077 protein	1.5		
	100271	BE1600	31 Hs.256290	S100 calcium-binding protein A11 (calgizzarin)	13.5		
				KIAA0090 protein	5.1		
	100323	D50920	Hs.23106	KIAA0130 gene product	1.9		
			29 Hs.6793	platelet-activating factor acetylhydrolase, isoform lb, gamma subunit (29kD)	2.7		
30				carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase	2.0		
				KIAA0175 gene product	2.6		
		D84145	Hs.39913	novel RGD-containing protein	3.2		
			24 Hs.75790	phosphatidylinositol glycan, class C	1.5		
25		D86978	Hs.84790	KIAA0225 protein	2.0		
35		M65028	Hs.81361	heterogeneous nuclear ribonucleoprotein A/B	2.9		
			415Hs.74316		1.9 5.7		
		L05424 L05424		CD44 antigen (homing function and Indian blood group system)	9.0		
		L05424		CD44 antigen (homing function and Indian blood group system) CD44 antigen (homing function and Indian blood group system)	7.6		
40			35 Hs.740	PTK2 protein tyrosine kinase 2	53.2		
40				ribosomal protein L24	1.8		
			56 Hs.1657	estrogen receptor 1	1.6		
				general transcription factor IIH, polypeptide 2 (44kD subunit)	5.9		
			72 Hs.297939		1.7		
45			94 Hs.180789		1.7		
				ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome)	1.5		
		AA1576		solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5	6.3		
	100988	AK0004	05 Hs.76480	ubiquitin-like 4	11.4		
	100999	H38765	Hs.80706	diaphorase (NADH/NADPH) (cytochrome b-5 reductase)	1.6		
50		J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B, 92kD gelatinase, 92kD type IV collagenase)	8.2		
		J05614		gb:Human proliferating cell nuclear antigen (PCNA) gene, promoter region.	5.0		
	101077	N99692	Hs.75227	Empirically selected from AFFX single probeset	2.6		
•		L06419	Hs.75093	procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type			
			262Hs.37044	peripherin	16.9		
55				core-binding factor, beta subunit	2.0		
			66 Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK2-associated dual specificity phosphatase)	1.8		
			87 Hs.82916	chaperonin containing TCP1, subunit 6A (zeta 1)	1.7		
			66 Hs.78802	glycogen synthase kinase 3 beta	1.9		
60		L18964	Hs.1904	protein kinase C, iota	1.5 5.2		
60		J04088	Hs. 156346	topoisomerase (DNA) II alpha (170kD)	5.2 3.4		
		J04088 Al49429	HS.156346 9 Hs.16297	topoisomerase (DNA) II alpha (170kD)	5.4 6.3		
			31 Hs.78996	COX17 (yeast) homolog, cytochrome c oxidase assembly protein	6.3 4.2		
		M21259		proliferating cell nuclear antigen gb:Human Alu repeats in the region 5' to the small nuclear rib	1.9		
65	101443	NIA OO		goriuman ziu repeasi in die region o to de aman nacien no	1.5		

	404470	AIA4 002000	Ua 750	RAS p21 protein activator (GTPase activating protein) 1	2.5
		NM_002890		1210 PT 1 Protein 2011 101 101 101 101 101 101 101 101 10	
	101483	M24486	Hs.76768		5.5
	101540	J04977	Hs.84981	X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoin	ing 2.1
		AW248421		proteasome (prosome, macropain) 26S subunit, ATPase, 3	1.6
5		NM_012151		protocoomo (presente) mestopanti are essenti.	5.7
5					1.8
		AF064853		gasimio transcara antimig protein (a protein )	
	101592	AF064853	Hs.91299		5.6
	101621	BE391804	Hs.62661	quanylate binding protein 1, interferon-inducible, 67kD	2.4
	101702	AM504080		protein phosphatase 2 (formerly 2A), regulatory subunit B (PR 52), alpha isoform	1.3
10		AVVJ04003	115.17.3374		2.1
10		M74099	HS.14/U49	cut (Drosophila)-like 1 (CCAAT displacement protein)	
	101759	M80244	Hs.184601	solute carrier family 7 (cationic amino acid transporter, y+system), member 5	5.0
	101767	M81057	Hs.180884	carboxypeptidase B1 (tissue)	14.4
		AA306495		phosphoglucomutase 1	5.2
			Ha 75040	stress-induced-phosphoprotein 1 (Hsp70/Hsp90-organizing protein)	8.6
1.5		AW409747			
15	101806	AA586894	Hs.112408	S100 calcium-binding protein A7 (psoriasir. 1)	8.9
	101810	NM_000318	3Hs.180612	peroxisomal membrane protein 3 (35kD, Zellweger syndrome)	3.2
	101879	AA176374	Hs.243886	nuclear autoantigenic sperm protein (histone-binding)	1.6
	101011	A A A A 1787	He 110680	glycoprotein hormones, alpha polypeptide	31.3
				Wedgeling down conductor of U.A. II	1.8
20		AF182645		IK cytokine, down-regulator of HLA II	
20	101973	U41514	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-T	1) 2.4
	101983	Al904232	Hs.75323	prohibitin	8.4
	102009	BE245149	Hs.82643	protein tyrosine kinase 9	1.3
		BE250127		CDC20 (cell division cycle 20, S. cerevisiae, homolog)	2.0
					1.6
~ ~		T35901	Hs.75117	interleukin enhancer binding factor 2, 45kD	
25	102083	T35901	Hs.75117	interleukin enhancer binding factor 2, 4	1.3
	102107	BE258602	Hs.182366	heat shock protein 75	1.4
		NM_001809		centromere protein A (17kD)	1.8
				death associated protein 3	4.6
					4.3
••		AW950852		polymerase (DNA directed), delta 2, regulatory subunit (50kD)	
30		AA829978	Hs.301613	JTV1 gene	6.7
	102220	U24389	Hs.65436	lysosomal	4.3
				heterochromatin-like protein 1	1.9
	402260	AL 020104	He 150557	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	4.4
					2.7
~ -		AA306342		protein kinase C-like 2	
35	102330	BE298063	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta)	1.5
	102339	BE378432	Hs.95577	cyclin-dependent kinase 4	2.3
		U37519	Hs.87539	aldehyde dehydrogenase 3 family, member B2	2.0
					3.2
				baculoviral IAP repeat-containing 2	
		U39840		hepatocyte nuclear factor 3, alpha	2.0
40	102374	U33635	Hs.90572	PTK7 protein tyrosine kinase 7	6.2
	102391	AA296874		deoxyguanosine kinase	1.5
		U48705	Hs.75562		6.9
				* * * * * * * * * * * * * * * * * * * *	1.8
		NM_00135			
		U50939	Hs.61828	amyloid beta precursor protein-binding protein 1, 59kD	1.5
45	102489	AL080116	Hs.74420	origin recognition complex, subunit 3 (yeast homolog)-like	3.3
	102494	AI188137	Hs.75193	COP9 homolog	2.1
		AF217197			3.2
-				said building protein 1,1 bir interacting representation, pyrimans takes sincing opining	2.8
				solute carrier family 1 (neutral amino acid transporter), member 5	
	102532	AF040253	Hs./0186	suppressor of Ty (S.cerevisiae) 5 homolog	5.7
50	102564	U59423	Hs.79067	MAD (mothers against decapentaplegic, Drosophila) homolog 1	2.3
	102568	W81489		RAB31, member RAS oncogene family	5.3
	102550	U60808	He 152081	CDP-diacylglycerol synthase (phosphatidate cylidylyltransferase) 1	2.1
	102300	AU07700	Un 772501	obr-dizoyigiyedio syntiase (phosphatata oyudyiyita isiotata)	1.6
		AU077228		enhancer of zeste (Drosophila) homolog 2	
	102582	U61232	Hs.32675		2.1
55	102617	AW161453	Hs.198767	COP9 (constitutive photomorphogenic, Arabidopsis, homolog) subunit 5	1.8
•		AL037672		extracellular matrix protein 1	5.8
				zinc finger protein 184 (Kruppel-like)	1.3
	102663	NM_0022/	UHS.1680/5	karyopherin (importin) bela 2	1.8
	102676	BE262989	Hs.12045	putative protein	2.3
60		NM_00701			4.3
00		U96132	Hs 171280	hydroxyacyl-Coenzyme A dehydrogenase, type II	6.0
	102000	000102	Ha 220		4.2
	102696	BE540274	⊓s.∠39	forkhead box M1	
		AU077058			1.9
	102705	T97490	Hs.50002	small inducible cytokine subfamily A (Cys-Cys), member 19	2.3
65		AB014460		nth (E.coli endonuclease III)-like 1	1.2
05	102801	BE252241	Hs 38041	pyridoxal (pyridoxine, vitamin B6) kinase	6.4
		U90549	He 22677	high-mobility group (nonhistone chromosomal) protein 17-like 3	1.6
	102014	. U3U343	113.2301/4	Frigit-mobility aloug thoughto curomosomal brotein is size a	

	102827	BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (beta)	5.6
		AA262170		adaptor-related protein complex 3, sigma 1 subunit	2.0
				WW domain-containing protein 1	1.3
		X02419	Hs.77274	plasminogen activator, urokinase	4.4
5		BE440142		signal recognition particle 19kD	1.9
_		BE561850		small nuclear ribonucleoprotein polypeptide A'	2.4
				methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate cy	
	102983	BE387202	Hs.118638	non-metastatic cells 1, protein (NM23A) expressed in	3.1
		U95742	Hs.2707	G1 to S phase transition 1	5.2
10				multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase	1.6
				CDC28 protein kinase 1	2.5
				matrix metalloproteinase 11 (MMP11; stromelysin 3)	4.5
			Hs.82932	cyclin D1 (PRAD1: parathyroid adenomatosis 1)	3.1
		D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaphyseal chondrodysplasia)	2.4
15		BE244377	Hs.48876	famesyl-diphosphate famesyltransferase 1	3.5
				ribosomal protein S18	9.9
				CD47 antigen (Rh-related antigen, integrin-associated signal transducer)	1.3
		X69636		Homo sapiens, clone IMAGE:3448306, mRNA, partial cds	2.0
	103185	NM_00682	5Hs.74368	transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment	1.6
20		AA401039		protein phosphatase 4 (formerly X), catalytic subunit	2.5
		NM_004766		coatomer protein complex, subunit beta 2 (beta prime)	2.2
		NM_004939		DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1	6.3
		X72755	Hs.77367	monokine induced by gamma interferon	8.8
	103223	BE275607	Hs.1708	chaperonin containing TCP1, subunit 3 (gamma)	3.0
25	103232	X75962	Hs.129780	tumor necrosis factor receptor superfamily, member 4	1.8
	103238	AI369285	Hs.75189	death-associated protein	5.6
	103297	NM_001545	5Hs.9078	immature colon carcinoma transcript 1	. 1.9
	103330	AI803447	Hs.77496	small nuclear ribonucleoprotein polypeptide G	2.5
	. 103349	X89059		gb:H.sapiens mRNA for unknown protein expressed in macrophage	1.6
30	103376	AL036166		coated vesicle membrane protein	1.8
	103391	X94453	Hs.114366	pyrroline-5-carboxylate synthetase (glutamate gamma-semialdehyde synthetase)	2.3
	103392	X94563		gb:H.sapiens dbi/acbp gene exon 1 & 2.	4.0
	103430	BE564090	Hs.20716	translocase of inner mitochondrial membrane 17 (yeast) homolog A	1.3
				myeloid/lymphoid or mixed-lineage leukemia 3	5.6
35	103505	AL031224	Hs.33102	transcription factor AP-2 beta (activating enhancer-binding protein 2 beta)	5.1
	103547	Al376722	Hs.180062	proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional protease 7)	9.7
				phosphoinositide-3-kinase, catalytic, alpha polypeptide	2.0
	103613	NM_000340	5Hs.2316	SRY (sex determining region Y)-box 9 (campomelic dysplasia, autosomal sex-reversal)	1.3
40	103621	BE379766	Hs.150675	polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	2.0
40				membrane component, chromosome 11, surface marker 1	2.3
	103727	AI878883	Hs.296381	growth factor receptor-bound protein 2	. 1.3
	103749	AL135301	Hs.8768	hypothetical protein FLJ10849 Homo sapiens mRNA; cDNA DKFZp586i2022 (from clone DKFZp586i2022)	1.8
•	103754	AI015709	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586l2022 (from clone DKFZp586l2022)	1.3
15	103780	AAU94752	HS. 109992	nypometical 43.2 Kd protein	7.5
45		H26531	Hs.7367	Homo sapiens BTB domain protein (BDPL) mRNA, partial cds	1.2
		AA080912		gb:zn04d03.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone 5' similar	1.5
				CGI-120 protein	1.5
		W02363		hypothetical protein FLJ10330	1.5
50	103886	AKUU1278	HS.105/3/	hypothetical protein FLJ10416 similar to constitutive photomorphogenic protein 1	6.5
30	104052	NM_UU24U	/HS.9/644	mammaglobin 2	2.9
			Hs.103238		1.4
			Hs.6451		5.6
			Hs.98938		1.6
55				GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 2	5.4 6.3
"		AA324597		polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	
		R83113	Hs.1432	Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321 protein kinase C substrate 80K-H	1.6 5.2
		AB037762		myelin gene expression factor 2	1.2
	104402	ADUJ1102	He 202042	hypothetical protein FLJ12748	2.1
60	104332	A1430703	He 306180	DKFZP434F1735 protein	1.2
00				ESTs .	1.2
		A1239923		olfactory receptor, family 2, subfamily I, member 6	2.3
		AI858702		ESTs, Weakly similar to N-WASP [H.sapiens]	. 1.3
		AB023175		KIAA0958 protein	2.3
65		AW052006		PRP4/STK/WD splicing factor	10.9
J.			Hs.32478		5.6
				3-phosphoinositide dependent protein kinase-1	12.3

	104867	AA278898	Hs.225979	hypothetical protein similar to small G proteins, especially RAP-2A	2.0
	104871		Hs.28893	Homo saplens mRNA; cDNA DKFZp564O2364 (from clone DKFZp564O2364)	1.3
		AW015318		ESTs	17.7
				transcription factor 19 (SC1)	5.0
5				NS1-associated protein 1	1.7
•		AA026880		protactin receptor	1.4
		AF043467		neurexophilin 2	2.2
		NM_015310		KIAA0942 protein	5.0
	104974		Hs.278675	bromodomain-containing 4	1.4
10		AL136877		SMC4 (structural maintenance of chromosomes 4, yeast)-like 1	2.4
		AL136877	Hs 50758	SMC4 (structural maintenance of chromoso	2.3
		Al199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010317E24 gene, clone IMAGE:3502019, mRNA, partial	cds 7.2
			Hs.321062		· 1.3
	104994	AI499930	Hs.334885	mitochondrial GTP binding protein	3.5
15	105009	BE379584	Hs.34789	dolichyl-diphosphooligosaccharide-protein glycosyltransferase	5.5
		AF098158		chromosome 20 open reading frame 1	3.3
	105028	AI050715	Hs.2331	E2F transcription factor 5, p130-binding	2.2
	105032	AA127818		gb:zl12a02.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:501674 3'	6.8
	105039	AA907305	Hs.36475	ESTs	2.5
20	105041	AB037716	Hs.26204	KIAA1295 protein	2.2
	105045	BE242899	Hs.129951	speckle-type POZ protein	3.8
	105079	AA151342	Hs.12677	CGI-147 protein	9.5
	105087	AA147884	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HEMBA1002716	5.6
	105088	H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PLACE1004114	2.2
25	105095	Z78407	Hs.27023	vesicle transport-related protein	2.2
		BE387350		KIAA1160 protein	1.6
	105126	AW975433	Hs.36288	ESTs	6.3
	105127	AA045648	Hs.301957	nudix (nucleoside diphosphate linked moiety X)-type motif 5	2.1
	105141	AA164687	Hs.177576	mannosyl (alpha-1,3-)-glycoprotein beta-1,4-N-acetylglucosaminyltransferase, isoenzyme A	2.7
30	105158	AW976357	Hs.234545	hypothetical protein NUF2R	1.9 1.7
	105169	BE245294	Hs.180789	S164 protein	
	105186	AA191512	Hs.28005	Homo sapiens cDNA FLJ11309 fis, clone PLACE1010076	4.8 1.9
		AA071276		KIAA0859 protein	2.8
2.5		AA263143		RAD51-interacting protein	1.9
35		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens]	8.0
	105302	AA700122	HS.3355	sentrin-specific protease	1.8
				KIAA0779 protein	8.2
		NM_01601		CGI-68 protein	5.0
40				hypothetical protein FLJ21918 hypothetical protein FLJ20628	2.5
40	100070	AW887701	1 115.32330 116.363833	hypothetical protein FLJ10326	2.2
				membrane protein CH1	2.3
	105307	AVVJ32140	He 256583	interleukin enhancer binding factor 3, 90kD	5.4
	105555	RE386877	He 334811	Npw38-binding protein NpwBP	1.6
45	105355	AF198620	Hs 65648	RNA hinding motif protein BA	1.6
73		AA252395		gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:685026 3', mRNA sequent	ce. 5.0
	105507	BF268348	Hs 226318	CCR4-NOT transcription complex, subunit 7	1.6
				hypothetical protein FLJ20364	1.3
		AB023179		KIAA0962 protein	3.4
50			Hs.27445		9.3
	105564	BE616694	Hs.288042	hypothetical protein FLJ14299	1.4
	105596	AA579535	Hs.18490	hypothetical protein FLJ20452	10.9
	105597	7 AF054284	Hs.334826	S splicing factor 3b, subunit 1, 155kD	2.9
	10560	3 AI808201	Hs.287863	B hypothetical protein FLJ12475	1.7
55	105610	AA280072	Hs.99872	fetal Alzheimer antigen	1.4
	10561	7 AK000892	Hs.4069	glucocorticoid modulatory element binding protein 1	1.7
	10562	D AW30224	5 Hs.181390	Casein kinase 1, gamma 2	5.5
	10565	8 AA985190	) Hs.24687	5 hypothetical protein FLJ20059	9.4
	10569	7 AW49998	8 Hs 27801	zinc finger protein 278	2.0
60	10570	8 R26944	Hs.18077	7 Homo sapiens mRNA; cDNA DKFZp564M0264 (from clone DKFZp564M0264)	1.7.
	10574	3 BE246502	2 Hs.9598	sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short	2.6 1.5
	10574	6 AW15195	2 Hs.46679	hypothetical protein FLJ20739	1.3
	10575	9 Al123118	Hs.15159	chemokine-like factor, alternatively spliced	1.6
	10577	1 AI267720	Hs.15322	1 synovial sarcoma, translocated to X chromosome	2.2
65	10582	U AA/41336	MS.15210	8 transcriptional unit N143	1.3
	10582	10101PAA 0	HS.1944/	7 E3 ubiquitin ligase SMURF2	2.4

				hypothetical protein	2.9
	105875	AK001708	Hs.32271	hypothetical protein FLJ10846	1.4
		AF016371		peptidyl prolyl isomerase H (cyclophilin H)	5.2
	106000	AW194426	Hs.20726	ESTs	1.7
5	106011	AW081202	Hs.12284	Homo sapiens, clone IMAGE:2989556, mRNA, partial cds	2.8
	106017	AA477956	Hs.26268	ESTs .	1.4
	106073	AL157441	Hs.17834	downstream neighbor of SON	1.4
	106078	AA130158	Hs.19977	ESTs, Moderately similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	1.6
	106094	AA533491	Hs.23317	hypothetical protein FLJ14681	6.8
10	106140	AB006624	Hs.14912	KIAA0286 protein	1.6
• .	106271	AA251393	Hs.289052	Homo sapiens, Similar to RIKEN cDNA 5430429M05 gene, clone MGC:13155, mRNA, complete of	ds 10.8
		AB037742		KIAA1321 protein	1.3
	106300	Y10043	Hs.19114	high-mobility group (nonhistone chromosomal) protein 4	3.6
	106333	AL043114	Hs.22410	ESTs, Weakly similar to A54849 collagen alpha 1(VII) chain precursor [H.sapiens]	5.4
15	106350	AK001404	Hs.194698		5.7
	106359	AW390282	Hs.31130	transmembrane 7 superfamily member 2	6.3
		AB040916		KIAA1483 protein	6.5
	106389	AW748420	Hs.6236	Homo sapiens cDNA: FLJ21487 fis, clone COL05419	2.2
	106457	AF119256	Hs.27801	zinc finger protein 278	2.7
20	106470	D63078	Hs.186180	Homo sapiens cDNA: FLJ23038 fis, clone LNG02039	2.3
	106531	AA454036	Hs.8832	ESTs	1.6
		AA243837		ESTs	1.6
		AK000933		Homo sapiens cDNA FLJ10071 fis, clone HEMBA1001702	2.4
•		AA458882		fibulin 1	7.9
25		NM_003595		tyrosylprotein sulfotransferase 2	7.7
	106650	AL049951	Hs.22370	Homo sapiens mRNA; cDNA DKFZp564O0122 (from clone DKFZp564O0122)	1.8
•	106669	AV657117	Hs.184164	ESTs, Moderately similar to S65657 alpha-1C-adrenergic receptor splice form 2 [H.sapiens]	1.3
				hypothetical protein FLJ12549	4.5
				TIA1 cytotoxic granule-associated RNA-binding protein	1.3
30		BE388094			1.6
	106795	AF174487	Hs.293753	Bcl-2-related ovarian killer protein-like	5.7
		AW959893		hypothetical protein FLJ23293 similar to ARL-6 interacting protein-2	16.2
	106831	BE564871	Hs.29463	centrin, EF-hand protein, 3 (CDC31 yeast homolog)	1.5
	106846	AB037744	Hs.34892	KIAA1323 protein	2.2
35				hypothetical protein	1.3
		N49809	Hs.11197		16.8
		W79171	Hs.9567	GL002 protein	1.5
	106906	AA861271	Hs.222024	transcription factor BMAL2	2.2
				serum/glucocorticoid regulated kinase	3.3
40	106945	AK000511	Hs.6294	hypothetical protein DKFZp434L1435 similar to valyl tRNA synthetase	6.8
		BE156256		hypothetical protein	6.6
	106977	AL043152	Hs.50421	KIAA0203 gene product	4.8
	106978	AW631480	Hs.8688	ESTs	6.0
	107004	AA146872	Hs.300700	hypothetical protein FLJ20727	1.3
45				myeloid/lymphoid or mixed-lineage leukemia 3	1.8
	107071	AW385224	Hs.35198	ectonucleotide pyrophosphatase/phosphodiesterase 5 (putative function)	1.7
	107113	AK000733	Hs.23900	GTPase activating protein	2.5
	107125	AK000512	Hs.69388	hypothetical protein FLJ20505	1.7
	107136	AV661958	Hs.8207	GK001 protein	4.6
50	107136	AV661958	Hs.8207	GK001 protein	3.3
	107146	AK001455	Hs.5198	Down syndrome critical region gene 2	2.0
	107151	AW378065	Hs.8687	ESTs	6.3
		AW391927		KIAA1288 protein	33.5
	107174	BE122762	Hs.25338	ESTs	5.2
55	107197	W15477	Hs.64639	glioma pathogenesis-related protein	6.1
	107221	AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (stathmin)	17.4
	107243	BE219716	Hs.34727	ESTs, Moderately similar to 138759 zinc finger/leucine zipper protein [H.sapiens]	7.4
	107248	AW263124	Hs.315111	nuclear receptor co-repressor/HDAC3 complex subunit	1.8
		D60341	Hs.21198	translocase of outer mitochondrial membrane 70 (yeast) homolog A	6.6
60		BE379594		ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION	N 2.5
		N95657	Hs.6820	ESTs, Moderately similar to YOJ1_CAEEL HYPOTHETICAL 63.5 KD PROTEIN ZK353.1 IN	2.5
		N95657	Hs.6820	ESTs, Moderately similar to YOJ1_CAEEL H	1.7
		BE277457		hypothetical protein MGC4606	3.2
		T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp586l0324 (from clone DKFZp586l0324)	2.0
65	107354	NM_00629	9Hs.96448	zinc finger protein 193	5.0
	107392	AW299900	Hs.267632	TATA element modulatory factor 1	1.2
	107481	AA307703	Hs.279766	kinesin family member 4A	1.6

```
107529 BE515065 Hs.296585 nucleolar protein (KKE/D repeat)
                                                                                                                          3.0
        107554 AA001386 Hs.59844
                                     ESTs
                                     ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION 2.2
        107681 BE379594 Hs.49136
        107772 AA018587 Hs.303055 ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION
                                     potassium voltage-gated channel, delayed-rectifier, subfamily S, member 3
        107859 AW732573 Hs.47584
                                                                                                                          2.5
                          Hs.335952 keratin 6B
        107901 L42612
                          Hs.335952
                                     keratin 6B
                                                                                                                          1.6
        .107901 L42612
                                     Ig superfamily receptor LNIR
        107922 BE153855 Hs.61460
                                     pyruvate dehydrogenase kinase, isoenzyme 1
                                                                                                                          6.7
        107974 AW956103 Hs.61712
                                     SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily b, member 1
        108040 AL121031 Hs.159971
10
         108230 AA054224 Hs.59847
                                     ESTs
         108274 AF129535 Hs.272027 F-box only protein 5
                                                                                                                           7.1
                          Hs.161623 ESTs
         108296 N31256
                                                                                                                           3.5
         108496 AA083069 Hs.339659 ESTs
                                                                                                                           3.4
                                     Homo sapiens cDNA FLJ12758 fis, done NT2RP2001328
15
         108607 BE300380 Hs.69476
                                                                                                                           1.6
         108621 AA101809 Hs.182685 ESTs
                                                                                                                           1.7
         108634 AW022410 Hs.69507
                                     ESTs
         108647 BE546947 Hs.44276
                                     homeo box C10
                                                                                                                           7.2
         108695 AB029000 Hs.70823
                                     KIAA1077 protein
                                     hypothetical protein FLJ20516
                                                                                                                           1.3
20
         108717 AA122393 Hs.70811
                                      progesterone membrane binding protein
                                                                                                                           2.7
         108740 Al089575 Hs.9071
                                     DKFZP564O0463 protein
         108828 AK001693 Hs.273344
                                                                                                                           1.5
         108859 AL121500 Hs.178904 ESTs
                          Hs.111680 endosulfine alpha
                                                                                                                           2.1
         108872 H06720
                                                                                                                           5.3
25
         108891 Al801235
                          Hs.48480
                                      ESTs
                                                                                                                           4.0
                                      hypothetical protein FLJ10569
         108894 AK001431 Hs.5105
                                                                                                                           5.6
                                     Homo sapiens amino acid transport system N2 (SN2) mRNA, complete cds
         108955 AA149754 Hs.195155
                                      homeo box (expressed in ES cells) 1
                                                                                                                           1.6
         108982 AA151708 Hs.171980
                                                                                                                           6.2
                                      hypothetical protein FLJ10633
         108987 AA152178 Hs.23467
                                                                                                                           1.7
30
         109002 AB028987 Hs.72134
                                      KIAA1064 protein
                                                                                                                           1.4
         109011 AA156542 Hs.72127
                                      ESTs
                                      gb:zo35d07.s1 Stratagene colon (937204) Homo sapiens cDNA clone 3' similar to contains Alu repetitive
                                                                                                                                        5.3
         109026 AA157811
         109068 AA164293 Hs.72545
                                                                                                                           1.6
                                      hypothetical protein FLJ20618
         109101 AW608930 Hs.52184
                                      hypothetical protein FLJ13782
                                                                                                                           3.2
35
         109112 AW419196 Hs.257924
                                                                                                                           1.7
                                      hypothetical protein FLJ22104
         109124 AK000684 Hs.183887
                                                                                                                           2.6
         109139 AJ132592 Hs.59757
                                      zinc finger protein 281
                                                                                                                           2.9
         109166 AA219691 Hs.73625
                                      RAB6 interacting, kinesin-like (rabkinesin 6)
                                                                                                                           2.0
                                      highly expressed in cancer, rich in leucine heptad repeats
         109198 BE566742 Hs.58169
                                      potential nuclear protein C5ORF5; GAP-like protein
 40
         109213 NM_016603Hs.82035
                                                                                                                           5.7
         109220 AW958181 Hs.189998
                                      ESTs
                                                                                                                           5.3
         109233 AU077281 Hs.170285 nucleoporin 214kD (CAIN)
                                      ESTs, Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens]
         109270 N99673
                           Hs.3585
                                                                                                                           2.9
                                      Homo sapiens mRNA; cDNA DKFZp586F1822 (from clone DKFZp586F1822)
          109273 AA375752 Hs.82719
                                                                                                                           1.3
         109313 AF153201 Hs.86276
 45
                                      C2H2 (Kruppel-type) zinc finger protein
                                                                                                                           29
         109341 AA213506 Hs.115099
                                                                                                                           1.5
                                      KIAA0929 protein Msx2 interacting nuclear target (MINT) homolog
          109391 AL096858 Hs.184245
                                                                                                                           2.2
                           Hs.40408
                                      homeo box C9
          109420 H83603
                                                                                                                           3.0
                           Hs.42215
                                      protein phosphatase 1, regulatory subunit 6
          109426 N30531
                                                                                                                            1.9
 50
          109429 Al160029 Hs.61438
                                      ESTs
                                                                                                                            1.8
          109445 AA232103 Hs.189915 ESTs
                                                                                                                            3.7
          109450 AB032969 Hs.173042 KIAA1143 protein
                                                                                                                            3.2
                                      KIAA0942 protein
          109468 NM_015310Hs.6763
          109478 AW074143 Hs.87134
                                      ESTs
                            Hs.118890
                                      glycogen synthase kinase 3 alpha
 55
          109570 L40027
                                                                                                                            1.4
                            Hs.27319
                                      ESTs
          109662 F02614
                                                                                                                            1.3
                            Hs.16798
          109825 R71264
                                      ESTs
                            Hs.21907
                                      histone acetyltransferase
          110039 H11938
                                                                                                                            2.5
          110056 AA503041 Hs.279009 matrix Gla protein
                                                                                                                            1.7
          110085 AA603840 Hs.29956
                                       KIAA0460 protein
 60
                                                                                                                            2.9
                            Hs.7948
          110110 T07353
                                       ESTs
                            Hs.226429 ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION
          110129 R51853
                                                                                                                            4.2
          110154 NM_014521Hs.17667
                                       SH3-domain binding protein 4
                            Hs.176588 ESTs, Weakly similar to CP4Y_HUMAN CYTOCHROME P450 4A11 PRECURSOR [H.sapiens]
                                                                                                                            4.2
          110240 AI668594
                                                                                                                            1.3
                            Hs.19978
                                       CGI-30 protein
 65
          110242 N41744
                                                                                                                            2.2
          110259 H28428
                            Hs.32406
                                       ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]
          110312 BE256986 Hs.11896
                                                                                                                            2.1
                                       hypothetical protein FLJ12089
```

		A1288666	Hs.16621		6.2
•	110501	H55748		gb:yq94a01.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:203400 3'	6.1
	110504	H55915	Hs.210859	hypothetical protein FLJ11016	6.1
	110525	H57330	Hs.37430	EST	6.3
5	110568	AK001160	Hs.5999	hypothetical protein FLJ10298	1.3
	110699	T97586	Hs.18090	ESTs	1.8
	110705	AB007902	Hs.32168	KIAA0442 protein	1.6
	110742	AW190338	Hs.28029	hypothetical protein MGC11256	7.6
		AL138077		hypothetical protein FLJ12707	2.5
10		BE044245		hypothetical protein MGC2963	9.3
		AK000322		hypothetical protein FLJ20315	5.5
		BE000831		Homo sapiens cDNA FLJ11812 fis, clone HEMBA1006364	2.1
				dpy-30-like protein	1.5
		T25829	Hs.24048	FK506 binding protein precursor	6.6
15		AA767373		ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	5.7
		R33261	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 precursor, intestinal [H.sapiens]	3.4
		N31598	Hs.12727	hypothetical protein FLJ21610	1.7
		AI740792			1.7
		BE612992		hypothetical protein FLJ10607 similar to glucosamine-phosphate N-acetyltransferase	4.7
20		AA992380	110.2.00	gb:ot37g06.s1 Soares_testis_NHT Homo sapiens cDNA clone 3' similar to contains element	2.3
~0		BE384447	Hs 16034	hypothetical protein MGC13186	3.5
		AL117430		DKFZP434D156 protein	2.2
		BE092285		hypothetical protein FLJ13187	2.6
		H04360	Hs.24283	ESTs, Moderately similar to reduced expression in cancer [H.sapiens]	1.9
25 .		NM_005864		signal transduction protein (SH3 containing)	6.7
		AK002180		DKFZP564O123 protein	2.0
•		AK001980		ADP-ribosyltransferase (NAD+; poly(ADP-ribose) polymerase)-like 2	1.3.
		AW613287		UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-T	
		N63823		ESTs, Moderately similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]	3.6
30		AB037807		hypothetical protein	2.1
•		N46180		Homo sapiens cDNA FLJ13289 fis, clone OVARC1001170	2.3
		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321	3.7
		AL050166		Homo sapiens mRNA; cDNA DKFZp586D1122 (from clone DKFZp586D1122)	7.5
		AK000136		asporin (LRR class 1)	7.1
35				Homo sapiens cDNA FLJ20738 fis, clone HEP08257	6.7
		Al815486		Homo sapiens cDNA FLJ20738 fis, clone HE	3.3
		N67603		ESTs, Weakly similar to S65824 reverse transcriptase homolog [H.sapiens]	3.6
•		AW139408			1.5
	111221	AB037782	Hs.15119	KIAA1361 protein	2.6
40	111223	AA852773	Hs.334838	KIAA1866 protein	4.6
	111239	N90956	Hs.17230	hypothetical protein FLJ22087	7.9
	111285	AA778711	Hs.4310	eukaryotic translation initiation factor 1A	6.9
	111299	AB033091	Hs.74313	KIAA1265 protein	5.0
	111312	Al523913	Hs.34504	ESTs	3.8
45	111318	T99755	Hs.334728	ESTs	1.2
	111337	AA837396	Hs.263925	LIS1-interacting protein NUDE1, rat homolog	5.1
		H58589	Hs.35156		2.2
	111370	Al478658	Hs.94631	brefeldin A-inhibited guanine nucleotide-exchange protein 1	2.8
	111384	N94606	Hs.288969	HSCARG protein	2.2
50	111389	AK000987	Hs.169111	oxidation resistance 1	2.1
	111391	NM_00389		sialyltransferase 9 (CMP-NeuAc:lactosylceramide alpha-2,3-sialyltransferase; GM3 synthase)	5.1
		W46342	Hs.325081	Homo sapiens, clone IMAGE:3659680, mRNA, partial cds	8.4
	111452	R02354	Hs.15999	ESTs	2.7
	111486	Al051194	Hs.227978		6.5
55	111549	W90638	Hs.20321	ESTs, Moderately similar to ZRF1_HUMAN ZUOTIN RELATED FACTOR-1 (M-PHASE	1.4
	111585	R10720	Hs.20670	EST	1.6
	111627	R52656	Hs.21691	ESTs .	1.6
•		AB037834		Homo sapiens mRNA for KIAA1413 protein, partial cds	2.4
		BE298665		Homo sapiens mRNA; cDNA DKFZp564D016 (from clone DKFZp564D016)	10.6
60		AW083791		suppressor of potassium transport defect 3	6.6
		NM_01531		KIAA0942 protein	5.1
		R41823	Hs.7413	ESTs; calsyntenin-2	2.8
		AB029000			14.6
		R46071	Hs.301693	Homo sapiens, done IMAGE:3638994, mRNA, partial cds	9.0
65			8Hs.232076	A kinase (PRKA) anchor protein 11	1.4
	112464	AW007287	Hs.28538	Homo sapiens cDNA: FLJ21086 fis, clone CAS03272	1.4
	112506	A1742756	Hs.26079	ESTs	3.2

	112513	R68425	HS.13809	nypothetical protein FLJ10548	2.0	
	112752	AK001635	Hs.14838	hypothetical protein FLJ10773	1.8	
	112884	AK000004			6.6	
	112923		Hs.5037	· · · · · · · · · · · · · · · · · · ·	1.5	
5		AW970826			3.2	
)						
	112958		Hs.6724		6.0	
	112966			glucocorticoid receptor DNA binding factor 1	6.4	
	112978	AK000272		hypothetical protein FLJ20265	1.2	
	112995	AA737033	Hs.7155	ESTs, Moderately similar to 2115357A TYKi protein [M.musculus]	5.6	
10		BE276112		zinc finger protein 259	2.0	
10				ESTs	1.9	
		Al571940				
		AW965190			2.4	
	113089	T40707	Hs.270862		1.3	
	113196	T57317		gb:yb51a03.s1 Stratagene fetal spleen (937205) Homo sapiens cDNA clone IMAGE:74668 3',	1.7	
15	113248	T63857		gb:yc16e01.s1 Stratagene lung (937210) Homo sapiens cDNA clone 3', mRNA sequence	2.8	
				DKFZP564O123 protein	1.3	
				protein (peptidyl-prolyl cis/trans isomerase) NIMA-interacting, 4 (parvulin)	3.2	
			Hs.179808		1.2	
• •			Hs.8882 .	· · · · · · · · · · · · · · · · · · ·	5.9	
20	113547	H59588	Hs.15233	ESTs	2.0	
	113554	AW503990	Hs.142442	HP1-BP74	3.6	
				Homo sapiens cDNA FLJ12187 fis, clone MAMMA1000831	1.3	
	113702		110.100110	gb:ye53h05.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121497 3',	4.4	
			Un 404444			
26			Hs.184411	albumin	1.3	
25		AW499665		SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member		
	113777	BE266947	Hs.10590	zinc finger protein 313	13.4	
	113783	AL359588	Hs.7041	hypothetical protein DKFZp762B226	1.7	
				chitobiase, di-N-acetyl-	1.3	
		W44735	Hs.9286	Homo sapiens cDNA: FLJ21278 fis, clone COL01832	3.3.	
30		BE207480		Homo sapiens cDNA: FLJ22044 fis, clone HEP09141	3.1	
50						
				hypothetical protein DKFZp761O17121	3.2	
			Hs.24809	hypothetical protein FLJ10826	2.3	
	113834	T26483	Hs.6059	EGF-containing fibulin-like extracellular matrix protein 2	11.3	
	113868	W57902	Hs.90744	proteasome (prosome, macropain) 26S subunit, non-ATPase, 11	2.7	
35		AL079314		hypothetical protein, similar to (U06944) PRAJA1	6.1	
-			Hs.21732	ESTs	6.6	
					1.9	
		AW953484		hypothetical protein FLJ22041 similar to FK506 binding proteins		
		W87544	Hs.268828		1.2	
	114022	AI539519	Hs.120969	Homo sapiens cDNA FLJ11562 fis, clone HEMBA1003197	5.4	
40	114030	Al825386	Hs.164478	hypothetical protein FLJ21939 similar to 5-azacytidine induced gene 2	9.4	
		AB029551		RING1 and YY1 binding protein	1.8	
				fucose-1-phosphate guanylyltransferase	1.5	
					1.8	
		AB028968		KIAA1045 protein		
. ~			Hs.14831			· 2.3
45	114262	AL117518	Hs.3686	KIAA0978 protein	1.4	
	114275	AW515443	Hs.306117	KIAA0306 protein	15.8	
				fatty acid desaturase 2	1.9	
				CGI-85 protein	2.4	
	11/303	V V 3 V 0 E 0 O	He 1007/8	ESTs, Weakly similar to A28996 proline-rich protein M14 precursor - mouse [M.musculus]	1.8	
50					1.2	
50				Homo sapiens mRNA; cDNA DKFZp434B0425 (from clone DKFZp434B0425)		
		H37908		ESTs, Weakly similar to ALUB_HUMAN ALU SUBFAMILY SX SEQUENCE	5.5	
	114463	AL120247	Hs.40109	KIAA0872 protein	5.2	
	114464	AI091713	Hs.106597	Homo sapiens, Similar to RIKEN cDNA 1110012M11 gene, clone IMAGE:3688605, mRNA, partial	cds 1.2	
	114471	AA028074	Hs.104613	RP42 homolog	1.8	
55	114480	BE066778	Hs 151678	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 6 (GalNAc-T		
55				hypothetical protein FLJ13346	1.9	
				polymerase (RNA) III (DNA directed) polypeptide K (12.3 kDa)	3.5	
	114730	Al373544	Hs.331328	intermediate filament protein syncoilin	3.8	
				minichromosome maintenance deficient (S. cerevisiae) 4	1.6	
60				CGI-76 protein	3.1	•
	114798	AA159181	Hs.54900	serologically defined colon cancer antigen 1	3.5	
	11/1260	AI 157545	Hs.42179	bromodomain and PHD finger containing, 3	4.3	
			Hs.76591		7.1	•
	114896	BE539101	rts.5324	hypothetical protein	1.3	
65		AA236672		gb:zt29f02.s1 Soares ovary tumor NbHOT Homo sapiens cDNA done IMAGE:723771 3', mRNA s		1.5
			Hs.188717		2.0	
	114938	AA242834	Hs.58384.	ESTs	2.9	

		A1733881		BMP-R1B	2.3
		AF102546		dachshund (Drosophila) homolog	1.3
	115038	AA252360	Hs.87968	toll-like receptor 9	1.6
•	115061	Al751438	Hs.41271	Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 1913076	11.8
5	115062	AA253314	Hs.154103	LIM protein (similar to rat protein kina	1.5
		AI670847		hypothetical protein	1.5
		AI634549		ESTs	2.8
	115206	AW183695	Hs.186572		2.5
		AW365434		hypothetical protein FLJ10116	1.5
10		BE251328		hypothetical protein FLJ10881	1.3
				ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE	1.4
				hypothetical protein FLJ11301	1.5
			Hs.293736		2.4
				hypothetical protein FLJ10461	6.2
15		Al215069		ESTs	6.6
		AA314349		tumor antigen SLP-8p	7.4
		AK001376		hypothetical protein FLJ10514	1.4
				ESTs, Moderately similar to I54374 gene NF2 protein [H.sapiens]	4.0
20		AW247593		eukaryotic translation initiation factor 4E binding protein 1	16.3
20		Y14443	Hs.88219	zinc finger protein 200	5.0
		AJ275986		transcription factor (SMIF gene)	2.5
			Hs.61082		6.1
				HSPC039 protein	· 2.9 5.3
25				7-60 protein	5.3 4.7
25		N36110		solute carrier family 2 (facilitated glucose transporter), member 10	10.6
			Hs.38178	hypothetical protein FLJ23468	12.7
				Homo sapiens, clone MGC:16063, mRNA, complete cds	2.0
		AI138785		ESTs	3.0
30		AA953006		ESTs hypothetical protein FLJ21615	1.7
30		AA625132		cadherin, EGF LAG seven-pass G-type receptor 3, flamingo (Drosophila) homolog	6.8
		AF231023		proteasome (prosome, macropain) subunit, beta type, 2	1.7
		BE395161 Al950339		ESTs	2.6
		NM_01543		DKFZP434B168 protein	2.1
35		AI732742		ESTs	2.1
33		AI675217		ESTs	1.3
				hypothetical protein MGC5370	4.4
			Hs.52081		7.2
		N55669		mitochondrial ribosomal protein L13	1.2
40		AI867451		hypothetical protein FLJ20739	5.5
		AB037753		KIAA1332 protein	9.8
	116003	BE275469	Hs.66493	Down syndrome critical region gene 5	1.4
	116011	AL359053	Hs.57664	Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 2005735	2.4
	116108	AA770688	Hs.28777	H2A histone family, member L	1.8
45	116134	BE243834	Hs.50441	CGI-04 protein	1.4
	116189	N35719	Hs.44749	ESTs, Moderately similar to T00358 hypothetical protein KIAA0684 [H.sapiens]	· 1.2
	116195	AW821113	Hs.72402		2.1
			Hs.47144		1.7
				baculoviral IAP repeat-containing 6	1.7
50	116262	A1936442	Hs.59838	hypothetical protein FLJ10808	1.7
		AI955411		Homo sapiens cDNA FLJ13634 fis, clone PLACE1011133	1.9
	116318	AF097645	Hs.58570	deleted in cancer 1; RNA helicase HDB/DICE1	4.9
		Al472106		Homo sapiens cDNA FLJ11663 fis, clone HEMBA1004631	1.4
	116336	AL133033	Hs.4084	KIAA1025 protein	1.9
55	116339	AK000290	Hs.44033	dipeptidyl peptidase 8	1.5
	116350	AA497129	Hs.184771		1.9
		AI149586	Hs.38125	interferon-induced protein 75, 52kD	1.9
	116365	N50174	Hs.46765	ESTs .	6.1
60	116368	N90466	Hs.71109	KIAA1229 protein	1.6 7.4
60	116417	AW499664	IIS. 12484	Human clone 23826 mRNA sequence	2.1
	116436	AA161411	He 22000	chromosome 21 open reading frame 57	1.5
				putative helicase RUVBL SRY (sex determining region Y)-box 4	2.1
		Al272141 Al272141		SRY (sex determining region Y)-box 4	1.2
65	1104/0	AA312572		phosphoinositide-3-kinase, regulatory subunit, polypeptide 1 (p85 alpha)	1.5
UJ	116575	AK001043	Hs.92033	integrin-linked kinase-associated serine/threonine phosphatase 2C	2.7
		X89984		B-cell CLL/lymphoma 7A	2.3

	116700	V1000303	He 317580	hypothetical protein MGC10765	1.4		
•					3.4		
	110/03	AVV0/4019	115.12313		2.9		
				The state of the s			
_		AW068115		97	3.3		
5	116926		Hs.290830		1.7		٠.
	117034				3.4		•
			Hs.42315		5.2		
		N21032		gb:yx46f06.s1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:264803 3', mRNA ser		æ.	5.5
	117276	N71183			1.5		
10	117284	AK001701	Hs.183779	The subject to the su	2.0	-	
	117367	AI041793	Hs.42502		2.0		
		A1878942	Hs.90336		2.1		
	117382	AF150275	Hs.40173	2010	2.7		
	117412	N32536	Hs.42645	Column farming to (monocomposition)	1.4		•
15	117557	AF123050	Hs.44532	Albeidem.	3.4		
	117588	N34895	Hs.44648		3.4		
				CGI-12 protein	3.0		
					1.9		
		N54706		chromosome 11 open reading frame 24	1.8		
20				butyrate-induced transcript 1	5.7		
				hypothetical protein MGC5370	5.9		
				hypothetical protein FLJ13912	1.7		
		Y10518		hypothetical protein FLJ20048	1.7		
				KIAA1785 protein	5.4	*	
25 .		N54321	Hs.47790		5.2		
20			Hs.293264		2.6		
	118429	AA243332	Hs 74649	cytochrome c oxidase subunit VIc	2.5.		
			Hs.42179		4.1		,
				rapa-2 (rapa gene)	1.2		
30		N22617	Hs.43228	The state of the s	1.5		
			Hs.49397		7.4		
	118656	Al458020	Hs.293287	ESTs ·	2.5		
	118670	AA332845	Hs.152618	ESTs, Moderately similar to ZN91_HUMAN ZINC FINGER PROTEIN 91 [H.sapiens]	1.2	٠.	
	118698	AB033113	Hs.50187	KIAA1287 protein	2.1		
35		AA199686		ab:za75a09.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone IMAGE:647488 5'	5.2		
	118925	N92293	Hs.206832	ESTs. Moderately similar to ALU8 HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	1.4		
	118984	AI668709	Hs.240722	ESTs, Moderately similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	3.6		
	118986	AF148713	Hs.125830	bladder cancer overexpressed protein	4.8		
		W24781		KIAA1710 protein	1.7		
40		AW453069		activity-dependent neuroprotective protein	2.2		
		AW453069		activity-dependent neuroprotective prote	1.6		
•			Hs.285363	ESTs	1.4		
	119279	N57568	Hs.48028	EST	25.1		
	119298	NM_00124	11Hs.155478	cyclin T2	1.6		
45	119338	Al417240	Hs.320836	ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]	1.3		
	119349	T65004	Hs.163561		8.4		
	119403	AL117554	Hs.119908	nucleolar protein NOP5/NOP58	6.7		
	119478	A1624342	Hs.170042	! ESTs	2.4		
	119486	AI796730	Hs.55513	ESTs	2.1		
50	119513	W37933		Empirically selected from AFFX single probeset	1.9		
	119601	AK000155	Hs.91684		3.7	•	
	119602	AW67529	B Hs.233694	hypothetical protein FLJ11350	3.0		
			Hs.57787		1.4		
	119682	W61019	Hs.57811	ESTs	1.2		
55		AB032977		KIAA1151 protein	1.8		
	119780	NM_0166	25Hs.191381	hypothetical protein	3.1		
	119789	BE393948	Hs.50915	kallikrein 5 (KLK5; KLK-L2; stratum comeum tryptic enzyme)	9.2		
			Hs.43213		3.6		
			Hs.58382	hypothetical protein FLJ11101	2.5		
60	119863	AA081218	Hs.58608	Homo sapiens cDNA FLJ14206 fis, clone NT2RP3003157	2.7		
				collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant)	2.6		
			Hs.58963		2.7		
		W57554		ymphoid nuclear protein (LAF-4) mRNA	1.2		
		H26735		Homo sapiens clone PP1498 unknown mRNA	45.7		
65				uncharacterized bone marrow protein BM033	1.2		
				fibroblast growth factor 12B	38.9		
	120269	AW13194	0 Hs.104030	J ESIS	9.6		

		AA177051			4.6
		AA190577			2.0
				hypothetical protein FLJ23399	1.8
_				ESTs, Weakly similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]	15.2
5		AA195517			5.5
		AA195651			6.4
				hypothetical protein FLJ20285	16.1
		N85785		eukaryotic translation elongation factor 1 alpha 1	2.9
					5.7
10	120345	AA210722	Hs.104158	ESTs	4.5
	120349	AW969481	Hs.55189	hypothetical protein	16.8
	120352	R06859	Hs.193172	ESTs, Weakly similar to I38022 hypothetical protein [H.sapiens]	5.0
				putative purinergic receptor	28.1
		AA219305			12.4
15	120382	AA228026	Hs.38774	ESTs	4.0
	120383	AL109963	Hs.123122	FSH primary response (LRPR1, rat) homolog 1	9.7
				hypothetical protein DKFZp434D0127	32.6
		AA232874			3.1
				ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION	
20				eukaryotic translation initiation factor 4E	12.5
		AB023230		KIAA1013 protein	7.2
•		AW966893		Homo sapiens mRNA; cDNA DKFZp586F1323 (from clone DKFZp586F1323)	11.4
		AA236453		Homo sapiens cDNA: FLJ22822 fis, clone KAIA3968	1.9
		AI950087	113.10070	gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone 3', mRNA sequence	19.4
25		AA251973	He 260088		5.4
23		AA253170			10.4
		AA256837	HS.50473	gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:682387 3', mRNA sequen	
			Un OCEAE		9.4
		BE047718			2.4
30		AA258601			2.5
30		BE350244			5.2
				Homo sapiens, clone IMAGE:3613029, mRNA, partial cds	
				ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	14.4 10.2
				ZNF135-like protein leucine-rich repeat-containing 2	2.1
35				N-acetylglucosamine-phosphate mutase	7.5
55		AW965339			2.5
•	120019	AVV303333	113.1114/1	M-phase phosphoprotein homolog	52.0
		AA286942	113.173310	gb:zs56f05.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701505 3' similar to contains	
			He 1/0300	Homo sapiens, clone IMAGE:3677194, mRNA, partial cds	5.0
40		AW063659			2.2
40				6.2 kd protein	2.2
		BE536739			1.9
		AA976503	NS. 103303	gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens cDNA clone 3' similar to contains PTR7.t1 PTR7	
			Un 07240	ESTs	2.5
45		A1821539			5.9
70		AW449855		Homo sapiens cDNA FLJ12727 fis, clone NT2RP2000027 ESTs	2.9
		AA292747			7.0
		Al191410 Al608909	Hs.193985		7.8
		AA346385		SH3-containing protein SH3GLB2; KIAA1848 protein	6.8
50		AA346495	NS.30002	gb:EST52657 Fetal heart II Homo sapiens cDNA 3' end similar to EST containing O family repeat,	
50		AA386260	Un 104633		4.4
					4.4
		AA398155			
		BE262951		ESTs series	5.6
55		Al219896			1.2
<i></i>		AA398360			3.1
		AI439713			3.5
				ESTs, Highly similar to 137550 mismatch repair protein MSH2 [H.sapiens]	5.4
		AA363307			3.7
<i>c</i> 0		AL121523			1.7
60				ESTs, Weakly similar to dJ667H12.2.1 [H.sapiens]	2.9
		AA403008			1.9
		AW956981		Homo sapiens cDNA FLJ13383 fis, clone PLACE1001024	3.5
		AA406137		EST	6.0
~-		AA410190		ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]	7.4
65	-			Homo sapiens, clone MGC:18257, mRNA, complete cds	6.9
		AW971063			1.8
	121455	H58306	Hs.15165	retinoic acid induced 14	10.5

	121457	W07404	Hs.144502	hypothetical protein FLJ22055	3.4
	121496		Hs.97900		14.4
			Hs.194417		13.1
			Hs.97887		28.0
5			Hs.181510		6.2
•		AA412112		gb:zt69b02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727563 3', mRNA sequence	e. 2.6
			Hs.98142		7.4
		AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730150 3' similar to contain	s2.8
		AA411970	Hs.98096	EST	3.5
10 .		AA416568		gb:zu05c10.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	6.1
10			Hs.89718	spermine synthase	3.9
			Hs.98247	ESTs	2.2
			Hs.126065		4.2
				Homo sapiens mRNA; cDNA DKFZp434B1023 (from clone DKFZp434B1023)	7.8
15	121682	AA418160	Hs 86043	Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743	2.0
15	121602	AV660305	Hs.110286	FSTs	4.7
		U55184		hypothetical protein FLJ11585	12.7
	121714	ΔΔΔ19225		Homo sapiens cDNA FLJ11953 fis, clone HEMBB1000883	8.1
		Al949597			1.8
20			Hs.180744		4.0
20			Hs.97514		7.1
				hypothetical protein NUF2R	19.5
				KIAA1196 protein	7.9
			Hs.161008		1.7
25					6.6
23				hypothetical protein FLJ22501	10.5
			Hs.98376		5.8
			Hs.98434		3.8
			Hs.218289		5.0
30				ESTs, Highly similar to KIAA1048 protein [H.sapiens]	2.7
30	121042	AFU2/400	HS. 104000	serine/threonine kinase 23	2.3
	121047	AA446628	П5.2799 На 202044	cartilage linking protein 1	2.9
			Hs.293044		5.0
			Hs.98459	EDIS	7.2
25		AA427950	11- 000405	gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773499 3'	2.5
35				ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.sapiens]	2.3
			Hs.98611		3.4
				hypothetical protein FLJ14904	
				Homo sapiens, clone IMAGE:2822295, mRNA, partial cds	11.4
40		AA210863		nemo-like kinase	3.8
40			Hs.98668		6.4
				Homo sapiens cDNA: FLJ20863 fis, clone ADKA01804	2.2
			Hs.98706	ESTS	6.5
		W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU SUBFAMILY SC SEQUENCE CONTAMINATION	13.1
4 ~		A1453076		ELAV (embryonic lethal, abnormal vision, Drosophila)-like 2	9.1
45			Hs.98750		13.1
			Hs.104921	ESTs	1.5
		AA398838		gb:zt80d01.r1 Soares_testis_NHT Homo sapiens cDNA clone 5', mRNA sequence	3.3
			Hs.98842	EST	5.6
				HCF-binding transcription factor Zhangfei	5.1
50	122257	AA436819	Hs.98899	ESTs	5.6
	122302	AA441801	Hs. 104947	ESTS	5.8
	122341	AW601969	Hs.99010	hypothetical protein FLJ22263 similar to nuclear receptor-binding SET-domain protein 1	2.0
	122356	AA443794	Hs.98390	ESTs	7.3
	122369	AA443985	Hs.303222	! ESTs	12.2
55	122371	AA868555	Hs.178222	P. ESTs	5.0
	122372	AA446008	Hs.336677	'EST	7.6
	122378	AB032948	Hs.21356	hypothetical protein DKFZp762K2015	2.5
	122405	AA446572	Hs.303223	B EST	2.8
	122412	2 AA446869	Hs.119316	S ESTs	7.3
60	122415	AA446918	Hs.99088	EST	1.9
	122418	AA446966	Hs.99090	ESTs, Moderately similar to similar to KIAA0766 [H.sapiens]	6.8
	122440	AW50513	9 Hs.9460	Homo sapiens mRNA; cDNA DKFZp547C244 (from clone DKFZp547C244)	2.6
	122446	AA447603	Hs.99123		1.8
	12244	AA447626	Hs.99127	EST	3.5
65			Hs.104980		1.5
05	122460	AW41878	8 Hs.99148	ESTs, Weakly similar to S43569 R01H10.6 protein - Caenorhabditis elegans [C.elegans]	9.7
			Hs.99152		4.8

		AA448349			6.1	
		AA448417		ESTs	5.4	
	122502	AA204969	Hs.234863	Homo sapiens cDNA FLJ12082 fis, clone HEMBB1002492 ESTs adaptor-related protein complex 1, sigma 2 subunit	1.3	
	122510	AA449232	Hs.99195	ESTs .	11.2	
5	122530	AW959741	Hs.40368	adaptor-related protein complex 1, sigma 2 subunit	10.1 .	
	122547	AA779725	Hs.164589		2.5	
	122555	AA194055	Hs.293858	ESTs .	1.9	
	122570	AA452578	Hs.262907	ESTs	9.5	
	122572	AA452601	Hs.99287	EST	11.0	
10	122586	AK001910	Hs.99303	ESTS ESTS ESTS EST Homo sapiens cDNA FLJ11048 fis, clone PLACE1004516 KIAA1460 protein	3.4	
	122587	AB040893	Hs.6968	KIAA1460 protein	2.0	
	122598	AI028173	Hs.99329	ESTs	1.7	
	122599	AL355841	Hs.99330	hypothetical protein FLJ23588	4.4	
		AA411925			4.6	
15	122607	AA453518	Hs.98023	ESTs	61.5	
	122614	AA453630	Hs.99339	EST	10.7	
	122616	AA453638	Hs.161873	ESTs	107.3	
	122617	Al681535	Hs.148135	serine/threonine kinase 33	121.4	
	122618	AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	31.1	
20	122622	AA453987	Hs.144802		5.6	
		AA456859			8.5	
		A1376875			10.4	
					81.8	
	122834	AA461492	Hs.99545	ESTs Homo sapiens cDNA FLJ10658 fis, clone NT2RP2006052 ESTs	3.6	
25	122836	AA460581	Hs.290996	ESTs	4.5	
	122837	AA461509	Hs.293565	ESTs, Weakly similar to putative p150 [H.sapiens]	2.7	
	122838	AA460584	Hs.334386	ESTs	75.3	
	122854	AA600235	Hs.9625	NIMA (never in mitosis gene a)-related kinase 6	7.7	
	122856	AI929374	Hs.75367	Src-like-adapter	5.8	
30	122861	AA335721	Hs.119394	ESTs	1.3	
-	122866	BE539656	Hs.283705	ESTs	4.1	•
	122868	AF005216	Hs.115541	Janus kinase 2 (a protein tyrosine kinase)	5.3	
	122870	AW576312	Hs.318722	Homo sapiens cDNA: FLJ21766 fis, clone COLF7179	9.9	
	122872	AW081394	Hs.97103	ESTs, Weakly similar to putative p150 [H.sapiens] ESTs NIMA (never in mitosis gene a)-related kinase 6 Src-like-adapter ESTs ESTs Janus kinase 2 (a protein tyrosine kinase) Homo sapiens cDNA: FLJ21766 fis, clone COLF7179 ESTs	5.3	
35	122879	AA769410	Hs.128654	ESTs	13.9	
					11.5	
	122916	AA470140	Hs.229170	ESTs EST ESTS ESTS Homo sapiens cDNA FLJ11946 fis, clone HEMBB1000709 ninein (GSK3B interacting protein) ESTs, Weakly similar to KIAA1395 protein [H.sapiens] ESTs	1.7	
	122981	AA478951	Hs.105629	ESTs	5.0	
	123013	AW968324	Hs.17384	ESTs	15.4	
40	123016	AW338067	Hs.323231	Homo sapiens cDNA FLJ11946 fis, clone HEMBB1000709	2.8	
	123034	AL359571	Hs.44054	ninein (GSK3B interacting protein)	8.7	
	123072	A1382600	Hs.104308	ESTs, Weakly similar to KIAA1395 protein [H.sapiens]	8.8	
	123082	AA485360	Hs.105661	ESTs	3.9	
	123088	AI343652	Hs.105667	ESTs	3.8	
45		4 4 400000	11-400540	FOY	7.4	
		BE304942	Hs.265848	myomegalin ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens] Homo sapiens cDNA FLJ12371 fis, clone MAMMA1002434 ESTs	2.8	
		T52027	Hs.271795	ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]	2.4	
	123132	AI061582	Hs.324179	Homo sapiens cDNA FLJ12371 fis, clone MAMMA1002434	15.6	
	123136	AW451999	Hs.194024	ESTs	5.1	
50		Al734179			23.8	
	123152	AW601773	Hs.270259	ESTs	5.2	
	123258	AA490929	Hs.105274	ESTs, Weakly similar to RMS1_HUMAN REGULATOR OF MITOTIC SPINDLE ASSEMBLY 1 [H.s	sapiens]	9.3
		AA496369		gb:zv37d10.s1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:755827 3' similar to	04.1	
	123369	AA504757	Hs.105738	ESTs	6.9	
55		AA731404			3.6	
		AW450922		· ·	3.7	
	123466	AA599042	Hs.112503	EST	7.4	
				Human DNA sequence from clone RP11-110H4 on chromosome 5 Contains a pseudogene simila	r to 3.5	
				zinc finger protein 14 (KOX 6)	5.2	
60				Homo sapiens, clone IMAGE:4098694, mRNA, partial cds	1.7	
50		N95059	Hs.55098		1.6	
				Homo sapiens cDNA FLJ14680 fis, clone NT2RP2004242, weakly similar to	2.4	
	123508	AW380388	Hs.155546	KIAA1080 protein; Golgi-associated, gamma-adaptin ear containing, ARF-binding protein 2	2.2	
		AA609170		gb:af12a12.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	7.8	
65	123619	AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens cDNA clone, mRNA sequence	2.8	
<i>JJ</i>	123658	AA609364		gb:zu71d09.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743441 3' similar to contain		1.7
	123674	A1269609	He 105187	kinasin potoin Q gane	57	-

				FH1/FH2 domain-containing protein	10.0	
		AA609891			5.2	
	123753	AA609955	Hs.234961	Huntingtin interacting protein E	30.6	
	123804	AA620464	Hs.261915	EST, Weakly similar to S65657 alpha-1C-adrenergic receptor splice form 2 [H.sapiens]	2.1	
5	123811	AA620586		gb:ae60g05.s1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:951320 3'	2.7	
	123951	AB012922	Hs.173043	metastasis-associated 1-like 1	6.2	
	123983	AJ272267	Hs.146178	choline dehydrogenase .	4.4	
	124001	L42542	Hs.75447	ralA binding protein 1	7.0	
		AI147155	Hs.270016	ESTs	8.1	
10				HIV-1 rev binding protein 2	3.7	
				topoisomerase-related function protein 4-2	1.2	
	124178			putative G protein-coupled receptor	3.1	
	124203	AA372796	Hs.269339	ESTs, Weakly similar to AF161356 1 HSPC093 [H.sapiens]	5.7	
	124352	AA640891	Hs.102406	ESTs	3.1	•
15		D87454	Hs.192966	KIAA0265 protein	3.5	
10		Al267847		gb:aq49a10.x1 Stanley Frontal NB pool 2 Homo sapiens cDNA clone similar to contains	57.1	
	124300	AA317338	Hs 7535	COBW-like protein	2.8	
				NY-REN-18 antigen	7.1	
		N34059	113.21 37 00	gb:yv28h09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone 3' similar to contains A		
20		H13540	He 82202	ribosomal protein L17	2.9	
20	124420	A A E 2 2 E 1 D	He 120043	Human DNA sequence from clone 989H11 on chromosome 22q13.1-13.2. Contains part of a	7.8	
		R10084		kinesin heavy chain member 2	2.6	
			NS. 113313	gb:yv59d09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone 3', mRNA sequence	7.9	
		N53935	Ha 200007		7.8	
25		H79433	Hs.268997		3.3	
25		AA669097	HS. 109370	ESTS, Weakly similar to neuronal thread protein AD7c-NTP [H.sapiens]	4.5	
		N71076			3.2	
	124631	NM_01405	3MS.27U594	FLVCR protein	5.2 5.8	
	124634	AI765123	HS.1436/1	Homo sapiens cDNA FLJ13533 fis, clone PLACE1006371	9.3	
20				hypothetical protein		
30				sorting nexin 17	3.5	
		N92593	Hs.313054		6.1 8.3	
		AW297702				
	124661	R48170	Hs.78436	EphB1	5.6	
2.5				ESTs, Weakly similar to M3K9_HUMAN MITOGEN-ACTIVATED PROTEIN KINASE KINASE	7.9	
35			Hs.191148		5.7	
		R22952	Hs.268685		11.3	
				Homo sapiens mRNA for KIAA1771 protein, partial cds	9.0	
		AW368528			8.1	
40	124775	R41772	Hs.100878	ESTs	4.9	•
40	124777	R41933	Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE	2.8	
				Homo sapiens cDNA: FLJ22726 fis, clone HSI15005	5.1	
				Homo sapiens EST from clone 35214, full insert	4.2	
•			Hs.288912	hypothetical protein FLJ22604	14.2	
	124812	R47948	Hs.188732	ESTs	7.9	
45	124822	AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743	6.6	
	124825	AA501669	Hs.336693	ESTS	2.3	
		AW975868			2.7	
	124857	R63652	· Hs.137190	ESTs	2.3	
	124860	R65763	Hs.101477		23.9	
<b>5</b> 0.	124863	Al382555	Hs.127950	bromodomain-containing 1	2.0	
	124876	AF135422	Hs.27059	GDP-mannose pyrophosphorylase A	4.4	
	124878	BE397530	Hs.288057	hypothetical protein FLJ22242	2.7	
		H37941	Hs.101883	ESTs	5.7	
		AW296713	Hs.221441	ESTs '	32.4	
55		AI076343	Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!! ALU CLASS B WARNING ENTRY !!! [H.sapiens]	22.8	
		R99978	Hs.268892	ESTs, Moderately similar to B34087 hypothetical protein [H.sapiens]	6.1	
-	124958	A1078645	Hs.431	murine leukemia viral (bmi-1) oncogene homolog	1.9 ·	
		T40841	Hs.98681		4.5	
		T59338	Hs 269463	B ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	4.9	
60		7 779815	Hs.279793		5.0	
00		T79956	Hs.100588		135.3	
		T81310	Hs.100592	) FSTs	5.4	
		AI472068		S KIAA1856 protein	5.6	
			He 30020	ESTS, Weakly similar to ALUF_HUMAN !!!! ALU CLASS F WARNING ENTRY !!! [H.sapiens]	1.8	
65		T96595	N3.302270	gb:ye57e05.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121856 3' sin		9.
UJ	120110	5 T97341 5 Al222382	Uc 240761	Human DNA sequence from clone RP1-12G14 on chromosome 6q24.1-25.2. Contains the 5' end	of the gene	. 1.
		7 W224302	TIS.24U/0/	Figure 1974 Sequence from AFFY single nonbeset	17	. •

	125161	W44657	Hs.144232	EST	10.7
	125249	AA630863		ESTs, Moderately similar to ALUB_HUMAN IIII ALU CLASS B WARNING ENTRY III [H.sapiens]	1.3
				timeless (Drosophila) homolog	9.4
	125279	AW401809	Hs.4779	KIAA1150 protein	1.5
5			Hs.106932		8.0
	125298	AW972542	Hs.289008	Homo sapiens cDNA: FLJ21814 fis, clone HEP01068	1.5
		AW292171		scaffold attachment factor B	5.9
-		NM_003403		YY1 transcription factor	1.2
		U29589	Hs.7138	cholinergic receptor, muscarinic 3	6.4
10		AW409701		baculoviral IAP repeat-containing 5 (survivin)	14.3
				vacuolar proton pump delta polypeptide	2.4
				a disintegrin and metalloproteinase domain 10	9.1
				CGI-89 protein	17.0 - 12.8
15					7.3
13			Hs.161623	KIAA0276 protein	3.1
		D87466 D87466		KIAA0276 protein	1.3
				putative nucleolar RNA helicase	9.4
	120022	V V EU V E E E	He 101047	transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47)	1.5
20 <sup>°</sup>		R39234		ESTs, Weakly similar to IDN4-GGTR14 [H.sapiens]	2.8
20		U31875		short-chain alcohol dehydrogenase family member	12.1
				Rho GTPase activating protein 8	2.3
	128604	A1879099	Hs.102397	GIOT-3 for gonadotropin inducible transcription repressor-3	1.3
	128608	BF267994	Hs.102419	zinc finger protein	7.1
25				hypothetical protein ASH1	1.3
				DKFZP434A043 protein	3.2
				CGI-47 protein	2.0
				coatomer protein complex, subunit epsilon	1.4
	128656	AA458542	Hs.10326	coatomer protein complex, subunit epsilo	1.3.
30	128658	BE397354	Hs.324830	diptheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2	2.4
	128670	AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700010L19 gene, clone MGC:16214, mRNA, complete of	ods 7.
		W27939		hypothetical protein MGC5576	7.7
	128696	BE081143		nuclear receptor coactivator 3	3.8
	128700	£Y15221		small inducible cytokine subfamily B (Cys-X-Cys), member 11	1.6
35		T85231		tubulin, beta 5	7.6
				hypothetical protein FLJ10702	5.5
•				ESTs, Moderately similar to I38022 hypothetical protein [H.sapiens]	2.7
				RP42 homolog	2.8
40				proteasome (prosome, macropain) subunit, alpha type, 4	4.4
40				actin related protein 2/3 complex, subunit 4 (20 kD)	2.2
				PDZ-binding kinase; T-cell originated protein kinase	2.8
				thymidine kinase 1, soluble	5.3
		N71826		small nuclear ribonucleoprotein polypeptide F	53.9 13.3
45	128/9/	NM_00297	5HS.105927	stem cell growth factor; lymphocyte secreted C-type lectin	2.6
43	128805	AW030942	MS.100001	RD RNA-binding protein	2.2
				nuclear prelamin A recognition factor	5.9
				valosin-containing protein Homo sapiens mRNA; cDNA DKFZp586H0924 (from clone DKFZp586H0924)	1.6
				hypothetical protein FLJ13855	2.2
50				hypothetical protein FLJ13855	1.9
50	128868	AAA19008	Hs 106730	chromosome 22 open reading frame 3	3.0
				chromosome 22 open reading frame 3	-2.2
				ATPase, Ca++ transporting, type 2C, member 1	1.5
		F34856	Hs.292457	Homo sapiens, clone MGC:16362, mRNA, complete cds	13.3
55		R57988	Hs.10706	epithelial protein lost in neoplasm beta	4.7
-	128920	AA622037	Hs.166468	programmed cell death 5	1.4
		R67419	Hs.21851		1.9
		Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	7.2
<u></u>		AA009647		a disintegrin and metalloproteinase domain 12 (meltrin alpha) (ADAM-12)	2.4
60	128958	AW139032	2 Hs:107376	hypothetical protein DKFZp434N035	1.3
	128959	AI580127	Hs.107381	hypothetical protein FLJ11200	10.9
	128965	AW150697	' Hs.107418	ESTs	1.4
	128970	Al375672	Hs.165028	S ESTS	1.3
	128975	BE560779	Hs.284233	NICE-5 protein	14.0
65			Hs.281434	Homo sapiens cDNA FLJ14028 fis, clone HEMBA1003838	1.6
		AI816224	Hs.107747	DKFZP566C243 protein	1.9
	129019	Al950087		gb.wq05c02.x1 NCI_CGAP_Kid12 Homo sapiens cDNA done 3', mRNA sequence	2.9

	•			20
	129021 AL044675 Hs.173081	KIAA0530 protein		3.8
	129021 AL044675 Hs.173081	KIAA0530 protein		2.5
	129032 PR0088 Hs 108104	ubiquitin-conjugating enzyme E2L 3		3.4
	120076 AM206806 He 326234	ESTs, Highly similar to T46422 hypothetical protein DKFZp434M2023.1 [H.sapiens]		5.0
5	129078 Al351010 Hs.102267	luncomal		2.1
)				17.1
	129088 AA744610 Hs.194431			2.7
	129095 L12350 Hs.108623	thrombosporium 2		20.9
	129096 AA463189 Hs.288906	WW Domain-Containing Gene		
	129097 BE243933 Hs.108642	zinc finger protein 22 (KOX 15)		3.0
10 ·	129099 AF146074 Hs.108660	ATP-binding cassette, sub-family C (CFTR/MRP), member 5		5.8
10	129136 W93048 Hs.250723	hypothetical protein MGC2747		5.9
	129149 AA356620 Hs.108947			6.3
				1.8
	129172 AW162916 Hs.241576	nypothetical protein PRO2377		2.1
	129192 AA286914 Hs.183299	ESIS		3.2
15	129194 AA150797 Hs.109276	latexin protein		
	129198 N57532 Hs.109315	KIAA1415 protein		5.8
	129207 Al934365 Hs.109439	osteoglycin (osteoinductive factor, mimecan)		8.0
	129228 U40714 Hs.239307	tyrosyl-tRNA synthetase		2.9
	120220 AE013758 He 10064	polyadenylate binding protein-interacting protein 1		3.2
20		DKFZp434J1813 protein		2.6
20	129254 AA252468 Hs.1098			7.3
	129255 Al961727 Hs.10980	H1 histone family, member X		9.6
		). ESTs, Weakly similar to S13495 pregnancy zone protein [H.sapiens]		1.2
	129296 Al051967 Hs.11012	2 ESTs		
	129323 AA287239 Hs.5518	Homo sapiens cDNA FLJ11311 fis, clone PLACE1010102	*	5.1
25	129340 H75334 Hs.11050	F-box only protein 9		4.6
	129347 RE614192 Hs 27986	melanoma-associated antigen recognised by cytotoxic T lymphocytes		7.6
	129362 U30246 Hs.11073	solute carrier family 12 (sodium/potassium/chloride transporters), member 2		6.7
	4002CC DE0000C Un 194CC	7 Homo sapiens clone 23785 mRNA sequence		8.6
	129355 BE220505 FIS.10409	C CADA protein		1.4
20	129370 Al686379 Hs.11079	5 SART protein		2.0
30 -	129372 NM_016039Hs.11080	3 CGI-99 protein		7.4
	129403 AF149785 Hs.11112	6 pituitary tumor-transforming 1 interacting protein		
	129404 Al267700 Hs.31758	4 ESTs		5.0
	129404 AI267700 Hs.31758	4 ESTs		2.5
	129423 AA204686 Hs.23414	9 hypothetical protein FLJ20647		10.2
35	129449 AI096988 Hs 11155	4 ADP-ribosylation factor-like 7		8.0
55	129453 AW974265 Hs.11163	2 I em3 protein		3.2
				6.7
	129482 AA188185 Hs.28904			3.6
	129482 AA188185 Hs.28904	3 Spiridin		7.1
4.0	129513 AW843633 Hs.30616	3 hypothetical protein AL110115		2.5
40	129515 AF255303 Hs.11222	7 membrane-associated nucleic acid binding protein		3.2
	129527 AA769221 Hs.27084	7 delta-tubulin		
	129559 W01296 Hs.11360	hypothetical protein FLJ14784		7.5
	129560 AA317841 Hs.7845	hypothetical protein MGC2752		6.8
		chromosome 1 open reading frame 8		2.0
45		8 progestin induced protein		1.6
45	129373 F00202 113.27042			6.8
		Human clone 23589 mRNA sequence		1.4
	129588 BE408300 FIS.30100	2 postmeiotic segregation increased 2-like 9		7.3
		8 HSPC055 protein		9.0
	129594 AW403724 Hs.36989	coagulation factor VII (serum prothrombin conversion accelerator)	•	1.6
50	129596 AF035537 Hs.11552	21 REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta		
	129628 U38945 Hs.1174	cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits CDK4)		2.2
	129628 U38945 Hs.1174	cyclin-dependent kinase inhibitor 2A (me		1.4
	129629 AK000398 Hs.1174	hypothetical protein FLJ20391		3.8
	129649 AD000092 Hs.1648	3 calreticulin		3.3
55	129675 NM_015556Hs.1721	20. KIA AOAAO protein		13.4
55		abilition of the process of the control of the cont		14.1
	129680 U03749	gb:Human chromogranin A (CHGA) gene, promoter an		2.6
	129689 AW748482 Hs.7787	3 B7 homolog 3		7.4
	129702 Al304966 Hs.1203	ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]		
	129720 AA156214 Hs.1215	2 APMCF1 protein .	•	2.0
60	129721 NM 001415Hs.2115	39 eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD)		1.7
		98 fatty acid desaturase 1		8.3
	129778 AK001676 Hs.1245			1.8
	129779 AA394090 Hs.1246			5.4
				1.7
65	129800 AF052112 Hs.1254			1.2
65	129806 AB023148 Hs.1733			3.1
		8 hypothetical protein FLJ21657		1.8
	420840 NM 006500He 1287	SnRNP assembly defective 1 homolog		1.0

		AL049999		DKFZP564M182 protein	2.2
		AI393237	Hs.129914	runt-related transcription factor 1 (acute myeloid leukemia 1; aml1 oncogene)	1.7
		A1222069	Hs.13015	hypothetical protein similar to mouse Dnajl1	2.7
_	129922	AF042379	Hs.13386	gamma-tubulin complex protein 2	4.5
5				PAI-1 mRNA-binding protein	1.8
		AA412195			2.5
			Hs.180628	dynamin 1-like	1.8
		U09848	Hs.132390	zinc finger protein 36 (KOX 18)	1.3
	129989	AB015856	Hs.247433	activating transcription factor 6	4.0
10	130010	AA301116	Hs.142838	nucleolar phosphoprotein Nopp34	1.6
		AA287325	Hs.14713	ESTs	4.0
	130082	S73265	Hs.1473	gastrin-releasing peptide	1.8
	130097	AL046962	Hs.14845	forkhead box O3A	2.8
	130100	AL135561	Hs.14891	hypothetical protein FLJ21047	2.3
15		X53002	Hs.149846	integrin, beta 5	2.3
				splicing factor proline/glutamine rich (polypyrimidine tract-binding protein-associated)	3.0
	130112	AA916785	Hs.180610	splicing factor proline/glutamine rich (	2.1
		L76937	Hs.150477	Werner syndrome .	1.8
	130135	AA311426	Hs.21635	tubulin, gamma 1	6.1
20	130211	NM_00335	8Hs.23703	ESTs, Moderately similar to CEGT_HUMAN CERAMIDE GLUCOSYLTRANSFERASE [H.sapiens]	1.6
		D80001		KIAA0179 protein	1.3
		R85367	Hs.51957	splicing factor, arginine/serine-rich 2, interacting protein	2.0
	130241	AL035588	Hs.153203	MyoD family inhibitor	3.2
		X79201		synovial sarcoma, translocated to X chromosome	5.4
25	130249	D81983	Hs.322852	GAS2-related on chromosome 22	4.8
	130263	NM_00249	7Hs.153704	NIMA (never in mitosis gene a)-related kinase 2	1.4
	130287	AA479005	Hs.154036	tumor suppressing subtransferable candidate 3	2.6
	130310	AB011121	Hs.154248	amyotrophic lateral sclerosis 2 (juvenile) chromosome region, candidate 3	6.3
	130353	Z19084	Hs.172210	MUF1 protein	6.2
30	130356	AF127577	Hs.155017	nuclear receptor interacting protein 1	2.4
	130357	AJ224442	Hs.155020	putative methyltransferase	3.4
	130359	NM_013449	9Hs.277401	bromodomain adjacent to zinc finger domain, 2A	8.5
	130367	AL135301	Hs.8768	hypothetical protein FLJ10849	1.4
	130372	Al077464	Hs.5011	RNA binding motif protein 9	3.3
35		N89487	Hs.155291	KIAA0005 gene product	1.8
•	130399	AW374106		hypothetical protein MGC2840 similar to a putative glucosyltransferase	3.4
				hypothetical protein MGC3017	2.3
	130409	NM_00119	7Hs.155419	BCL2-interacting killer (apoptosis-inducing)	2.7
	130419	AF037448	Hs.155489	NS1-associated protein 1	1.8
40	130441	U63630	Hs.155637	protein kinase, DNA-activated, catalytic polypeptide	2.3
	130448	BE513202	Hs.15589	PPAR binding protein	3.9
	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acetyltransferase)	33.6
	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	4.6
	130471	AL121438		adducin 1 (alpha)	2.7
45	130485	BE245851		H2B histone family, member B	5.0
	130487	U49844	Hs.77613	ataxia telangiectasia and Rad3 related	4.3
	130498	L38951	Hs.180446	karyopherin (importin) beta 1	1.6
	130503	BE208491		KIAA0618 gene product	16.1
	130511	L32137	Hs.1584	cartilage oligomeric matrix protein (pseudoachondroplasia, epiphyseal dysplasia 1, multiple)	6.1
50	130511	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	5.3
	130526	AW876523	Hs.15929	hypothetical protein FLJ12910	2.1
	130542	U64675	Hs.179825	RAN binding protein 2-like 1	7.8
	130544	AA321238	Hs.4310	eukaryotic translation initiation factor 1A	1.5
	130553	AF062649	Hs.252587	pituitary tumor-transforming 1	14.4
55		AI907018	Hs.15977	Empirically selected from AFFX single probeset	4.7
	130567	AA383092	Hs.1608	replication protein A3 (14kD)	7.9
	130568	AA232119	Hs.16085	putative G-protein coupled receptor	3.3
		AF083208		apoptosis antagonizing transcription factor	1.2
		AB007891		KtAA0431 protein	5.6
60		AL042210		hypothetical protein DKFZp762N2316; KIAA1803 protein	1.4
-		AA609738		ESTs	1.5
		A1354355	Hs.16697	down-regulator of transcription 1, TBP-binding (negative cofactor 2)	1.3
		M90516	Hs.1674	glutamine-fructose-6-phosphate transaminase 1	12.1
		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	2.4
65		AA383439		Spir-1 protein	15.9
-		BE246961		Homo sapiens ubiquitin protein ligase (UBE3B) mRNA, partial cds	13.9
		AL048842			1.5

	130675	AA442233	Hs.17731	hypothetical protein FLJ12892	5.4
		AA652501		hypothetical protein MGC4692	5.0
		R68537	Hs.17962		2.0
			Hs.279762	bromodomain-containing 7	1.8
5		Al348274	Hs.18212	DNA segment on chromosome X (unique) 9879 expressed sequence	2.0
			Hs.18586	KIAA0451 gene product	3.7
	130744	H59696	Hs.18747	POP7 (processing of precursor, S. cerevisiae) homolog	3.1
	130751	AF052105	Hs.18879	chromosome 12 open reading frame	1.4
	130757	AL036067	Hs.18925	protein x 0001	5.7
10	130768	AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1), member 1	5.1
		AK000355		sirtuin (silent mating type information regulation 2, S.cerevisiae, homolog) 5	5.2
		AB018298		SEC24 (S. cerevisiae) related gene family, member D	1.5
	130836	J05068	Hs.2012	transcobalamin I (vitamin B12 binding protein, R binder family)	15.7
1 -	130841	AL157468	Hs.325825	Homo sapiens cDNA FLJ20848 fis, done ADKA01732	2.8
15				ESTs, Weakly similar to AF164793 1 protein x 013 [H.sapiens]	1.5
5	130844	U76248	Hs.20191	seven in absentia (Drosophila) homolog 2	3.4 1.7
	130855	AJ243706	Hs.143323	putative DNA/chromatin binding motif	1.7
			8Hs.20509		1.4
20		NM_00341		zinc finger protein 7 (KOX 4, clone HF.16)	2.1
20		BE514434		kinesin-like 2 high-glucose-regulated protein 8	2.4
	130092	AL 120037	Hs.20993	sphingosine-1-phosphate lyase 1	1.7
	130090	MBU33076	ΠS. 100013	DnaJ (Hsp40) homolog, subfamily A, member 2	1.8
		N79110	He 21276	collagen, type IV, alpha 3 (Goodpasture antigen) binding protein	2.3
25			Hs.21486		5.4
23		N39842		KIAA1673	2.2
			Hs.74316		1.8
		T97401	Hs.21929	ESTs	1.6
		AV658308		thyroid hormone receptor interactor 3	1.6
30		A1879165		CCAAT/enhancer binding protein (C/EBP), gamma	1.2
	131042	AI826288	Hs.171637	hypothetical protein MGC2628	1.6
		AA321649		small inducible cytokine subfamily B (Cys-X-Cys), member 10	7.4
	131046	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	3.0
	131047	H23230	Hs.22481	ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.sapiens]	1.7
35		AA194422		myosin VI .	5.1
		AA194422		myosin VI	2.5
		N53344	Hs.22607	ESTs	7.1
		AA749230		dolichyl-phosphate (UDP-N-acetylglucosamine) N-acetylglucosaminephosphotransferase 1 (	2.0 1.9
10	131076	AA749230	Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	7.0
40				COX15 (yeast) homolog, cytochrome c oxidase assembly protein	1.9
		NM_00654		nuclear receptor coactivator 2	5.8
		BE280074		cyclin B1 ESTs	2.0
			9 Hs.24210	CGI-26 protein	7.0
45		H62087	Hs.31659	thyroid hormone receptor-associated protein, 95-kD subunit	7.5
43		N47468	Hs.59757		2.9
		D89053		! fatty-acid-Coenzyme A ligase, long-chain 3	3.5
				spectrin SH3 domain binding protein 1	2.8
			Hs.24766		2.8
50				fatty acid amide hydrolase	5.6
	131281	AA251716	Hs.25227	ESTs	5.7
	131283	3 X80038	Hs.339713	Homo sapiens clone F19374 APO E-C2 gene cluster	1.3
	131305	AV656017	' Hs.184325	CGI-76 protein	5.0
	131320	) AA505691	l Hs.145696	S splicing factor (CC1.3)	1.8
55	131339	AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6
	131339	AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6
	131375	5 AW29316	5 Hs.143134	ESTs	5.4
•	131390	BE269388	3 Hs.182698	B mitochondrial ribosomal protein L20	5.3
<b>CO</b>	131410	BE25911(	HS.279836	S HSPC166 protein	2.2
60	13141	2 NM_U122	47 MS.12402	7 SELENOPHOSPHATE SYNTHETASE; Human selenium donor protein	2.0 1.4
	13142	ALU40302	2 HS.20/30	hypothetical protein FLJ21908	1.7
	13145	D RE731201	7 Hs.27047	hypothetical protein FLJ20392 KIAA1458 protein	2.0
	1374/3	1 AV661958	1 113.21203	GK001 protein	2.6
65	13150	1 AV661958	He 8207	GK001 protein	1.6
UJ			3 Hs.27865		2.0
				UDP-nlucose dehydrogenase	1.6

	131532	BE268278	Hs.28393	hypothetical protein MGC2592	7.4
		AW966881		programmed cell death 2	2.2
				programmed cell death 9 (PDCD9)	2.1
					1.7
_		NM_003512	MS.28///	H2A histone family, member L	
5	131564		Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PLACE1004405	5.1
	131564	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	1.8
	131569	AL389951		nucleoporin 50kD	5,0
	131618	BE393822	Hs.29645	Homo sapiens mRNA; cDNA DKFZp761C029 (from clone DKFZp761C029); partial cds	1.8
				Homo sapiens cDNA FLJ11436 fis, clone HEMBA1001213	1.3
10		AB037791			2.2
10				hypothetical protein FLJ10980	1.9
		AB037791		hypothetical protein FLJ10980	
		AW410601		HSPC182 protein	2.9
		AW960597		ESTs .	1.3
•	131656	Al218918	Hs.30209	KIAA0854 protein	2.8
15	131669		Hs.3041	uracil-DNA glycosylase 2	2.8
10		BE559681		KIAA0124 protein	5.6
		AA642831		putative DNA binding protein	2.9
					3.4
			Hs.311	phosphoribosyl pyrophosphate amidotransferase	3.8
••		AK001641		inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein	
20	131760	X76732	Hs.3164	nucleobindin 2	2.9
	131760	X76732	Hs.3164	nucleobindin 2	2.8
	131763	A1878932	Hs.317	topoisomerase (DNA) I	3.4
				KIAA0948 protein	25.5
				DKFZP586J0119 protein	5.5
25 -				KIAA0240 protein	2.4
25 -	131/0/	D87077			7.9
				Homo sapiens cDNA FLJ14656 fis, clone NT2RP2002439	
		BE501849		high-mobility group 20B	1.4
		X86098	Hs.301449	adenovirus 5 E1A binding protein	4.1
	131817	U20536	Hs.3280	caspase 6, apoptosis-related cysteine protease	4.2
30		U28838	Hs.32935	TATA box binding protein (TBP)-associated factor, RNA polymerase III, GTF3B subunit 2	3.5
		AI251317		ESTs	5.1
	121070	AA083764	Hc 6101	hypothetical protein MGC3178	5.8
					13.7
		BE502341		ESTs	2.4
26		BE502341	HS.3402	ESTs	
35	131887	W17064	Hs.332848	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member	3.2
	131900	AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, complete cds	8.7
	131900	AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, com	2.0
	131904	AF078866	Hs 284296	Homo sapiens cDNA: FLJ22993 fis, clone KAT11914	5.5
		AA179298		stomatin-like 2	11.3
40	131303	A1A1207440	Ha 105072	degenerative spermatocyte (homolog Drosophila; lipid desaturase)	1.7
40					5.2
•	131916	AA025976	HS.34569	ESTs	2.7
				anaphase promoting complex subunit 11 (yeast APC11 homolog)	
	131929	BE541211	Hs.34804	Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711	5.3
	131941	BE252983	Hs.35086	ubiquitin specific protease 1	2.3
45	131950	AA355113	Hs.35380	x 001 protein	1.5
	131962	AK000046	Hs 267448	hypothetical protein FLJ20039	2.3
		W79283	Hs.35962		1.4
				hypothetical protein MDS025	3.5
				procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II	6.5
50		U90441	Hs.3622		2.4
50		AA503020		hypothetical protein FLJ22418	
	131991	AF053306	Hs.36708	budding uninhibited by benzimidazoles 1 (yeast homolog), beta	2.1
	132019	H56995	Hs.37372	Homo sapiens DNA binding peptide mRNA, partial cds	3.2
	132031	AF193844	Hs.3758	COP9 complex subunit 7a	5.8
		BE266155		clathrin-associated protein AP47	1.5
55		NM_00226		karyophenn alpha 3 (importin alpha 4)	3.7
55		BE171921			1.4
				ESTs	5.8
		AV646076		ESTs	
		AW960474		ESTs	1.7
		AA857025		kinesin-like 1	3.3
60	400	NM_00446	0Hs.418	fibroblast activation protein, alpha	. 14.7
OO	132180				
00			Hs.4209	mitochondrial ribosomal protein L37	5.5
00	132192	AA206153		mitochondrial ribosomal protein L37 ESTs	5.5 4.4
00	132192 132194	AA206153 R42432	Hs.4212	ESTs -	4.4
00	132192 132194 132203	AA206153 R42432 NM_00478	Hs.4212 2Hs.194714	ESTs synaptosomal-associated protein, 29kD	4.4 · 2.2
	132192 132194 132203 132207	AA206153 R42432 NM_00478 BE206939	Hs.4212 2Hs.194714 Hs.42287	ESTs synaptosomal-associated protein, 29kD E2F transcription factor 6	4.4 · 2.2 2.2
65 .	132192 132194 132203 132207 132235	AA206153 R42432 NM_00478 BE206939 AV658411	Hs.4212 12Hs.194714 Hs.42287 Hs.42656	ESTs synaptosomal-associated protein, 29kD E2F transcription factor 6 KIAA1681 protein	4.4 · 2.2 2.2 7.8
	132192 132194 132203 132207 132235 132240	AA206153 R42432 NM_00478 BE206939 AV658411 AB018324	Hs.4212 12Hs.194714 Hs.42287 Hs.42656 Hs.42676	ESTs synaptosomal-associated protein, 29kD E2F transcription factor 6	4.4 · 2.2 2.2

		AA301228		hypothetical protein FLJ12890	5.7
	132273	AA227710	Hs.43658	DKFZP586L151 protein	4.2
				hypothetical protein FLJ13089	2.1
	132288	N36110		solute carrier family 2 (facilitated glucose transporter), member 10	1.5
5		AB023191		KIAA0974 protein	10.0
		NM_015986		cytokine receptor-like molecule 9	1.9 9.2
		AW405882		cortistatin hypothetical protein FLJ12116	2.0
	132325	N3/U05	Hs.44856	heterogeneous nuclear ribonucleoprotein D-like	6.5
10		AW572805		ESTs	3.8
10		AF155582		core1 UDP-galactose:N-acetylgalactosamine-alpha-R beta 1,3-galactosyltransferase	1.5
		AI279892		sorting nexin 14	12.5
		AA312135		HSPCO34 protein	28.3
		AL135094		hypothetical protein FLJ14495	1.9
15	132450	AA100012	Hs.48827	hypothetical protein FLJ12085	1.9
	132452	AW973521	Hs.247324	mitochondrial ribosomal protein S14	6.1
		AB011084		KIAA0512 gene product; ALEX2	1.7
	132465	AW169847	Hs.49169	KIAA1634 protein	8.6 5.2
20		AI224456		H.sapiens polyA site DNA	5.2 .1.4
20		X16660		RAB4, member RAS oncogene family	6.1
		AW885606 T78736	Hs.50758	ESTs SMC4 (structural maintenance of chromosomes 4, yeast)-like 1	3.3
		AA306105		SEC22, vesicle trafficking protein (S. cerevisiae)-like 1	2.0
		AA454132		mitochondrial ribosomal protein L16	2.9
25		BE388673		hypothetical protein MGC10433	2.2
		BE568452		protein regulator of cytokinesis 1	7.3
•		AW674699		suppressor of G2 allele of SKP1, S. cerevisiae, homolog of	1.7
	132574	AW631437	Hs.5184	TH1 drosophila homolog	7.1
		AK001484		CGI-45 protein	2.2
30		AA345547		hypothetical protein FLJ13287	. 2.2
		H12751	Hs.5327	PRO1914 protein	6.8 14.0
	132616	BE262677	Hs.283558	hypothetical protein PRO1855 DNA segment on chromosome X (unique) 9928 expressed sequence	11.4
			Hs.54277		1.9
35		U51127 AB018319	Hs.54434	hypothetical protein MGC1715 KIAA0776 protein	2.6
55				collagen, type VIII, alpha 2	2.0
		F11875	Hs.5534	Homo sapiens cDNA FLJ12961 fis, clone NT2RP2005645	1.5
		NM_00460		Sjogren syndrome antigen A2 (60kD, ribonucleoprotein autoantigen SS-A/Ro)	3.0
	132724	Al142265	Hs.55498	geranylgeranyl diphosphate synthase 1	2.4
40		AI189075		hypothetical protein MGC4840	12.4
			Hs.55921		14:6
			Hs.56145		2.7 3.0
		Y10275	Hs.56407		2.3
45			Hs.295901 Hs.56845	KIAA0493 protein GDP dissociation inhibitor 2	1.8
43		A1026701		KIAA0310 gene product	3.7
		U07418	Hs 57301	mutL (E. coli) homolog 1 (colon cancer, nonpolyposis type 2)	1.8
		AB007944		KIAA0475 gene product	5.9
	132813	BE313625	Hs.57435	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2	8.7
50	132815	AI815189	Hs.57475	sex comb on midleg homolog 1	6.4
	132817	N27852	Hs.57553	tousled-like kinase 2	3.6
	132821	AJ251595	Hs.169610	CD44 antigen (homing function and Indian blood group system)	2.8
	132833	U78525	Hs.57783	eukaryotic translation initiation factor 3, subunit 9 (eta, 116kD)	14.6
<i></i>				Homo sapiens clone PP1596 unknown mRNA	1.6 2.5
55		F12200	Hs.5811	chromosome 21 open reading frame 59	1.4
	132851	U09716	MS.287912	2 lectin, mannose-binding, 1	4.2
	132863	NEZ08046	7 12 20206	RAB10, member RAS oncogene family SESTs, Moderately similar to AF116721 89 PRO2168 [H.sapiens]	2.8
			7 HS.20396 3 Hs.58598	KIAA1266 protein	2.0
60			50Hs.58617	i a man managaran ang mana	1.6
00			Hs.59271	U2(RNU2) small nuclear RNA auxillary factor 1 (non-standard symbol)	1.4
			7 Hs.59545		5.4
	132902	2 AI936442	Hs.59838	hypothetical protein FLJ10808	6.1
	132912	2 AW73276	0 Hs.167578	Homo sapiens cDNA FLJ11095 fis, clone PLACE1005374	7.1
65	132913	3 W78714	Hs.60257	Homo sapiens cDNA FLJ13598 fis, clone PLACE1009921	2.8
		T79136		Homo sapiens mRNA for KIAA1724 protein, partial cds	6.1
	132941	I Al817165	Hs.6120	hypothetical protein FLJ13222	10.3

	122042	AACEAACO	U- 407754	KIA ADCCC	4.0
				KIAA0666 protein	1.8
	132952	A1658580	Hs.61426	Homo sapiens mesenchymal stem cell protein DSC96 mRNA, partial cds	2.2
	132962	AA576635	Hs.6153	CGI-48 protein	4.9
				Homo sapiens cDNA FLJ11392 fis, clone HEMBA1000575	2.7
5					
5 ·			Hs.323277		5.3
	132977	AA093322	Hs.301404	RNA binding motif protein 3	3.2
	132980	AA040696	Hs.62016	ESTs	1.3
				clone HQ0310 PRO0310p1	
					3.0
• •				Homo sapiens, clone IMAGE:3351295, mRNA	10.3
10	133015	AJ002744	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminy/transferase 7 (GalNAc-T	7) 2.1
	133016	A1439688	Hs.6289	hypothetical protein FLJ20886	1.3
		Al065016		Homo sapiens clone FLB3344 PRO0845 mRNA, complete cds	6.0
-		AW500374		PRO0149 protein	5.3
	133069	BE247441	Hs.6430	protein with polyglutamine repeat; calcium (ca2+) homeostasis endoplasmic reticulum protein	4.9
15	133091	AK001628	Hs.64691	KIAA0483 protein	3.5
		AA808177		ESTs	13.1
		AF198620		RNA binding motif protein 8A	1.3
	133145	H94227	Hs.6592	Homo sapiens, clone IMAGE:2961368, mRNA, partial cds	2.2
	133152	Z11695	Hs.324473	mitogen-activated protein kinase 1	1.3
20				hypothetical protein MGC2745	17.1
20					
				ESTs, Weakly similar to S19560 proline-rich protein MP4 - mouse [M.musculus]	1.8
	133177	X97795	Hs.66718	RAD54 (S.cerevisiae)-like	4.9
	133197	Al275243	Hs.180201	hypothetical protein FLJ20671	3.1
		AI801777	Hs.6774	ESTs	4.4
25					
23				Homo sapiens, Similar to bromodomain-containing 4, clone IMAGE:3542455, mRNA, partial cds	1.7
		A1492924	Hs.6831	golgi phosphoprotein 1	6.0
	133240	AK001489	Hs.242894	ADP-ribosylation factor-liké 1	1.5
		AI567421		Homo sapiens, clone IMAGE:3544662, mRNA, partial cds	1.4
		Al160873			5.6
20			Hs.69233		
30			Hs.293937	ESTs, Weakly similar to FXD2_HUMAN FORKHEAD BOX PROTEIN D2 [H.sapiens]	1.9
	133285	M76477	Hs.289082	GM2 ganglioside activator protein	4.7
	133291	BF297855	Hs.69855		5.0
		AA102670		gamma-aminobutyric acid (GABA) A receptor, pi	2.7
35		T79526		integral type I protein	9.3
	133327	AL390127	Hs.7104	Kruppel-like factor 13	4.4
	133347	BE257758	Hs.71475	acid cluster protein 33	1.8
		AI016521	Hs.71816	v-akt murine thymoma viral oncogene homolog 1	5.5
		AA292811		non-metastatic cells 5, protein expressed in (nucleoside-diphosphate kinase)	2.7
	133367	AF231919	Hs.18759	KIAA0539 gene product	1.7
40	133370	AF245505	Hs.72157	DKFZP564I1922 protein	1.8
		BE313555		KIAA1224 protein	1.7
		AI950382	Hs.72660		
				phosphatidylserine receptor	1.3
		AW103364		inhibin, beta A (activin A, activin AB alpha polypeptide)	16.1
	133394	AA305127	Hs.237225	hypothetical protein HT023	12.2
45		AL031591		phosphotidylinositol transfer protein, beta	10.4
,				protein kinase, interferon-inducible double stranded RNA dependent	1.2
•		Al659306		protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte)	1.7
	133500	AW964804	Hs.74280	hypothetical protein FLJ22237	11.1
	133529	W45623	Hs.74571	ADP-ribosylation factor 1	2.8
50		AL037159		proteasome (prosome, macropain) 26S subunit, non-ATPase, 2	2.9
-				damage-specific DNA binding protein 1 (127kD)	2.5
	133578	AU077050	Hs./5066	translin	1.5
	133579	X75346	Hs.75074	mitogen-activated protein kinase-activated protein kinase 2	2.1
		BE391579	Hs.75087	Fas-activated serine/threonine kinase	1.3
55					
55			Hs.172589	nuclear phosphoprotein similar to S. cerevisiae PWP1	2.2
		AA393273		transcription factor 6-like 1 (mitochondrial transcription factor 1-like)	1.5
•	133599	NM_00288	5Hs.75151	RAP1, GTPase activating protein 1	5.7
	133621	NM_00489	3Hs.75258	H2A histone family, member Y	25.5
		NM_00204		glycyl-tRNA synthetase	15.8
60					
60		NM_00040		exostoses (multiple) 2	3.3
		U25849	Hs.75393	acid phosphatase 1, soluble	1.6
		AV661185	Hs.75574	mitochondrial ribosomal protein L19	4.1
		L27841	Hs.75737 .		1.5
				matrix Gla protein	6.3
65	133751	AW402048	. Hs.334787	Homo sapiens, Similar to likely ortholog of yeast ARV1, clone IMAGE:3506392, mRNA	3.9
		T52946	Hs.196209	RAE1 (RNA export 1, S.pombe) homolog	1.7
				laminin receptor 1 (67kD, ribosomal protein SA)	1.8
	,				

	133765	M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteoblast)	1.5
	133780	AA557660		decorin	3.5
	133784	BE622743	Hs.301064	arfaptin 1	6.8
	133791	M34338	Hs.76244	spermidine synthase	2.6
5	133797	AL133921		retinoblastoma-binding protein 2	1.4
	133822	D50525	Hs.699	peptidylprolyl Isomerase B (cyclophilin B)	8.0
	133842	AW797468	Hs.285013	putative human HLA class II associated protein I	13.5 2.2
		AA147026		ESTs	1.8
10		W29092	Hs.7678	cellular retinoic acid-binding protein 1	2.0
10	133859	U86782		26S proteasome-associated pad1 homolog	2.8
				discs, large (Drosophila) homolog 5	6.7
				KIAA0097 gene product	2.5
			Hs.183874	centromere protein F (350/400kD, mitosin)	3.0
15		U30872 U30825	Hs.77204 Hs.77608	splicing factor, arginine/serine-rich 9	1.4
13		D86326		vesicle docking protein p115	5.4
	133524	NIM DOGSO	6Hc 211602	SMC1 (structural maintenance of chromosomes 1, yeast)-like 1	4.9
		L17128	Hs.77719	gamma-glutamyl carboxylase	3.7
			Hs.77770	adaptor-related protein complex 3, mu 2 subunit	12.1
20		X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD	9.7
	133976	AI908165	Hs.169946	GATA-binding protein 3 (T-cell receptor gene activator)	3.1
	133989	AL040328	Hs.78202	SWI/SNF related, matrix associated, actin dependent regulator of chromatin	1.3
	133997	Al824113	Hs.78281	regulator of G-protein signalling 12	9.7
	134010	AB016092	Hs.197114	RNA binding protein; AT-rich element binding factor	2.4
25 -	134015	D31764	Hs.278569	sorting nexin 17	2.5
	134070	NM_00359	0Hs.78946	cullin 3	1.3
		U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.2 2.2
			2Hs.79305	KIAA0255 gene product	5.0
20		H86504	Hs.173328	protein phosphatase 2, regulatory subunit B (B56), epsilon isoform	3.2
30				KIAA0160 protein	2.5
			Hs.79968	splicing factor 30, survival of motor neuron-related	2.1
			38Hs.79993	peroxisomal biogenesis factor 7 qlucose-6-phosphate dehydrogenase	9.1
			2Hs.80206	Homo sapiens, clone IMAGE:3535294, mRNA, partial cds	2.8
35		6 Al878910	Hs.80449 Hs.3688	cisplatin resistance-associated overexpressed protein	1.8
55	134273	AI906291	Hs.81234	immunoglobulin superfamily, member 3	2.0
	134292	AW50251	5 Hs.81360	Homo sapiens cDNA: FLJ21927 fis, clone HEP04178, highly similar to HSU90909	2.5
		U61397	Hs.81424	ubiquitin-like 1 (sentrin)	2.8
	134324	AB029023		KIAA1100 protein	10.4
40			8 Hs.81800		1.9
		N92036	Hs.81848	RAD21 (S. pombe) homolog	2.6
			22Hs.81964	SEC24 (S. cerevisiae) related gene family, member C	2.3
	13434	3 AW29194	6 Hs.82065	interleukin 6 signal transducer (gp130, oncostatin M receptor)	13.0
			Hs.82285	phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase,	8.8
45	13437	6 X06560	Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46 kD)	1.5
•				hypothetical protein MGC3222	8.1
		4 Al589941		Homo sapiens, Similar to tumor differentially expressed 1, clone IMAGE:3639252, mRNA,	, paruar cus 2.0 4.1
			Hs.82582		1.7
50	13439	5 AA45653	Hs.8262	lysosomal	2.6
50 ·			1 Hs.82767		1.3
	13440	5 AWU6/90	3 Hs.82772	collagen, type XI, alpha 1 reticulocalbin 1, EF-hand calcium binding domain	3.2
	13441	1 BEZ/209	Hs.82911	protein tyrosine phosphatase type IVA, member 2	1.9
	13441	3 A1/30/02 4 A1/07740	6 Hs.82985		10.3
55 ·		4 Z44190			2.4
33	13444	6 AA11203	6 Hs.83419		1.2
	13444	7 M58603	Hs.83428		1.6
	13447	0 X54942	Hs.83758		2.1
	13448	0 NM 0050	00Hs.83916		5.3
60	13448	5 X82153	Hs.83942	cathepsin K (pycnodysostosis)	2.5
- •	13449	8 AW24627	73 Hs.84131	threonyl-tRNA synthetase	2.1
	13451	3 AA42547	3 Hs.84429	KIAA0971 protein	3.8
	13451	6 AK00157	1 Hs.27335	7 hypothetical protein FLJ10709	2.4
	13452	0 BE09100	5 Hs.74861	activated RNA polymerase II transcription cofactor 4	6.7
65	13452	9 AW4114	79 Hs.848	FK506-binding protein 4 (59kD)	2.3 5.5
	13457	7 BE24432	3 Hs.85951	exportin, tRNA (nuclear export receptor for tRNAs)	5.8 5.8
	13458	32 AA92717	7 Hs.86041	CGG triplet repeat binding protein 1	5.0

				and the second s	
	134612	AW068223	Hs.171581	ubiquitin C-terminal hydrolase UCH37	2.2
	134624	AF035119	Hs.8700	deleted in liver cancer 1	2.0
		X78520		chloride channel 3	2.3
		AK001741		hypothetical protein FLJ10879	1.4
5		AA256106		ESTs	72.9
-		BE391929		transmembrane protein 4	8.5
		U62317	Hs.88251	aryisulfatase A	6.0
		NM_003474		a disintegrin and metalloproteinase domain 12 (meltrin alpha)	4.3
		BE161887		anaphase-promoting complex subunit 10	2.3
10		Y14768	Hs.890	lysosomal	6.7
10		AA852985		chromobox homolog 5 (Drosophila HP1 alpha)	2.3
					2.9
				F-box only protein 6	6.6
				ring finger protein 22	2.3
1.5		X07871	Hs.89476	CD2 antigen (p50), sheep red blood cell receptor	6.2
15		AW630803		lamin B1	1.9
				integral membrane protein 1	1.8
	134806	AD001528	Hs.89/18	spermine synthase	
		AW451370		adaptor-related protein complex 1, gamma 2 subunit	1.4
~ ^		Al701162		hypothetical protein MGC11138	1.4
20		BE268326		5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase	5.6
		D26488	Hs.90315	KIAA0007 protein	2.8
	134880	Al879195	Hs.90606	15 kDa selenoprotein	1.7
	134910	AA532963	Hs.9100	Homo sapiens cDNA FLJ13100 fis, clone NT2RP3002255	1.7
	134925	AW885909	Hs.6975	PRO1073 protein	2.1
25	134955	AW401361	Hs.91773	protein phosphatase 2 (formerly 2A), catalytic subunit, alpha isoform	1.3
	134971	AI097346	Hs.286049	phosphoserine aminotransferase	2.1
	134975	R50333	Hs.92186	Leman coiled-coil protein	2.3
		AB037835	Hs.92991	KIAA1414 protein	1.6
		NM_00040		glycerol-3-phosphate dehydrogenase 2 (mitochondrial)	3.9
30				hypothetical protein FLJ12619	6.2
		AW503733		KIAA1488 protein	2.0
		AB036063		and the second s	1.3
-		AF027219		zinc finger protein 202	7.1
				zinc finger protein 36 (KOX 18)	3.2
35		AI093155			2.5
-				px19-like protein	1.4
		AA477514		translin-associated factor X	5.0
		N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATIVE C10 PROTEIN [H.sapiens]	6.1
		T78802		hypothetical protein FLJ11656	4.6
40		BE463721			5.6
		Al028767			3.5
		AW291023		ESTs, Weakly similar to A46010 X-linked retinopathy protein [H.sapiens]	1.2
		A1088775		geranylgeranyl diphosphate synthase 1	2.6
				GE36 gene	5.3
45		AA150320		protein kinase Njmu-R1	9.1
		A1090838		ESTs	2.4
				ESTs, Weakly similar to KIAA0822 protein [H.sapiens]	13.3
				ribosome binding protein 1 (dog 180kD homolog)	. 2.6
				cell division cycle 2-like 1 (PITSLRE proteins)	8.3
50				Homo sapiens cDNA FLJ10174 fis, clone HEMBA1003959	1.5
50		U05237	Hs.99872		4.9
		X78592	Hs.99915		2.0
•		R50333	Hs.92186	Leman coiled-coil protein	2.6
				KIAA1414 protein .	1.4
55		NM_00040			1.6
55				b hypothetical protein FLJ12619	1.4
•		AW503733			1.8
				KIAA1488 protein	2.5
		AB036063			1.5
60	135095	AF027219	П5.5443 Ца 43330	zinc finger protein 202	2.1
60	135090	7 MANO 1238		zinc finger protein 36 (KOX 18)	4.4
		A1093155	Hs.95420	JM27 protein	4.4 14.9
	135787	DEZ3U863	HS.279025	9 px19-like protein	1.3
		AA477514			1.7
65	135207	7 N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	6.1
65	135214	178802	Hs.96560	hypothetical protein FLJ11656	2.7
		3 BE463721 5 AI028767		putative G protein-coupled receptor	12.2
	1 15/2	) ANJ/0/0/	ms /n/n!!:	1 5018	17.2

		ESTs, Weakly similar to A46010 X-linked		7.6
		geranylgeranyl diphosphate synthase 1		1.8
	135274 AA448460 Hs.112017	GE36 gene		4.1 1.2
_		protein kinase Njmu-R1		4.8
5		ESTs		5.8
		ESTs, Weakly similar to KIAA0822 protein		12.3
		ribosome binding protein 1 (dog 180kD ho cell division cycle 2-like 1 (PITSLRE pr		5.7
	135354 AA456454 Jns.163416 (	Homo sapiens cDNA FLJ10174 fis, clone HE		7.9
10		fetal Alzheimer antigen		1.9
10		androgen receptor (dihydrotestosterone r		13.9
	302256 AA857131 Hs.171595	HIV TAT energin factor 1	•	5.3
	302230 AA037131 113.171333	HER2 receptor tyrosine kinase (c-erb-b2,		2.2
	303135 AW592789 Hs.279474	HSPC070 protein		1.4
15	303686 AK000714 Hs.109441			5.2
13		Homo sapiens clone IMAGE:32553, mRNA seq	•	2.3
	315518 AA808229 Hs.167771			2.8
	317781 NM_007057Hs.42650	ZW10 interactor		2.0
	320836 AI268997 Hs.197289	rab3 GTPase-activating protein, non-cata		5.5
20	321114 AA902256 Hs.78979	Golgi apparatus protein 1		1.4
	322221 N24236 Hs.179662	nucleosome assembly protein 1-like 1		1.3
	322474 AF118083 Hs.29494	PRO1912 protein		2.9
	322556 BE041451 Hs.177507			1.6
	323541 AF292100 Hs.104613	RP42 homolog		1.8
25		BUB3 (budding uninhibited by benzimidazo	•	1.6
		SRY (sex determining region Y)-box 22		6.1 5.6
		RNA helicase family		2.6
	409176 R73727 Hs.101617	ESTs, Weakly similar to T32527 hypotheti		2.4
00		hypothetical protein, expressed in osteo		1.5
30		SFRS protein kinase 1		4.2
	414846 AW304454 Hs.77495	UBX domain-containing 1		23.6
		high-mobility group (nonhistone chromoso		5.8
		TATA box binding protein (TBP)-associate		1.3
25		cathepsin K (pycnodysostosis) retinoblastoma-binding protein 6	•	1.6
35	418467 NM_006910Hs.85273 420269 U72937 Hs.96264	alpha thalassemia/mental retardation syn		2.3
	420269 U72937 Hs.96264 420802 U22376 Hs.1334	v-myb avian myeloblastosis viral oncogen		1.6
	421225 AA463798 Hs.102696	MCT-1 protein		3.5
	421642 AF172066 Hs.106346	retinoic acid repressible protein		4.9
40 .	421828 AW891965 Hs.279789	histone deacetylase 3	•	3.1
	421983 Al252640 Hs.110364	peptidylprolyl isomerase C (cyclophilin		1.9
	422052 AA302744 Hs.104518	ESTs		2.4
	422055 NM_014320Hs.111029	putative heme-binding protein		4.1
	423750 AF165883 Hs.298229	prefoldin 2		7.0
45	424001 W67883 Hs.137476	paternally expressed 10 (PEG10; KIAA105	•	4.9
	425182 AF041259 Hs.155040	zinc finger protein 217		3.4
	425284 AF155568 Hs.155489	NS1-associated protein 1		2.1
	426372 BE304680 Hs.169531	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep		7.5 1.7
	428049 AW183765 Hs.182238	GW128 protein		2.4
50	428477 AW500533 Hs.11482	splicing factor, arginine/serine-rich 11		3.8
	437562 AB001636 Hs.5683	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep		5.6
	438449 AK001333 Hs.6216	Homo sapiens hepatocellular carcinoma-as		2.0
•	441560 F13386 Hs.7888	Homo sapiens done 23736 mRNA sequence		7.5
5.5	445580 AF167572 Hs.12912	skb1 (S. pombe) homolog		2.2
55		hypothetical protein MGC4485 cysteine-rich protein 1 (intestinal)		2.8
	447111 Al017574 Hs.17409		•	1.7
	. 447778 BE620592 Hs.71190			5.9
	448873 NM_003677Hs.22393 449687 W68520 Hs.331328	intermediate filament protein syncollin	•	5.6
60	450701 H39960 Hs.288467	Homo sapiens cDNA FLJ12280 fis, done MA		1.4
30	450703 AA011202 He 184771	nuclear factor I/C (CCAAT-binding transc		4.7
	452461 N78223 Hs 108108	S transcription factor		2.9
•	452511 BE408178 Hs.285165	Homo sapiens cDNA FLJ20845 fis, done AD		12.1
	453157 AF077036 Hs.31989	DKFZP586G1722 protein	•	4.7
65	453658 BE541906 Hs.87819	Homo sapiens, clone MGC:2492, mRNA, comp		1.3
	100833 AF135168 Hs.108802	N-ethylmaleimide-sensitive factor		3.2
	102481 U50360	gb:Human calcium, calmodulin-dependent p		6.2

	102827	BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b		7.9
	103549	BE270465	Hs.78793	protein kinase C, zeta		2.0
	104331	AB040450	Hs.279862	cdk inhibitor p21 binding protein		5.3
	110018	AW579842	Hs.104557	hypothetical protein FLJ10697		2.0
5	115008	AK001827	Hs.87889	helicase-moi		5.7
	119075	M10905	Hs.287820	fibronectin 1		1.3
	119615	AL034423	Hs.75875	ubiquitin-conjugating enzyme E2 variant		2.9
	125006	BE065136	Hs.145696	splicing factor (CC1.3)		1.7
	127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture		2.4
10	129209	R62676	Hs.17820	Rho-associated, coiled-coil containing p		5.2
	129917	M30773	Hs.278540	protein phosphatase 3 (formerly 2B), reg	·	4.5
	130182	BE267033	Hs.192853	ubiquitin-conjugating enzyme E2G 2 (homo		11.0
	130365	W56119	Hs.155103	eukaryotic translation initiation factor		3.3
	131135	NM_016569	9Hs.267182	TBX3-iso protein	•	1.3
15	131853	AI681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU		3.2
	131881	AW361018	Hs.3383	upstream regulatory element binding prot		14.3
	132726	N52298	Hs.55608	hypothetical protein MGC955		3.0
	135193	X95525	Hs.96103	TATA box binding protein (TBP)-associate		2.7
	409487	H19886		gb:yn57a05.r1 Soares adult brain N2b5H		2.3
20	416040	AMR10158	He 289044	Homo saniens cDNA FL 112048 fis, clone HF		7.4

10

## **TABLE 4A**

Table 4A shows the accession numbers for those pkeys lacking unigeneID's for Table 4. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number Accession: Genbank accession numbers

15								•
13	Pkey	CAT number	Accessions		•			
		3068615	AA609170	•				
00		371681_1	AA602964 AA60920	)				•
20		16505	M21259					
		656394_1	AI267847 N27351					•
		1642364_1	N34059 N46979					
		1657509_1	N53935 N53950					
0.5		3128128	U50360					
25		110522	X89059	104440 LIZODEO DO4Ó44	170057			
	110856	19346_14 .	AA992380 N33063	121418 H79958 R21911 1 AA080912 AA07531	M/990/ DAADO24D2AAD7EED4	A A 0.7800.2 A A 0.840.26	AADR1881 AA113913	3 AA113892
		•	103797 109699	_1 AAU60912 AAU7551 AA082953 AA070343 AA	O MANDO 400 MAN I 0004 MC2025 A ANZEA10 A AI	MAUTUJJZ AAUU4JZU NG3203 AAN71252 AAI	178900 AA062836 AV	N974305
	400000		AA190577 AA1816		1002000 100104 10 001	000230 AAO7 1202 A	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.07 .000
30		160212_1 328626_1	T63857 AW971220					
50		44573_2	A105007 AVV37 1220	97040 N36809 Al308119	AW967677 N35320 AL	251473 H59397 AW97	1573 R97278 W0105	9 AW967671
	120412	44373_2	AA908598 AA2518	5 AI820501 AI820532 W	87891 T85904 U71456	T82391 BE328571 T7	5102 R34725 AA8849	922 BE328517
			Δ1219788 ΔΔ88444	N92578 F13493 AA927	794 AJ560251 AW8740I	68 AL134043 AW2353	63 AA663345 AW008	3282 AA488964
		•	AA283144 AI89038	A1950344 A1741346 A16	89062 AA282915 AW1	02898 AI872193 AI763	3273 AW173586 AW1	50329 Al653832
35			A1762688 AA98877	AA488892 AI356394 AI	V103813 Al539642 AA6	842789 AA856975 AW	505512 Al961530 AW	V629970
			RF612881 AW2769	97 AW513601 AW512843	3 AA044209 AW856538	3 AA180009 AA337499	) AW961101 AA25166	59 AA251874
			AIR19225 AW2058	2 A1683338 A1858509 AV	V276905 Al633006 AA9	372584 AA908741 AW	072629 AW513996 A	A293273
			AA969759-N75628	N22388 H84729 H60052	T92487 Al022058 AA78	80419 AA551005 W80	701 AW613456 Al373	3032 AI564269
			F00531 H83488 W	7181 W78802 R66056 A	1002839 R67840 AA300	207 AW959581 T6322	26 F04005	
40	129019	44573_2	A1950087 N70208 I	97040 N36809 Al308119	AW967677 N35320 AI	251473 H59397 AW97	1573 R97278 W0105	59 AW967671
			AA908598 AA2518	5 Al820501 Al820532 W	87891 T85904 U71456	T82391 BE328571 T7	5102 R34725 AA8849	322 BE328517
			Al219788 AA88444	N92578 F13493 AA927	794 AI560251 AW8740	68 AL134043 AW2353	63 AA663345 AW008	3282 AA488964
			AA283144 AI89038	7 Al950344 Al741346 Al6	89062 AA282915 AW1	02898 AIB/2193 AI/63	12/3 AVV 1/3060 AVV 1	130329 A1033032
4.5			A1762688 AA98877	7 AA488892 Al356394 A	N103813 Al539642 AA	542/89 AA8569/5 AVV	303312 A1801330 AV	VOZ337U CO A A 251874
45			BE612881 AW2769	97 AW513601 AW51284	3 AAU442U9 AW856538	3 AA 180009 AA337495	177630 AME 1200 A	A202272
			AI819225 AW2058	2 A1683338 A1858509 A\ N22388 H84729 H60052	72/6905 A1633006 AAS	3/ 2004 AASUO/ 4   AVV DAA40 AAEE1005 IAIRO	JI 2023 AVVJ 13330 AV 1701 AVVR13456 A1371	7032 A1564269
			AA969759 N75628	N22388 H84729 H60052 17181 W78802 R66056 A	19240/ 1022000 10470	004 13 MAJJ 100J 1100 1207 MMG5G581 T632	26 F04005	JUJZ 71307200
*	400005	0000 0	FUUDS1 FI83488 W	2 AA953664 AA404613 A	1002033 R07040 AA300	J201 AVV353301 1052. N1404601 A1027301 A1	740458 A1796100 AI9	35603 AW052210
50	120695	9683_3	AA970003 AI91700	2 AA933664 AA464613 A 4 AA425910 Al017004 A	M42011 1 DE200342 AV	01168	101001111001007110	, ,
30	400400	275673_1	AA398838 AA4358		24 1233 AM4020 10 AM2	.5 1400		
		283769_1		39 AA417233 AA442223	•	•		
		305217_1	AA453641 AA4540					
		150431_1	AA157811 AA8368					
55		genbank_AA						
33	123811	genbank_AA	20586 AA620					
		genbank T9						
			_entrez_W38150	W38150				
	118737	382979_1	AA199686 N73861					
60		genbank_AA					•	
		genbank_T5						•
		genbank_AA						
	120639	genbank_AA	286942 AA286	942				

		genbank_AA346 genbank_T9730		AA346495 T97307					•		
					102015 41214	EDO AMPAETA	4 A) D46455 A	1248060 AI744	ENE A A 9 / 2 9 7 E	AI829382 AI560122	1
	123000			_						W512244 AA84644	
5										772028 Al148432	,,
,				A782478 AA9100							
										39212 W15214 AA8	394441
										304 AA976699 Al68	
				1865540 AA77210							
10	101045	entrez_J05614									
		<del>-</del>	N21032								
•	110501	genbank l	H55748				·				
	103392	entrez_X945632	X94563								
	105032	genbank /	AA127818	•							
15		-NOT_FOUND_6	entrez	W37933							
		•	AA252395								
		3	AA412112								
		O	AA412497						•		
20		<b>3</b> · · · · ·	AA427950								
20			AA496369	AA496646							
		<b>D</b> • · · · · · ·	AA236672					•	,		
	409487	. 1134778_1	H19886 AV	/402806 T10231			•				

# TABLE 5: Figure 5 from BRCA 001 US

Table 5 shows genes upregulated in tumor tissue compared to normal breast tissue.

5

10	Pkey: ExAccn: UnigenelD: Unigene Title: R1:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of tumor to normal breast tissue
•	R1:	Ratio of tumor to normal breast tissue

	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
15	-				
	100114	X02308	Hs.82962	thymidylate synthetase	2.9
	100147	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	7.5
	100154	H60720	Hs.81892	KIAA0101 gene product	9.2
		AW247529		platelet-activating factor acetylhydrola	2.7
20	100666		Hs.169610	CD44 antigen (homing function and Indian	5.7
	100667		Hs.169610	CD44 antigen (homing function and Indian	9
	100668		Hs.169610	CD44 antigen (homing function and Indian	7.6
		AW502935		PTK2 protein tyrosine kinase 2	53.2
		AK000405		ubiquitin-like 4	11.4
25	101031		Hs.151738	matrix metalloproteinase 9 (gelatinase B	8.2
	101045			gb:Human proliferating cell nuclear anti	5
	101332		Hs.156346	topoisomerase (DNA) II alpha (170kD)	3.4
		A1494299	Hs.16297	COX17 (yeast) homolog, cytochrome c oxid	6.3
		NM_01215		coagulation factor VIII-associated (intr	5.7
30		AF064853		quanine nucleotide binding protein (	5.6
50	101767		Hs.180884	carboxypeptidase B1 (tissue)	14.4
			Hs.112408	\$100 calcium-binding protein A7 (psorias	8.9
			8Hs.180612	peroxisomal membrane protein 3 (35kD, Ze	3.2
		AI904232	Hs.75323	prohibitin	8.4
35	102107		Hs.182366	heat shock protein 75	1.4
55			Hs.159627	death associated protein 3	4.6
		AW950852		polymerase (DNA directed), delta 2, regu	4.3
			Hs.301613	JTV1 gene	6.7
		U24389	Hs.65436	lysosomal	4.3
40		AA306342	Hs.69171	protein kinase C-like 2	2.7
	102348	U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	2
-	102374	U33635	Hs.90572	PTK7 protein tyrosine kinase 7	6.2
	102455	U48705	Hs.75562	discoidin domain receptor family, member	6.9
		W81489	Hs.223025	RAB31, member RAS oncogene family	5.3
45		AL037672	Hs.81071	extracellular matrix protein 1	5.8
		NM_00701		ubiquitin carrier protein E2-C	4.3
	102689	U96132	Hs.171280	hydroxyacyl-Coenzyme A dehydrogenase, ty	6
	102704	AU077058	Hs.54089	BRCA1 associated RING domain 1	1.9
	102705		Hs.50002	small inducible cytokine subfamily A (Cy	2.3
50	102801			pyridoxal (pyridoxine, vitamin B6) kinas	6.4
	102827		Hs.6456	chaperonin containing TCP1, subunit 2 (b	5.6
			10Hs.155324	matrix metalioproteinase 11 (MMP11; stro	4.5
		AU077231		cyclin D1 (PRAD1: parathyroid adenomatos	3.1
			Hs.275865	ribosomal protein S18	9.9
55		X72755	Hs.77367	monokine induced by gamma interferon	8.8
		A1369285	Hs.75189	death-associated protein	5.6
		Al376722	Hs.180062	proteasome (prosome, macropain) subunit,	9.7
		BE270465	Hs.78793	protein kinase C, zeta	7.9
			Hs.105737	hypothetical protein FLJ10416 similar to	6.5
60			Hs.150675	polymerase (RNA) II (DNA directed) polyp	6.3
	104827		6 Hs.8551	PRP4/STK/WD splicing factor	10.9
	104846	A1250789	Hs.32478	ESTs	5.6
	104854		Hs.154729	3-phospholnositide dependent protein kin	12.3
	104867	7 AA278898	3 Hs.225979	hypothetical protein similar to small G	2

	404000	AM/04E340	Un 22400	ECT	17.7
		AW015318 AW408164		2010	5
		AW958157		NS1-associated protein 1	1.7
		AA026880		prolactin receptor	1.4
5			Hs.278675	bromodomain-containing 4	1.4
			Hs.19322	Troitio depictio, cuitant in the contract of t	7.2
		AF098158		chromosome 20 open reading frame 1	3.3 2.5
		AA907305 AA151342		ESTs CGI-147 protein	2.5 9.5
10			Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2
10		AF167570		interleukin enhancer binding factor 3, 9	5.4
		AA262640		unknown	9.3
	105564	BE616694	Hs.288042	hypothetical protein FLJ14299	1.4
		AA985190		hypothetical protein FLJ20059	9.4
15		AW151952		hypothetical protein FLJ20739	1.5 2.9
		AF151066 AF016371		hypothetical protein peptidyl prolyl isomerase H (cyclophilin	5.2
		AA533491		hypothetical protein FLJ14681	6.8
		AK001404		cyclin B2	5.7
20	106359	AW390282	Hs.31130	transmembrane 7 superfamily member 2	6.3
		AA458882		fibulin 1	7.9
		NM_003595		tyrosylprotein sulfotransferase 2	7.7 4.5
		BE614802 AW959893		hypothetical protein FLJ12549 hypothetical protein FLJ23293 similar to	16.2
25 ·		AB037744		KIAA1323 protein	2.2
		N49809	Hs.11197	Homo sapiens, clone IMAGE:3343149, mRNA	, 16.8
	106973	BE156256	Hs.11923	hypothetical protein	6.6
		AF264750		myeloid/lymphoid or mixed-lineage leukem	1.8
20		W15477	Hs.64639	glioma pathogenesis-related protein	6.1 8.4
30		AW732573 L42612	Hs.47584 Hs.335952	potassium voltage-gated channel, delayed keratin 6B	2.5
		BE153855		lg superfamily receptor LNIR	2.2
•		AW956103		pyruvate dehydrogenase kinase, isoenzyme	6.7
		AF129535		F-box only protein 5	7.1
35		BE546947		homeo box C10	9.8
		AB029000		KIAA1077 protein	7.2 4
		AK001431 AA156542		hypothetical protein FLJ10569 ESTs	1.4
		AA164293		ESTs	2.9
40		AA375752		Homo sapiens mRNA; cDNA DKFZp586F182	2 (f 2.9
	109468	NM_01531	0Hs.6763	KIAA0942 protein	3.2
		AI668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYT	OC 4.2
		A1288666	Hs.16621	DKFZP4341116 protein gb:yq94a01.s1 Soares fetal liver spleen	6.2 6.1
45		H55748 AW190338	He 28029	hypothetical protein MGC11256	7.6
73	110742	BE044245	Hs.30011	hypothetical protein MGC2963	9.3
		AA992380		gb:ot37g06.s1 Soares_testis_NHT Homo sar	2.3
		NM_00586		signal transduction protein (SH3 contain	6.7
50	111125	N63823	Hs.269115	ESTs. Moderately similar to Z195_HUMAN Z	3.6
50		- AK000136	Hs.17230	asporin (LRR class 1) hypothetical protein FLJ22087	7.1 7.9
	111239	N90956 AA778711		eukaryotic translation initiation factor	6.9
	111392	W46342	Hs.325081	Homo sapiens, clone IMAGE:3659680, mRN	
	111937	BE298665		Homo sapiens mRNA; cDNA DKFZp564D01	6 (fr 10.6
55	112244	AB029000	Hs.70823	KIAA1077 protein	14.6
	112995	AA737033	Hs.7155	ESTs, Moderately similar to 2115357A TYK	5.6 13.4
	11377/	BE266947	Hs.10590 Hs.135578	zinc finger protein 313 chitobiase, di-N-acetyl-	1.3
	113/91	A1269096 BE207480		Homo sapiens cDNA: FLJ22044 fis, clone H	3.1
60	113834		Hs.6059	EGF-containing fibulin-like extracellula	11.3
- •	113868	W57902	Hs.90744	proteasome (prosome, macropain) 26S subu	2.7
	113870	AL079314	Hs.16537	hypothetical protein, similar to (U06944	6.1
	113923	AW953484	HS.3849	hypothetical protein FLJ22041 similar to	1.9 15.8
65	11427	AW515443 AA236177	Hs.76591	KIAA0306 protein · KIAA0887 protein	7.1
05	114090	AI733881	Hs.72472	BMP-R1B	2.3
	115061	AI751438	Hs.41271	Homo sapiens mRNA full length insert cDN	11.8

	4450-0	41/000400	11- 204704	h#-4:11-'- 51 144004	4 6
		AK002163		hypothetical protein FLJ11301	1.5
				hypothetical protein FLJ10461	6.2
		BE093589		hypothetical protein FLJ23468	10.6
5		AF231023	Hs.55173 Hs.46679	cadherin, EGF LAG seven-pass G-type rece	6.8 5.5
<b>.</b>		Al867451 AB037753	Hs.62767	hypothetical protein FLJ20739 KIAA1332 protein	9.8
		AL359053	Hs.57664	Homo sapiens mRNA full length insert cDN	2.4
		AW499664		Human clone 23826 mRNA sequence	7.4
		A1272141	Hs.83484	SRY (sex determining region Y)-box 4	2.1
10			Hs.92033	integrin-linked kinase-associated serine	2.7
10		Al393666	Hs.42315	p10-binding protein	5.2
			Hs.260622	butyrate-induced transcript 1	5.7
		AI949952	Hs.49397	ESTs	7.4
	119075	M10905	Hs.287820	fibronectin 1	5.7
15	119265	BE539706	Hs.285363	ESTs	1.4
	119349	T65004	Hs.163561	ESTs	8.4
		AL117554	Hs.119908	nucleolar protein NOP5/NOP58	6.7
		BE393948		kallikrein 5 (KLK5; KLK-L2; stratum com	9.2
00		H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	
20		AA131376		fibroblast growth factor 12B	38.9
		AA191384		ESTs, Weakly similar to Z195_HUMAN ZINC	
		AA195651		ESTs	6.4 16.1
		AK000292 AW969481		hypothetical protein FLJ20285 hypothetical protein	16.8
25		AF000545		putative purinergic receptor	28.1
23	120330			EST	12.4
		AL109963	Hs.123122	FSH primary response (LRPR1, rat) homolo	9.7
		AW969665		hypothetical protein DKFZp434D0127	32.6
		AW967985		ESTs, Moderately similar to ALU7_HUMAN A	21.7
30	120396	AA134006	Hs.79306	eukaryotic translation initiation factor	12.5
		AW966893	Hs.26613	Homo sapiens mRNA; cDNA DKFZp586F132	
		AI950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sap	
	120484		Hs.96473	EST	10.4
25		AA280679	Hs.271445	ESTs, Weakly similar to ALU1_HUMAN ALU	
35		BE244830 AA282074	Hs.284228	ZNF135-like protein N-acetylglucosamine-phosphate mutase	10.2 7.5
		AW407987		M-phase phosphoprotein homolog	52
		AA976503	113.175510	gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapie	
		AW449855	Hs.96557	Homo sapiens cDNA FLJ12727 fis, clone NT	5.9
40		Al191410	Hs.96693	ESTs, Moderately similar to 2109260A B c	7
	120774	AI608909	Hs.193985	ESTs	7.8
	120807	AA346385	Hs.30002	SH3-containing protein SH3GLB2; KIAA1848	6.8
		AA346495		gb:EST52657 Fetal heart II Homo sapiens	4.4
45		BE262951	Hs.99052	ESTs	5.6
45		AA398721		ESTs, Highly similar to I37550 mismatch	5.4
		AA406137		LOI	6
		AA402515	Hs.194417 Hs.97887	ESTs ESTs	13.1 28
		AA416653	Hs.181510	ESTs .	6.2
50		AA412477	Hs.98142	EST	7.4
	121558		110.00112	gb:zt95g12.s1 Soares_testis_NHT Homo sap	
	121655	AA421537	Hs.178072	Homo sapiens mRNA; cDNA DKFZp434B102	23 (f 7.8
	121744	AA398784	Hs.97514	ESTs	7.1
	121748	BE536911	Hs.234545	hypothetical protein NUF2R ·	19.5
55		AB033022		KIAA1196 protein	7.9
		AW340797		ESTs	.5.8
		AA425691	Hs.191606	ESTs, Highly similar to KIAA1048 protein	5
-		AA426376	Hs.98459	ESTS	5
60		AA427950 AA430211	He ORECO	gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_ EST	7.2 6.4
UU		AA430211	Hs.98668 Hs.98706	ESTs	6.5
	122013	W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU	
		AA443794		ESTs	7.3
			Hs.178222	ESTs	5
65	122372	AA446008	Hs.336677	EST	7.6
		AW418788		ESTs, Weakly similar to S43569 R01H10.6	9.7
	122490	AA448349	Hs.238151	EST	6.1

	122492	AA448417	Hs.104990	ESTs	5.4
			Hs.99195	ESTs	11.2
		AW959741		adaptor-related protein complex 1, sigma	10.1
			Hs.99287	EST	11
5	122607	AA453518	Hs.98023	ESTs	61.5
		AA453630		EST .	10.7
		AA453638	Hs.161873	ESTs	107.3
		AA453641	Un 444000	gb:zx48e06.s1 Soares_testis_NHT Homo sap	
10			Hs.144802	ESTS	5.6 8.5
10		AA456859 AW204530	Hs.178358	ESTs ESTs	81.8
		AA460584		ESTs	75.3
		Al929374	Hs.75367	Src-like-adapter	5.8
			Hs.115541	Janus kinase 2 (a protein tyrosine kinas	5.3
15		AA470074		ESTs	11.5
		AW338067		Homo sapiens cDNA FLJ11946 fis, clone HE	2.8
	123034	AL359571	Hs.44054	ninein (GSK3B interacting protein)	8.7
	123136	AW451999	Hs.194024	ESTs	5.1
20		AW601773		ESTs	5.2
20		AA731404		ESTs	3.6
		AA599042		EST	7.4 2.4
		BE019072	HS.334002	Homo sapiens cDNA FLJ14680 fis, clone NT gb:af12a12.s1 Soares_testis_NHT Homo sap	
		AA609170 NM_01324	1He 05231	FH1/FH2 domain-containing protein	10
25		AA609955		Huntingtin interacting protein E	30.6
		AI147155	Hs.270016	ESTs .	8.1
•	124385	Al267847		gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1
	124440	AA532519	Hs.129043	Human DNA sequence from clone 989H11 on	
••	4	AW297702		ESTs	8.3
30		AA381661		ESTs, Weakly similar to M3K9_HUMAN MITC	
		R22952	Hs.268685	ESTS	11.3
		AA374756		Homo sapiens mRNA for KIAA1771 protein,	9 8.1
		AW368528 R43543	Hs.100033	ESTs Homo sapiens cDNA: FLJ22726 fis, clone H	5.1
35		R46068	Hs.288912	hypothetical protein FLJ22604	14.2
50		R47948	Hs.188732	ESTs	7.9
		AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	6.6
	124860	R65763	Hs.101477	EST	23.9
40		AW296713		ESTs	32.4
40		A1076343	Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8
		R99978	Hs.268892	ESTs, Moderately similar to B34087 hypot	6.1 135.3
		T79956 T81310	Hs.100588 Hs.100592	EST ESTs	5.4
		A1472068	Hs.286236	KIAA1856 protein	5.6
45		T97341	110.200200	gb:ye57e05.s1 Soares fetal liver spleen	9.6
		Al123705	Hs.106932	ESTs	8
	127274	AW966158	Hs.58582	Homo sapiens cDNA FLJ12789 fis, clone NT	. 12.8
•	128528	R39234	Hs.251699	ESTs, Weakly similar to IDN4-GGTR14 [H.s	2.8
<b>50</b>		AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700	
50		W27939	Hs.103834	hypothetical protein MGC5576	7.7
		BE302796		thymidine kinase 1, soluble	5.3 53.0
		N71826 NM_00297	Hs.105465	small nuclear ribonucleoprotein polypept stem cell growth factor; lymphocyte secr	-53.9 13.3
			Hs.106730	chromosome 22 open reading frame 3	3
55		F34856	Hs.292457	Homo sapiens, clone MGC:16362, mRNA, co	
-		Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3	
	128975		Hs.284233	NICE-5 protein	14
	128995	AI816224	Hs.107747	DKFZP566C243 protein	1.9
		A1950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sar	
60			Hs.326234	ESTs, Highly similar to T46422 hypotheti	5 .
		AA744610		palladin	17.1
		AA463189 N57532	Hs.288906 Hs.109315	WW Domain-Containing Gene KIAA1415 protein	20.9 5.8
		BE614192		melanoma-associated antigen recognised b	7.6
65		U30246	Hs.110736	solute carrier family 12 (sodium/potassi	6.7
-			39Hs.110803	CGI-99 protein	2
		Al267700	Hs.317584	ESTs	5

	129482	AA188185	Hs.289043	spindlin	6.7
		W01296	Hs.11360		7.5
		H14718	Hs.11506		6.8
		AK000398			3.8
5		AD000092			3.3
•		U03749	,	gb:Human chromogranin A (CHGA) gene, pro	14.1
		AW748482	Hs.77873	B7 homolog 3	2.6
		Al304966	Hs.12035		7.4
		AA156214		APMCF1 protein	2
10			Hs.142838	nucleolar phosphoprotein Nopp34	1.6
		AL046962		forkhead box O3A	2.8
		AA311426		tubulin, gamma 1	6.1
		NM_00335		ESTs, Moderately similar to CEGT_HUMAN C	1.6
		X79201	Hs.153221	synovial sarcoma, translocated to X chro	5.4
15			9Hs.277401	bromodomain adjacent to zinc finger doma	8.5
		W56119	Hs.155103	eukaryotic translation initiation factor	11
		BE513202		PPAR binding protein	3.9
		D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	33.6
		AL121438	Hs.183706	adducin 1 (alpha)	2.7
20		BE208491	Hs.295112	KIAA0618 gene product	16.1
		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1
		U64675	Hs.179825	RAN binding protein 2-like 1	7.8
		AF062649	Hs.252587		14.4
		AI907018	Hs.15977	Empirically selected from AFFX single pr	4.7
25		AA383092		replication protein A3 (14kD)	7.9
		AF083208		apoptosis antagonizing transcription fac	1.2
		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	12.1
		BE246961		Homo sapiens ubiquitin protein ligase (U	13.9
		R68537	Hs.17962	ESTs	2
30		H59696	Hs.18747	POP7 (processing of precursor, S. cerevi	3.1
-	130757	AL036067	Hs.18925	protein x 0001	5.7
	130880	BE514434	Hs.20830	kinesin-like 2	2.1
	130944	BE382657		signal transducer and activator of trans	5.4
	131046	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	7.4
35		AA194422		myosin VI	5.1
			Hs.226581	COX15 (yeast) homolog, cytochrome c oxid	7
	131135	NM_01656	9Hs.267182	TBX3-iso protein	3.3
	131185	BE280074	Hs.23960	cyclin B1	5.8
		H62087	Hs.31659	thyroid hormone receptor-associated prot	7.5
40	131245	AL080080	Hs.24766	thioredoxin domain-containing	2.8
	131283	X80038	Hs.339713	Homo sapiens clone F19374 APO E-C2 gene	1.3
	131569	AL389951	Hs.271623	nucleoponin 50kD	5
		AW41060		HSPC182 protein	2.9
	131714	AA642831	Hs.31016	putative DNA binding protein	2,9
45		D13757	Hs.311	phosphoribosyl pyrophosphate amidotransf	3.4
		X76732	Hs.3164	nucleobindin 2	2.9
	131793	AW96612	7 Hs.32246	Homo sapiens cDNA FLJ14656 fis, clone NT	7.9
		BE502341		ESTs	13.7
			Hs.231029	Homo sapiens, clone MGC:15961, mRNA, co	
50		AA179298		stomatin-like 2	11.3
	131941	BE252983	Hs.35086	ubiquitin specific protease 1	2.3
			Hs.154938	hypothetical protein MDS025	3.5
		NM_0044		fibroblast activation protein, alpha	14.7
			82Hs.194714	synaptosomal-associated protein, 29kD	7.8
55		AA227710		DKFZP586L151 protein	10
		N36110	Hs.305971	solute carrier family 2. (facilitated glu	9.2
		AB023191		KIAA0974 protein	2
			8 Hs.170311	heterogeneous nuclear ribonucleoprotein	12.5
			5 Hs.46645 ′	ESTs	28.3
60		AA31213		HSPCO34 protein	6.1
		AA100012		hypothetical protein FLJ12085	8.6
			7 Hs.49169	KIAA1634 protein	6.1
		2 AA454132		mitochondrial ribosomal protein L16	7.1
<i>( E</i>		4 AW63143		TH1 drosophila homolog	14
65		8 A1796870		DNA segment on chromosome X (unique) 99	
		8 NM_0046		Sjogren syndrome antigen A2 (60kD, ribon	3.7
	132/20	6 N52298	Hs.55608	hypothetical protein MGC955	14.3

				•	
	132731	Al189075	Hs.301872	hypothetical protein MGC4840	5.9
	132744	AA010233	Hs.55921		6.4
•	132773	AA459713	Hs.295901	KIAA0493 protein	14.6
	132798	AI026701	Hs.5716	KIAA0310 gene product	2.5
5		AB007944			4.2
_	132833		Hs.57783		6.1
		NM_016154		Homo sapiens clone PP1596 unknown mRNA	
	132851		Hs.287912	lectin, mannose-binding, 1	6.1
		BE267143		U2(RNU2) small nuclear RNA auxillary fac	2.7
10		Al817165	Hs.6120	hypothetical protein FLJ13222	2.1
10		AA034365		Homo sapiens cDNA FLJ11392 fis, clone HE	
•					1.3
			Hs.62016	T. 1	
			Hs.279905	clone HQ0310 PRO0310p1	17.1
15.		A1439688	Hs.6289	hypothetical protein FLJ20886	4.4
15.	133177		Hs.66718	RAD54 (S.cerevisiae)-like	4.4
		AI801777	Hs.6774	ESTs	5.5
		AI567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA	
		Al160873	Hs.69233	zinc finger protein	16.1
•		AW956781		ESTs, Weakly similar to FXD2_HUMAN FORM	
<b>2</b> 0 ·		M76477	Hs.289082	GM2 ganglioside activator protein	10.4
		Al950382	Hs.72660	phosphatidylserine receptor	5.7
	133391	AW103364	Hs.727	inhibin, beta A (activin A, activin AB a	25.5
	133540	AL037159	Hs.74619	proteasome (prosome, macropain) 26S subu	1.7
	133594	AW160781	Hs.172589	nuclear phosphoprotein similar to S. cer	2.6
25 ·	133621	NM_004893	3Hs.75258	H2A histone family, member Y	13.5
	133720	L27841	Hs.75737	pericentriolar material 1	6.7
	133760	BE271766	Hs.181357	laminin receptor 1 (67kD, ribosomal prot	5.4
	133784	BE622743	Hs:301064	arfaptin 1	12.1
	133791	M34338	Hs.76244	spermidine synthase	9.7
30	133797	AL133921	Hs.76272	retinoblastoma-binding protein 2	1.3
	133822	D50525	Hs.699	peptidylprolyl isomerase B (cyclophilin	9.7
		W29092	Hs.7678	cellular retinoic acid-binding protein 1	4.2
	133865	AB011155	Hs.170290	discs, large (Drosophila) homolog 5	5
		U30872	Hs.77204	centromere protein F (350/400kD, mitosin	9.1
35		D86326	Hs.325948	vesicle docking protein p115	1.8
		X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD	10.4
		AL040328		SWI/SNF related, matrix associated, acti	2.6
		AI824113	Hs.78281	regulator of G-protein signalling 12	13
		BE300078		Homo sapiens, clone IMAGE:3535294, mRNA	
40		AW291946		interleukin 6 signal transducer (gp130,	6.7
••		X06560	Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46	5.5
		AW362124		hypothetical protein MGC3222	5.8
		AW067903		collagen, type XI, alpha 1	72.9
		AU077196		collagen, type V, alpha 2	6.7
45		NM_005000		Empirically selected from AFFX single pr	6.2
-13		AK001571		hypothetical protein FLJ10709	1.4
		AW411479	,	FK506-binding protein 4 (59kD)	2.8
		AW630803		lamin B1	6.1
		BE002798		integral membrane protein 1	1.2
50		AD001528		spermine synthase	2.6
50		Al701162	Hs.90207	hypothetical protein MGC11138	9.1
			Hs.90315	KIAA0007 protein	13.3
	134859			phosphoserine aminotransferase	2
	134971		Hs.286049	•	14.9
55		BE250865		px19-like protein	
55		N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	
	135245	AI028767	Hs.262603	ESTs	12.2
		AW291023		ESTs, Weakly similar to A46010 X-linked	7.6
		AI743770	Hs.98368	ESTs, Weakly similar to KIAA0822 protein	5.8
<b>CO</b>		A1652069	Hs.98614	ribosome binding protein 1 (dog 180kD ho	12.3
60		AA456454		cell division cycle 2-like 1 (PITSLRE pr	5.7
		X78592	Hs.99915	androgen receptor (dihydrotestosterone r	13.9
		AW057736		HER2 receptor tyrosine kinase (c	5.3
		NM_00705		ZW10 interactor	2.8
		AA902256		Golgi apparatus protein 1	5.5
65		BE041451	Hs.177507	hypothetical protein	2.9
		U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.3
	424001	W67883	Hs.137476	paternally expressed 10 (PEG10; KIAA105	7

	425182	AF041259	. Hs.155040	zinc finger protein 217	2.3
	446999	AA151520	Hs.334822	hypothetical protein MGC4485	7.5
	450701	H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.6
	452461	N78223	Hs.108106	transcription factor	4.7
5	453157	AF077036	Hs.31989	DKFZP586G1722 protein	12.1

### **TABLE 5A**

Table 5A shows the accession numbers for those pkeys lacking unigeneID's for Table 5. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	Pkey: CAT number:	Unique Eos probeset identifier number Gene cluster number
	Accession:	Genbank accession numbers

5

			•
15	Pkey	CAT number	Accessions
	123615 124385 110856	3068615 656394_1 19346_14	AA609170 Al267847 N27351 AA992380 N33063 N21418 H79958 R21911 H79957
20	120472	44573_2	Al950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 Al219788 AA884444 N92578 F13493 AA927794 Al560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 Al890387 Al950344 Al741346 Al689062 AA282915 AW102898 Al872193 Al763273 AW173586
25			AW150329 Al653832 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512 Al961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 Al819225 AW205862 Al683338 Al858509 AW276905 Al6333006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 Al022058 AA780419 AA551005 W80701 AW613456 Al373032 Al564269 F00531 H83488 W37181 W78802 R66056 Al002839 R67840 AA300207 AW959581 T63226 F04005
30	129019	44573_2	AI950087 N70208 R97040 N36809 AI308119 AW967677 N35320 AI251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 AI219788 AA884444 N92578 F13493 AA927794 AI560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586
35			AW150329 Al653832 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512 Al961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 Al819225 AW205862 Al683338 Al858509 AW276905 Al633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 Al022058 AA780419 AA551005 W80701 AW613456 Al373032 Al564269 F00531 H83488 W37181 W78802 R66056 Al002839 R67840 AA300207 AW959581 T63226 F04005
40	122618 125115 120809	305217_1 genbank_T97 genbank_AA3	120695 9683_3 AA976503 AI917802 AA953664 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458 AI796100 AI935603 AW052210 AA970201 AI633384 AA425910 AI017004 AI241295 AA402816 AA291468 AA453641 AA454061 341 T97341
45	129680	23162_1	U03749 NM_001275 J03483 J03915 AI214509 AW245744 AL046455 AA318960 AI741505 AA843875 AI829382 AI560122 AI858999 D55958 AI684005 D53170 AA854091 AI025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441 AW043898 AI969102 AA405741 AI091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 AI148432 AI038109 AA782478 AA910064 AI220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054 AI273831 W32275 AI584185 C05724 AA789023 AI686818 D54392 AI022485 AA431410 AA854232 W39212 W15214
50	404045	10504	AA894441 Al803081 Al167381 AW245389 AA319430 AA335156 Al042646 AA327030 AA725170 T27943 AA889304 AA976699 Al687001 Al621107 Al865540 AA772107 C06286 AA319661 AA405992
_:	101045 110501 121558	entrez_J0561- genbank_H55 genbank_AA4	748 H55748
55	121911	genbank_AA4	27950 AA427950

# TABLE 6: Figure 6 from BRCA 001 US

Table 6 shows genes upregulated in tumor tissue compared to normal breast tissue.

5

10

	• .
Pkev:	Unique Eos probeset identifier number
ExAccn:	Exemplar Accession number, Genbank accession number
UnigenelD:	Unigene number
Unigene Title:	Unigene gene title
R1:	Ratio of tumor to normal breast tissue

15	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
13	100147	D13666	Hs 136348	osteoblast specific factor 2 (fasciclin	7.5
		AW502935		PTK2 protein tyrosine kinase 2	53.2
•			Hs.112408	S100 calcium-binding protein A7 (psorias	8.9
	102455		Hs.75562	discoidin domain receptor family, member	6.9
20	103206		Hs.77367	monokine induced by gamma interferon	8.8
		BE246502		sema domain, immunoglobulin domain (lg),	2.6
	105746	AW151952	Hs.46679	hypothetical protein FLJ20739	1.5
		AW503807	Hs.21907	histone acetyltransferase	1.8
~ ~		AI668594		ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.2
25				coat protein gamma-cop	3.2
	120206	H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	45.7 38.9
	120253	AA1313/6	HS.326401	fibroblast growth factor 12B	15.2
				ESTs, Weakly similar to Z195_HUMAN ZINC M-phase phosphoprotein homolog	52
30		AA976503	ns. 173310	gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens	46.8
50		AA346385	He 30002	SH3-containing protein SH3GLB2; KIAA1848	6.8
		AA402515		ESTs	28
		AA453518		ESTs	61.5
			Hs.161873		107.3
35		AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sap	31.1
		AW204530	Hs.99500	ESTs	81.8
	122838	AA460584	Hs.334386	ESTs	75.3 ·
	123753	AA609955	Hs.234961	Huntingtin interacting protein E	30.6
		Al267847		gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1
40		R65763	Hs.101477		23.9
		AI076343		ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8
		T79956	Hs.100588		135.3 53.9
•		N71826		small nuclear ribonucleoprotein polypept	20.9
45				WW Domain-Containing Gene melanoma-associated antigen recognised b	7.6
40		AW748482		B7 homolog 3	2.6
				KIAA0618 gene product	16.1
		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1
		AA321649		small inducible cytokine subfamily B (Cy	7.4
. 50			Hs.30026	HSPC182 protein	2.9
	131925	AF151048	Hs.183180	anaphase promoting complex subunit 11 (y	2.7
ι	132180	NM_00446	0Hs.418	fibroblast activation protein, alpha	14.7 ·
		AW572805		ESTs	28.3
			Hs.279905		17:1
55		AI439688	Hs.6289	hypothetical protein FLJ20886	4.4
		Al160873'	Hs.69233	zinc finger protéin	16.1 25.5
		AW103364		inhibin, beta A (activin A, activin AB a	1.2
		A1690916	Hs.178137		1.9
60		NM_00040		glucose-6-phosphate dehydrogenase collagen, type XI, alpha 1	72.9
ou		AW067903 AW411479		FK506-binding protein 4 (59kD)	2.8
		R50333	Hs.92186	Leman coiled-coil protein	2.6
			Hs.279529		14.9
			Hs.177507		2.9

#### TABLE 6A

Table 6A shows the accession numbers for those pkeys lacking unigeneID's for Table 6. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

•	$\sim$
•	
1	

5

Pkey: Uni

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

15

20

Pkey	CAT number	Accessions

124385 656394\_1 120695 9683\_3 Al267847 N27351 AA976503 Al917802 AA953664 AA404613 AA428771 BE280542 AW194691 Al927301 Al740458 Al796100 Al935603

AW052210 AA970201 Al633384 AA425910 Al017004 Al241295 AA402816 AA291468

122618 305217\_1 AA453641 AA454061

PCT/US02/02242

## TABLE 7: Figure 7 from BRCA 001-1 US

Table 7 shows genes upregulated in tumor tissue compared to normal breast tissue. Open reading frames in the sequences have been characterized as having a signal sequence (SS), a transmembrane domain (TM) or other.

10	Pkey: ExAccn: UnigeneID: Unigene Title:	Exen Unige Unige	nplar Accession ene number ene gene title	t identifier number number, Genbank accession number rmal breast tissue		
15	R1: ORF struct info:	Struc	ctural character	ization of open reading frame for the sequence of	of the gene	
	Pkey ExAco	en	UnigenelD	UnigeneTitle	R1	ORF struct info
•	100113 NM_0	01269	Hs.84746	chromosome condensation 1	2.3	TM
20	100114 X0230		Hs.82962	thymidylate synthetase	2.9	other
20	100131 D1248		Hs.11951	ectonucleotide pyrophosphatase/phosphodi	1.9	other
	100146 BE185		Hs.2471	KIAA0020 gene product	1.9	TM
	100147 D1366		Hs.136348	osteoblast specific factor 2 (fasciclin	7.6	other
	100154 H6072		Hs.81892	KIAA0101 gene product	9.2	other
25	100163 W446		Hs.124	gene predicted from cDNA with a complete	1.6	other
	100220 AW01		Hs.217493	annexin A2	2	other
	100265 D3852		Hs.112396	KIAA0077 protein	1.5	other
	100271 BE160		Hs.256290	S100 calcium-binding protein A11 (calgiz	13.5	other
	100275 BE24		Hs.154797	KIAA0090 protein	5.1	other
30	100323 D5092		Hs.23106	KIAA0130 gene product	1.9	TM
-	100335 AW24		Hs.6793	platelet-activating factor acetylhydrola	2.7	other
	100364 NM_0		Hs.154868	carbamoyl-phosphate synthetase 2, aspart	2	other
	100372 NM_0		Hs.184339	KIAA0175 gene product	2.6	other
	100393 D8414		Hs.39913	novel RGD-containing protein	3.2	other
35	100400 AW95		Hs.75790	phosphatidylinositol glycan, class C	1.5	other
-	100418 D869		Hs.84790	KIAA0225 protein	2	other
	100482 M650		Hs.81361	heterogeneous nuclear ribonucleoprotein	2.9	other
	100518 NM_0		Hs.74316	desmoplakin (DPI, DPII)	1.9	other
	100666 L0542		Hs.169610	CD44 antigen (homing function and Indian	5.7	other
40	100667 L0542	24	Hs.169610	CD44 antigen (homing function and Indian	9	?
	100668 L0543	24	Hs.169610	CD44 antigen (homing function and Indian	7.7	other
	100678 AW50	02935	Hs.740	PTK2 protein tyrosine kinase 2	53.2	other
	100783 AF07		Hs.191356	general transcription factor IIH, polype	. 6	other
	100892 BE24		Hs.180789	S164 protein	1.7	?
45	100945 AF00	2225	Hs.180686	ubiquitin protein ligase E3A (human papi	1.5	other
	100969 AA15		Hs.79172	solute carrier family 25 (mitochondrial	6.3	other
	100988 AK00	0405	Hs.76480	ubiquitin-like 4	11.4	?
	100999 H387		Hs.80706	diaphorase (NADH/NADPH) (cytochrome b-5		other
	101031 J050	70	Hs.151738	matrix metalloproteinase 9 (gelatinase B	8.4	other
50	101045 J056	14		gb:Human proliferating cell nuclear anti	,5	?
	101077 N996	92	Hs.75227	Empirically selected from AFFX single pr	2.6	other
	101093 L064		Hs.75093	procollagen-lysine, 2-oxoglutarate 5-dio	1.4	? .
	101186 AA02	20956	Hs.179881	core-binding factor, beta subunit	2	TM
	101216 AA28	34166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	1.8	other
55	101228 AA33	33387	Hs.82916	chaperonin containing TCP1, subunit 6A (	1.7	TM
	101247 AA13	32666	Hs.78802	glycogen synthase kinase 3 beta	1.9	other
	101249 L189	64	Hs.1904	protein kinase C, iota	1.5	other
	101332 J040	88	Hs.156346	topoisomerase (DNA) II alpha (170kD)	5.3	other
	101352 AI49	4299	Hs.16297	COX17 (yeast) homolog, cytochrome c oxid	4.2	other
60	101396 BE26	67931	Hs.78996	proliferating cell nuclear antigen	1.9	TM
	101445 M21	259		gb:Human Alu repeats in the region 5' to	1.6	TM
	101470 NM_	000546	Hs.1846	tumor protein p53 (Li-Fraumeni syndrome)	2.5	other
	101478 NM_	002890	Hs.758	RAS p21 protein activator (GTPase activa	5.5	other

	•				
•	101483 M24486	Hs.76768	procollagen-proline, 2-oxoglutarate 4-di	2.1	other
	101540 J04977	Hs.84981	X-ray repair complementing defective rep	1.6	other
	101573 AW248421	Hs.250758	proteasome (prosome, macropain) 26S subu	5.7	other
· _	101580 NM_012151	Hs.83363	coagulation factor VIII-associated (intr	1.8	other
5	101592 AF064853	Hs.91299	guanine nucleotide binding protein (G pr	5.6	?
	101621 BE391804	Hs.62661	guanylate binding protein 1, interferon-	2.4	other
	101702 AW504089	Hs.179574	protein phosphatase 2 (formerly 2A), reg	1.3 2.1	other ?
	101734 M74099	Hs.147049 Hs.184601	cut (Drosophila)-like 1 (CCAAT displacem	. 5	TM
10	101759 M80244 101767 M81057	Hs.180884	solute carrier family 7 (cationic amino carboxypeptidase B1 (tissue)	14.4	SS,
10	101782 AA306495	Hs.1869	phosphoglucomutase 1	5.2	other
	101805 AW409747	Hs.75612	stress-induced-phosphoprotein 1 (Hsp70/H	8.6	other
	101806 AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias	8.9	SS,TM
	101810 NM 000318	Hs.180612	peroxisomal membrane protein 3 (35kD, Ze	3.2	TM
15	101879 AA176374	Hs.243886	nuclear autoantigenic sperm protein (his	1.6	other
	101911 AA441787	Hs.119689	glycoprotein hormones, alpha polypeptide	31.3	?
	101920 AF182645	Hs.8024	IK cytokine, down-regulator of HLA II	1.8	other
	101973 U41514	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	2.4	other
	·102009 BE245149	Hs.82643	protein tyrosine kinase 9	1.3	other
20	102036 BE250127	Hs.82906	CDC20 (cell division cycle 20, S. cerevi	2	?
	102083 T35901	Hs.75117	interleukin enhancer binding factor 2, 4	1.6	other
	102107 BE258602	Hs.182366	heat shock protein 75	1.4	other
	102123 NM_001809	Hs.1594	centromere protein A (17kD)	1.8 4.6	other
25	102165 BE313280	Hs.159627	death associated protein 3	4.4	?
25	102198 AW950852 102217 AA829978	Hs.74598 Hs.301613	polymerase (DNA directed), delta 2, regu JTV1 gene	6.7	other
	102217 AA629976 102220 U24389	Hs.65436	lysosomai	4.4	TM
	102234 AW163390	Hs.278554	heterochromatin-like protein 1	1.9	TM
	102260 AL039104	Hs.159557	karyopherin alpha 2 (RAG cohort 1, impor	4.4	other
30	102302 AA306342	Hs.69171	protein kinase C-like 2	2.7	?
	102330 BE298063	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta	1.5	other
	102339 BE378432	Hs.95577	cyclin-dependent kinase 4	2.3	TM
	102348 U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	2	TM
	102349 AU077055	Hs.289107	baculoviral IAP repeat-containing 2	3.2	other
35	102369 U39840	Hs.299867	hepatocyte nuclear factor 3, alpha	2	other
	102374 U33635	Hs.90572	PTK7 protein tyrosine kinase 7	6.2 1.5	other
	102391 AA296874	Hs.77494	deoxyguanosine kinase	1.5 7	TM other
	102455 U48705	Hs.75562 Hs.81548	discoidin domain receptor family, member 2,4-dienoyl CoA reductase 1, mitochondri	1.8	SS,
40	102465 NM_001359 102488 U50939	Hs.61828	amyloid beta precursor protein-binding p	1.5	?
40	102489 AL080116	Hs.74420	origin recognition complex, subunit 3 (y	3.3	other
	102494 AI188137	Hs.75193	COP9 homolog	2.1	other
	102501 AF217197	Hs.74562	siah binding protein 1; FBP interacting	3.2	other
	102522 BE250944	Hs.183556	solute carrier family 1 (neutral amino a	2.8	?
45	102532 AF040253	Hs.70186	suppressor of Ty (S.cerevisiae) 5 homolo	5.7	? .
	102564 U59423	Hs.79067	MAD (mothers against decapentaplegic, Dr	2.3	other
	102568 W81489	Hs.223025	RAB31, member RAS oncogene family	5.3	other
	102580 U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatida	2.1	other
50	102581 AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2	. 1.6	?
50	102582 U61232	Hs.32675	tubulin-specific chaperone e	2.1	other
	102617 AW161453	Hs.198767	COP9 (constitutive photomorphogenic, Ara extracellular matrix protein 1	1.8 5.8	other other
	102618 AL037672	Hs.81071	zinc finger protein 184 (Kruppel-like)	1.3	other
	102627 AL021918 102663 NM_002270	Hs.158174 Hs.168075	karyopherin (importin) beta 2	1.8	TM:
55	102676 BE262989	Hs.12045	putative protein	2.3	other
95	102687 NM_007019	Hs.93002	ubiquitin carrier protein E2-C	4.4	.?
	102689 U96132	Hs.171280	hydroxyacyl-Coenzyme A dehydrogenase, ty	6	?
	102696 BE540274	Hs.239	forkhead box M1	4.2	other
	102704 AU077058	Hs.54089	BRCA1 associated RING domain 1	1.9	other
60	102705 T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.3	SS,TM
	102750 AB014460	Hs.66196	nth (E.coli endonuclease III)-fike 1	1.2	· TM
	102801 BE252241	Hs.38041	pyridoxal (pyridoxine, vitamin B6) kinas	6.5	other
	102812 U90549	Hs.236774	high-mobility group (nonhistone chromoso	1.6	other
	102827 BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b	5.6	TM
65	102844 AV653790	Hs.324275	WW domain-containing protein 1	1.3 4.4	TM other
	102868 X02419	Hs.77274	plasminogen activator, urokinase signal recognition particle 19kD	1.9	other
	102925 BE440142	Hs.2943	agnarie organium parade Tako	1.5	Julei

	102935 BE561850	Hs.80506	small nuclear ribonucleoprotein polypept	2.4	?
	102955 BE501050	Hs.154672	methylene tetrahydrofolate dehydrogenase	2.7	other
	102983 BE387202	Hs.118638	non-metastatic cells 1, protein (NM23A)	3.1	other
	102985 U95742	Hs.2707	G1 to S phase transition 1	5.2	?
5	103023 AW500470	Hs.117950	multifunctional polypeptide similar to S	1.6	other
,	103038 AA926960	Hs.334883	CDC28 protein kinase 1	2.5	TM
	103060 NM 005940	Hs.155324	matrix metalloproteinase 11 (MMP11; stro	4.5	other
	103080 AU077231	Hs.82932	cyclin D1 (PRAD1: parathyroid adenomatos	3.1	other
	103089 D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph	2.4	other
10	103177 BE244377	Hs.48876	famesyl-diphosphate famesyltransferase	3.5	other
	103178 AA205475	Hs.275865	ribosomal protein S18	9.9	. ?
	103179 NM_001777	Hs.82685	CD47 antigen (Rh-related antigen, integr	1.3	other
	103181 X69636	Hs.334731	Homo sapiens, clone IMAGE:3448306, mRNA,	2	other
	103185 NM_006825	Hs.74368	transmembrane protein (63kD), endoplasmi	1.6	other
15	103191 AA401039	Hs.2903	protein phosphatase 4 (formerly X), cata	2.5	other
	103193 NM_004766	Hs.75724	coatomer protein complex, subunit beta 2	2.2	TM
	103194 NM_004939	Hs.78580	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	6.3	TM
	103206 X72755	Hs.77367	monokine induced by gamma interferon	8.8	TM
20	103223 BE275607	Hs.1708	chaperonin containing TCP1, subunit 3 (g	3 1.8	other other
20	103232 X75962	Hs.129780	tumor necrosis factor receptor superfami death-associated protein	5.6	TM
	103238 Al369285	Hs.75189 Hs.9078	immature colon carcinoma transcript 1	1.9	?
	103297 NM_001545 103330 Al803447	Hs.77496	small nuclear ribonucleoprotein polypept	2.5	other
	103349 X89059	113.77430	gb:H.sapiens mRNA for unknown protein ex	1.6	other '
25	103376 AL036166	Hs.323378	coated vesicle membrane protein	1.8	other
	103391 X94453	Hs.114366	pyrroline-5-carboxylate synthetase (glut	2.3	other
	103392 X94563		gb:H.sapiens dbi/acbp gene exon 1 & 2.	· 4	TM
	103430 BE564090	Hs.20716	translocase of inner mitochondrial membr	1.3	other
	103491 AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	5.7	?
30	103505 AL031224	Hs.33102	transcription factor AP-2 beta (activati	5.1	other
	103547 Al376722	Hs.180062	P	9.7	?
	103588 NM_006218	Hs.85701	phosphoinositide-3-kinase, catalytic, al	2	other
	103613 NM_000346	Hs.2316	SRY (sex determining region Y)-box 9 (ca	1.3	?
25	103621 BE379766	Hs.150675	polymerase (RNA) II (DNA directed) polyp	2 2.3	other TM
35	103622 AA609685	Hs.278672	membrane component, chromosome 11, surfa	1.3	other
	103727 Al878883 103754 Al015709	Hs.296381 Hs.172089	growth factor receptor-bound protein 2 Homo sapiens mRNA; cDNA DKFZp586I2022 (f	1.3	other
	103780 AA094752	Hs.169992	hypothetical 43.2 Kd protein	7.6	?
	103795 H26531	Hs.7367	Homo sapiens BTB domain protein (BDPL) m	1.3	SS,TM
40	103797 AA080912	110 001	gb:zn04d03.r1 Stratagene hNT neuron (937	1.6	other
	103813 Al042582	Hs.181271	CGI-120 protein	1.6	other
	103855 W02363	Hs.302267	hypothetical protein FLJ10330	1.6	other
	103886 AK001278	Hs.105737	hypothetical protein FLJ10416 similar to	6.6	TM
	104052 NM_002407	Hs.97644	mammaglobin 2	2.9	other
45	104079 AA251242	Hs.103238	ESTs	1.4	other
	104174 AA478984	Hs.6451	PRO0659 protein	5.6	TM
	104227 AB002343	Hs.98938	protocadherin alpha 9	1.6	other
	104275 AI751970	Hs.101067	GCN5 (general control of amino-acid synt	5.4 6.4	other other
50	104325 BE379766	Hs.150675 Hs.21851	polymerase (RNA) II (DNA directed) polyp Homo sapiens cDNA FLJ12900 fis, clone NT	1.6	other
50	104370 AA324597 104423 R83113	Hs.1432	protein kinaše C substrate 80K-H	5.2	other
	104482 AB037762	Hs.44268	myelin gene expression factor 2	1.2	other
	104667 Al239923	Hs.30098	ESTs	1.4	other
	104757 Al694413	Hs.332649	olfactory receptor, family 2, subfamily	2.4	other
55	104804 Al858702	Hs.31803	ESTs, Weakly similar to N-WASP [H.sapien	1.4	other
	104806 AB023175	Hs.22982	KIAA0958 protein	2.4	other
	104827 AW052006	Hs.8551	PRP4/STK/WD splicing factor	10.9	other
	104846 Al250789	Hs.32478	ESTs	5.7	other
	104854 AA041276	Hs.154729	3-phosphoinositide dependent protein kin	12.3	?
60	104867 AA278898	Hs.225979	hypothetical protein similar to small G	2.1	other
	104871 T78044	Hs.28893	Homo sapiens mRNA; cDNA DKFZp564O2364 (f	1.4	other
	104896 AW015318	Hs.23165	ESTs	17.7 5.1	other
	104909 AW408164	Hs.249184	transcription factor 19 (SC1)	5.1	TM other
65	104916 AW958157	Hs.155489	NS1-associated protein 1 prolactin receptor	1.8 1.5	other
U.S	104919 AA026880 104930 AF043467	Hs.25252 Hs.32893	neurexophilin 2	2.3	other
	104973 NM_015310	Hs.6763	KIAA0942 protein	5.1	other
	10-010 1101_010010	1,5.07.00			

		Y12059	Hs.278675	bromodomain-containing 4	1.5	other
	-	AL136877	Hs.50758	SMC4 (structural maintenance of chromoso	2.4	other
		Al199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	7.3	other
_		AA937934	Hs.321062	ESTs	1.3	other
5		AI499930	Hs.334885	mitochondrial GTP binding protein	3.6	?
		BE379584	Hs.34789	dolichyl-diphosphooligosaccharide-protei	5.6	other other
		AF098158	Hs.9329	chromosome 20 open reading frame 1	3.4	other
		A1050715	Hs.2331	E2F transcription factor 5, p130-binding	2.2 2.2	other
10		AB037716	Hs.26204	KIAA1295 protein	3.9	?
10		BE242899	Hs.129951	speckle-type POZ protein CGI-147 protein	9.5	: TM
		AA151342	Hs.12677	Homo sapiens cDNA FLJ14388 fis, clone HE	5.7	other
		AA147884	Hs.9812		2.2	other
		H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2	other
15		Z78407 BE387350	Hs.27023 Hs.33122	vesicle transport-related protein KIAA1160 protein	1.6	other
13		AW975433	Hs.36288	ESTs	6.4	?
		AA045648	Hs.301957	nudix (nucleoside diphosphate linked moi	2.2	other
		AA164687	Hs.177576	mannosyl (alpha-1,3-)-glycoprotein beta-	2.8	other
		AW976357	Hs.234545	hypothetical protein NUF2R	2	other
20		BE245294	Hs.180789	S164 protein	1.7	other
20		AA191512	Hs.28005	Homo sapiens cDNA FLJ11309 fis, clone PL	4.9	SS,TM
		AA071276	Hs.19469	KIAA0859 protein	2	TM
		AA263143	Hs.24596	RAD51-interacting protein	2.9	?
		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	1.9	TM
25		AA700122	Hs.3355	sentrin-specific protease	8.2	?
		AW270037	Hs.179507	KIAA0779 protein	1.8	SS,
		NM_016015	Hs.8054	CGI-68 protein	8.4	other
		BE264645	Hs.282093	hypothetical protein FLJ21918	5.1	other
	105373	AW887701	Hs.32356	hypothetical protein FLJ20628	2.6	other
30	105374	BE242803	Hs.262823	hypothetical protein FLJ10326	2.2	TM
	105387	AW592146	Hs.108636	membrane protein CH1	2.3	SS,TM
	105393	AF167570	Hs.256583	interleukin enhancer binding factor 3, 9	5.5	SS,
	105399	BE386877	Hs.334811	Npw38-binding protein NpwBP	1.6	other
	105400	AF198620	Hs.65648	RNA binding motif protein 8A	1.6	other
35		AA252395		gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens	5.1	?.
		BE268348	Hs.226318	CCR4-NOT transcription complex, subunit	1.6	other
		AA113449	Hs.32471	hypothetical protein FLJ20364	1.3	other
		AB023179	Hs.9059	KIAA0962 protein	3.5	other
40		AA262640	Hs.27445	unknown	9.3	other
40		BE616694	Hs.288042	hypothetical protein FLJ14299	1.4	other
		AA579535	Hs.18490	hypothetical protein FLJ20452	10.9	TM TM
		AF054284	Hs.334826	splicing factor 3b, subunit 1, 155kD	2.9 1.7	? .
		AI808201	Hs.287863	hypothetical protein FLJ12475	1.4	other
45		AA280072 AK000892	Hs.99872	fetal Alzheimer antigen glucocorticoid modulatory element bindin	1.7	TM
40		AW302245	Hs.4069 Hs.181390	casein kinase 1, gamma 2	5.6	other
		AA985190	Hs.246875	hypothetical protein FLJ20059	9.4	other
		AW499988	Hs.27801	zinc finger protein 278	2	TM
		R26944	Hs.180777	Homo sapiens mRNA; cDNA DKFZp564M0264 (f	1.7	other
50		BE246502	Hs.9598	sema domain, immunoglobulin domain (lg),	2.7	other
50		AW151952	Hs.46679	hypothetical protein FLJ20739	1.5	?
		Al123118	Hs.15159	chemokine-like factor, alternatively spl	1.3	other
		AI267720	Hs.153221	synovial sarcoma, translocated to X chro	1.6	other
		AA741336	Hs.152108	transcriptional unit N143	2.2	other
55		AA478756	Hs.194477	E3 ubiquitin ligase SMURF2	1.3	other
	105856	AI262106	Hs.12653	ESTs	2.4	other
		AF151066	Hs.281428	hypothetical protein	2.9	other
	105875	AK001708	Hs.32271	hypothetical protein FLJ10846	1.4	. other
	105930	AF016371	Hs.9880	peptidyl prolyl isomerase H (cyclophilin	5.3	other
60	106000	AW194426	Hs.20726	ESTs	1.7	other
		AW081202	Hs.12284	Homo sapiens, clone IMAGE:2989556, mRNA,	2.8	other
		AA477956	Hs.26268	ESTs	1.4	other
		AL157441	Hs.17834	downstream neighbor of SON	1.4	other
~~		AA130158	Hs.19977	ESTs, Moderately similar to ALU8_HUMAN A	1.6	?
65		AA533491	Hs.23317	hypothetical protein FLJ14681	6.9	other
		AB006624	Hs.14912	KIAA0286 protein	1.6	other
	1062/1	AA251393	Hs.289052	Homo sapiens, Similar to RIKEN cDNA 5430	. 10.8	?

			1//14/1004	4.0	-11
	106288 AB037742	Hs.24336	KIAA1321 protein	1.3	other
	106300 Y10043	Hs.19114	high-mobility group (nonhistone chromoso	3.7	other
	106333 AL043114	Hs.22410	ESTs, Weakly similar to A54849 collagen	5.5	SS.
	106350 AK001404	Hs.194698	cyclin B2	5.8	other
5	106359 AW390282	Hs.31130	transmembrane 7 superfamily member 2	6.4	other
	106381 AB040916	Hs.24106	KIAA1483 protein	6.6	other
	106389 AW748420	Hs.6236	Homo sapiens cDNA: FLJ21487 fis, done C	2.2	TM
	106457 AF119256	Hs.27801	zinc finger protein 278	2.7	other
	106470 D63078	Hs.186180	Homo sapiens cDNA: FLJ23038 fis, clone L	2.3	other
10	106586 AA243837	Hs.57787	ESTs	1.6	other
	106589 AK000933	Hs.28661	Homo sapiens cDNA FLJ10071 fis, clone HE	2.4	?
	106610 AA458882	Hs.79732	fibulin 1	8 .	SS,
	106624 NM_003595	Hs.26350	tyrosylprotein sulfotransferase 2	7.8	other
	.106650 AL049951	Hs.22370	Homo sapiens mRNA; cDNA DKFZp564O0122 (f	1.8	other
15	106669 AV657117	Hs.184164	ESTs, Moderately similar to S65657 alpha	1.3	TM
	106713 BE614802	Hs.184352	hypothetical protein FLJ12549	4.6	other
	106717 AA600357	Hs.239489	TIA1 cytotoxic granule-associated RNA-bi	1.3	other
	106723 BE388094	Hs.21857	ESTs	1.6	SS,
	106795 AF174487	Hs.293753	Bcl-2-related ovarian killer protein-lik	5.7	other
20	106829 AW959893	Hs.27099	hypothetical protein FLJ23293 similar to	16.2	TM
20	106831 BE564871	Hs.29463	centrin, EF-hand protein, 3 (CDC31 yeast	1.5	other
	106846 AB037744	Hs.34892	KIAA1323 protein	2.2	other .
	106852 AF151031	Hs.300631	hypothetical protein	1.3	other
	106873 N49809	Hs.11197	Homo sapiens, clone IMAGE:3343149, mRNA,	16.8	other
25	106873 N49609 106886 W79171	Hs.9567	GL002 protein	1.5	TM
23		Hs.222024	transcription factor BMAL2	2.2	other
	106906 AA861271	Hs.296323	serum/glucocorticoid regulated kinase	3.4	other
	106920 AK001838		hypothetical protein DKFZp434L1435 simil	6.8	?
	106945 AK000511	Hs.6294		6.7	other
30	106973 BE156256	Hs.11923	hypothetical protein	6.1	SS,
30	106978 AW631480	Hs.8688	ESTs	1.3	other
	107004 AA146872	Hs.300700	hypothetical protein FLJ20727		
	107029 AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	1.8	other
	107071 AW385224	. Hs.35198	ectonucleotide pyrophosphatase/phosphodi	1.7	other
25	107113 AK000733	Hs.23900	GTPase activating protein	2.5	other
35	107125 AK000512	Hs.69388	hypothetical protein FLJ20505	1.7	other
	107136 AV661958	Hs.8207	GK001 protein	4.7	other
	107146 AK001455	Hs.5198	Down syndrome critical region gene 2	2	other
	107151 AW378065	Hs.8687	ESTs	6.4	TM
4.0	107155 AW391927	Hs.7946	KIAA1288 protein	33.5	other
40	107174 BE122762	Hs.25338	ESTs	5.2	?.
	107197 W15477	Hs.64639	glioma pathogenesis-related protein	6.1	other
	107221 AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (	17.4	other
	107243 BE219716	Hs.34727	ESTs, Moderately similar to 138759 zinc	7.4	?
	107248 AW263124	Hs.315111	nuclear receptor co-repressor/HDAC3 comp	1.8	other
45	107263 D60341	Hs.21198	translocase of outer mitochondrial membr	6.7	other
	107265 BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	2.5	other
	107299 BE277457	Hs.30661	hypothetical protein MGC4606	3.2	TM
	107316 T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp586l0324 (f	2	TM
	107354 NM_006299	Hs.96448	zinc finger protein 193	5	?
50	107392 AW299900	Hs.267632	TATA element modulatory factor 1	1.2	other
	107481 AA307703	Hs.279766	kinesin family member 4A	1.6	other
	107529 BE515065	Hs.296585	nucleolar protein (KKE/D repeat)	3	TM
	107554 AA001386	Hs.59844	ESTs	1.4	other
	107681 BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	2.3	SS,TM
55	107772 AA018587	Hs.303055	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.2	?
	107859 AW732573	Hs.47584	potassium voltage-gated channel, delayed	8.4	TM
	107901 L42612	Hs.335952	keratin 6B	2.5	other
	107922 BE153855	Hs.61460	lg superfamily receptor LNIR	2.3	other
	107974 AW956103	Hs.61712	pyruvate dehydrogenase kinase, isoenzyme	6.8	other
60	108040 AL121031	Hs.159971	SWI/SNF related, matrix associated, acti	1.6	other
-	108230 AA054224	Hs.59847	ESTs	1.3	other
	108274 AF129535	Hs.272027	F-box only protein 5	7.2	?
	108296 N31256	Hs.161623	ESTs	2.6	other
	108496 AA083069	Hs.339659	ESTs	3.6	other
65	108607 BE300380	Hs.69476	Homo sapiens cDNA FLJ12758 fis, done NT	3.5	other
	108621 AA101809	Hs.182685	ESTs	1.7	other
	108634 AW022410	Hs.69507	ESTs	1.8	SS,TM
	•		•		

			•			
	108647	BE546947	Hs.44276	homeo box C10	9.8	other
	108695	AB029000	Hs.70823	KIAA1077 protein	7.3	other
	108740	AI089575	Hs.9071	progesterone membrane binding protein	2.8	?
	108828	AK001693	Hs.273344	DKFZP564O0463 protein	1.9	other
5	108859	AL121500	Hs.178904	ESTs	1.6	TM
	108872	H06720	Hs.111680	endosulfine alpha	2.2	other
	108891	AI801235	Hs.48480	ESTs	5.4	other
	108894	AK001431	Hs.5105	hypothetical protein FLJ10569	4.1	TM
	108955	AA149754	Hs.195155	Homo sapiens amino acid transport system	5.7	?
10		AA151708	Hs.171980	homeo box (expressed in ES cells) 1	1.7	other
		AA152178	Hs.23467	hypothetical protein FLJ10633	6.3	other
		AB028987	Hs.72134	KIAA1064 protein	1.7	other
		AA156542	Hs.72127	ESTs	1.5	other
		AA157811	110.72121	gb:zo35d07.s1 Stratagene colon (937204)	5.4	other
15		AA164293	Hs.72545	ESTs	3.4	other
10		AW608930	Hs.52184	hypothetical protein FLJ20618	1.6	SS,
		AW419196	Hs.257924	hypothetical protein FLJ13782	3.3	TM
		AK000684	Hs.183887	hypothetical protein FLJ22104	1.7	other
		AJ132592	Hs.59757		2.7	
20		AA219691	Hs.73625	zinc finger protein 281		other
20		BE566742		RAB6 interacting, kinesin-like (rabkines	3 .	TM
			Hs.58169	highly expressed in cancer, rich in leuc	2.1	other
		NM_016603	Hs.82035	potential nuclear protein C5ORF5; GAP-li	5.4	other
		AW958181	Hs.189998	ESTs	5.8	other
25		AU077281	Hs.170285	nucleoporin 214kD (CAIN)	5.3	other
23		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	1.4	other
-		AA375752	Hs.82719	Homo sapiens mRNA; cDNA DKFZp586F1822 (f	3	other
		AF153201	Hs.86276	C2H2 (Kruppel-type) zinc finger protein	1.3	other
		AA213506	Hs.115099	EST	3	?
20		AL096858	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	1.5	other
30		H83603	Hs.40408	homeo box C9	2.2	SS,
		N30531	Hs.42215	protein phosphatase 1, regulatory subuni	3.1	TM
		Al160029	Hs.61438	ESTs	2	?
		AA232103	Hs.189915	ESTs ·	1.8	other
25		AB032969	Hs.173042	KIAA1143 protein	3.8	other
35		NM_015310	Hs.6763	KIAA0942 protein	3.3	other
		AW074143	Hs.87134	ESTs	2	TM
		L40027	Hs.118890	glycogen synthase kinase 3 alpha	2.1	other
		F02614	Hs.27319	ESTs	1.4	other
4.0	109825	R71264	Hs.16798	ESTs	1.3	other
40		H11938	Hs.21907	histone acetyltransferase	2	other
	110056	AA503041	Hs.279009	matrix Gla protein	2.5	other
	110085	AA603840	Hs.29956	KIAA0460 protein	1.7	other
	110110	T07353	Hs.7948	ESTs	2.9 .	other
	110129	R51853	Hs.226429	ESTs, Weakly similar to ALU1_HUMAN ALU S	1.7	. SS,
45	110154	NM_014521	Hs.17667	SH3-domain binding protein 4	4.3	other
*	110240	A1668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.3	?
,	110242	N41744	Hs.19978	CGI-30 protein	1.3	other
	110259	H28428	Hs.32406	ESTs, Weakly similar to 138022 hypotheti	2.2	other
	110312	BE256986	Hs.11896	hypothetical protein FLJ12089	2.1	other
50	110501	H55748		gb:yq94a01.s1 Soares fetal liver spleen	6.1	? .
	110504	H55915	Hs:210859	hypothetical protein FLJ11016	6.1	TM
	110525	H57330	Hs.37430	EST	6.4	other
	110568	AK001160	Hs.5999	hypothetical protein FLJ10298	1.3	?
	110699	T97586	Hs.18090	ESTs	1.8	other
55		AB007902	Hs.32168	KIAA0442 protein	1.6	TM
		AW190338	Hs.28029	hypothetical protein MGC11256	7.8	other
		AL138077	Hs.16157	hypothetical protein FLJ12707.	2.5	other
		BE044245	Hs.30011	hypothetical protein MGC2963	9.3	?
		AK000322	Hs.18457	hypothetical protein FLJ20315	5.5	SS,
60		BE000831	Hs.23837	Homo sapiens cDNA FLJ11812 fis, clone HE	2.1	TM
		Al089660	Hs.323401	dpy-30-like protein	1.5	TM
		T25829	Hs.24048	FK506 binding protein precursor	6.7	TM
		AA767373	Hs.35669	ESTs, Moderately similar to ALU1_HUMAN A	5.7	other
		R33261	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	3.4	other
65		N31598	Hs.12727	hypothetical protein FLJ21610	1.7	TM
-		AI740792	Hs.167531	methylcrotonoyl-Coenzyme A carboxylase 2	1.7	other
		BE612992	Hs.27931	hypothetical protein FLJ10607 similar to	4.7	other
				**		

			A 107 00 of Constant's AULT Home one	2.2	athor
	110856 AA992380	11 40004	gb:ot37g06.s1 Soares_testis_NHT Homo sap	2.3	other ?
	110885 BE384447	Hs.16034	hypothetical protein MGC13186	3.5 2.2	3,
	110897 AL117430	Hs.6880	DKFZP434D156 protein	2.6	SS.
_	110915 BE092285	Hs.29724	hypothetical protein FLJ13187	1.9	TM
5	110918 H04360	Hs.24283	ESTs, Moderately similar to reduced expr	6.7	other
	110958 NM_005864	Hs.24587	signal transduction protein (SH3 contain	2	other
	110963 AK002180	Hs.11449	DKFZP564O123 protein	1.3	other
	110981 AK001980	Hs.24284	ADP-ribosyltransferase (NAD+; poly(ADP-r	1.8	?
10	110984 AW613287	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.7	other
10	111125 N63823	Hs.269115	ESTs, Moderately similar to Z195_HUMAN Z	2.1	TM
	111132 AB037807	Hs.83293	hypothetical protein	2.3	other
	111164 N46180	Hs.122489	Homo sapiens cDNA FLJ13289 fis, clone OV	3.7	other
	111172 R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	7.5	other
1 5	111174 AL050166	Hs.26295	Homo sapiens mRNA; cDNA DKFZp586D1122 (f	7.5 7.1	other
15	111179 AK000136	Hs.10760	asporin (LRR class 1)	6.8	other
	111184 Al815486	Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	3.6	SS,
	111189 N67603	Hs.272130	ESTs, Weakly similar to S65824 reverse t	1.5	other
	111216 AW139408	Hs.152940	ESTS	2.6	other
20	111221 AB037782	Hs.15119	KIAA1361 protein	4.7	other
20	111223 AA852773	Hs.334838	KIAA1866 protein	7.9	?
	111239 N90956	Hs.17230	hypothetical protein FLJ22087	7.5 7	: other
	111285 AA778711	Hs.4310	eukaryotic translation initiation factor	5	other
	111299 AB033091	Hs.74313	KIAA1265 protein	3.8	other
25	111312 Al523913	Hs.34504	ESTs	1.2	TM
25	111318 T99755	Hs.334728	ESTS	5.1	other
	111337 AA837396	Hs.263925	LIS1-interacting protein NUDE1, rat homo	2.2	other
	111352 H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.8	?
	111370 Al478658	Hs.94631	brefeldin A-inhibited guanine nucleotide	2.2	other
20	111384 N94606	Hs.288969	HSCARG protein oxidation resistance 1	2.1	other
30	111389 AK000987	Hs.169111		2.7	TM
	111452 R02354	Hs.15999	ESTs EST	6.6	other
	111486 Al051194	Hs.227978	ESTs, Moderately similar to ZRF1_HUMAN Z	1.4	other
	111549 W90638	Hs.20321	• -	1.6	?
25	111585 R10720	Hs.20670	EST ESTs	1.6	: other
35	111627 R52656	Hs.21691	Homo sapiens mRNA for KIAA1413 protein,	2.4	other
	111870 AB037834	Hs.18685	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	10.6	other
	111937 BE298665	Hs.14846	suppressor of potassium transport defect	6.6	TM
	111944 AW083791	Hs.21263 Hs.6763	KIAA0942 protein	5.1	other
40	111987 NM_015310 112134 R41823	Hs.7413	ESTs; calsyntenin-2	2.8	other
40	112134 R41023 112244 AB029000	Hs.70823	KIAA1077 protein	14.6	other
	112388 R46071	Hs.301693	Homo sapiens, clone IMAGE:3638994, mRNA,	9	other
	112456 NM_016248	Hs.232076	A kinase (PRKA) anchor protein 11	1.4	other
	112464 AW007287	Hs.28538	Homo sapiens cDNA: FLJ21086 fis, clone C	1,4	TM
45	112506 AI742756	Hs.26079	ESTs	3.2	other
40	112513 R68425	Hs.13809	hypothetical protein FLJ10648	2	TM
	112752 AK001635	Hs.14838	hypothetical protein FLJ10773	1.8	other
	112884 AK000004	Hs.5013	Homo sapiens mRNA for FLJ00004 protein,	6.6	other
	112923 T10258	Hs.5037	EST	1.5	?
50	112936 AW970826	Hs.6185	KIAA1557 protein	3.2	other
50	112958 R61388	Hs.6724	ESTs	6.1	other
	112966 Z44718	Hs.102548	glucocorticoid receptor DNA binding fact	6.5	other
	112978 AK000272	Hs.7099	hypothetical protein FLJ20265	1.2	other
	112995 AA737033	Hs.7155	ESTs, Moderately similar to 2115357A TYK	5.6	other
55	112996 BE276112	Hs.7165 -	zinc finger protein 259	2	other
33	113047 Al571940	Hs.7549	ESTs	1.9	other
	113049 AW965190	Hs.7560	Homo sapiens mRNA for KIAA1729 protein,	2.4	TM
	113089 T40707	Hs.270862	ESTs	1.3	SS,
	113196 T57317	110.27 5552	gb:yb51a03.s1 Stratagene fetal spleen (9	1.7	other
60	113248 T63857		gb:yc16e01.s1 Stratagene lung (937210) H	2.8	other
00	113254 AK002180	Hs.11449	DKFZP564O123 protein	1.3	other
	113277 AW971049	Hs.11774	protein (peptidyl-prolyl cis/trans isome	3.2	other
	113429 AA688021	Hs.179808	ESTs	1.2	other
	113499 Al467908	Hs.8882	ESTs	6	other
65	113547 H59588	Hs.15233	ESTs	2	SS,
03	113647 AA813887	Hs.188173	Homo sapiens cDNA FLJ12187 fis, clone MA	1.3	SS,
	113702 T97307		gb:ye53h05.s1 Soares fetal liver spleen	4.4	other
	.,0.02 .0.00.		• •		

		•		•			
	113759	AW499665	Hs.9456	SWI/SNF related, matrix associated, acti	1.2	other	
•		BE266947	Hs.10590	zinc finger protein 313	13.4	other	•
		AL359588	Hs.7041	hypothetical protein DKFZp762B226	1.7	other	
		AI269096	Hs.135578	chitobiase, di-N-acetyl-	1.3	other	
5		W44735	Hs.9286	Homo sapiens cDNA: FLJ21278 fis, clone C	3.3	other	
,		BE207480	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, clone H	3.1	other	
		H13325	Hs.332795	hypothetical protein DKFZp761O17121	3.2	other	
		AW378212	Hs.24809	hypothetical protein FLJ10826	2.3	?	
10		T26483	Hs.6059	EGF-containing fibulin-like extracellula	11.3	TM	
10		W57902	Hs.90744	proteasome (prosome, macropain) 26S subu	2.7	other	
	113870.	AL079314	Hs.16537	hypothetical protein, similar to (U06944	6.1	other	
	113885,	AW959486	Hs.21732	ESTs	6.6	other	
	113923	: AW953484	Hs.3849	hypothetical protein FLJ22041 similar to	1.9	?	
	113989	W87544	Hs.268828	ESTs	1.2	other	
15	114022	AI539519	Hs.120969	Homo sapiens cDNA FLJ11562 fis, clone HE	5.4	other	
		AI825386	Hs.164478	hypothetical protein FLJ21939 similar to	9.4	other	
		AB029551	Hs.7910	RING1 and YY1 binding protein	1.8	other	
		AF017445	Hs.150926	fucose-1-phosphate guanylyltransferase	1.5	other	
•		AB028968	Hs.7989	KIAA1045 protein	1.8	other	•
20		BE149866	Hs.14831	Homo sapiens, Similar to zinc finger pro	2.3	other	
20					1.4	TM	
		AL117518	Hs.3686	KIAA0978 protein			-41
		AW515443.co		Hs.306117		06 protein 15.8	other
		AI815395	Hs.184641	fatty acid desaturase 2	1.9	TM	
25		AA332453	Hs.20824	CGI-85 protein	2.4	other	
25 -		AA249590	Hs.100748	ESTs, Weakly similar to A28996 proline-r	1.9	other	
	114407	BE539976	Hs.103305	Homo sapiens mRNA; cDNA DKFZp434B0425 (f	1.3	TM	
	114455	H37908	Hs.271616	ESTs, Weakly similar to ALU8_HUMAN ALU S	5.6	other	
•	114463	AL120247	Hs.40109	KIAA0872 protein	5.3	TM	
	114464	AI091713	Hs.106597	Homo sapiens, Similar to RIKEN cDNA 1110	1.3	other	
30	114471	AA028074	Hs.104613	RP42 homolog	1.9	?	
	114480	BE066778	Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:polyp	13.4	other	
		AA766268	Hs.266273	hypothetical protein FLJ13346	2	other	
		AA476966	Hs.110857	polymerase (RNA) III (DNA directed) poly	3.6	other	•
		Al373544	Hs.331328	intermediate filament protein syncoilin	3.9	other	
35		Al859865	Hs.154443	minichromosome maintenance deficient (S.	1.7	other	
33		AV656017	Hs.184325	CGI-76 protein	3.2	other	
					3.6	other	
		AA159181	Hs.54900	serologically defined colon cancer antig			
•		AL157545	Hs.42179	bromodomain and PHD finger containing, 3	4.4	other	
40		AA236177	Hs.76591	KIAA0887 protein	7.2	other	
40		BE539101	Hs.5324	hypothetical protein	1.3	other	
		AA236672		gb:zt29f02.s1 Soares ovary tumor NbHOT H	1.5	other	
		AA237022	Hs.188717	ESTs	2	SS,	
	114938	AA242834	Hs.58384	ESTs	2.9	other	
	114965	AI733881	Hs.72472	BMP-R1B	2.3	. ?	
45	115023	AF102546	Hs.63931	dachshund (Drosophila) homolog	1.3	other	
	115038	AA252360	Hs.87968	toll-like receptor 9	1.6	other	•
	115061	Al751438	Hs.41271	Homo sapiens mRNA full length insert cDN	11.8	other	
		Al670847	Hs.5324	hypothetical protein	1.5	other	
		AW183695	Hs.186572	ESTs	2.5	other	
<b>5</b> 0 -		AW365434	Hs.79741	hypothetical protein FLJ10116	1.5	other	
-		BE251328	Hs.73291	hypothetical protein FLJ10881	1.3	TM	
		Al368236	Hs.283732	ESTs, Moderately similar to ALU1_HUMAN A	1.4	other	
		AK002163	Hs.301724		1.5	other	
				hypothetical protein FLJ11301	2.4	other	
55		AW972872	Hs.293736	ESTs			
55		BE545072	Hs.122579	hypothetical protein FLJ10461	6.3	SS,	
		AI215069	Hs.89113	ESTs	6.7	?	
		AA314349	Hs.48499	tumor antigen SLP-8p	7.5	?	
		AK001376	Hs.59346	hypothetical protein FLJ10514	1.4	TM	
		AW301608	Hs.278188	ESTs, Moderately similar to 154374 gene	4.1	TM	
60	115496	AW247593	Hs.71819	eukaryotic translation initiation factor	16.3	other	
	115500	Y14443	Hs.88219	zinc finger protein 200	5	other	
		AJ275986	Hs.71414	transcription factor (SMIF gene)	2.5	other	
		A1540842	Hs.61082	ESTs	6.2	other	
		BE081342	Hs.283037	HSPC039 protein	2.9	other	
65		AA399477	Hs.67896	7-60 protein	5.3	TM	
		N36110	Hs.305971	solute carrier family 2 (facilitated glu	4.8	?	
		BE093589	Hs.38178	hypothetical protein FLJ23468	10.6	other	
	1 10002	2500000	. 13.00 170	nyposioda protein i cuzotoo		00101	

				40.7	
	115655 AL048269	Hs.288544	Homo sapiens, clone MGC:16063, mRNA, com	12.7	TM
	115663 Al138785	Hs.40507	ESTs	2	other
	115676 AA953006	Hs.88143	ESTs	3.1	other
_	115690 AA625132	Hs.44159	hypothetical protein FLJ21615	1.7	TM
5	115693 AF231023	Hs.55173	cadherin, EGF LAG seven-pass G-type rece	6.9	other
	115715 BE395161	Hs.1390	proteasome (prosome, macropain) subunit,	1.7 2.7	other TM
	115734 AI950339	Hs.40782	ESTS	2.7	other
	115811 NM_015434	Hs.48604	DKFZP434B168 protein	2.1	other
10	115823 Al732742	Hs.87440	ESTs ESTs	1.3	other
10	115837 AI675217 115844 AI373062	Hs.42761 Hs.332938	hypothetical protein MGC5370	4.4	other
•	115866 AW062629	Hs.52081	KIAA0867 protein	7.3	other
	115875 N55669	Hs.333823	mitochondrial ribosomal protein L13	1.2	other
	115941 Al867451	Hs.46679	hypothetical protein FLJ20739	5.5	other
15	115968 AB037753	Hs.62767	KIAA1332 protein	9.8	other
IJ	116003 BE275469	Hs.66493	Down syndrome critical region gene 5	1.4	other
	116011 AL359053	Hs.57664	Homo sapiens mRNA full length insert cDN	2.4	other
	116108 AA770688	Hs.28777	H2A histone family, member L	1.8	other
	116134 BE243834	Hs.50441	CGI-04 protein	1.4	other
20	116189 N35719	Hs.44749	ESTs, Moderately similar to T00358 hypot	1.2	other
20	116195 AW821113	Hs.72402	ESTs	2.1	other
	116238 AV660717	Hs.47144	DKFZP586N0819 protein	1.7	other
	116246 AF265555	Hs.250646	baculoviral IAP repeat-containing 6	1.7	other
	116262 Al936442	Hs.59838	hypothetical protein FLJ10808	1.8	· ?
25	116298 - AI955411	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	1.9	other
	116318 AF097645	Hs.58570	deleted in cancer 1; RNA helicase HDB/DI	5	SS,
	116325 Al472106	Hs.49303	Homo sapiens cDNA FLJ11663 fis, clone HE	1.4	SS,
	116336 AL133033	Hs.4084	KIAA1025 protein	1.9	?
	116339 AK000290	Hs.44033	dipeptidyl peptidase 8	1.5	other
30	116350 AA497129	Hs.184771	nuclear factor I/C (CCAAT-binding transc	1.9	?
	116358 Al149586	Hs.38125	interferon-induced protein 75, 52kD	1.9	?
	116365 N50174	Hs.46765	ESTs	6.1	other
	116368 N90466	Hs.71109	KIAA1229 protein	1.6	?
~ ~	116417 AW499664	Hs.12484	Human clone 23826 mRNA sequence	7.4	other
35	116436 AA161411	Hs.58668	chromosome 21 open reading frame 57	2.1	other
	116462 AF218313	Hs.236828	putative helicase RUVBL	1.5	TM
	116470 Al272141	Hs.83484	SRY (sex determining region Y)-box 4	2.1	TM other
	116575 AA312572	Hs.6241	phosphoinositide-3-kinase, regulatory su	1.5 2.7	other
40	116637 AK001043	Hs.92033	integrin-linked kinase-associated serine	2.7	other
40	116640 X89984	Hs.211563 Hs.317589	B-cell CLL/lymphoma 7A hypothetical protein MGC10765	1.4	other
	116700 Al800202 116705 AW074819	Hs.12313	hypothetical protein FLJ14566	3.4	other
	116732 AW152225	Hs.165909	ESTs, Weakly similar to I38022 hypotheti	2.9	other
	116926 H73608	Hs.290830	ESTs	1.7	TM
45	117034 U72209	Hs.180324	YY1-associated factor 2	3.4	TM
73	117132 Al393666	Hs.42315	p10-binding protein	5.2	?
	117247 N21032	110.12010	qb:yx46f06.s1 Soares melanocyte 2NbHM Ho	5.5	TM
	117276 N71183	Hs.121806	Homo sapiens cDNA FLJ11971 fis, clone HE	1.5	TM
	117284 AK001701	Hs.183779	Homo sapiens cDNA FLJ10590 fis, clone NT	2	other
50	117367 AI041793	Hs.42502	ESTs	2	other
	117368 Al878942	· Hs.90336	ATPase, H+ transporting, lysosomal (vacu	2.1	?
	117382 AF150275	Hs.40173	ESTs	2.7	TM
	117412 N32536	Hs.42645	solute carrier family 16 (monocarboxylic	1.4	other
	117557 AF123050	Hs.44532	diubiquitin	3.4	TM
55	117588 N34895	Hs.44648	ESTs <sup>-</sup>	3.4	?
	117745 BE294925	Hs.46680	. CGI-12 protein	3	SS,
	117754 AA121673	Hs.59757	zinc finger protein 281	1.9	other
•	117879 N54706	Hs.303025	chromosome 11 open reading frame 24	1.8.	other
	117904 BE540675	Hs.332938	hypothetical protein MGC5370	6	. ?
60	117911 AL137379	Hs.47125	hypothetical protein FLJ13912	. 1.7	other
	117933 Y10518	Hs.116470	hypothetical protein FLJ20048	1.7	other
	117983 AL110246	Hs.47367	KIAA1785 protein	5.4 5.2	other
	118078 N54321	Hs.47790	EST	2.6	other other
65	118301 AA453902	Hs.293264	ESTs	2.5	TM
65	118429 AA243332	Hs.74649	cytochrome c oxidase subunit VIc bromodomain and PHD finger containing, 3	4.1	other
	118472 AL157545 118488 AJ277275	Hs.42179 Hs.50102	rapa-2 (rapa gene)	1.2	. other
	110400 MZ11Z13	113.30102	rapa-z (rapa gene)		. 30101

	118509 N22617	Hs.43228	Homo sapiens cDNA FLJ11835 fis, clone HE	1.5	other
	118528 Al949952	Hs.49397	ESTs	7.4	?
	118656 AI458020	Hs.293287	ESTs	2.5	other
	118670 AA332845	Hs.152618	ESTs, Moderately similar to ZN91_HUMAN Z	1.2	TM
5	118698 AB033113	Hs.50187	KIAA1287 protein	2.1	TM
	118737 AA199686		gb:zq75g09.r1 Stratagene hNT neuron (937	5.2	other
	118925 N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A	1.4	other
	118984 Al668709	Hs.240722	ESTs, Moderately similar to ALU8_HUMAN A	3.6	other
10	118986 AF148713	Hs.125830	bladder cancer overexpressed protein	4.9	? ·
10	119206 W24781	Hs.293798	KIAA1710 protein	1.7 2.2	TM other
	119235 AW453069	Hs.3657	activity-dependent neuroprotective prote	1.4	?
	119265 BE539706	Hs.285363	ESTs EST	25.1	other
	119279 N57568	Hs.48028 Hs.155478	cyclin T2	1.6	?
15	119298 NM_001241 119338 AI417240	Hs.320836	ESTs, Weakly similar to A47582 B-cell gr	1.3	other
13	119403 AL117554	Hs.119908	nucleolar protein NOP5/NOP58	6.7	TM
	119478 · Al624342	Hs.170042	ESTs	2.4	other
	119486 AI796730	. Hs.55513	ESTs	2.1	other
	119513 W37933	. 1.0.00010	Empirically selected from AFFX single pr	1.9	other
20	119601 AK000155	Hs.91684	Homo sapiens mRNA; cDNA DKFZp667I103 (fr	3.7	TM
	119602 AW675298	Hs.233694	hypothetical protein FLJ11350	3	other
	119676 AA243837	Hs.57787	ESTs	1.4	other
	119682 W61019	Hs.57811	ESTs	1.2	? .
•	119774 AB032977	Hs.6298	KIAA1151 protein	1.8	TM
25	119780 NM_016625	Hs.191381	hypothetical protein	3.1	other
	119789 BE393948	Hs.50915	kallikrein 5 (KLK5; KLK-L2; stratum com	9.2	other
•	119805 AJ223810	Hs.43213	ESTs. Weakly similar to IEFS_HUMAN TRANS	3.6	TM
	119818 AA130970	Hs.58382	hypothetical protein FLJ11101	2.5	?
20	119863 AA081218	Hs.58608	Homo sapiens cDNA FLJ14206 fis, clone NT	2.7	TM other
30	119905 AW449064	Hs.119571	collagen, type III, alpha 1 (Ehlers-Dani	2.6 2.7	other
	119966 AA703129	Hs.58963	ESTs	1.2	other
•	120132 W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA Homo sapiens done PP1498 unknown mRNA	45.7	other
	120206 H26735 120248 Al924294	Hs.91668 Hs.173259	uncharacterized bone marrow protein BM03	1.2	other
35	120248 AI924294 120269 AW131940	Hs.104030	ESTs	9.6	other
55	120203 AV101040	113.104000	gb:nc02a02.s1 NCI_CGAP_Pr3 Homo sapiens	4.7	other
	120280 AA190577		gb:zp52g02.s1 Stratagene HeLa cell s3 93	2.1	other
	120296 AW995911	Hs.299883	hypothetical protein FLJ23399	1.9	TM
	120297 AA191384	Hs.104072	ESTs, Weakly similar to Z195_HUMAN ZINC	15.2	other
40	120324 AA195517	Hs.191643	ESTs	5.6	?
	120325 AA195651	Hs.104106	ESTs	6.5	other
	120327 AK000292	Hs.278732	hypothetical protein FLJ20285	16.1	other
	120336 N85785	Hs.181165	eukaryotic translation elongation factor	3	other
	120342 AW450669	Hs.45068	hypothetical protein DKFZp434I143	5.8	other
45	120345 AA210722	Hs.104158	ESTs	4.6	SS,TM
	120349 AW969481	Hs.55189	hypothetical protein	16.8 5.1	other other
	120352 R06859	Hs.193172	ESTs, Weakly similar to 138022 hypotheti	28.1	TM
	120356 AF000545	Hs.296433	putative purinergic receptor	12.4	?
50	120371 AA219305 120382 AA228026	Hs.104196 Hs.38774	EST ESTs	4.1	TM
50	120382 AA228020 120383 AL109963	Hs.123122	FSH primary response (LRPR1, rat) homolo	9.7	TM
	120386 AW969665	Hs.154848	hypothetical protein DKFZp434D0127	32.6	other
	120388 AA232874	Hs.104245	ESTs	3.2	other
	120389 AW967985	Hs.325572	ESTs, Moderately similar to ALU7_HUMAN A	21.7	other
55	120396 AA134006	Hs.79306	eukaryotic translation initiation factor	12.5	other
	120404 AB023230	Hs.96427	KIAA1013 protein	7.3	other
	120418 AW966893	Hs.26613	Homo sapiens mRNA; cDNA DKFZp586F1323 (f	11.4	other
	120423 AA236453	Hs.18978	Homo sapiens cDNA: FLJ22822 fis, clone K	1.9	other
	120472 AI950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapien	19.4	other
60	120473 AA251973	Hs.269988	ESTS	5.5	? ?
	120484 AA253170	Hs.96473	EST	10.4	?
	120504 AA256837	U= 00545	gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapi	4 9.4	other
	120509 BE047718	Hs.96545	ESTs EST	9.4 2.4	other
65	120520 AA258601 120535 BE350244	Hs.161731 Hs.96547	ESTS	2.5	?
05	120555 BE350244 120551 AA279160	Hs.111407	Homo sapiens, done IMAGE:3613029, mRNA,	5.3	other
	120570 AA280679	Hs.271445	ESTs, Weakly similar to ALU1_HUMAN ALU S	14.4	?
	,		•		

	120582 BE2448	330 Hs.284228	ZNF135-like protein	10.2	?
•	120590 AW372	799 Hs.125790	leucine-rich repeat-containing 2	2.2	?
	120596 AA2820		N-acetylglucosamine-phosphate mutase	7.6	other
	120619 AW965		ESTs	2.5	other
5					
5	120624 AW4079		M-phase phosphoprotein homolog	52	other
	120639 AA2869		gb:zs56f05.s1 NCI_CGAP_GCB1 Homo sapiens	2.4	other
	120648 AA2870	)95 Hs.140309	Homo sapiens, clone IMAGE:3677194, mRNA,	5	other
	120653 AW063	659 Hs.191649	ESTs	2.2	other
	120668 AW969	638 Hs.112318	6.2 kd protein	2.2	TM
10	120669 BE5367	739 Hs.109909	ESTs	1.9	TM
	120695 AA9765		gb:og30a04.s1 NCI_CGAP_GC4 Homo sapiens	46.8	TM
•	120696 AI8215		ESTs	2.5	other
	120713 AW449				
•			Homo sapiens cDNA FLJ12727 fis, clone NT	6	other
1.5	120718 AA2927		ESTs	2.9	other
15	120750 Al1914		ESTs, Moderately similar to 2109260A B c	7.1	SS.
	120774 Al6089	09 Hs.193985	ESTs	7.9	other
	120807 AA3463	385 Hs.30002	SH3-containing protein SH3GLB2; KIAA1848	7	MT
•	120809 AA3464	195	gb:EST52657 Fetal heart II Homo sapiens	4.5	other
	120938 AA3862	260 Hs. 104632	EST	4.5	?
20	120977 AA3981		ESTs	4.5	other
~0	120984 BE2629		ESTs	5.6	other
	120985 AI21989		ESTs	1.3	other
	121011 AA3983		EST	3.2	other
25	121026 AI4397		ESTs	3.6	other
25 -	121081 AA3987		ESTs, Highly similar to I37550 mismatch	5.5 ·	other
	121133 AA3633	307 Hs.97032	ESTs '	3.8	other
	121176 AL1215	523 Hs.97774	ESTs	1.7	TM
	121223 Al0021	10 Hs.97169	ESTs, Weakly similar to dJ667H12.2.1 [H.	2.9	other
	121320 AA4030	008 · Hs.301927	c6.1A	1.9	other
30	121340 AW956		Homo sapiens cDNA FLJ13383 fis, clone PL	3.5	other
-	121408 AA4061		EST	6.1	?
	121439 AA410		ESTs, Weakly similar to A47582 B-cell gr	7.5	other
	121450 AA4064		Homo sapiens, clone MGC:18257, mRNA, com	7.1	other
25	121452 AW971		ESTs	1.8	other
35	121455 H58306		retinoic acid induced 14	10.5	other
	121457 W0740	4 Hs.144502	hypothetical protein FLJ22055	3.5	TM
	121496 AA4422	224 Hs.97900	ESTs	14.4	other
	121505 AA4941	172 Hs.194417	ESTs	13.1	other
	121508 AA4025	515 Hs.97887	ESTs	28	other
40	121513 AA4166	653 Hs.181510	ESTs	6.3	other
	121514 AA412		gb:zt69b02.s1 Soares_testis_NHT Homo sap	2.7	SS,
	121549 AA4124		EST	7.5	?
	121558 AA4124			2.8	other
			gb:zt95g12.s1 Soares_testis_NHT Homo sap		
15	121577 AA4119		EST ~	3.5	?
45	121581 AA4165		gb:zu05c10.s1 Soares_testis_NHT Homo sap	6.2	TM
	121589 AD001		spermine synthase	4	other
	121594 AA6260		ESTs	2.2	other
	121622 AA4169		ESTs .	4.3	TM
	121655 AA4215	537 Hs.178072	Homo sapiens mRNA; cDNA DKFZp434B1023 (f	7.9	other
50	121682 AA4181	160 Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	2	other
	121690 AV6603	305 Hs.110286	ESTs	4.7	?
	121706 U55184		hypothetical protein FLJ11585	12.7	other
	121714 AA419		Homo sapiens cDNA FLJ11953 fis, clone HE	8.3	?
	121729 Al9495		ESTs	1.8	· TM
55	121731 AA421		ESTs	4.1	TM
55	121731 70421	704 Un 07544			
	121744 AA398	784 Hs.97514	ESTs	7.1	SS,
	121748 BE5369	911 Hs.234545	hypothetical protein NUF2R	19.5	other
	121773 AB033	022 Hs.158654	KIAA1196 protein	.8_	other
	121775 AA421	773 Hs.161008	ESTs	. 1.7	other
60	121776 AA292	579 Hs.125133	hypothetical protein FLJ22501	6.7⋅	other
	. 121786 AI8107	74 Hs.98376	ESTs	10.5	other
	121832 AW340	797 Hs.98434	ESTs	5.9	other
	121836 AA328	348 Hs.218289	ESTs	3.9	other
	121839 AA425	691 Hs.191606	ESTs, Highly similar to KIAA1048 protein	5	other
65	121842 AF027	406 Hs.104865	serine/threonine kinase 23	2.7	?
05	121847 AA446	628 Hs.2799			
			cartilage linking protein 1	2.3	other
	121871 AW972	.000 113.233044	ESTs	2.9	TM

		AA426376	Hs.98459	ESTs	5 .	other
		AA427950		gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_	7.3	TM
	121915	AA428179	Hs.223405	ESTs, Moderately similar to A46010 X-lin	2.5	other
_	121935	AA428647	Hs.98611	EST .	2.3	other -
5	121983	AA298760	Hs.180191	hypothetical protein FLJ14904	3.4	other
	121985	Al862570	Hs.299214	Homo sapiens, clone IMAGE:2822295, mRNA,	11.4	other
	121995	AA210863	Hs.3532	nemo-like kinase	3.8	?
	121999	AA430211	Hs.98668	EST	6.5	other
	122009	AW292763	Hs.160822	Homo sapiens cDNA: FLJ20863 fis, clone A	2.2	other
10	122013	AA431085	Hs.98706	ESTs	6.6	other
	122036	W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU S	13.1	other
	122050	Al453076	Hs.166109	ELAV (embryonic lethal, abnormal vision,	9.1	other
	122060	AA431738	Hs.98750	EST	13.1	?
		AW161023	Hs.104921	ESTs	1.5	other
15		AA398838		gb:zt80d01.r1 Soares_testis_NHT Homo sap	3.4	other
		AA435936	Hs.98842	EST	5.6	other
		AA329550	Hs.29417	HCF-binding transcription factor Zhangfe	5.2	other
		AA436819	Hs.98899	ESTs	5.6	other
		AA441801	Hs.104947	ESTs	5.8	other
20		AW601969	Hs.99010	hypothetical protein FLJ22263 similar to	2	other
~~		AA443794	Hs.98390	ESTs	7.4	SS,TM
		AA443985	Hs.303222	ESTs	12.2	?
		AA868555	Hs.178222	ESTs	5	?
		AA446008	Hs.336677	EST	7.8	?
25		AB032948	Hs.21356	hypothetical protein DKFZp762K2015	2.5	?
23		AA446572	Hs.303223	EST	2.8	TM
		AA446869	Hs.119316	ESTs	7.4	other
		AA446918	Hs.99088	EST	1.9	other
		AA446966	Hs.99090	ESTs, Moderately similar to similar to K	6.9	?
30		AW505139	Hs.9460	Homo sapiens mRNA; cDNA DKFZp547C244 (fr	2.6	other
50		AA447603	Hs.99123	EST	1.8	TM
		AA447626	Hs.99127	EST	3.5	other
		A1266159	Hs.104980	ESTs	1.5	other
		AW418788	Hs.99148	ESTs, Weakly similar to S43569 R01H10.6	9.7	other
35		AA448158	Hs.99152	EST, Weakly Similar to 343309 NOTITIO.0	4.9	other
55		AA448349	Hs.238151	EST	6.2	?
		AA448417	Hs.104990	ESTs	5.5	other
		AA204969	Hs.234863	Homo sapiens cDNA FLJ12082 fis, clone HE	1.3	other
•		AA449232	Hs.99195	ESTs	11.2	?
40		AW959741	Hs.40368	adaptor-related protein complex 1, sigma	10.1	other
40		AA779725	Hs.164589	ESTs	2.5	SS,
		AA194055	Hs.293858	ESTs	1.9	other
		AA452578	Hs.262907	ESTs .	9.5	other
		AA452601	Hs.99287	EST	11	?
45		AK001910	Hs.99303	Homo sapiens cDNA FLJ11048 fis, clone PL	3.4	other
7.5		AB040893	Hs.6968	KIAA1460 protein	2	other
		Al028173	Hs.99329	ESTs	1.7	?
		AL355841	Hs.99330	hypothetical protein FLJ23588	4.4	?
		AA411925	Hs.301960	ESTs	4.7	other
50		AA453518	Hs.98023	ESTs	61.5	other
50		AA453630	Hs.99339	EST	10.7	?
		AA453638	Hs.161873	ESTs	107.3	?
		AI681535	Hs.148135	serine/threonine kinase 33	121.4	other
	122618	AA453641	110.170703	gb:zx48e06.s1 Soares_testis_NHT Homo sap	31.1	SS,
55	122622	AA453987	Hs.144802	ESTs	5.6	other
55	122717	AA456859	Hs.178358	ESTs	8.5	SS,
	122762	Al376875	Hs.105119	ESTs	10.4	other
	122829	AW204530	Hs.99500	ESTs	81.8	?
	122834	AA461492	Hs.99545	Homo sapiens cDNA FLJ10658 fis, clone NT	3.7	?
60	122836	AA460581	Hs.290996	ESTs	4.6	other
-	122837	AA461509	Hs.293565	ESTs, Weakly similar to putative p150 (H	2.7	TM
	122838	AA460584	Hs.334386	ESTs	75.3	other
		AA600235	Hs.9625	NIMA (never in mitosis gene a)-related k	7.8	other
		Al929374	Hs.75367	Src-like-adapter	5.8	other
65		AA335721	Hs.119394	ESTs	1.3	other
	122866	BE539656	Hs.283705	ESTs	4.2	other
•		AF005216	Hs.115541	Janus kinase 2 (a protein tyrosine kinas	5.3	other
			•	· · · · · · · · · · · · · · · · · · ·		

	122870 AW576312	Hs.318722	Homo sapiens cDNA: FLJ21766 fis, clone C	9.9 5.3	? other
	122872 AW081394 122879 AA769410	Hs.97103 Hs.128654	ESTs ESTs	13.9	other
	122907 AA470074	Hs.169896	ESTs	11.5	other
5	122916 AA470140	Hs.229170	EST	1.7	TM
•	122981 AA478951	Hs.105629	ESTs	5	other
	123013 AW968324	Hs.17384	ESTs	15.4	other
	123016 AW338067	Hs.323231	Homo sapiens cDNA FLJ11946 fis, clone HE	2.8	other
10	123034 AL359571	Hs.44054	ninein (GSK3B interacting protein)	8.7	other
10	123072 Al382600	Hs.104308	ESTs, Weakly similar to KIAA1395 protein ESTs	8.8 4	other ?
	123082 AA485360 123088 Al343652	Hs.105661 Hs.105667	ESTS	3.8	other
	123110 AA486256	Hs.193510	EST	7.4	other
	123114 BE304942	Hs.265848	myomegalin	2.8	?
15	123131 T52027	Hs.271795	EŚTs, Weakly similar to 138022 hypotheti	2.4	other
	123132 Al061582	Hs.324179	Homo sapiens cDNA FLJ12371 fis, clone MA	15.6	TM
	123136 AW451999	Hs.194024	ESTs .	5.2	other
	123149 Al734179	Hs.105676	ESTs	23.8	TM
20	123152 AW601773	Hs.270259	ESTS	5.2 9.3	other ?
20	123258 AA490929	Hs.105274	ESTs, Weakly similar to RMS1_HUMAN REGUL gb:zv37d10.s1 Soares ovary tumor NbHOT H	9.3 4.2	rM
	123315 AA496369 123369 AA504757	Hs.105738	ESTs	7	other
	123394 AA731404	Hs.105510	ESTs	3.7	other
	123433 AW450922	Hs.112478	ESTs	3.8	other
25	123466 AA599042	Hs.112503	EST	7.4	other
	123470 AW303285	Hs.303632	Human DNA sequence from clone RP11-110H4	3.5	other
	123471 AB021644	Hs.197219	zinc finger protein 14 (KOX 6)	5.2	?
	123475 BE439553	Hs.250528	Homo sapiens, clone IMAGE:4098694, mRNA,	1.7	other
20	123482 N95059	Hs.55098 Hs.334802	ESTs Homo sapiens cDNA FLJ14680 fis, clone NT	1.6 2.4	other other
30	123486 BE019072 123508 AW380388	Hs.155546	KIAA1080 protein; Golgi-associated, gamm	2.2	TM
	123615 AA609170	113.100040	gb:af12a12.s1 Soares_testis_NHT Homo sap	7.9	other
	123619 AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	2.8	other
	123658 AA609364		gb:zu71d09.s1 Soares_testis_NHT Homo sap	1.7	?
35	123674 AI269609	Hs.105187	kinesin protein 9 gene	5.7	?
	123735 NM_013241	Hs.95231	FH1/FH2 domain-containing protein	10	other
	123738 AA609891	Hs.112777	EST	5.2	other
	123753 AA609955	Hs.234961	Huntingtin interacting protein E	30.6 2.1	TM other
40	123804 AA620464 123811 AA620586	Hs.261915	EST, Weakly similar to S65657 alpha-1C-a gb:ae60g05.s1 Stratagene lung carcinoma	2.7	other
40	123951 AB012922	Hs.173043	metastasis-associated 1-like 1	6.3	?
	123983 AJ272267	Hs.146178	choline dehydrogenase	4.4	other
	124001 L42542	Hs.75447	ralA binding protein 1	7.1	?
	124006 AI147155	Hs.270016	ESTs	8.3	SS,
45	124070 Al950314	Hs.154762	HIV-1 rev binding protein 2	3.8	other
	124074 H05635	Hs.294030	topoisomerase-related function protein 4	1.2	SS,
	124178 BE463721	Hs.97101	putative G protein-coupled receptor	3.2	?
	124203 AA372796	Hs.269339 Hs.102406	ESTs, Weakly similar to AF161356 1 HSPC0	5.7 3.1	other TM
50	124352 AA640891 124375 D87454	Hs.192966	ESTs KIAA0265 protein	3.5	other
50	124385 AI267847	110.102000	gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1	?
	124390 AA317338	Hs.7535	COBW-like protein	2.8	other
	124391 AF155099	Hs.279780	NY-REN-18 antigen	7.1	other
	124417 N34059	•	gb:yv28h09.s1 Soares fetal liver spleen	3.3	other
55	124428 H13540	Hs.82202	ribosomal protein L17	2.9	other
	124440 AA532519	Hs.129043	Human DNA sequence from clone 989H11 on	7.9 2.6	other
	124466 R10084	Hs.113319	kinesin heavy chain member 2 gb:yv59d09.s1 Soares fetal liver spleen	2.6 7.9	, TM TM
	124482 N53935 124498 H79433	Hs.268997	gb:yv59d09.s1 Soares retai liver spieen ESTs	7.8 7.8	other
60	124498 H79433 124515 AA669097	Hs.109370	ESTS	3.3	other
00	124608 N71076	Hs.102800	ESTs, Weakly similar to neuronal thread	4.6	?
	124631 NM_014053	Hs.270594	FLVCR protein	3.2	other
	124634 Al765123	Hs.143671	Homo sapiens cDNA FLJ13533 fis, clone PL	5.8	other
-	124637 AA160474	Hs.75798	hypothetical protein	9.3	other
65	124642 AW968856	Hs.278569	sorting nexin 17	3.5	other
	124649 N92593	Hs.313054	ESTs 5-1-101	6.1	TM
	124661 R48170	Hs.78436	EphB1	5.6	other

	124683 AA381661 124712 R09166	Hs.119878 Hs.191148	ESTs, Weakly similar to M3K9_HUMAN MITOG ESTs	7.9 5.7	TM other
	124735 R22952	Hs.268685	ESTs	11.3	?
	124761 AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein,	9	other
5	124768 AW368528	Hs.100855	ESTs	8.3	other
	124775 R41772	Hs.100878	ESTs	4.9	other
	124777 R41933	Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.8	other
	124788 R43543	Hs.100912	Homo sapiens cDNA: FLJ22726 fis, clone H	5.1	other
10	124809 AL355722	Hs.106875	Homo sapiens EST from clone 35214, full	4.2	other
10	124811 R46068	Hs.288912	hypothetical protein FLJ22604	14.2 7.9	other other
	124812 R47948 124822 AA418160	Hs.188732	ESTs Homo sapiens cDNA FLJ13558 fis, clone PL	6.6	other
	124825 AA501669	Hs.86043 Hs.336693	ESTs	2.3	SS,TM
	124833 AW975868	Hs.294100	ESTs	2.7	SS,TM
15	124857 R63652	Hs.137190	ESTs	2.3	other
~~	124860 R65763	Hs.101477	EST	23.9	?
	124863 Al382555	Hs.127950	bromodomain-containing 1	2	other
	124876 AF135422	Hs.27059	GDP-mannose pyrophosphorylase A	4.4	SS,
	124878 BE397530	Hs.288057	hypothetical protein FLJ22242	2.7	other
20	124902 H37941	Hs.101883	ESTs	5.7	other
	124903 AW296713	Hs.221441	ESTs	32.4	other
	124930 Al076343	Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8	other
	124942 R99978	Hs.268892	ESTs, Moderately similar to B34087 hypot	6.1 1.9	other other
25	124958 Al078645 124980 T40841	Hs.431	murine leukemia viral (bml-1) oncogene h ESTs	4.5	?
23	125002 T59338	Hs.98681 Hs.269463	ESTs, Weakly similar to ALU1_HUMAN ALU S	4.9	other
	125047 T79815	Hs.279793	ESTs	5	?
	125051 T79956	Hs.100588	EST	135.3	?
	125056 TB1310	Hs.100592	ESTs	5.4	other
30	125101 AI472068	Hs.286236	KIAA1856 protein	5.6	other
	125113 T96595	Hs.302270	ESTs, Weakly similar to ALUF_HUMAN !!!!	1.8	other
	125115 T97341		gb:ye57e05.s1 Soares fetal liver spleen	9.6	?
	125125 Al222382	Hs.240767	Human DNA sequence from clone RP1-12G14	1.5	MT
25	125147 W38150 ·	LI= 444000	Empirically selected from AFFX single pr	1.7 10.7	? ?
35	125161 W44657 125249 AA630863	Hs.144232 Hs.131375	EST ESTs, Moderately similar to ALUB_HUMAN!	10.7	other
	125255 AF098162	Hs.118631	timeless (Drosophila) homolog	9.4	other
	125279 AW401809	Hs.4779	KIAA1150 protein	1.5	?
	125280 Al123705	Hs.106932	ESTs	8.1	?
40	125298 AW972542	Hs.289008	Homo sapiens cDNA: FLJ21814 fis, clone H	1.5	other
	125660 AW292171	Hs.23978	scaffold attachment factor B	5.9	other
	125827 NM_003403	Hs.97496	YY1 transcription factor	1.2	?
	125891 U29589	Hs.7138	cholinergic receptor, muscarinic 3	6.5	?
.15	126005 AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	14.3	?
45	126202 AA157632	Hs.272630	vacuolar proton pump delta polypeptide	2.5	SS,
	126695 AA643322 127050 AW411066	Hs.172028 Hs.274351	a disintegrin and metalloproteinase doma	9.1 17	SS,TM other
	127030 AW411000 127274 AW966158	Hs.58582	CGI-89 protein Homo sapiens cDNA FLJ12789 fis, clone NT	12.8	other
	128355 AW293012	Hs.161623	ESTs	7.4	SS,
50	128493 D87466	Hs.240112	KIAA0276 protein	3.1	TM
	128522 BE173977	Hs.10098	putative nucleolar RNA helicase	9.4	other
	128527 AA504583	Hs.101047	transcription factor 3 (E2A immunoglobul	1.5	other
	128528 R39234	Hs.251699	ESTs, Weakly similar to IDN4-GGTR14 [H.s	2.8	other
~ ~	128595 U31875	Hs.272499	short-chain alcohol dehydrogenase family	12.1	TM
55	128599 NM_015366	Hs.102336	Rho GTPase activating protein 8	2.4 1.3	? other
	128604 AI879099	Hs.102397	GIOT-3 for gonadotropin inducible transc	7.2	other
	128608 BE267994 128625 AB037841	Hs.102419 Hs.102652	zinc finger protein hypothetical protein ASH1	1.3	other
	128629 AL096748	Hs.102032	DKFZP434A043 protein	3.2	other
60	128639 AW582962	Hs.102897	CGI-47 protein	2	TM
	128656 AA458542	Hs.10326	coatomer protein complex, subunit epsilo	1.4	other
	128658 BE397354	Hs.324830	diptheria toxin resistance protein requi	2.5	other
	128670 AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700	7.1	?
~-	128691 W27939	Hs.103834	hypothetical protein MGC5576	7.8	?
65	128696 BE081143	Hs.225977	nuclear receptor coactivator 3	3.8	other
	128700 Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	1.6 7.8	other other
	128714 T85231	Hs.179661	tubulin, beta 5	ب. ،	20161

					-11
	128717 AK001564	Hs.104222	hypothetical protein FLJ10702	5.5	other
	128733 BE147740	Hs.104558	ESTs, Moderately similar to I38022 hypot	2.7	TM TM
	128737 AF292100	Hs.104613	RP42 homolog	2.8 4.5	?
_	128742 AA307211	Hs.251531	proteasome (prosome, macropain) subunit,	2.2	other
5	128746 AI470163	Hs.323342	actin related protein 2/3 complex, subun PDZ-binding kinase; T-cell originated pr	2.8	other
	128747 AB027249	Hs.104741 Hs.105097	thymidine kinase 1, soluble	5.4	· other
	128772 BE302796	Hs.105465	small nuclear ribonucleoprotein polypept	53.9	TM
	128781 N71826 128797 NM_002975	Hs.105927	stem cell growth factor; lymphocyte secr	13.3	other
10	128806 AW630942	Hs.106061	RD RNA-binding protein	2.6	other
10	128814 AW248431	Hs.256526	nuclear prelamin A recognition factor	2.2	other
	128830 BE281170	Hs.106357	valosin-containing protein	6	other
	128835 AK001731	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586H0924 (f	1.6	SS,
	128854 BE159181	Hs.168232	hypothetical protein FLJ13855	2.3	other
15	128871 AF189723	Hs.106778	ATPase, Ca++ transporting, type 2C, memb	1.5	?
13	128906 R57988	Hs.10706	epithelial protein lost in neoplasm beta	4.8	other
	128920 AA622037	Hs.166468	programmed cell death 5	1.4	other
•	128925 R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, done NT	1.9	other
	128946 Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3	7.3	?
20	128949 AA009647	Hs.8850	a disintegrin and metalloproteinase doma	2.5	other
20	128959 Al580127	Hs.107381	hypothetical protein FLJ11200	1.3	other
	128965 AW150697	Hs.107418	ESTs	1.4	. ?
	128970 Al375672	Hs.165028	ESTs	1.3	other
	128975 BE560779	Hs.284233	NICE-5 protein	14	other
25	128979 AW271217	Hs.281434	Homo sapiens cDNA FLJ14028 fis, clone HE	1.6	TM
	128995 Al816224	Hs.107747	DKFZP566C243 protein	1.9	other
	129019 Al950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapien	2.9	other
	129021 AL044675	Hs.173081	KIAA0530 protein	3.8	other
	129032 R80088	Hs.108104	ubiquitin-conjugating enzyme E2L 3	3.4	other
30	129076 AW296806	Hs.326234	ESTs, Highly similar to T46422 hypotheti	5	other
	129078 Al351010	Hs.102267	lysosomal	2.1	other
	129088 AA744610	Hs.194431	palladin	17.1	other
	129095 L12350	Hs.108623	thrombospondin 2	2.7 20.9	other
25	129096 AA463189	Hs.288906	WW Domain-Containing Gene	3	TM other
35	129097 BE243933	Hs.108642	zinc finger protein 22 (KOX 15)	5.8	TM
	129099 AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR hypothetical protein MGC2747	5.0 6	other
	129136 W93048 129149 AA356620	Hs.250723 Hs.108947	KIAA0050 gene product	6.4	TM
	129172 AW162916	Hs.241576	hypothetical protein PRO2577	1.8	TM
40	129192 AA286914	Hs.183299	ESTs	2.1	. ?
40	129194 AA150797	Hs.109276	latexin protein	3.3	SS,TM
	129198 N57532	Hs.109315	KIAA1415 protein	5.9	other
	129207 Al934365	Hs.109439	osteoglycin (osteoinductive factor, mime	8.1	other
	129228 U40714	Hs.239307	tyrosyl-tRNA synthetase	2.9	other
45	129229 AF013758	Hs.109643	polyadenylate binding protein-interactin	3.3	?
,-	129254 AA252468	Hs.1098	DKFZp434J1813 protein	2.6	SS,TM
	129255 Al961727	Hs.109804	H1 histone family, member X	7.4	other
	129288 W26392	Hs.110080	ESTs, Weakly similar to S13495 pregnancy	9.6	other
	129296 Al051967	Hs.110122	ESTs	1.2	other
50	129323 AA287239	Hs.5518	Homo sapiens cDNA FLJ11311 fis, clone PL	5.2	other
	129340 H75334	Hs.11050	F-box only protein 9	4.7	SS,
	129347 BE614192	Hs.279869	melanoma-associated antigen recognised b	7.7	TM
	129362 U30246	Hs.110736	solute carrier family 12 (sodium/potassi	6.7	TM
	129366 BE220806	Hs.184697	Homo sapiens clone 23785 mRNA sequence	8.6	SS,
55	129370 Al686379	Hs.110796	SAR1 protein	1.4	TM
	129372 NM_016039	Hs.110803	CGI-99 protein	2	other other
	129403 AF149785	Hs.111126	pituitary tumor-transforming 1 interacti	7.5 5.4	other
	129404 Al267700	Hs.317584	ESTs	5.1 10.2	other
60	129423 AA204686	Hs.234149	hypothetical protein FLJ20647	6.8	other
60	129482 AA188185 129513 AW843633	Hs.289043	spindlin hypothetical protein AL110115	7.1	SS,
	129513 AW643633 129515 AF255303	Hs.306163 Hs.112227	membrane-associated nucleic acid binding	2.5	other
	129515 AF255305 129527 AA769221	Hs.270847	delta-tubulin	3.2	other
	129559 W01296	Hs.11360	hypothetical protein FLJ14784	7.5	other
65	129560 AA317841	Hs.7845	hypothetical protein MGC2752	6.8	other
0,5	129570 Al923097	Hs.11441	chromosome 1 open reading frame 8	2.1	
	129575 F08282	Hs.278428	progestin induced protein	1.6	other
	.=				

	129587 H14718	Hs.11506	Human clone 23589 mRNA sequence	6.8	other
	129588 BE408300	Hs.301862	postmelotic segregation increased 2-like	1.4	TM
	129591 N57423	Hs.179898	HSPC055 protein	7.4	other
	129594 AW403724	Hs.36989	coagulation factor VII (serum prothrombi	9	?
5	129596 AF035537	Hs.115521	REV3 (yeast homolog)-like, catalytic sub	1.6	other
,	129628 U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	2.2	other
•	129649 AD000092	Hs.16488	calreticulin	3.3	other
	129675 NM_015556	Hs.172180	KIAA0440 protein	13.4	other
	129680 U03749	110,172100	gb:Human chromogranin A (CHGA) gene, pro	14.1	?
10	129689 AW748482	Hs.77873	B7 homolog 3	2.6	other
10	129702 Al304966	Hs.12035	ESTs, Weakly similar to I38022 hypotheti	7.5	TM
	129720 AA156214	Hs.12152	APMCF1 protein	2	other
	129721 NM_001415	Hs.211539	eukaryotic translation initiation factor	1.7	TM
	129778 AK001676	Hs.12457	hypothetical protein FLJ10814	1.8	other
15	129779 AA394090	Hs.12460	Homo sapiens done 23870 mRNA sequence	5.5	TM
	129800 AF052112	Hs.12540	lysosomal	1.7	?
	129806 AB023148	Hs.173373	KIAA0931 protein	1.2	other
	129815 BE565817	Hs.26498	hypothetical protein FLJ21657	3.1	other
	129840 NM_006590	Hs.12820	SnRNP assembly defective 1 homolog	1.8	other
20	129861 AL049999	Hs.85963	DKFZP564M182 protein	2.3	other
	129864 Al393237	Hs.129914	runt-related transcription factor 1 (acu	1.7	SS,
:	129869 AI222069	Hs.13015	hypothetical protein similar to mouse Dn	2.8	TM
	129945 BE514376	Hs.165998	PAI-1 mRNA-binding protein	1.8	other
	129953 AA412195	Hs.13740	ESTs	2.5	other
25	129972 AW753185	Hs.180628	dynamin 1-like	1.8	?
	129983 U09848	Hs.132390	zinc finger protein 36 (KOX 18)	1.3	other
	130010 AA301116	Hs.142838	nucleolar phosphoprotein Nopp34	1.6	other
	130081 AA287325	Hs.14713	ESTs	4.1	other
	130082 S73265	Hs.1473	gastrin-releasing peptide	1.9	other
30	130097 AL046962	Hs.14845	forkhead box O3A	2.8	other
	130100 AL135561	Hs.14891	hypothetical protein FLJ21047	2.3	other
	130111 X53002	Hs.149846 .	integrin, beta 5	2.3	other
	. 130112 AA916785	Hs.180610	splicing factor proline/glutamine rich (	3	other
	130128 L76937	Hs.150477	Werner syndrome	1.8	other
35	130135 AA311426	Hs.21635	tubulin, gamma 1	6.1	other
	130211 NM_003358	Hs.23703	ESTs, Moderately similar to CEGT_HUMAN C	1.6	other.
	130212 D80001	Hs.152629	KIAA0179 protein	1.3	other
	130236 R85367	Hs.51957	splicing factor, arginine/serine-rich 2,	2	other
40	130241 AL035588	Hs.153203	MyoD family inhibitor	3.2	other
40	130242 X79201	Hs.153221	synovial sarcoma, translocated to X chro	5.4	?
	130249 D81983	Hs.322852	GAS2-related on chromosome 22	4.9	other
	130263 NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	1.4 2.6	other other
	130287 AA479005	Hs.154036	tumor suppressing subtransferable candid	6.3	other
15	130310 AB011121	Hs.154248	amyotrophic lateral sclerosis 2 (juvenil	6.2	other
45	130353 Z19084	Hs.172210 Hs.155017	MUF1 protein nuclear receptor interacting protein 1	2.4	other
	130356 AF127577 130357 AJ224442	Hs.155020	putative methyltransferase	3.5	TM
	130359 NM_013449	Hs.277401	bromodomain adjacent to zinc finger doma	8.5	other
	130359 NW_013449	Hs.8768	hypothetical protein FLJ10849	1.4	other
50	130377 AL133301	Hs.5011	RNA binding motif protein 9	3.3	?
50	130393 N89487	Hs.155291	KIAA0005 gene product	1.8	other
	130399 AW374106	Hs.155356	hypothetical protein MGC2840 similar to	3.4	other
	130407 BE385099	Hs.334727	hypothetical protein MGC3017	2.3	other
	130409 NM_001197	Hs.155419	BCL2-interacting killer (apoptosis-induc	2.7	TM
55	130419 AF037448	Hs.155489	NS1-associated protein 1	1.8	other
33	.130441 U63630	Hs.155637	protein kinase, DNA-activated, catalytic	2.3	other
	130448 BE513202	Hs.15589	PPAR binding protein	4	TM
	130455 D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	33.6	?
	130485 BE245851	Hs.180779	H2B histone family, member B	5	other
60	130487 U49844	Hs.77613	ataxia telangiectasia and Rad3 related	4.4	other
. • •	130498 L38951	Hs.180446	karyopherin (importin) beta 1	1.6	SS,TM
	130503 BE208491	Hs.295112	KIAA0618 gene product	16.1	other
	130511 L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1	other
	130526 AW876523	Hs.15929	hypothetical protein FLJ12910	2.1	other
65	130544 AA321238	Hs.4310	eukaryotic translation initiation factor	1.5	other
	130553 AF062649	Hs.252587	pituitary tumor-transforming 1	14.4	?
	130556 Al907018	Hs.15977	Empirically selected from AFFX single pr	4.8	other

		•	•	_	
	130567 AA383092	Hs.1608	replication protein A3 (14kD)	8	other
	130568 AA232119	Hs.16085	putative G-protein coupled receptor	3.4 1.2	other other
	130574 AF083208	Hs.16178	apoptosis antagonizing transcription fac	1.4	other
5	130598 AL042210	Hs.16493 Hs.16525	hypothetical protein DKFZp762N2316; KIAA ESTs	1.5	TM
5	130601 AA609738 130614 AI354355	Hs.16697	down-regulator of transcription 1, TBP-b	1.3	other
	130617 M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	12.1	TM
	130618 AA383439	Hs.16758	Spir-1 protein	15.9	other
	130667 BE246961	Hs.17639	Homo sapiens ubiquitin protein ligase (U	13.9	other
10	130674 AL048842	Hs.194019	attractin	1.5	other
	130675 AA442233	Hs.17731	hypothetical protein FLJ12892	5.4	other
	130692 AA652501	Hs.13561	hypothetical protein MGC4692	5	other
	- 130693 R68537	Hs.17962	ESTs	2	other
	130712 AJ271881	Hs.279762	bromodomain-containing 7	1.8	TM
15	130714 Al348274	Hs.18212	DNA segment on chromosome X (unique) 987	2 3.8	TM ?
	130730 AB007920	Hs.18586	KIAA0451 gene product POP7 (processing of precursor, S. cerevi	3.2	?
	130744 H59696	Hs.18747	chromosome 12 open reading frame	1.4	other
	130751 AF052105 130757 AL036067	Hs.18879 Hs.18925	protein x 0001	5.7	other
20	130768 AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1	5.2	7
20	130789 AK000355	Hs.8899	sirtuin (silent mating type information	1.6	other
	130836 J05068	Hs.2012	transcobalamin I (vitamin B12 binding pr	15.7	SS,
	130841 AL157468	Hs.325825	Homo sapiens cDNA FLJ20848 fis, clone AD	2.8	other
	130843 AA447492	Hs.20183	ESTs. Weakly similar to AF164793 1 prote	1.5	other
25	130844 U76248	Hs.20191	seven in absentia (Drosophila) homolog 2	3.5	other
	130855 AJ243706	Hs.143323	putative DNA/chromatin binding motif	1.7	other
	130861 NM_016578	Hs.20509	HBV pX associated protein-8	1.9 1.4	other other
	130879 NM_003416	Hs.2076	zinc finger protein 7 (KOX 4, clone HF.1	2.1	TM
30	130880 BE514434	Hs.20830 Hs.20993	kinesin-like 2 high-glucose-regulated protein 8	2.5	other
30	130892 AL120837 130898 AB033078	Hs.186613	sphingosine-1-phosphate lyase 1	1.7	other
	130911 BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, membe	1.8	other
	130919 N79110	Hs.21276	collagen, type IV, alpha 3 (Goodpasture	2.3	TM
	130944 BE382657	Hs.21486	signal transducer and activator of trans	5.4	other
35	130971 N39842	Hs.301444	KIAA1673	2.2	SS,
	130993 T97401	Hs.21929	ESTs	1.6	other
	131005 AV658308	Hs.2210	thyroid hormone receptor interactor 3	1.6	. ?
	131028 Al879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP),	1.2 1.6	other other.
40	131042 Al826288	Hs.171637	hypothetical protein MGC2628 small inducible cytokine subfamily B (Cy	7.4	?
40	131046 AA321649 131060 AA194422	Hs.2248 Hs.22564	myosin VI	5.1	other
	131000 AX194422 131070 N53344	Hs.22607	ESTs	7.1	other
	131076 AA749230	Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	2.1	TM
	131099 AL133353	Hs.226581	COX15 (yeast) homolog, cytochrome c oxid	7.1	other
45	131174 NM_006540	Hs.29131	nuclear receptor coactivator 2	1.9	?
	131185 BE280074	Hs.23960	cyclin B1	5.8	?
•	131206 AW138839	Hs.24210	ESTs	2	other
-	131213 AA885699	Hs.24332	CGI-26 protein	7.1	TM ?
50	131225 H62087	Hs.31659	thyroid hormone receptor-associated prot	7.6 2.9	other
50	131231 N47468	Hs.59757	zinc finger protein 281 fatty-acid-Coenzyme A ligase, long-chain	3.5	other
	131233 D89053 131243 AW383256	Hs.268012 Hs.24752	spectrin SH3 domain binding protein 1	2.8	?
	131245 AL080080	Hs.24766	thioredoxin domain-containing	2.8	SS,TM
•	131247 AL043100	Hs.326190	fatty acid amide hydrolase	5.6	other
55	131281 AA251716	Hs.25227	ESTs	5.8	other
	131283 X80038	Hs.339713	Homo sapiens clone F19374 APO E-C2 gene	1.3	other
	131305 AV656017	Hs.184325	CGI-76 protein	5	?
	131320 AA505691	Hs.145696	splicing factor (CC1.3)	1.8	TM
	131339 AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6	other
60	131375 AW293165	Hs.143134	ESTs mitochondrial ribosomal protein L20	5.4 5.3	other other
	131390 BE269388	Hs.182698	HSPC166 protein	5.3 2.2	other
	131410 BE259110 131412 NM_012247	Hs.279836 Hs.124027	SELENOPHOSPHATE SYNTHETASE; Human		2
	131412 NW_012247 131429 AL046302	Hs.26750	hypothetical protein FLJ21908	1.4	other
65	131458 BE297567	Hs.27047	hypothetical protein FLJ20392	1.7	other
55	131475 AA992841	Hs.27263	KIAA1458 protein	2	other
	131501 AV661958	Hs.8207	GK001 protein	2.6	other

•	131511 AA732153	Hs.27865	Homo sapiens cDNA: FLJ21333 fis, clone C	2	other
	131528 AU076408	Hs.28309	UDP-glucose dehydrogenase	1.6	TM
-	131532 BE268278	Hs.28393	hypothetical protein MGC2592	7.4	other
	131543 AW966881	Hs.41639	programmed cell death 2	2.2	other
5			• •		
5	131544 AL355715	Hs.28555	programmed cell death 9 (PDCD9)	2.1	other
	131562 NM_003512	Hs.28777	H2A histone family, member L	1.7	other
	131564 T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	5.2	other
	131569 AL389951	Hs.271623	nucleoporin 50kD	5	other
	131618 BE393822	Hs.29645	Homo sapiens mRNA; cDNA DKFZp761C029 (fr	1.8	. other
10	131622 R78195	Hs.29692	Homo sapiens cDNA FLJ11436 fis, clone HE	1.3	other
	131623 AB037791	Hs.29716	hypothetical protein FLJ10980	2.2	TM
				3	
	131643 AW410601	Hs.30026	HSPC182 protein		other
	131653 AW960597	Hs.30164	ESTs	1.3	other
	131656 Al218918	Hs.30209	KIAA0854 protein	2.8	other
15	131669 X52486	Hs.3041	uracil-DNA glycosylase 2	2.8	other
	131692 BE559681	Hs.30736	KIAA0124 protein	5.6	?
	131714 AA642831	Hs.31016	putative DNA binding protein	2.9	?
	131722 D13757	Hs.311	phosphoribosyl pyrophosphate amidotransf	3.4	other
	131737 AK001641	Hs.31323	inhibitor of kappa light polypeptide gen	3.9	?
20					
20	131763 Al878932	Hs.317	topoisomerase (DNA) I	3.4	other
	131772 AA382590	Hs.170980	KIAA0948 protein	25.5	other
	131787 D87077	Hs.196275	KIAA0240 protein	2.4	SS,
	131793 AW966127	Hs.32246	Homo sapiens cDNA FLJ14656 fis, clone NT	8	TM
	131795 BE501849	Hs.32317	high-mobility group 20B	1.5	other
25	131798 X86098	Hs.301449	adenovirus 5 E1A binding protein	4.2	other
23	131817 U20536	Hs.3280	caspase 6, apoptosis-related cysteine pr	4.3	other
	131824 U28838	Hs.32935	TATA box binding protein (TBP)-associate	3.5	other
	131850 Al251317	Hs.33184	ESTs	5.2	TM
	131878 AA083764	Hs.6101	hypothetical protein MGC3178	5.9	other
30	131885 BE502341	Hs.3402	ESTs	13.7	other
	131900 AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, com	8.7	other
	131904 AF078866	Hs.284296	Homo sapiens cDNA: FLJ22993 fis, clone K	5.5	other
	131905 AA179298	Hs.3439	stomatin-like 2	11.3	other
				1.7	SS,
25	131913 AW207440	Hs.185973	degenerative spermatocyte (homolog Droso		
35	131916 AA025976	Hs.34569	ESTs	5.2	TM
	131925 AF151048	Hs.183180	anaphase promoting complex subunit 11 (y	2.8	other
	131929 BE541211	Hs.34804	Homo sapiens cDNA FLJ11472 fis, clone HE	5.4	. TM
	131941 BE252983	Hs.35086	ubiquitin specific protease 1	2.4	other
	131950 AA355113	Hs.35380	x 001 protein	1.5	?
40	131962 AK000046	Hs.267448	hypothetical protein FLJ20039	2.3	other
70	131965 W79283	Hs.35962	ESTs	1.4	other
					other
	131971 BE567100	Hs.154938	hypothetical protein MDS025	3.5	
	131977 U90441 ·	Hs.3622	procollagen-proline, 2-oxoglutarate 4-di	6.6	TM
	131985 AA503020	Hs.36563	hypothetical protein FLJ22418	2.4	?
45	131991 AF053306	Hs.36708	budding uninhibited by benzimidazoles 1	2.2	SS,TM
	132019 H56995	Hs.37372	Homo sapiens DNA binding peptide mRNA, p	3.3	TM
	132062 BE266155	Hs.3832	clathrin-associated protein AP47	1.5	other
	132084 NM_002267	Hs.3886	karyopherin alpha 3 (importin alpha 4)	3.7	other
	132103 BE171921	Hs.3991	ESTs	1.5	other
50				5.8	TM
50	. 132105 AV646076	Hs.39959	ESTs .		
	132116 AW960474	Hs.40289	ESTs	1.7	other
	132176 AA857025	Hs.8878	kinesin-like 1	3.4	other
	132180 NM_004460	Hs.418	fibroblast activation protein, alpha	-14.7	SS, .
	132194 R42432 ·	Hs.4212	ESTs	2.2	other
55	132207 BE206939	Hs.42287	E2F transcription factor 6	1.5	other
55	132235 AV658411	Hs.42656	KIAA1681 protein	5.7	other
	132252 AV050411		Homo sapiens cDNA: FLJ21550 fis, clone C	2.1.	other
		Hs.141269			
	132266 AA301228	Hs.43299	hypothetical protein FLJ12890	1.5	other
<b>C</b> O	132273 AA227710	Hs.43658	DKFZP586L151 protein	10	other
60	132276 AA653507	Hs.285711	hypothetical protein FLJ13089	2	other
	132288 N36110	Hs.305971	solute carrier family 2 (facilitated glu	9.2	other
	132294 AB023191	Hs.44131	KIAA0974 protein	2	other
	132298 NM_015986	Hs.7120	cytokine receptor-like molecule 9	6.6	SS,
	132299 AW405882	Hs.44205	cortistatin	3.8	other
65				1.5	other
UJ	132325 N37065	Hs.44856	hypothetical protein FLJ12116		
	132370 AW572805	Hs.46645	ESTs	28.3	?
	132374 AF155582	Hs.46744	core1 UDP-galactose:N-acetytgalactosamin	1.9	other

	132376 AI279892	Hs.46801	sorting nexin 14	2	?
	132384 AA312135	Hs.46967	HSPCO34 protein	6.1	?
	132393 AL135094	Hs.47334	hypothetical protein FLJ14495	1.7	other
•	132450 AA100012	Hs.48827	hypothetical protein FLJ12085	8.6	other
5	132452 AW973521	Hs.247324	mitochondrial ribosomal protein S14	5.3	other
	132456 AB011084	Hs.48924	KIAA0512 gene product; ALEX2	1.5	other
	132470 Al224456	Hs.4934	H.sapiens polyA site DNA	2	other
	132484 X16660	Hs.119007	RAB4, member RAS oncogene family	2.9	SS,
	132518 AW885606	Hs.5064	ESTS	2.2	other
10	132530 AA306105	Hs.50785	SEC22, vesicle trafficking protein (S. c	1.7	other
	132532 AA454132	Hs.5080	mitochondrial ribosomal protein L16	7.2 2.2	TM SS,
	132534 BE388673	Hs.5086	hypothetical protein MGC10433	2.2	other
	132543 BE568452	Hs.5101	protein regulator of cytokinesis 1 TH1 drosophila homolog	14	?
15	132574 AW631437	Hs.5184	•	1.9	other
15	132596 AK001484	Hs.5298 Hs.53263	CGI-45 protein hypothetical protein FLJ13287	2.6	TM
	132611 AA345547 132612 H12751	Hs.5327	PRO1914 protein	2	other
	132616 BE262677	Hs.283558	hypothetical protein PRO1855	3.1	other
	132638 AI796870	Hs.54277	DNA segment on chromosome X (unique) 992	12.4	TM
20	132668 AB018319	Hs.5460	KIAA0776 protein	2.8	SS,
20	132692 AW191962	Hs.249239	collagen, type VIII, alpha 2	3	other
	132715 F11875	Hs.5534	Homo sapiens cDNA FLJ12961 fis, clone NT	1.8	other
	132718 NM_004600	Hs.554	Sjogren syndrome antigen A2 (60kD, ribon	3.7	other
	132724 Al142265	Hs.55498	geranylgeranyl diphosphate synthase 1	1.8	TM
25	132731 Al189075	Hs.301872	hypothetical protein MGC4840	5.9	other
	132744 AA010233	Hs.55921	glutamyi-prolyi-tRNA synthetase	8.7	other
	132760 AA125985	Hs.56145	thymosin, beta, identified in neuroblast	3.6	other
	132771 Y10275	Hs.56407	phosphoserine phosphatase	2.8	TM
	132773 AA459713	Hs.295901	KIAA0493 protein	14.6	other
30	132784 AI142133	Hs.56845	GDP dissociation inhibitor 2	1.7	other other
	132798 AI026701	Hs.5716	KIAA0310 gene product	2.5 1.4	other
	132807 U07418	Hs.57301	mutL (E. coli) homolog 1 (colon cancer,	4.3	SS,
	132810 AB007944	Hs.5737	KIAA0475 gene product solute carrier family 11 (proton-coupled	2.8	other
25	132813 BE313625	Hs.57435	sex comb on midleg homolog 1	1.6	other
35	132815 Al815189 132817 N27852	Hs.57475 Hs.57553	tousled-like kinase 2	1.4	other
	132821 AJ251595	Hs.169610	CD44 antigen (homing function and Indian	5.4	other
	132833 U78525	Hs.57783	eukaryotic translation initiation factor	6.1	?
	132842 NM_016154	Hs.279771	Homo sapiens clone PP1596 unknown mRNA	7.2	other
40	132844 F12200	Hs.5811	chromosome 21 open reading frame 59	2.9	other
	132851 U09716	Hs.287912	lectin, mannose-binding, 1	6.1	other
	132869 AW963217	Hs.203961	ESTs, Moderately similar to AF116721 89	1.8	other
	132873 · AW007683	Hs.58598	KIAA1266 protein	2.2	other
	132875 NM_004850	Hs.58617	Rho-associated, coiled-coil containing p	5_	TM
45	132891 BE267143	Hs.59271	U2(RNU2) small nuclear RNA auxiliary fac	2.7	? ?
	132897 AW503667	Hs.59545	ring finger protein 15	5.4	? other
	132902 Al936442	Hs.59838	hypothetical protein FLJ10808	3.2 1.4	other
	132912 AW732760	Hs.167578	Homo sapiens cDNA FLJ11095 fis, clone PL Homo sapiens cDNA FLJ13598 fis, clone PL	3	other
50	132913 W78714	Hs.60257 Hs.127243	Homo sapiens mRNA for KIAA1724 protein,	10.3	other
50	132940 T79136 132942 AA554458	Hs:197751	KIAA0666 protein	2.1	SS,
	132952 AI658580	Hs.61426	Homo sapiens mesenchymal stem cell prote	1.3	other
	132962 AA576635	Hs.6153	CGI-48 protein	4.9	other
	132972 AA034365	Hs.288924	Homo sapiens cDNA FLJ11392 fis, clone HE	3.6	TM ·
55	132973 AA035446	Hs.323277	ESTs	13.1	other
	132977 AA093322	Hs.301404	RNA binding motif protein 3	1.3	other
	132980 AA040696	Hs.62016	ESTs .	2.3	?
	132994 AA112748	Hs.279905	clone HQ0310 PRO0310p1	17.1	other
	133012 AA847843	Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA	1.9	other
60	133015 AJ002744	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polyp	5	TM
•	133062 AW500374	Hs.64056	PRO0149 protein	6.1	other TM
	133069 BE247441	Hs.6430	protein with polyglutamine repeat; calci	· 1.5 1.4	other
	133091 AK001628	Hs.64691	KIAA0483 protein	5.6	other
65	133110 AA808177	Hs.65228	ESTs RNA binding motif protein 8A	1.9	other
U.S	133134 AF198620 133145 H94227	Hs.65648 Hs.6592	Homo sapiens, clone IMAGE:2961368, mRNA,	4.8	?
	133152 Z11695	Hs.324473	mitogen-activated protein kinase 1	5	other
	100 102 21 1000	110.027110			

٠										
		133174	AA431620	Hs.324178	hypothetical protein MGC2745	2.7	other			
	•		AW955632	Hs.66666	ESTs, Weakly similar to S19560 proline-r	9.3	other			
		133177		Hs.66718	RAD54 (S.cerevisiae)-like	4.5	TM			
			Al801777	Hs.6774	ESTs	5.5	TM			
	5		AW954569	Hs.296287	Homo sapiens, Similar to bromodomain-con	2.7	other			
	•		A1492924	Hs.6831	golgi phosphoprotein 1	1.7	?			
		_	AI567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA,	1.3	other			
			AW956781	Hs.293937	ESTs, Weakly similar to FXD2_HUMAN FORKH	12.2	other			
			BE297855	Hs.69855	NRAS-related gene	1.2	other			•
	10		AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto	1.7	TM			
	10		179526	Hs.179516	integral type I protein	11.1	?			
			AL390127			2.9	other			
				Hs.7104 .	Kruppel-like factor 13	2.5	?			•
			BE257758	Hs.71475	acid cluster protein 33		-			
•	15		AI016521	Hs.71816	v-akt murine thymoma viral oncogene homo	1.5	other			
	13		AA292811	Hs.72050	non-metastatic cells 5, protein expresse	2.1	other			
			AF231919	Hs.18759	KIAA0539 gene product	1.3	other			
			AF245505	Hs.72157	DKFZP564I1922 protein	2.2	other			
			AI950382	Hs.72660	phosphatidylserine receptor	5.7	TM			
	20		AW103364	Hs.727	inhibin, beta A (activin A, activin AB a	25.5	other			
	20		AA305127	Hs.237225	hypothetical protein HT023	3.3	other			
			AL031591	Hs.7370	phosphotidylinositol transfer protein, b	1.6	other			
		133452	NM_002759	Hs.274382	protein kinase, interferon-inducible dou	4.1	other			
		133453	AI659306	Hs.73826	protein tyrosine phosphatase, non-recept	1.5	other			
		133500	AW964804	Hs.74280	hypothetical protein FLJ22237	6.3	TM			
	25 -	133529	W45623	Hs.74571	ADP-ribosylation factor 1	4	?	•		
		133543	AU077073	Hs.108327	damage-specific DNA binding protein 1 (1	1.8	?			
		133578	AU077050	Hs.75066	translin	1.5	other		-	•
			X75346	Hs.75074	mitogen-activated protein kinase-activat	3.5	TM			
	*		BE391579	Hs.75087	Fas-activated serine/threonine kinase	6.8	TM			
	30	133594	AW160781	Hs.172589	nuclear phosphoprotein similar to S. cer	2.6	TM			
			AA393273	Hs.75133	transcription factor 6-like 1 (mitochond	1.4	other			
			NM_002885	Hs.75151	RAP1, GTPase activating protein 1	8.1	other			
			NM_004893	Hs.75258	H2A histone family, member Y	13.5	other		•	
			NM_002047	Hs.75280	glycyl-tRNA synthetase	2.2	other			
	35		NM_000401	Hs.75334	exostoses (multiple) 2	1.8	other			
	-		U25849	Hs.75393	acid phosphatase 1, soluble	2	other			,
			AV661185	Hs.75574	mitochondrial ribosomal protein L19	2.8	other			
			L27841	Hs.75737	pericentriolar material 1	6.8	other			
			AW969976	Hs.279009	matrix Gla protein	2.5	other			
	40		AW402048.cc		Hs.334787			nilar to likely ortholog	3.1	TM
	<del>1</del> 0	133757		Hs.196209	RAE1 (RNA export 1, S.pombe) homolog	1.4	?	mar to intery ortholog	0.1	1141
			BE271766	Hs.181357	laminin receptor 1 (67kD, ribosomal prot	5.4	other			
	•					5	other			•
			M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteob		other			
	45		AA557660	Hs.76152	decorin	3.8	?	•		
	43		AL133921	Hs.76272	retinoblastoma-binding protein 2	3.1	; ?			
			D50525	Hs.699	peptidylprolyl isomerase B (cyclophilin	9.7				
			AW797468	Hs.285013	putative human HLA class II associated p	2.4	other	•		
			AA147026	Hs.76704	ESTs	2.5	other			
	50		AB011155	Hs.170290	discs, large (Drosophila) homolog 5	5	other			
	50		AW340125	Hs.76989	KIAA0097 gene product	2.5	?	8		
			AB012193	Hs.183874	cullin 4A	2.1	other			
			U30825	Hs.77608	splicing factor, arginine/serine-rich 9	2.8	TM			
			D86326	Hs.325948	vesicle docking protein p115	1.8	SS,			
			NM_006306	Hs.211602	SMC1 (structural maintenance of chromoso	2	?			
	55	133936	L17128	Hs.77719	gamma-glutamyl carboxylase	2.6	other			
		133941	BE244332	Hs.77770	adaptor-related protein complex 3, mu 2	2.9	other			
		133959	X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD	10.4	other	•		
		133976	Al908165	Hs.169946	GATA-binding protein 3 (T-cell receptor	1.9	. other			
		133989	AL040328	Hs.78202	SWI/SNF related, matrix associated, acti	2.6	SS,		٠.	
	60		AI824113	Hs.78281	regulator of G-protein signalling 12	13	other			
			AB016092	Hs.197114	RNA binding protein; AT-rich element bin	8.8	other			
		134015	D31764	Hs.278569	sorting nexin 17	1.5	SS,			
			NM_003590	Hs.78946	cullin 3	8.3	other			
			U41060	Hs.79136	LIV-1 protein, estrogen regulated	2.7	other			
	65		NM_014742	Hs.79305	KIAA0255 gene product	4.2	other			
			H86504	Hs.173328	protein phosphatase 2, regulatory subuni	1.7	other			
	-	134200	BE559598	Hs.197803	KIAA0160 protein	2.6	other			
					•					

	404000 45407400	11- 70000	authors factor 20 authors of motor on	1.3	other
	134206 AF107463	Hs.79968	splicing factor 30, survival of motor ne glucose-6-phosphate dehydrogenase	1.9	other
	134219 NM_000402	Hs.80206	Homo sapiens, clone IMAGE:3535294, mRNA,	10.3	SS,
	134234 BE300078	Hs.80449	cisplatin resistance-associated overexpr	2.5	other
5	134275 AI878910 134292 AI906291	Hs.3688 Hs.81234	immunoglobulin superfamily, member 3	1.3	TM
J	134301 AW502505	Hs.81360	Homo sapiens cDNA: FLJ21927 fis, clone H	1.6	TM
	134307 AVV302303	Hs.81424	ubiquitin-like 1 (sentrin)	2.1	TM
	134324 AB029023	Hs.179946	KIAA1100 protein	5.3	?
	134326 , AW903838	Hs.81800	chondroitin sulfate proteoglycan 2 (vers	2.5	TM
10	134329 N92036	Hs.81848	RAD21 (S. pombe) homolog	3.9	?
10	134337 NM_004922	Hs.81964	SEC24 (S. cerevisiae) related gene famil	2.4	TM
	134348 AW291946	Hs.82065	interleukin 6 signal transducer (gp130,	6.8	TM
	134367 AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	2.3	TM
	134376 X06560	Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46	5.5	other
15	134379 AW362124	Hs.323193	hypothetical protein MGC3222	5.9	TM
10	134384 AI589941	Hs.8254	Homo sapiens, Similar to tumor different	2.2	other
	134391 AA417383	Hs.82582	integrin, beta-like 1 (with EGF-like rep	2.1	other
	134395 AA456539	Hs.8262	lysosomal	2.3	other
	134405 AW067903	Hs.82772	collagen, type XI, alpha 1	72.9	other
20	134411 BE272095	Hs.167791	reticulocalbin 1, EF-hand calcium bindin	4.4	other
	134415 AI750762	Hs.82911	protein tyrosine phosphatase type IVA, m	2.3	other
	134421 AU077196 ·	Hs.82985	collagen, type V, alpha 2	6.8	?
	134424 Z44190	Hs.83023	peroxisomal biogenesis factor 11B	2.4	other
	134446 AA112036	Hs.83419	KIAA0252 protein	2.9	other
25	134447 M58603	Hs.83428	nuclear factor of kappa light polypeptid	6.7	other
	134470 X54942	Hs.83758	CDC28 protein kinase 2	2.4	other
	134480 NM_005000	Hs.83916	Empirically selected from AFFX single pr	6.3	?
	134485 X82153	Hs.83942	cathepsin K (pycnodysostosis)	1.9	other
20	134498 AW246273	Hs.84131	threonyl-tRNA synthetase	1.8	other other
30	134513 AA425473	Hs.84429	KIAA0971 protein	1.4 1.4	other
	134516 AK001571	Hs.273357	hypothetical protein FLJ10709	5.6	other
	134520 BE091005	Hs.74861	activated RNA polymerase II transcriptio	2.8	?
	134529 AW411479	Hs.848	FK506-binding protein 4 (59kD) exportin, tRNA (nuclear export receptor	1.7	other
35	134577 BE244323	Hs.85951 Hs.86041	CGG triplet repeat binding protein 1	1.7	TM
33	134582 AA927177 134612 AW068223	Hs.171581	ubiquitin C-terminal hydrolase UCH37	2.1	other
	134624 AF035119	Hs.8700	deleted in liver cancer 1	1.3	other
	134632 X78520	Hs.174139	chloride channel 3	2.1	?
	134654 AK001741	Hs.8739	hypothetical protein FLJ10879	2.3	other
40	134666 BE391929	Hs.8752	transmembrane protein 4	4	other
.0	134687 U62317	Hs.88251	arylsulfatase A	6.2	other
	134692 NM_003474	Hs.8850	a disintegrin and metalloproteinase doma	2	other
	134705 BE161887	Hs.88799	anaphase-promoting complex subunit 10	. 1.3	SS,
	134714 Y14768	Hs.890	lysosomal	7.2	?
45	134719 AA852985	Hs.89232	chromobox homolog 5 (Drosophila HP1 alph	3.2	other
	134722 AF129536	Hs.284226	F-box only protein 6	2.5	other
	134746 X07871	Hs.89476	CD2 antigen (p50), sheep red blood cell	5	other
	134751 AW630803	Hs.89497	lamin B1	6.1	other
	134790 BE002798	Hs.287850	integral membrane protein 1	5.6	TM
50	134834 AW451370	Hs.8991	adaptor-related protein complex 1, gamma	5.3	other
	134850 Al701162	Hs.90207	hypothetical protein MGC11138	9.1	other other
	134853 BE268326	Hs.90280	5-aminoimidazole-4-carboxamide ribonucle	2.4 2.7	other
	134880 Al879195	Hs.90606	15 kDa selenoprotein PRO1073 protein	1.5	other
<i>5                                    </i>	134925 AW885909	Hs.6975	protein phosphatase 2 (formerly 2A), cat	4.9	other
55	134955 AW401361	Hs.91773	phosphoserine aminotransferase	2	other
	134971 Al097346 134975 R50333	Hs.286049 Hs.92186	Leman coiled-coil protein	2.6	TM
		Hs.92991	KIAA1414 protein	1.4	?
	135011 AB037835 135022 NM_000408	Hs.93201	glycerol-3-phosphate dehydrogenase 2 (mi	1.6	?
60	135032 AW301984	Hs.173685	hypothetical protein FLJ12619	1.4	other
00	135077 AW503733	Hs.9414	KIAA1488 protein	1.8	other
	135083 AB036063	Hs.94262	p53-inducible ribonucleotide reductase s	2.5	other
	135095 AF027219	Hs.9443	zinc finger protein 202	1.5	ΜŤ
	135096 AA081258	Hs.132390	zinc finger protein 36 (KOX 18)	2.1	other
65	135153 AI093155	Hs.95420	JM27 protein	4.4	?
	135181 BE250865	Hs.279529	px19-like protein	14.9	.?
	135199 AA477514	Hs.96247	translin-associated factor X	1.3	other

		N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	1.7	other
		T78802	Hs.96560	hypothetical protein FLJ11656	6.2	other
	135243	BE463721	Hs.97101	putative G protein-coupled receptor	2.8	TM
	135245	A1028767	Hs.262603	ESTs	12.2	TM
5	135257	AW291023	Hs.97255	ESTs, Weakly similar to A46010 X-linked	· 7.7	TM
	135263	AI088775	Hs.55498	geranylgeranyl diphosphate synthase 1	1.8	other
	135274	AA448460	Hs.112017	GE36 gene	4.2 .	SS.
	135294	AA150320	Hs.9800	protein kinase Njmu-R1	1.2	other
	135295	AI090838	Hs.98006	ESTs	4.9	other
·10		AI743770	Hs.98368	ESTs, Weakly similar to KIAA0822 protein	5.9	?
_		AI652069	Hs.98614	ribosome binding protein 1 (dog 180kD ho	12.3	TM
		AA456454	Hs.183418	cell division cycle 2-like 1 (PITSLRE pr	5.8	?
		AA373452	Hs.167700	Homo sapiens cDNA FLJ10174 fis, clone HE	8.1	other
		U05237	Hs.99872	fetal Alzheimer antigen	1.9	other .
15		X78592	Hs.99915	androgen receptor (dihydrotestosterone r	13.9	TM
10		AA857131	Hs.171595	HIV TAT specific factor 1	1.6	other
		AW057736	Hs.323910	HER2 receptor tyrosine kinase (c-erb-b2,	5.3	other
			Hs.279474	HSPC070 protein	2.2	TM
		AK000714	Hs.109441	MSTP033 protein	1.4	SS,
20		R43191	Hs.101248	Homo sapiens clone IMAGE:32553, mRNA seq	5.2	other
20		AA808229	Hs.167771	ESTs	2.3	?
		NM_007057		ZW10 interactor	2.3 2.9	; ?
		Al268997	Hs.42650			
			Hs.197289	rab3 GTPase-activating protein, non-cata	2	other
25		AA902256	Hs.78979	Golgi apparatus protein 1	5.6	SS,
23		N24236	Hs.179662	nucleosome assembly protein 1-like 1	1.4	?
		AF118083	Hs.29494	PRO1912 protein	1.3	other
		BE041451	Hs.177507	hypothetical protein	2.9	SS,
		AF292100	Hs.104613	RP42 homolog	1.6	other
30		.BE278431	Hs.40323	BUB3 (budding uninhibited by benzimidazo	1.8	other
30		AL034548	Hs.43627	SRY (sex determining region Y)-box 22	1.6	other
		A1580090	Hs.48295	RNA helicase family	6.2	other
		R73727	Hs.101617	ESTs, Weakly similar to T32527 hypotheti	5.7	other
		H19886		gb:yn57a05.r1 Soares adult brain N2b5HB5	2.7	other
25		AB000115	Hs.75470	hypothetical protein, expressed in osteo	2.6	?
35		AI267592	Hs.75761	SFRS protein kinase 1	2.4	TM
		AW304454	Hs.77495	UBX domain-containing 1	2.4	other
		AW819158	Hs.289044	Homo sapiens cDNA FLJ12048 fis, clone	2.3	other
		AA381133	Hs.80684	high-mobility group (nonhistone chromoso	4.2	TM
40		R57256	Hs.82037	TATA box binding protein (TBP)-associate	23.6	other
40		S79895	Hs.83942	cathepsin K (pycnodysostosis)	5.8	other
		NM_006910	Hs.85273	retinoblastoma-binding protein 6	1.3	other
•		U72937	Hs.96264	alpha thalassemia/mental retardation syn	1.6	?
		U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.3	?
4 5-		AA463798	Hs.102696	MCT-1 protein	1.6	?
45		AF172066	Hs.106346	retinoic acid repressible protein	<b>3.5</b> .	other
		AW891965	Hs.279789	histone deacetylase 3	5	other
		AI252640	Hs.110364	peptidylprolyl isomerase C (cyclophilin	3.1	TM
		AA302744	Hs.104518	ESTs	1.9	TM
~~		NM_014320	Hs.111029	putative heme-binding protein	2.4	other
50		AF165883	Hs.298229	prefoldin 2	4.2	?
		W67883	Hs.137476	paternally expressed 10 (PEG10; KIAA105	7.1	?
		AF041259	Hs.155040	zinc finger protein 217	2.3 .	other
		AF155568	Hs.155489	NS1-associated protein 1	3.5	other
~ ~		BE304680	Hs.169531	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	1.9	?
55		AW183765	Hs.182238	GW128 protein	7.6	?
	428477	AW500533	Hs.11482	splicing factor, arginine/serine-rich 11	1.7	other
		AB001636	Hs.5683	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	2.4	other
	438449	AK001333	Hs.6216	Homo sapiens hepatocellular carcinoma-as	3.8	other
<i></i>	441560	F13386	Hs.7888	Homo sapiens clone 23736 mRNA sequence	5.6	other
60	445580	AF167572	Hs.12912	skb1 (S. pombe) homolog	2	TM
		AA151520	Hs.334822	hypothetical protein MGC4485	7.6	other
		A1017574	Hs.17409	cysteine-rich protein 1 (intestinal)	2.2	other
		BE620592	Hs.71190	ESTs, Weakly similar to S16506 hypotheti	2.9	other
<i>-</i>		NM_003677	Hs.22393	density-regulated protein	1.8	other
65		W68520	Hs.331328	intermediate filament protein syncoilin	5.9	other
		H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.7	other
	450703	AA011202	Hs.184771	nuclear factor I/C (CCAAT-binding transc	1.4	other

PCT/US02/02242

			•		
	452461 N78223	Hs.108106	transcription factor	4.8	?
	452511 BE408178	Hs.285165	Homo sapiens cDNA FLJ20845 fis, clone AD	2.9	other
	453157 AF077036	Hs.31989	DKFZP586G1722 protein	12.1	SS,TM
-	453658 BE541906	Hs.87819	Homo sapiens, clone MGC:2492, mRNA, comp	4.8 1.8	other
5	100685 AA328229	Hs.184582	ribosomal protein L24.	1.6	TM other
	100690 AA383256	Hs.1657	estrogen receptor 1 N-ethylmaleimide-sensitive factor	1.3	other
	100833 AF135168	Hs.108802 Hs.297939	cathepsin 8	1.7	?
	100850 AA836472 101161 NM_006262	Hs.37044	peripherin	16.9	other
10	102481 U50360	113.07011	qb:Human calcium, calmodulin-dependent p	3.2	other
10	102831 AA262170	Hs.80917	adaptor-related protein complex 3, sigma	2	?
	103549 BE270465	Hs.78793	protein kinase C, zeta	8	other
	103749 AL135301	Hs.8768	hypothetical protein FLJ10849	1.8	other
	104331 AB040450	Hs.279862	cdk inhibitor p21 binding protein	2	?
15	104532 Al498763	Hs.203013	hypothetical protein FLJ12748	2.1	other
	104563 AL117403	Hs.306189	DKFZP434F1735 protein	1.2 7	other ?
	105032 AA127818	Un 20475	gb:zl12a02.s1 Soares_pregnant_uterus_NbH	2.6	; ?
	105039 AA907305	Hs.36475 Hs.8832	ESTs .	1.6	other
20	106531 AA454036 106977 AL043152	Hs.50421	KIAA0203 gene product	4.9	other
20	107298 N95657	Hs.6820	ESTs, Moderately similar to YOJ1_CAEEL H	2.5	TM
	108717 AA122393	Hs.70811	hypothetical protein FLJ20516	1.3	other
	110018 AW579842	Hs.104557	hypothetical protein FLJ10697	5.3	TM
	110330 Al288666	Hs.16621	DKFZP434I116 protein	6.3	other
25	111391 NM_003896	Hs.225939	sialyltransferase 9 (CMP-NeuAc:lactosylc	5.1	SS,
	111392 W46342	Hs.325081	Homo sapiens, done IMAGE:3659680, mRNA,	8.4 3.7	other TM
	113554 AW503990	Hs.142442	HP1-BP74	1.3	other
	113722 AV653556	Hs.184411	albumin helicase-moi	. 2	other
30	115008 AK001827 115062 AA253314	Hs.87889 Hs.154103	LIM protein (similar to rat protein kina	1.5	other
30	115121 Al634549	Hs.88155	ESTs .	2.8	other
• :	117881 AF161470	Hs.260622	butyrate-induced transcript 1	5.8	TM
	119075 M10905	Hs.287820	fibronectin 1	5.7	other
	119615 AL034423	Hs.75875	ubiquitin-conjugating enzyme E2 variant	1.3	other
35	120253 AA131376	Hs.326401	fibroblast growth factor 128	38.9	other
	125006 BE065136	Hs.145696	splicing factor (CC1.3)	2.9 1.8	other
	127609 X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture chromosome 22 open reading frame 3	3	other
	128868 AA419008 128891 F34856	Hs.106730 Hs.292457	Homo sapiens, clone MGC:16362, mRNA, com	13.3	other
40	128959 Al580127	Hs.107381	hypothetical protein FLJ11200	10.9	other
70	129209 R62676	Hs.17820	Rho-associated, coiled-coil containing p	2.4	other
	129449 AI096988	Hs.111554	ADP-ribosylation factor-like 7	8.2	TM
	129453 AW974265	Hs.111632	Lsm3 protein	3.3	?
	129629 AK000398	Hs.11747	hypothetical protein FLJ20391	3.9	other
45	129917 M30773	Hs.278540	protein phosphatase 3 (formerly 2B), reg	5.3	TM other
	129922 AF042379	Hs.13386	gamma-tubulin complex protein 2	4.6 4	· SS,
	129989 AB015856 130182 BE267033	Hs.247433 Hs.192853	activating transcription factor 6 ubiquitin-conjugating enzyme E2G 2 (homo	4.6	other
	130365 W56119	Hs.155103	eukaryotic translation initiation factor	11	other
50	130471 AL121438	Hs.183706	adducin 1 (alpha)	2.7	other
50	130542 U64675	Hs.179825	RAN binding protein 2-like 1	7.9	other
	130586 AB007891	Hs.16349	KIAA0431 protein .	5.6	TM
	130768 AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1	5.2	other
	130992 BE398091	Hs.74316	desmoplakin (DPI, DPII)	1.8	TM ?
55	131047 H23230	Hs.22481	ESTs, Moderately similar to A46010 X-lin	1.7 3.3	τ'n
	131135 NM_016569		TBX3-iso protein Nijmegen breakage syndrome 1 (nibrin)	2.6	other
•	131339 AF058696 131760 X76732	Hs.25812	nucleobindin 2	2.9	TM
	131774 BE267158	Hs.3164 Hs.169474	DKFZP586J0119 protein	5.6	other
60	131853 Al681917	Hs.3321	FSTs. Highly similar to IRX1_HUMAN IROQU	1.3	other
50	131881 AW361018	Hs.3383	upstream regulatory element binding prot	3.2	TM
	131887 W17064	Hs.332848	SWI/SNF related, matrix associated, acti	3.2	other
	132031 AF193844	Hs.3758	COP9 complex subunit 7a	5.9	?
	132192 AA206153	Hs.4209	mitochondrial ribosomal protein L37	2.2 7.9	TM ?
65	132203 NM_004783		synaptosomal-associated protein, 29kD	7.9 4.3	other
	132240 AB018324	Hs.42676	KIAA0781 protein heterogeneous nuclear ribonucleoprotein	12.5	other
	132348 AW067708	Hs.170311	Hereinderieng Herical Implicacobioran		

	•						
	132528	T78736	Hs.50758	SMC4 (structural maintenance of chromoso	7.4	?	
		AW674699	Hs.5169	suppressor of G2 allele of SKP1, S. cere	6.9	other	
	132726	N52298	Hs.55608	hypothetical protein MGC955	14.3	?	
_		BE268048	Hs.236494	RAB10, member RAS oncogene family	10.3	other	
5		Al439688	Hs.6289	hypothetical protein FLJ20886	4.4	other	
		AI065016	Hs.6390	Homo sapiens clone FLB3344 PRO0845 mRNA,	1.8	SS,TM	
		Al275243	Hs.180201	hypothetical protein FLJ20671	1.8	other	
		AK001489	Hs.242894	ADP-ribosylation factor-like 1	1.8	other	
10		Al160873	Hs.69233	zinc finger protein	16.1	other	
10		M76477 BE313555	Hs.289082	GM2 ganglioside activator protein KIAA1224 protein	10.4 1.5	SS,	
		AL037159	Hs.7252 Hs.74619	proteasome (prosome, macropain) 26S subu	1.5 1.7	? other	
		BE622743	Hs.301064	arfaptin 1	12.1	other	
		M34338	Hs.76244	spermidine synthase	9.7	other	
15		W29092	Hs.7678	cellular retinoic acid-binding protein 1	4.2	SS,	
13		U86782	Hs.178761	26S proteasome-associated pad1 homolog	2.2	other	
		U30872	Hs.77204	centromere protein F (350/400kD, mitosin	9.1	other	
		NM_000288	Hs.79993	peroxisomal biogenesis factor 7	3.2	other	
		AA334551	Hs.82767	sperm specific antigen 2	1.4	other	
20		AF045239	Hs.321576	ring finger protein 22	1.4	other	
		AD001528	Hs.89718	spermine synthase	2.6	other	
		D26488	Hs.90315	KIAA0007 protein	13.3	other	
	135193	X95525	Hs.96103	TATA box binding protein (TBP)-associate	3.1	other	
		AA243007		ESTs	1.6	?	
25		T70541	•	ESTs	2.5	SS,	
		X57766		Human stromelysin-3 mRNA	4.5	other	
		S66431		Homo sapiens clone 23592 mRNA sequence	3.1	other	• .
		AA453483		ESTs	4.6	TM	
20		R63925		ESTs	1.4	other	
30		AA173417		ESTs	1.9	other	
		AA280588		ESTs	2.2	other	
		AA504223		ESTs Highly similar to CHROMOSOME	2.4	other	
		AA609996		ESTs Highly similar to Surf-4 protein [M.musculus]	5.5	?	
35		F02907		ESTs	2.3	TM	
33		AA480103		ESTs Weakly similar to !!!! ALU SUBFAMILY J	2.8	TM	
		AA024664		Human NADH:ubiquinone oxidoreductase subunit	6.2 2.3	other other	
		AA251776 AA399047		ESTs ESTs	2.3	other	
		N34059		EST - RC_N34059	3.3	other	
40		U95367		Human GABA-A receptor pi subunit mRNA complet		1.7	TM
10		AA490899		ESTs	3.3	other	• • • • • • • • • • • • • • • • • • • •
		T54762		ESTs	2.9	?	
		Z41963		Homo sapiens HP protein (HP) mRNA complete cd		. ?	
		AA521186		ESTs	1.6	TM	
45		AA400195		ESTs	1.3	other	
		AA045083		VITAMIN K-DEPENDENT GAMMA-CARBOXYLAS	Ε	2.5	other
		AA099589		Homo sapiens mRNA for GDP dissociation inhibitor	beta	1.6	TM
		W85712		ESTs Weakly similar to PROCOLLAGEN ALPHA 2	(IV	2.6	TM
~^		W45728		ESTs Highly similar to HETEROGENEOUS	3.7	other	
50		U61232		Human tubulin-folding cofactor E mRNA complete of		2.1	other
		AA425154	•	ESTs	5.3	other	
	•	T39176		ESTs Weakly similar to ZK1058.4 [C.elegans]	2.6	SS,TM	
		AA496000		ESTs	1.9	SS,	
55		W38150		EST - RC_W38150	1.7	?	
23		T96595		EST - RC_T96595	1.8	TM	•
		AA227463		ESTs Weakly similar to No definition line found [C.e		1.9	?
		R46025 AA233177		ESTs ESTs	2.8	SS,	
		AA338760			2	other	
60		AA412106		ESTs ESTs	1.3 6.2	? other	
00		L47276		EST - L47276	3.4	other	
		D82307		ESTs Weakly similar to TH1 protein [D.melanogasti		11.4	other
		AA293568		ESTs	1.5	other	30101
		R37778		ESTs	2.4	other	
65		AA250843		Interferon regulatory factor 5	14.6	?	-
		W49521		Human prolyl 4-hydroxylase alpha (II) subunit	6.5	?	
		D80000		Human mRNA for KIAA0178 gene partial cds	2	other	
				• •			

	R99978	ESTs Weakly similar to line-1 protein ORF2 [H.sapie	ns)	6.1	?
		Human Ro/SSA ribonucleoprotein homolog (RoRet	53	?	•
	AA195036		1.4	other	
	Z38501	Human IAP homolog B (MIHB) mRNA complete cds		other	
_	U37547		1.7	other	
5	AA479961	ESTS		15.8	?
	X57579	Inhibin beta A (activin A activin AB alpha polypeptide			r
	AA449071	ESTs	1.3	TM	
	N51855	ESTs Moderately similar to NAD(+) ADP-	1.3	other	
	AA421213		3.2	other	
, 10	AA355201	ESTs	1.2	SS,TM	
	N78717	H.sapiens mRNA for translin	1.5 -	?	
	N73808		5	?	
	U86782	Human 26S proteasome-associated pad1	2.2	other	
	AA234817	ESTs	1.3	other	
⊂15	D13666	Homo sapiens mRNA for osteoblast specific	7.5	SS,	
	AA236177	ESTs	7.1	?	
	U50648	Protein kinase interferon-inducible double	4.1	?	
	M28211	Homo sapiens GTP-binding protein (RAB4)	2.9	other	
	AA446949	ESTs	2.2	other	
20	W03007	ESTs	1.2	other	
	· W61011	ESTs	1.2	other	
	W87544	ESTs	1.2	other	
	X02751	Neuroblastoma RAS viral (v-ras) oncogene homolog	1.2 >	?	
	Z14077	YY1 transcription factor	1.2	other	
25	Z38839	ESTs	1.2	?	
20	AA410894	ESTs	1.7	other	
	AA504499	ESTs Highly similar to probable chloride channel 3 [	H.sap	1.3	other
	Montag	2010 Highly diffinds to proposite distribute a			

### TABLE 7A

Table 7 A shows the accession numbers for those pkeys lacking unigeneID's for Table 7. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: CAT number: Unique Eos probeset Identifier number

AT number: Gene cluster number

Accession:

Genbank accession numbers

15

 Pkey
 CAT number
 Accession

 102481
 31281\_-28
 U50360

 105032
 genbank\_AA127818
 AA127818

20 105032 genbank\_AA127 409487 1134778\_1

H19886 AW402806 T10231

### TABLE 8: Figure 8 from BRCA 001-1 US

Table 8 shows genes upregulated in tumor tissue compared to normal breast tissue. Specifically, one column shows the ratio of expression of the indicated gene in breast tumor tissue compared to other body tissues, and another column shows the ratio of expression of the indicated gene in breast tumor tissue compared to normal breast tissue.

10				,					
	Pkey:			set identifier number					
	ExAccn:			on number, Genbank accession number					
			Jnigene number						
1	Unigene		ene gene title						
15	R1:	Ratio		normal body tissue					
	R2:		Ratio of turn	or to normal breast tissue					
-	Pkey	ExAccn -	UnigenelD	Unigene Title	R1	R2			
	,								
20		AF152333		protocadherin gamma subfamily B, 4	1	3.8			
		AV652249		polymerase (DNA directed), beta	1.7	5.3			
	100262			postmeiotic segregation increased 2-like	8.0	4.8 2.3			
		BE160081		S100 calcium-binding protein A11 (calgiz	3.2 3.3	2.3 1.4			
25		AI907114	Hs.71465	squalene epoxidase	ა.ა 11.9	0.4			
25	100522		Hs.99949	prolactin-induced protein	3.8	1.2			
		AA019521	Hs.301946		9.4	9.4			
	100599			transcription factor AP-2 alpha (activat	3	7.8			
	100676			fibronectin 1	3 4.4	4.4			
20		AA383256	Hs.1657	estrogen receptor 1	1	3.9			
30	100895		Hs.75772	nuclear receptor subfamily 3, group C, m		4			
	101046		U- SEONEN	NM_002122:Homo sapiens major histocomp	0.8	4.1			
		AA382524	Hs.250959		1.2	12			
		NM_002923	Hs.78944	regulator of G-protein signalling 2, 24k	3.1	1.1			
35		NM_006262	Hs.37044	peripherin	4.4	0.6			
33		L22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	3.1	3.4			
		AI186220	Hs.83164	collagen, type XV, alpha 1 S100 calcium-binding protein A8 (calgran	0.9	4.2			
		AW468397	ns. 100000	gb:Human alpha satellite and satellite 3	29.9	0.3			
		M21305 AA310162	Ha 400240	cytochrome c	0.8	4.9			
40		M33552	Hs.56729	lysosomal	1	5.9			
40		BE561617		H2A histone family, member Z	2.8	4			
		M55998	113.113132	gb:Human alpha-1 collagen type I gene, 3	3.1	1.7			
		NM_002291	Hs.82124	laminin, beta 1	1.5	4.1			
		AA350659	Hs.83347	angio-associated, migratory cell protein	3.1	1.4			
45		AF112213		putative Rab5-interacting protein	1.3	6.9			
73		AL036335	Hs.313	secreted phosphoprotein 1 (osteopontin,	1.9	4.9			
		AA334592	Hs.79914	lumican	2.2	3.8			
		AF015224	Hs.46452	mammaglobin 1	4.2	0.7			
		NM_003480		Microfibril-associated glycoprotein-2	1.1	4.2			
50		NM_001394	Hs.2359	dual specificity phosphatase 4	4.5	0.5			
50		U96759		von Hippel-Lindau binding protein 1	1.4	4.2			
		Al379954	Hs.79025	KIAA0096 protein	0.9	3.9			
		BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b.	1.5	10.9			
		R50032		collagen, type VI, alpha 2	2.2	- 6.2			
55		AW293542	Hs.75309	eukaryotic translation elongation factor .	5.6	5.7			
33		X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	3.7	0.5			
		X69089	Hs.79227	myomesin (M-protein) 2 (165kD)	1.3	4			
		D38616	Hs.54941	phosphorylase kinase, alpha 2 (liver)	1.3	3.8			
		X83492	Hs.82359	tumor necrosis factor receptor superfami	0.8	4.6			
60		BE536700	Hs.4888	seryl-tRNA synthetase	0.9	8			
		T34708	Hs.272927	Sec23 (S. cerevisiae) homolog A	1.1	5.1			
		Y00815	Hs.75216	protein tyrosine phosphatase, receptor t	3.7	1.2			
	103546	Z14244	Hs.75752	cytochrome c oxidase subunit VIIb	0.9	4.4			
				100	,				

	103658	880000_MM	Hs.172928		3.2	3	
,	103758	AA084874		•	0.9	10	
	103774		Hs.92918	hypothetical protein	1.9	15.9	
_		AA095971		Homo sapiens cDNA: FLJ22463 fis, clone H	1.2	3.9	
5		BE439604		ATPase, H+ transporting, lysosomal (vacu	1.4	3.9	
		AW130242		hypothetical protein FKSG44	1.6	4.1	
		AK001913 \	Hs.7100	hypothetical protein	1.5	4.3	
		AF183810		opposite strand to trichorhinophalangeal	7	7	
1.0		AB040927		KIAA1494 protein	2	4.6	
10		AB002347		•	0.7	4.5	
		AW583693		N-terminal acetyltransferase complex ard	3.3	3.3 4.2	
		AW365522		hypothetical protein PRO2219	2.3	7.2	
		AW804296	Hs.9950	Sec61 gamma	3.1 4	1.3	
15		AF283775 X51501	Hs.35380	x 001 protein prolactin-induced protein	3.8	0.6	
13		AW966728.	Hs.99949 Hs.54642	•	0.8	6.7	
		AK001731		Homo sapiens mRNA; cDNA DKFZp586H092		1.7	4.8
		W94824		RIKEN cDNA 2010100012 gene	2	7.5	1.0
		AW630488		protease, serine, 23	1.9	7.4	
20		AF123303		hypothetical protein	1.1	6.3	
20		R82252		protein kinase (cAMP-dependent, catalyti	1.2	4	
		AW270555		hypothetical protein	1.4	3.9	
		AA960961		zinc finger protein 83 (HPF1)	1.5	4.2	
		AA305351		uncharacterized hypothalamus protein HAR		4.1	
-25		AI279065		ribosomal protein S6	1.3	4.6	
		AL133035	Hs.8728	hypothetical protein DKFZp434G171	1.2	3.6	
		W70164	Hs.20107	ESTs	8.0	4.2	
		AA058630	Hs.29759	RNA POLYMERASE I AND TRANSCRIPT RE	ELEASE	1.7	5.1
•		W03831	Hs.20597	host cell factor homolog	0.8	5.4	
30	104891	W44626	Hs.30627	ESTs	0.7	6.8	
	104920	AW955089	Hs.306083	Novel human gene mapping to chomosome 2	2	1 3.9	
	104926	BE298808	Hs.33363	DKFZP434N093 protein	3.3	3.3	
	104952	AW076098	Hs.74316		1.2	3.7	
~ ~		AB029020		KIAA1097 protein	1.1	5.5	
35		AI392640	Hs.18272		3.2	1.4	
		BE613061		Homo sapiens, Similar to RIKEN cDNA 0610	1.6	11.4	
		N39760	Hs.8859	Homo sapiens, Similar to RIKEN cDNA 5830		7.2	
		BE410438	Hs.9006	VAMP (vesicle-associated membrane protei	1.1	3.5	
40		AF146277		CD2-associated protein	1.2	10 8.3	
40		AA313825	Hs.21941		3.6 1.7	6.8	
		BE407961 AI554929	Hs.18271	golgi phosphoprotein 3 ATPase, H+ transporting, lysosomal (vacu	1.1	3.7	
		BE243327		chromosome 22 open reading frame 5	1.5	4	
		Al015709		Homo sapiens mRNA; cDNA DKFZp586I2022		1.5	14
45		W20027	Hs.23439	ESTs	4.3	2.9	• • •
-1.0		W03516		stress-associated endoplasmic reticulum	1.5	5	
		AA252372	Hs.12144	Table 1	1.2	3.6	
		AL137257	Hs.23458		1.7	15.8	
		A1805717		CGI-43 protein	2	4.8	
50		AL037715	Hs.28785		1.3	3.9	
		AB040884	Hs.109694	KIAA1451 protein	2.7	11.4	
	105594	AB024334	Hs.25001	tyrosine 3-monooxygenase/tryptophan 5-mo	1.3	6.1	
	105623	BE504200	Hs.30127	hypothetical protein	1.7	4.5	
	105807	AA788946	Hs.16869	ESTs, Moderately similar to CA1C RAT COL		24.6	
55	105812	BE614149	. Hs.20814	CGI-27 protein	1.8	3.6	
		A1559444	Hs.293960		1.9	6.6	
		AA329449		twisted gastrulation	1.5	4.3	
		A1827976	Hs.24391	hypothetical protein FLJ13612	3.8	1.9	
~0		BE392914	Hs.30503	Homo sapiens cDNA FLJ11344 fis, clone PL		4	
60		AW028485	Hs.26136	hypothetical protein MGC14156	1.7	7.4	2.0
		AL137728	Hs.12258	Homo sapiens mRNA; cDNA DKFZp434B092		1.2	3.8
		AB033075	Hs.10669	development and differentiation enhancin	1.3	4.6 5.9	
		AB030656	Hs.17377	coronin, actin-binding protein, 1C	1.1 2	5.9 4.6	
65		A1690586	Hs.29403	hypothetical protein FLJ22060 ESTs	4.1	1.2	
03		A1240665.	Hs.8895	C-terminal binding protein 2	2.6	7	
		NM_001329 T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence		10.7	
	100010		. 10.0007	suprama siono 27710 mi tra soquento		**	

	106083	H62087	Hs.31659	thyroid hormone receptor-associated prot	1.5	3.6	
	106155	AA425414	Hs.33287	nuclear factor I/B	5.4	. 1.2	
		BE613206	Hs.279607		1.8	4	•
		BE568205		mitogen-activated protein kinase kinase	5.1	6.1	
5			Hs.28827				
3		AK000274		HDCMA18P protein	1.2	5.9	
		AW051564	Hs.28285	patched related protein translocated in	1.8	5.4	
	106574	BE044325	Hs.227280	U6 snRNA-associated Sm-like protein	2.3	11.2	
	106613	N88604	Hs.30212	thyroid receptor interacting protein 15	1.2	3.6	
	106617	H09548	Hs.5367	ESTs, Weakly similar to 138022 hypotheti	0.9	4.4	
10		AA459480	Hs.23956	hypothetical protein FLJ20502	1.3	3.6	
10		BE387614	Hs.25797	splicing factor 3b, subunit 4, 49kD	1.6	7.3	
					1.7	6.1	
		AA741038	Hs.6670	ESTs			
		AA206079	Hs.6693	hypothetical protein FLJ20420	1	5.4	•
	106866	AA487416	Hs.268231	Homo sapiens cDNA: FLJ23111 fis, clone L	1.6	5.4	
15	106868	BE185536	Hs.301183	molecule possessing ankyrin repeats indu	3.3	1.2	
	106887	BE503373	Hs.334335	hypothetical protein FLJ13576	1.4	6.3	
	106940			hypothetical protein FLJ10120	3.3	1.8	
		AF216751	Hs.26813	CDA14	3	3	
					1.7	7.6	
20		BE391904	Hs.12482	glyceronephosphate O-acyltransferase			
20		BE147611	Hs.6354	stromal cell derived factor receptor 1	1.2	4.3	•
	107149	AI289507		hypothetical protein FLJ23399	1.8	6.5	
	107222	BE172058	Hs.82689	tumor rejection antigen (gp96) 1	1.2	6.9	
	107233	BE267795	Hs.22595	hypothetical protein FLJ10637	1.4	3.5	
	107295	AA186629	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	2.6	4.3	
25		AA011510	Hs.60512	ESTS	1.8	4	
		AA027229	Hs.61329	ESTs, Weakly similar to T16370 hypotheti	1.3	3.5	
		AF109219		•	1.6	3.5	
				phosphatidylinositol glycan, class N			0.1
		AW368993		Homo sapiens clone CDABP0086 mRNA seq		1.8	8.1
•		AA291440	Hs.73149	paired box gene 8	1.1	3.5	
30	108081	AA093668	Hs.28578	muscleblind (Drosophila)-like	0.7	5.6	
	108137	AI283611	Hs.263479	ESTs, Weakly similar to HMG1_HUMAN HIG	Н	1.2	5.6
	108186	AW068579	Hs.7780	Homo sapiens mRNA; cDNA DKFZp564A072	(fr	3.1	6.9
		AI879238		collapsin response mediator protein-5; C	1.5	4.6	
		AA333660	Hs.71331	hypothetical protein MGC5350	1.5	4	
35						6.3	4.7
33		AW151340	Hs.51615	ESTs, Weakly similar to ALU7_HUMAN ALU			4.7
		AA074374	Hs.67639	ESTs	1.3	3.8	•
	108399	AF086070	Hs.237519	EST	1	3.6	
•	108469	AA079487		gb:zm97f08.s1 Stratagene colon HT29 (937	1.5	. 3.6	
	108470	AA079500		gb:zm96h10.s1 Stratagene colon HT29 (937	1.1	4.3	
40		M23114	Hs.1526	ATPase, Ca++ transporting, cardiac muscl	2	4.9	
		AA112059	Hs.429	ATP synthase, H+ transporting, mitochond	1.1	3.5	
		AA058522	Hs.185751		1.2	3.6	
							:
		AA036725	Hs.61847	ESTs	1.4	3.6	
15		AK001332	Hs.44672	hypothetical protein FLJ10470	1.4	3.5	
45	108863	AA133456		glucocorticoid receptor DNA binding fact	1.2	4	
	108893	BE276891	Hs.194691	retinoic acid induced 3	1.3	3.6	
	108992	AA152312	Hs.72047	ESTs	1.1	4.1	
	109072	A1732585	Hs.22394	hypothetical protein FLJ10893	1.2	- 3.5	
		AA167512		gb:zp10f12.s1 Stratagene fetal retina 93	1.3	<b>5</b> .	
50		BE220601	Hs.301997	· · · · · · · · · · · · · · · · · · ·	4	6.1	
50					-	1.7	7.4
		BE179030	Hs.64239	Human DNA sequence from clone RP5-1174			7.4
		AA878923	Hs.289069		3.8	7.7	
		AA366263	Hs.72531	hypothetical protein FLJ11838	1.9	4	
	109795	AA173942	Hs.326416	Homo sapiens mRNA; cDNA DKFZp564H19	16 (f	3.7	1.3
55	110009	BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	4.6	7.4	
	110107	AW151660	Hs.31444	ESTs	1.2	3.5	
		AW001579	Hs.9645	Homo sapiens mRNA for KIAA1741 protein,	3.7	≥.3	
		NM_014899		KIAA0878 protein	2.8	3.7	•
					1.6	3.5	
60		N21207	Hs.182999			1.2	
60		BE242691	Hs.14947	ESTs	3.1		
		A1753230		hypothetical protein DKFZp564K142	1.9	7.5 ·	
	111051	Al681293	Hs.12186	hypothetical protein FLJ22558	2	4 .	
	111110	AK001566	Hs.23618	hypothetical protein FLJ10704	1.1	3.8	
		BE301871	Hs.4867	mannosyl (alpha-1,3-)-glycoprotein beta-	1	8.2	
65		BE314949	Hs.87128	hypothetical protein FLJ23309	3.3	6.1	
03		R27975	Hs.269401	• •	1.2	5.4	
		AF131784	Hs.25318	Homo sapiens clone 25194 mRNA sequence		0.8	
	111200	AI 131704	113.23310	monto sapiena cione 20 134 miniva sequence	J.2	0.0	

		•	-					
	111903	NM_014906	Hs.166351	KIAA1072 protein	1		5.4	
		NM_014927		KIAA0902 protein	1		3.8	
	112141	AW137198		Phosphatidylglycerophosphate Synthase	1.4		3.5	
_	.112193	R49499	Hs.138238		1.5		3.6	
5	112197	NM_003655	Hs.5637	ESTs .	4.6		2	
	112610	AW500106	Hs.23643	serine/threonine protein kinase MASK	3.3		10.5	
	112971	Z42387	Hs.83883	transmembrane, prostate androgen induced	3.2		3	
	112984	T16971	Hs.289014	ESTs, Weakly similar to A43932 mucin 2 p	3.7		10.8	
	113056	AF019226	Hs.8036	glioblastoma overexpressed	4.5		3.7	
10		AW160683	Hs.158006	hypothetical protein	1.2		4.4	
	113497	AF143321	Hs.15572	hypothetical protein IMAGE 109914	0.9		3.6	
	113508	AL042936	Hs.211571	holocytochrome c synthase (cytochrome c	1.1		3.5	
	113531	AK001898	Hs.16740	hypothetical protein FLJ11036	1.2		3.9	
		Al075407	Hs.296083	ESTs, Moderately similar to 154374 gene	1.7		5.3	
15	113674	NM_014214	Hs.5753	inositol(myo)-1(or 4)-monophosphatase 2	8.0		6.1	
	113841	W30681	Hs.146233	Homo sapiens cDNA: FLJ22130 fis, clone H	1.7		6.2	
	113857	AW243158	Hs.5297	DKFZP564A2416 protein .	1.2		4.6	
	113931	BE255499	Hs.3496	hypothetical protein MGC15749	1.5		4	
20		W17056	Hs.83623	nuclear receptor subfamily 1, group I, m	3.8		1	
20		AA345519	Hs.9641	complement component 1, q subcomponent,	1.2		4.7	
	114132	A1342493	Hs.24192	Homo sapiens cDNA FLJ20767 fis, clone CO	0.3		4.3	ľ
	114156	BE179882	Hs.336920		1.1		4.3	
	114213	N58309	Hs.19575	CGI-11 protein	1.6		9.2	
2.5	114636	AA075488		gb:zm88d01.s1 Stratagene ovarian cancer	1.6		3.7	
<b>25</b> .		AI929382	Hs.252692	hypothetical protein FLJ20343	1.4		4	
		T10446	Hs.95388	ESTs	1		4.3	
-		AB037858	Hs.173484	hypothetical protein FLJ10337	1.6		9.2	
		AV660012	Hs.196437	hypothetical protein FLJ10788	1.4		5.2	
20		A1683069	Hs.175319		3.7		1	
30		BE541042	Hs.23240	Homo sapiens cDNA: FLJ21848 fis, clone H	3.2		4.2	
		N36110		solute carrier family 2 (facilitated glu	1.5		3.9	
		AW582256	Hs.91011	anterior gradient 2 (Xenepus laevis) hom	1.3		5.9	
		AW410233	Hs.206521	YME1 (S.cerevisiae)-like 1	1.7 .		6.6	
25		AB037836	Hs.109315	KIAA1415 protein	1.5		9.1	
35		BE383668		hypothetical protein FLJ10618	0.9		4.3 ·	
		BE395293	Hs.94491	hypothetical protein FLJ20297	1.6		5.5	
		AI129767		guanine nucleotide binding protein (G pr	3.2		2.4	
		Z24854	Hs.42299	ESTs	0.8		4.7	
40		Al371223	Hs.288671				3.9	
40		AF191018	Hs.279923		5.5		5.5	
		AA313607	Hs.58633	Homo sapiens cDNA: FLJ22145 fis, clone H	5		1.3	
		AI272141	Hs.83484	SRY (sex determining region Y)-box 4	8.7		4.5	
		D21262	Hs.75337	nucleolar and coiled-body phosphprotein	3.2		6.9	
45		AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (	3.2		3	
43		AI557212	Hs.17132	ESTs, Moderately similar to 154374 gene	3.1		8.3	
		H25836	HS.30152/	ESTs, Moderately similar to unknown [H.s	3.2		4.5	
			Hs.42500	ADP-ribosylation factor-like 5	7		5.5	
		N20066	HS. 133207	PTPRF interacting protein, binding prote	1.2		6.2	
50		M18217		Homo sapiens cDNA: FLJ21409 fis, clone C	4.5		2.4	
50		A1383467	Hs.44597	ESTS	1.4		4:2	
		U59305 AF161470	Hs.44708	Ser-Thr protein kinase related to the my	4.3		0.5	
			Ho 47166	butyrate-induced transcript 1	2.1		5.7	
		BE327311	Hs.47166	HT021	3.6		7.7	
55		N66845	Hs.50115	gb:za46c11.s1 Soares fetal liver spleen	4.2		0.5	
55		AL353944 N67343	HS.50115	Homo sapiens mRNA; cDNA DKFZp761J1112	•		3.5	
		AF142419	Hs.15020	gb:yz50b07.s1 Morton Fetal Cochlea Homo	2.1		3.8	
		BE048061		homolog of mouse quaking QKI (KH domain			1.5	
		BE218319	Hs.37054 Hs.5807	ephrin-A3	3		1.1	
60				GTPase Rab14	1:1		5.6	
00		BE041667	113.314344 He 2522	Homo sapiens cervical cancer suppressor-	1.4	•	4.3	
		AI905687 AL050097	Hs.2533 Hs 272531	EST DVE7D506D0340 protein	3.2		1	
		BE565849		DKFZP586B0319 protein-	4.3		0.7	
		AA235207	Hs.14158	copine III	3.5		1.9	
65		AW968080	He 152020	hypothetical protein DKFZp762F2011	1.5		3.7	
0.5		AF150208	He 102227	Homo sapiens clone 24630 mRNA sequence			1.4	
		AA350781	Hs.96967	damage-specific DNA binding protein 1 (1 ESTs	1.6		6.8	
	120007	, 171000101	10.00007	LOIS	1.1		3.6	

3.3

				16	4.1	
	121368 BE262956	Hs.178292		1.5 2.2	5.5	
	121603 AA416785	Hs.249495	ictorogeneous madical machines	3.4	3.2	
	121723 AA243499	HS.104800 I	nypothetical protein FLJ10134 adaptor protein containing pH domain, PT	3.9	3.9	
_	122223 AF169797	Hs.27413 a	hypothetical protein DKFZp762K2015	1.4	7.1	
5 -	122378 AB032948	He 308026	major histocompatibility complex, dass	1.4	3.7	•
	122946 AI718702 123155 AF121856		sorting nexin 6	1.2	4.9	
	123158 AF161426	Hs.218329	hypothetical protein	2.4	3.6	
	123327 AA421581	Hs.178443	ESTs	0.9	5.2	
10	123495 W28673	Hs.106747	serine carboxypeptidase 1 precursor prot	1.3	5.1	
,	123526 AA608657		gb:ae55d04.s1 Stratagene lung carcinoma	2.1	5.2	
	123533 AA608751		gb:ae56h07.s1 Stratagene lung carcinoma	2.1	9.3 3.6	
	123768 Al932318		ESTs, Moderately similar to H2BL_HUMAN H	1.1	3.5	
	123961 AL050184	Hs.21610	DKFZP434B203 protein	1.4	3.8	
15	123999 AF084555	Hs.7351	cyclic AMP phosphoprotein, 19 kD	1.9	11.2	
•	124000 BE563957	Hs.74861	activated RNA polymerase II transcriptio nuclear factor I/A	1.5	4.4	
	124038 AB037860	MS. 173933	ESTs, Weakly similar to S64054 hypotheti	14.8	11.5	
	124059 BE387335	Hs.7734	hypothetical protein FLJ22174	1.2	6.2	
20	124083 AW195237 124148 BE300094	He 227751	lectin, galactoside-binding, soluble, 1	2.5	12.7	
20	124153 AU077333	Hs 160483	erythrocyte membrane protein band 7.2 (s	1	4.1	
	124252 BE613340	Hs.334725	Homo sapiens, Similar to RIKEN cDNA 9430	1.5	8.4	
•	124314 AK001552		GTP-binding protein	1.8	10.2	
	124375 D87454	Hs.192966	KIAA0265 protein	1.1	4.8	
25	124432 N39016	Hs.268869	ESTs, Weakly similar to ALUC_HUMAN !!!!	1.3	4.1	
	124447 N48000		gb:yy98e12.s1 Soares_multiple_sclerosis_	2.7	4.3	
	124539 D54120		cell division cycle 42 (GTP-binding prot	2.1 1	5.7 4.1	
	124543 Al393320	Hs.104573		1.4	4.1	
	124564 H66409	Hs.108275	ESIS	0.7	4	
30	124574 AL036596		A kinase (PRKA) anchor protein 2 minichromosome maintenance deficient (S.	1.1	3.5	
	124605 ·AA749315	Hs.77171	DKFZP586C1324 protein	1.4	3.6	•
	124639 H60193	Hs.21143	Homo sapiens cDNA FLJ11918 fis, clone HE		9.9	
	124659 AI680737 124737 BE270465	Hs.78793	protein kinase C, zeta	0.7	4	
35	124760 AW408586	Hs.91052	ESTs, Moderately similar to ALU5_HUMAN	A 0.9	3.6	
55	124763 BE410405	Hs.76288	calpain 2, (m/li) large subunit	1.3	3.9	
	124792 R44357	Hs.48712	hypothetical protein FLJ20736	1.8	4.2	
	124842 R56485		gb:yg93h09.s1 Soares infant brain 1NIB H	1.	3.6	
	124940 AF068846	Hs.103804	heterogeneous nuclear ribonucleoprotein	3.2	3.4	
40	124949 Al903210	Hs.336780	tubulin, beta polypeptide	1	4.4	
	124960 AL023513		seizure related gene 6 (mouse)-like	0.9	5.2 3.5	
	124995 T52700	Hs.110044		0.9 1.2	5	
	125030 AA610577 .	Hs.187775	ESIS		1.5	3.7
15	125034 BE548446	Hs.5167	Homo sapiens mRNA; cDNA DKFZp434F15 phosphoglycerate dehydrogenase	0.9	6	0
45	125058 T83731	Hs.3343	gb:oq02h08.s1 NCI_CGAP_Lu5 Homo sapid		1 3.7	
	125076 AA973971 125090 T91518		gb:ye20f05.s1 Stratagene lung (937210) H	3.2	2.5	
	125103 AA570056	Hs.122730	ESTs, Moderately similar to KIAA1215 pro	5.3	6.6	
•	125154 W38419		gb:zc78a07.s1 Pancreatic Islet Homo sapi	0.9	6.1	
50	125155 AA837043	Hs.143669	ESTs .	1.1	4.3	
50	125159 AK000669	Hs.274428	3 TRF2-interacting telomeric RAP1 protein	1.1	4.1	
	125170 AL020996	Hs.8518	selenoprotein N	1.1	3.8	
	125181 R40815	Hs.12396	ESTs, Weakly similar to 2004399A chromos	s 1	· 3.6	
	125193 W67577	Hs.84298	CD74 antigen (invariant polypeptide of m	1.2	. 7.8 4.9	
. 55	125260 H05635	Hs.294030	topoisomerase-related function protein 4	1 1.3	4.8	
	125262 AW884980		7 triple functional domain (PTPRF interact	1.1	16.1	
•	125272 BE612888		4 myosin regulatory light chain a disintegrin and metalloproteinase doma	1.4	5.3	
	125388 W27235	Hs.64311	3 short coiled-coil protein	2.4	8.7	
60	125824 Z45258	Hs.76550			1.8	4.6
60	125852 AW630088 125970 AW504721	Hs 17751	6 high density lipoprotein binding protein	1.9	3.8	
	126192 AW160399			1.4	4.1	•
	126469 BE384361	Hs.18288	5 ESTs, Weakly similar to JC5024 UDP-gala		3.7	
	126510 AA057593	Hs.33476	2 hypothetical protein FLJ14735	1.3	4.1	
65	127095 AA340277	Hs.10248	Homo sapiens cDNA FLJ20167 fis, done (	0 1.3	5	
	127524 AI243596	Hs.94830	ESTs, Moderately similar to T03094 A-kin	4.3	0.9	
	128312 J04182	Hs.15010	1 lysosomal	1:5	4.7	

		X02761		fibronectin 1	1.2	4.3	
	128460	T16206	Hs.237164	ESTs, Highly similar to LDHH_HUMAN L-LAC	3.1	44.4	
	128491	H08379	Hs.165563	hypothetical protein DKFZp434N1429	0.6	13.1	
_	128495	NM_005904	Hs.100602	MAD (mothers against decapentaplegic, Dr	1.3	4 ·	
5	128546	NM_003478	Hs.101299	cullin 5	1	5.1	
		Al185977	Hs.38260		8.0	4	
	128611	NM_014721	Hs.102471	KIAA0680 gene product	1.3	3.7	•
		AA432202	Hs.103147	hypothetical protein FLJ21347	1.4	3.9	
4.0		D87432	Hs.10315	solute carrier family 7 (cationic amino	1.2	3.6	
10	128655	AI246669	Hs.324275	WW domain-containing protein 1	8.0	4.1	
	128684	BE246444	Hs.283685	hypothetical protein FLJ20396	3	1.6	
	128717	AK001564		hypothetical protein FLJ10702	2.8	4.8	
	128774	AA476220	Hs.54457	CD81 antigen (target of antiproliferativ	1.1	10.6	
		AF026692	Hs.105700	secreted frizzled-related protein 4	·1	3.8	
15	128805	AA194554	Hs.183434	ATPase, H+ transporting, lysosomal (vacu	5.3	5.3	
	128827	Al638184	Hs.106334	Homo sapiens clone 23836 mRNA sequence	2.2	5.3	
	128840	Al917602	Hs.106440		1 .	4.5	
	128869	AA768242		hypothetical protein	8.0	3.6	
~~	128889		Hs.106909	DKFZP566D193 protein	4.6	3.7	
_20		Al222020		CocoaCrisp	3	1.5	
		AK000140		hypothetical protein	0.2	3.9	
		AA622037		programmed cell death 5	2.5	15.2	
		AF155096		hypothetical protein FLJ20585	4	4 .	
0.5		AA298958	Hs.10724	MDS023 protein	1.2	4.5	
25 -		AW247536		hypothetical protein	1.4	5	
		AW953622	Hs.223025	RAB31, member RAS oncogene family	2.3	5.6	
		AB020716	Hs.107362	KIAA0909 protein	0.9	3.9	
		AW271217		Homo sapiens cDNA FLJ14028 fis, clone HE		3.6	
20		AA258924		NM_002495*:Homo sapiens NADH dehydroge		0.8	3.8
30		A1770025		hypothetical protein FLJ22059	1.2	5.7	
	129009			Homo sapiens cDNA FLJ14368 fis, clone HE		9.9	
		AA371156		DKFZP564M112 protein	2.4	3.8	
		Al634522		KIAA1268 protein	1.2	3.8	
25		AW504486		sterol regulatory element binding transc	1.2	5.5	
35		BE543205		DKFZP586A0522 protein	0.5	3.7	
		AB002450		CGI-109 protein	1	5.2	
		AW881089		Homo sapiens mRNA; cDNA DKFZp566M094	•	1.5	7
	129151			C-terminal binding protein 2	2.1	9.7	
40		AA335362		Empirically selected from AFFX single pr	0.9	8.6	
40	129234			glucosidase, beta; acid (includes glucos	1.1	3.5	
•		BE542214	Hs.109697		1.1	12.8	
		W57656		ubiquitin-like 5	3.2	5.1	
		Al878857		hematological and neurological expressed	1.9	5.7	
15		BE169531		TAK1-binding protein 2; KIAA0733 protein	1.2	6.6	
45	129247			CGI-131 protein	1.5	3.5	
		AA344367		Empirically selected from multiple AFFX	1	5.4	
		AA250970		poly(A)-binding protein, cytoplasmic 1-l	1.3	4.1	
•		AF077200		hypothetical protein	1.6	3.9	
50 .		AA357185		ras homolog gene family, member H	1.8	4.2	
50 .		AB007896	Hs.110	putative L-type neutral amino acid trans	1.1	6.1	
		AA318224	Hs.296141		2.5	4.8	
	129300			ribosomal protein L26 homolog	1.6	5.1	
		AF189062		tumor metastasis-suppressor	1.8	6.5	
55		AW511656			0.9	4	
55	129362			solute carrier family 12 (sodium/potassi	1.4	9.2	
		BE278964		CGI-111 protein	1	4.8	
		AA318271		hypothetical protein	1	4.1	
		AA016188		hypothetical protein	1.8	10.7	
60		AI498631		ferritin, light polypeptide	1.1	4.8	
00		W92931. AL050260		heat shock factor binding protein 1 DKFZP547E1010 protein		9.3	
				FSHD region gene 1	1	5	
		NM_004477 - AA449789		connective tissue growth factor	1.1	4.2	
		AI631811		STRIN protein	1.9	6.8	
65		AA769221		delta-tubulin	1.1 1.1	9.7	
		R18087		cisplatin resistance related protein CRR	1.1	4.3 4.2	
		AW517695			2.3	3.5	
	.200.0		. 13.2002 10	junious la democrati motoculo 1	2.0	J.J	

		**********	LI- 4000EA	humathatian aretain DVE7aE661433	2.4	4.4
		AW968941		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2.4	4.4
		AA209534			3.2	13
	129620				1.6	4.6
_		AL110212	Hs.301005		1.1	5.7
5		AB020335			0.9	4.3
		A1207406	Hs.11866		1.9	4.8 4.1
		AW889132	Hs.11916		0.9 1.3	4.7
	129688		Hs.24937		1.3 4.7	3.7
10	129691			3, 7,,,		
10	129712		Hs.12102		1.2	3.6
		AL050272	Hs.12305		1	8.9 3.6
		BE397454		Homo sapiens clone 24707 mRNA sequence	2.0	5.0 5.1
		BE218319	Hs.5807		2.9	
1.5	129797		Hs.1252		0.3	5.1
15		AF052112	Hs.12540		1.6	8.8 5.3
		AL080084			0.9	9.9
		AW410233			1.8	
		NM_014840		• • • • • • • • • • • • • • • • • • • •	0.9	3.6 9.5
20		AA626937		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1.4	6.3
20	129878			30 kDa protein	1.1	3.5
		AL119499	Hs.13285	neuronal potassium channel alpha subunit	1. 2	5.1
	129917			protein phosphatase 3 (formerly 2B), reg		4.9
	129976		HS.234/34	lysosomal	0.9 1.2	3.6
25	129982		14. 440570	gb:H.sapiens germline transcript of lg h		1.3
25	130007		HS.142570		4.3	3.8
		BE277024	HS.146381	RNA binding motif protein, X chromosome	1.6	8.2
		X57815.comp	000000	Empirically selected from AFFX single pr	1.2	7.9
		M93143		plasminogen-like	1.4 1.4	12.3
20		H97878		zinc finger protein 36 (KOX 18)	0.2	4.6
30		AK001635	Hs.14838	hypothetical protein FLJ10773	1.	4.0
		W61005	Hs.14896	DHHC1 protein	1.2	5.3
		AA916785		splicing factor proline/glutamine rich (	3.8	0.8
		T47294		X-box binding protein 1	1	4.2
35		NM_005095		zinc finger protein 262 homogentisate 1,2-dioxygenase (homogenti	0.5	4
33		BE094848	Hs.15113	· · · · · · · · · · · · · · · · · · ·	1	3.7
		R42678	Hs.1526	KIAA0564 protein ATPase, Ca++ transporting, cardiac muscl	0.4	4.4
		M23115 BE278370	Hs.15265	heterogeneous nuclear ribonucleoprotein	1.7	7.5
		BE301883		glioblastoma amplified sequence	1 .	5.6
40		U29463	NS. 152/0/	gb:Human cytochrome b561 gen	1.2	4.2
40		U92014	He 153527	Homo sapiens pTM5 mariner-like transposo	1.3	3.6
		W78907	Hs.15395		1.5	4.4
		AB040914		KIAA1481 protein	2.9	7.5
		AW067800		stanniocalcin 2	3.2	0.2
45		AW842182		small inducible cytokine A5 (RANTES)	1.4	10.6
72		AW163518		huntingtin interacting protein 2	1.7	11.7
		AA852868			1.1	5
		NM_006245		protein phosphatase 2, regulatory subuni	1.4	4.3
		AW362955	Hs.15641		1.6	7.6
50		R44163	Hs.12457	hypothetical protein FLJ10814	0.9	4.1
50		AB007915		KIAA0446 gene product	1	3.8
•		AI598022		TAR DNA binding protein	1.3	4.7
		AA232119	Hs.16085	putative G-protein coupled receptor	1.2	9.4
		AI652143		hypothetical protein FLJ13111	1	4.1
55		BE242873	Hs.16677		1.1	3.6
55		AL049963	· Hs 284205	up-regulated by BCG-CWS	0.6	3.8
		AL045128	Hs.1691	glucan (1,4-alpha-), branching enzyme 1	0.9	6.6
		AL043126	Hs.1697	ATPase, H+ transporting, lysosomal (vacu	0.9	3.9
		AW073971		ESTs, Weakly similar to KIAA1204 protein	0.9	6.9
60		Al557212	Hs.17132	ESTs, Moderately similar to 154374 gene	2.6	3.9
00		AF158555	Hs 239180	glutaminase	1.2	13.8
		AI861791		TSPY-like	1.3	4
		Al831962	Hs.17409		2.5	4
		AL117508		KIAA0737 gene product	1.3	6.2
65		AI928985	Hs.17680	hypothetical protein MGC1314 similar to	1.4	3.9
0.5		R68537	Hs.17962	ESTs	3.2 ··	0.8
		NM_014827	Hs.17969	KIAA0663 gene product	1.1	4.8
	.5000			Online bronger		

		,				
		AA325308	Hs.18016	Homo sapiens mRNA; cDNA DKFZp586H032		1.8
		Z98883	Hs.18079	phosphatidylinositol glycan, class Q	1.1	6.7
		AW190925		hypothetical protein FLJ12701	1.2	4.1
5		Al932971 AF072813	Hs.18593 Hs.252831	Homo sapiens cDNA: FLJ21449 fis, clone C	1.4 1.2	6.9 11.2
3		AA088809	Hs.19525	hypothetical protein FLJ22794	1.8	6.8
		NM_001761	Hs.1973	cyclin F	1.3	4.1
		Y10805	Hs.20521	HMT1 (hnRNP methyltransferase, S. cerevi	3.2	5.9
		AB037750	Hs.21061	KIAA1329 protein	1	3.8
10	130908	AW195747	Hs.21122	hypothetical protein FLJ11830 similar to	1.3	7.9
	130911	BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, membe	2.7	3.7
		BE390905	Hs.21198	translocase of outer mitochondrial membr	1.9	4
		H96115	Hs.21293	UDP-N-acteylglucosamine pyrophosphorylas		10.3
15		AB023182		KIAA0965 protein	1.5	6.8
15		AA393071 AA099923		leucine aminopeptidase PEST-containing nuclear protein	1.4	5.5
		BE243101	Hs.22391	chromosome 20open reading frame 3	1.3 1.9	3.8 4.1
		D87436	Hs.166318		1.6	3.5
		AA194422	Hs.22564	myosin VI	4.5	5
20		AL137682	Hs.22937	I-kappa-B-interacting Ras-like protein 2	2	3.7
	131101	BE387561	Hs.22981	DKFZP586M1523 protein		4.5
	131104	W27770	Hs.301756	ESTs, Weakly similar to T31475 hypotheti	0.9	3.5
		BE620886	Hs.75354	GCN1 (general control of amino-acid synt	2.1	4.5
25		BE564123	Hs.23060	DKFZP564F0522 protein	1.1	4.6
25		AB033099	Hs.23413	KIAA1273 protein	1.2	4.2
		.AW953575 X77753	Hs.23582	p53-induced protein PIGPC1 tumor-associated calcium signal transduc	4.5 3.4	13.5 0.4
		A)472209	Hs.323117		0.8	4.9
		AW013807	Hs.182265		3.3	2.4
30		H25094		ESTs, Moderately similar to 138022 hypot	0.6	4
	131194	AW864222	Hs.24083		1.4	3.8
	131199	AW979155	Hs.298275	amino acid transporter 2	1.2	8.5
		AL050107	Hs.24341	transcriptional co-activator with PDZ-bi	0.7	4.7
25		AI815486	Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE		8.2
35 -		D89053		fatty-acid-Coenzyme A ligase, long-chain	1.7	3.5
		AW956868 AU077158	Hs.24608 Hs.24930	DKFZP564D177 protein	1.3	5.4
		AU077138 AU077002	Hs.24950	tubulin-specific chaperone a regulator of G-protein signalling 5	1.6 1.4	4.8 4.4
		AI750575		nuclear factor I/A	3.3	2.2
40		AW293399		nuclear receptor co-repressor 1	1.6	3.9
	131373	NM_006052	Hs.26146	Down syndrome critical region gene 3	1	11.1
	131388	NM_014810	Hs.92200	KIAA0480 gene product	5	2
		AI452601		nuclear receptor subfamily 2, group F, m	0.9	3.5
15		AW960146		hypothetical protein FLJ12888	1	3.5
45		BE270734	Hs.2795	lactate dehydrogenase A	2	6.5
		AB040927 AU076408		KIAA1494 protein	1.5	10.7
		AF157326	Hs.28309	UDP-glucose dehydrogenase TBP-interacting protein	1.3 1.3	4.7 4.9
		T47364		Interferon, alpha-inducible protein 27	1.5	8
50		AA936296			1.8	3.5
	131589	C18825		epithelial membrane protein 2	1.3	8.2
		D83032	Hs.169984	nuclear protein	2.8	3.9
		BE514605		Homo sapiens cDNA: FLJ22380 fis, clone H	1.3	11.2
55		H03514	Hs.10130		1.3	4.8
55		C19034		Homo sapiens cDNA FLJ14175 fis, clone NT		9.7
		AF103798 AW160865	Hs.30819	hypothetical protein	1.3	5.2
•		AF017986	Hs.30888 Hs.31386	cytochrome c oxidase subunit VIIa polype secreted frizzled-related protein 2	1.3	7.8
		AI805664	Hs.31731	peroxiredoxin 5	10.6 1.1	14.7 3.6
60		AF077036	Hs.31989	DKFZP586G1722 protein	1.6	3.7
		X62111		gb:H.sapieris VII-5 gene for immunoglobul	1.1	3.5
		Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU		1.2
		NM_014874	Hs.3363	KIAA0214 gene product	0.6	4.2
65		NM_004642	Hs.3436	deleted in oral cancer (mouse, homolog)	2.4	4.9
65		AW207440	Hs.185973		2.4	6
		AA772603 BE252983	Hs.69476 Hs.35086		1.7	9.2
	131341		115.55000	ubiquitin specific protease 1	0.5	5.2

	131947	Al123939	Hs.182997	ESTs	0.7	4.1
•		AA129782	Hs.3576	Homo sapiens mRNA full length insert cDN	0.9	4.8
	131964	AW381148	Hs.198365	2,3-bisphosphoglycerate mutase	1.1	6.1
	131974	AF208856		hypothetical protein	1.3	3.9
5	131983	AF119665	Hs.184011	pyrophosphatase (inorganic)	3.3	6.9
	131997	AF229181			0.9	. 5.2
	132006	AW162336	Hs.3709	low molecular mass ubiquinone-binding pr	1.2	3.6
	132063	BE277910	Hs.3833	3'-phosphoadenosine 5'-phosphosulfate sy	3.2	1.8
	132065	BE379335	Hs.211594	proteasome (prosome, macropain) 26S subu	1.2	3.6
10	132071	AF217798	Hs.3850	LIS1-interacting protein NUDEL; endoolig	0.7	5.2
	132079	AI701457	Hs.38694	ESTs	2	5.3
	132094	NM_016045	Hs.3945	CGI-107 protein	1.2	4.3
	132116	AW960474	Hs.40289	ESTs	3.1	3.1
	132164	AI752235	Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	1.8	3.7
15	132181	AW961231	· Hs.16773	Homo sapiens clone TCCCIA00427 mRNA se	qu	1.2
	132208	AL031709	Hs.241575	hypothetical protein CAB56184	1.4	4.2
	132258	AA306325	Hs.4311	SUMO-1 activating enzyme subunit 2	2	10.3
	132303	BE177330	Hs.325093	Homo sapiens cDNA: FLJ21210 fis, clone C	1.2	4.1
	132316	U28831	Hs.44566	KIAA1641 protein	5.9	1.6
20	132358	NM_003542	Hs.46423	H4 histone family, member G	5.8	1.5
	132384	AA312135	Hs.46967	HSPCO34 protein	2.1	9.3
	132397	-AA021160	Hs.4750	hypothetical protein DKFZp564K0822	1.3	4.6
	132413	AW361383	Hs.260116	metalloprotease 1 (pitrilysin family)	2	4.9
	132442	AW970859	Hs.313503	ESTs	1.2	5
<b>25</b> ·	132534	BE388673	Hs.5086	hypothetical protein MGC10433	2	3.9
	132540	BE396290	Hs.5097	synaptogyrin 2	1.4	5.1
	132554	AF065391		zinc finger protein 265	1.2	4
	132575	AV660538		60S ribosomal protein L30 isolog	3	1.7
	132585	AF029750	Hs.179600	TAP binding protein (tapasin)	1.8	4.7
30		AW606927	Hs.5306	hypothetical protein DKFZp586F1122 simil	1.6	4.9
	132608	AA353044	Hs.5321	ARP3 (actin-related protein 3, yeast) ho	1.8	8.1
		NM_004600	Hs.554	Sjogren syndrome antigen A2 (60kD, ribon	4.2	2
		Al264357	Hs.55405	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1.1	5.3
~ -		AK000868	Hs.5570	hypothetical protein FLJ10006	1.4	5.2
35		BE222975	Hs.56205	insulin induced gene 1	1.1	5.8
		F07424		zinc finger protein 222	1.3	3.7
		AB020713	Hs.56966	KIAA0906 protein	2.3	6.3
		AW975748	Hs.5724	sclerostin	0.7	7.7
40		BE268048		RAB10, member RAS oncogene family	1.8	6.2
40		D63209	Hs.5944	solute carrier family 11 (proton-coupled	1.5	20.8
•		AA579258	Hs.6083	Homo sapiens cDNA: FLJ21028 fis, clone C	1	3.8
		AW118826	Hs.6093	Homo sapiens cDNA: FLJ22783 fis, clone K	0.7	5.4
		BE263252	Hs.6101	hypothetical protein MGC3178	1.6	4.1
15		AI248173		hypothetical protein MGC12936	1	4.2
45		BE539199	Hs.62112	zinc finger protein 207	1.5	4.4
		X77343		transcription factor AP-2 alpha (activat	13.9	0.8
		Y00062		protein tyrosine phosphatase, receptor t	0.6	4.6 11.1
		AW499985	Hs.42915		- 1.5 3.5	. 1
50		NM_006379	Hs.171921			4.5
30		AA847843 AW502761	Hs.62711	Homo sapiens, clone IMAGE:3351295, mRN/	0.9	5.5
			Hs.30909	KIAA0430 gene product	1.7	5.3
		H12028	Hs.6396	jumping translocation breakpoint	0.6	4.9
		AI654133	Hs.30212 Hs.169764	thyroid receptor interacting protein 15 hypothetical protein FLJ20701	1.2	3.5
55		AK000708			1.2	17.5
23		AF089816	Hs.6454	chromosome 19 open reading frame 3 ESTs	0.9	5.1
		AA808177 AV655783	Hs.65228 Hs.661	Empirically selected from AFFX single pr	1.1	4.5
		AW955632		ESTs, Weakly similar to S19560 proline-r	1.5	4.8
			Hs.66666		5.5	5.9
60		AF231981	Hs.250175 Hs.6748		5.5 1.2	3.5
60		AA464362 AB037773		hypothetical protein PP1665	1.6	8.6
			Hs.6762	hypothetical protein	2.4	4.8
-		W32474 AL137480	Hs.6834	RAP2A, member of RAS oncogene family KIAA1014 protein	1	4.2
		AW796524	Hs.68644	Homo sapiens microsomal signal peptidase	1.3	3.9
65		BE617892	Hs.6895	actin related protein 2/3 complex, subun	1.4	5.4
0,7		Z48633		H.sapiens mRNA for retrotransposon	3.1	0.7
		N27672	Hs.69469	dendritic cell protein	2.5	6.5
	10021			Tomas and brotoni		

	133287	AW797437	Hs.69771	B-factor, properdin	1.3	4	
	133291	BE297855	Hs.69855	NRAS-related gene	1.4	5	
		AA304961	Hs.699	peptidylprotyl isomerase B (cyclophilin	2.2	6.8	
		AJ001388	Hs.69997	zinc finger protein 238	1.5	4.3	
5		AF116666	Hs.70333	hypothetical protein MGC10753	1.4	6.3	
		X04898		apolipoprotein A-II	0.2	3.6	
		U56979		H factor 1 (complement)	0.6	5	
		BE257758	Hs.71475	acid cluster protein 33	1.2	4.2	
10		AF245505	Hs.72157	DKFZP56411922 protein	3.7	5.8	
.10		AB007916 Al738719		KIAA0447 gene product	1.4	5.1	
		AB033061	Hs.73287	hexokinase 2	0.9 1.2	6.3 3.7	
		AL137663	Hs.7378	KIAA1235 protein Homo sapiens mRNA; cDNA DKFZp434G227		0.7	4.8
		M27749		immunoglobulin lambda-like polypeptide 1	1.1	4.3	4.0
15		AF038962	Hs.7381	voltage-dependent anion channel 3	0.7	4.2	
15		AI962602	Hs.74284	hypothetical protein MGC2714	3.1	5.9	
		NM_004415	Hs.74316	desmoplakin (DPI, DPII)	4.3	11.5	
		BE562958	Hs.74346	hypothetical protein MGC14353	1.8	19.7	
		D87452	Hs.74579	KIAA0263 gene product	1.2	5.4	
20		H97991		Empirically selected from AFFX single pr	1.4	3.9	
		Al929645	Hs.225936		0.8	4.9	
	133589	L37368	Hs.75104	RNA-binding protein S1, serine-rich doma	2	10.8	
•	133591	Al423369	Hs.75111	protease, serine, 11 (IGF binding)	2.1	4.5	
	133606	U10564	Hs.75188	wee1+ (S. pombe) homolog	3.3	1.1	
25	133617	BE244334	Hs.75249	ADP-ribosylation factor-like 6 interacti	2.3	5.6	
	133651	Al301740	Hs.173381	dihydropyrimidinase-like 2	0.8	13.5	
	133660	H14843	Hs.303154	popeye protein 3	1	9.1	
	133663	AJ006239	Hs.75438	quinoid dihydropteridine reductase	0.5	5.8	
20		L77964	Hs.271980	mitogen-activated protein kinase 6	1.1	6.9	
30		AW503116		zinc finger protein 146	1.8	3.8	
		Al352558	Hs.75544	tyrosine 3-monooxygenase/tryptophan 5-mo	1.5	11.1	
				heterogeneous nuclear ribonucleoprotein	2	3.9	
		AI018666 ,	Hs.75667	synaptophysin	0.6	3.5	
25		AW001130	Hs.75824	KIAA0174 gene product	1.2	7.2	
35		AI929587	Hs.75847	CREBBP/EP300 inhibitory protein 1	1.5	5	
		BE410769	Hs.75873	zyxin	1.2	4.8	
		M62194 BE268649	Hs.75929	cadherin 11, type 2, OB-cadherin (osteob	3.2	4.1	
		W24087	Hs.76285	ADP-ribosyltransferase (NAD+; poly (ADP-	2.1	3.8	
40		AF075337	Hs.76293	DKFZP564B167 protein thymosin, beta 10	1.9 2.6	12.6 6.6	
40		AW239400	Hs.76297	G protein-coupled receptor kinase 6	1	4.9	
		D25969	Hs.76325	step II splicing factor SLU7	0.5	3.8	
		AW578716	Hs.7644	H1 histone family, member 2	1.5	4.5	
		AW630088	Hs.76550	Homo saplens mRNA; cDNA DKFZp564B126		3.7	5.6
45		AA345824	Hs.76688	carboxylesterase 1 (monocyte/macrophage	0.3	4.4	٠.٠
	133845	AA147026	Hs.76704	ESTs	5.5	2.9	
	133863	AI815523	Hs.76930	synuclein, alpha (non A4 component of am	0.6	4.8	
	133887	X07767	Hs.77271	protein kinase, cAMP-dependent, catalyti	1	10.2	
	133892	AW859528	Hs.301497		0.9	4.8	
50		AU076964	Hs.7753	calumenin	2.8	10.5	
		Al458213	Hs.77542	ESTs	1.8	5.6	
		AL031177	Hs.7756	proteasome (prosome, macropain) 26S subu		6.6	•
	133947		Hs.77810	nuclear factor of activated T-cells, cyt	1.5	3.8	
55		M54968		v-Ki-ras2 Kirsten rat sarcoma 2 viral on	0.9	4.3	
55		L15409		von Hippel-Lindau syndrome	2.3	4.3	
		AL040328	Hs.78202	SWI/SNF related, matrix associated, acti	3.3	3.4	
		R48316 BE150882	Hs.7822	Homo sapiens mRNA; cDNA DKFZp564C121		1.3	5.7
		NM_003470	Hs.143601	•	1	6.5	
60		AI027881	Hs.78683 Hs.7869	ublquitin specific protease 7.(herpes vi	1.7	3.6	
UU		AF117236	Hs.78825	lysosomal matrin 3	1	7.5	
		NM_004354	Hs.79069	cyclin G2	1.2 2.7	4	
		BE513171	Hs.79086	mitochondrial ribosomal protein L3	3.3	4.8 2.1	
	. 134207			KIAA0009 gene product	1.3	3.5	
65			Hs.80019	programmed cell death 6	1.7	6.9	
	134218	U77735	Hs.80205		0.8	5.3	
	134270		Hs.80919	synaptophysin-like protein	1.4	11.4	
				• • • •	•		

			-	·		
	13/277	NM_004369	Hs.80988	collagen, type VI, alpha 3	2.6	3.5
		NM_000712			1.8	5.8
		AI022650			1.1	3.6
	134296				1.1	5.9
5		NM_001430		price price = 1,000 in to 000 in the 1,000 in the 1	0.5	4.8
,		AL037800			1.7	7.9
	134343				0.8	7.6
	134364				2.2	3.6
	134374			ESTs	1.9	3.6
10		AL035786		actin related protein 2/3 complex, subun	1.5	8.3
10		BE512856		SH3 domain binding glutamic acid-rich pr	1.1	3.6
		Al750762		protein tyrosine phosphatase type IVA, m	1.9	4.6
		NM_006416		solute carrier family 35 (CMP-sialic aci	1.2	7.5
			Hs.82985	collagen, type V, alpha 2	6.6	8.7
15		AU077196 Z23024		Rho GTPase activating protein 1	2	3.9
15				CD24 antigen (small cell lung carcinoma	3.5	1.1
		NM_013230	Hs.84084	amyloid beta precursor protein (cytoplas	1.5	4.4
		D86981		eukaryotic translation initiation factor	1.2	5.7
		W84869		ATP synthase, H+ transporting, mitochond	1.3	3.9
20		AW960673	Hs.74861	activated RNA polymerase II transcriptio	1.8	4.3
20		BE091005	Hs.84775	Human transposon-like element mRNA	0.8	5.6
		M23161	Hs.85155	butyrate response factor 1 (EGF-response	1.4	5
		A1902899		S-phase response (cyclin-related)	0.8	3.9
		Al203545		steroid dehydrogenase homolog	1.3	5.7
25		NM_016142		KIAA1191 protein	0.9	3.7
25		AB033017 -		exportin, tRNA (nuclear export receptor	4	6.8
		BE244323	Hs.85951		2.2	4.3
		AW936928	Hs.85963	DKFZP564M182 protein CGG triplet repeat binding protein 1	1.6	3.6
		AA927177	Hs.86041		2.1	3.5
20		AF078859	Hs.86347	hypothetical protein	1.7	4.2
30		AF265208		SWI/SNF related, matrix associated, acti golgi SNAP receptor complex member 1	4.4	0.9
		AK000606	Hs.8868		3.1	1.6
		D17530	Hs.89434	drebrin 1	0.5	4.6
		T51986		hemoglobin, gamma G	1.3	3.7
25		AA428520	Hs.90061	progesterone binding protein	8.7	17.3
35		J03464		collagen, type I, alpha 2	1.7	4
		AA587775	Hs.66295	multi-PDZ-domain-containing protein	3.4	0.9
		AB020689	Hs.90419	KIAA0882 protein	1.3	6.9
		AI803761	Hs.90458	serine palmitoyltransferase, long chain progesterone membrane binding protein	1.4	9.6
40		AJ002030	Hs.9071		1	10.1
40		R51083	Hs.90787	ESTs hypothetical protein	1.9	3.9
		BE089782	Hs.9877	poly (ADP-ribose) glycohydrolase	1	4.3
		AF005043	Hs.91390		1.4	10.4
		BE560779	Hs.284233 Hs.92308	NICE-5 protein  Homo sapiens cDNA FLJ11223 fis, clone PL		4.1
15		AK002085		KIAA1414 protein	1.2	5.6
45		AB037835	Hs.92991	hypothetical protein FLJ12619	1.7	7.6
		AW301984 AL034344		forkhead box C1	3.2	0.6
			Hs.83484	SRY (sex determining region Y)-box 4	4.2	4.1
		Al272141 AK001887		protein kinase, AMP-activated, gamma 2 n	1.3	4.8
50		2 AK000967	Hs.93872	KIAA1682 protein	2	3.7
30	133004	7 AW503733	Hs.9414	KIAA1488 protein	2.8	3.7
	13307	2 AB017363	Hs.94234	frizzled (Drosophila) homolog 1	2.4	4.8
	13300	7 T97257	He 33753	ESTs, Moderately similar to 138022 hypot	1.4	5.8
		3 AA132813	Hs.69559	KIAA1096 protein	1.8	8.5
55		6 BE563088	Hs.9552	binder of Arl Two	1.2	6.8
))	10010	2 AB028956	Hs.12144	KIAA1033 protein	3.1	1.4
	42540	1 BE250865	Hs.27952		1.3	7.5
	13010	2 AA534009	Hs.18348	(0015)	1.3	3.8
	13322	2 44334003	Hs.96800	ESTs, Moderately similar to ALU7_HUMAN		3.9
. 60	13523	2 AL038812 9 AW372569	Hs.9788	hypothetical protein MGC10924 similar to	0.9	8.4
60	13320	0 AA331901	Hs.18473		1	3.8
	13323	1 T83882	Hs.97927	ESTs	1.2	3.5
	13329	9 AA114212	Hs.9930	serine (or cysteine) proteinase inhibito	2.6	8.9
	13334	7 Al565004	Hs.79572	cathepsin D (lysosomal aspartyl protease	2.5	5.4
65	12520	8 M16029	Hs.28727		0.4	7.9
05	13535	9 W79431	Hs.32624		1.5	4.5
	12535	0 X78592	Hs.99915		3.2	1.8
	13340	N NI VOUL	1 10.000 10	Ziroragon ropolitor (ani) areasta areasta		

					•					
	302665	R99693	Hs.224410	Homo sapiens cDNA FLJ12843 fis, clone NT	3.6	3.6				
		AW176909	Hs.42346	calcineurin-binding protein calsarcin-1	3.3	1:6				
		AW673106		mitochondrial ribosomal protein L43	0.9	4.2				
		AW081061		DC2 protein	3	17.3	•			
5 .			Hs.8217	stromal antigen 2	6.2	4				
-				mitochondrial import receptor Tom22	1.2	6.6				
			Hs.286241		1	3.5				
				junctional adhesion molecule 1	1.5	4.7				
		AA054761	Hs 169149	karyopherin alpha 1 (importin alpha 5)		5.6				
10				CGI-39 protein; cell death-regulatory pr	1.3	3.5				
10		AW239226	Hs.65450	reticulon 4	1.2	13.9				
			Hs.8966	hypothetical protein FLJ21776	2	5.1				
				ESTs, Weakly similar to AF220049 1 uncha	1.3	3.9	•			
			Hs.95697	liver-specific bHLH-Zip transcription fa		6.2				
15				putative heme-binding protein	1.5 2	11,3				
15		R94023								
		AF119043		ESTs, Moderately similar to 138022 hypot	1.7	3.6				
				Homo sapiens cDNA FLJ13372 fis, clone PL	3.3	2.8				
				calmodulin 1 (phosphorylase kinase, delt	1.3	4.7				
20		AA523543	Hs.7678	cellular retinoic acid-binding protein 1	1.1	3.7				
20		AA361562		26S proteasome-associated pad1 homolog	3.2	2.5				
		Al355260		histone deacetylase 3	2.8	22				
		AW601325		Homo sapiens mRNA; cDNA DKFZp566M063		1.1	5.2			
				HMT1 (hnRNP methyltransferase, S. cerevi	1.8	8.8				
25				hypothetical protein	1.1	5.6				
25		BE395875		mitochondrial carrier homolog 2	1.5	6.1				
			Hs.8997	heat shock 70kD protein 1A	1.3	7.6		•		
			Hs.5683	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	1.6	6.5				
				junctional adhesion molecule 1	1.3	3.5				
20		R60366	Hs.5822	Homo sapiens cDNA: FLJ22120 fis, clone H	2	5.7				
30			Hs.6101	hypothetical protein MGC3178	1.1	6.2				٠
	441471	AL042986	Hs.7857	erythrocyte membrane protein band	0.5	3.7				
	448292	BE281316	Hs.47334	hypothetical protein FLJ14495	2.5	4.9				
	449404		Hs.23581	leptin receptor gene-related protein	1.1	3.6				
	449964	AW001741	Hs.273193	hypothetical protein FLJ10706	1.4	3.5				
35	451389	N73222	Hs.279009	matrix Gla protein	4	11.2				
	452685	Al634651	Hs.30250	v-maf musculoaponeurotic fibrosarcoma (a	0.8	5.6				
		RC_H15847_s		peptidylprolyl isomerase B (cyclophilin B)	1.8	4.8				
		RC_W84712		calumenin	3.5	4.6				
		X14008_ma1_	f	łysozyme (renal amyloidosis)	0.9	4.5				
40		RC_H86543_f		ESTs	1.8	6.6				
		H07011		ESTs; Weakly similar to SAS [H.sapiens]	1.8	3.9				
		RC_AA164586	_s		ESTs	6.2	0.8			
		RC_AA070485	_	Homo sapiens clone 23967	3.4	2.6				
		RC_H98714_s		ESTs	1.6	3.5				
45		RC_AA406145		,—	ESTs	4.6	3			
		AA458584	_	SRY (sex determining region Y)-box 4	3.4	0.4	-			
		AA031548	•	cell division cycle 42 (GTP-binding protein; 25		3.1	3.9			
		X02761		fibronectin 1	3.6	15.2				
		RC_AA487193		secreted frizzled-related protein 4	4.7	4				
50		R25326		Homo sapiens mRNA for putative vacuolar	0.9	5				
		RC_AA393805		ESTs; Weakly similar to (defline not	1.1	8.4				
		RC_AA449333		ESTs	2.9	4.6			•	
		RC_AA287681	s	2010	ESTs	1.3	4			
		RC AA490864		ESTs; Highly similar to heat shock factor	1.4	5	•			
55		RC_C14243_f	•	ESTs; Highly similar to heat shock factor	1.7	5				
		R21443		ESTs	1.6	3.7				
		RC_AA251902	ı	Homo sapiens lysophospholipase (LPL1)	2.2	3.8				
		M21121_s	•	small inducible cytokine A5 (RANTES)	0.9	9.9				
		C00038_s		ESTs	2.8	4.8				
60		Y00503	•	keratin 19	3.1	1.1				
00		RC_R27006_f		ESTs	1.6	3.7				
		RC_AA416886		ESTs; Weakly similar to predicted using	3.1	3.1				
		RC_AA460450		fibroblast growth factor receptor 2 (bacteria-	1.5	3.7				
		RC_AA488433		ESTs; Weakly similar to deduced amino acid	1.1	4				
65		RC_AA278400		2013, Fromity Similar to deduced animo acid			5 mRNA; partia	ıl ede :	1.5	3.6
00		U28831		Human protein immuno-reactive with anti-PTI-		0.6	· minter, parua	, cus	1.0	J.U .
		RC_AA199588		Homo sapiens actin-related protein Arp3 (ARF		1.8	4.7			
		o_Lu 199700	'	Trong sapiens acumerated protein Arps (ARC)	٠,	1.0	7.1			

	AF006082	Homo sapiens actin-related protein Arp2 (A	RP2)	1.6	10.9
	RC H90899	desmoplakin (DPI; DPII)	5.4	5.5	
•	RC_W95070	desmoplakin (DPI; DPII)	5	2.6	
	RC T90946_f	Human mRNA for KIAA263 gene; complete	e cds	1.1	3.9
5	D87258	protease; serine; 11 (IGF binding)	2.4	3.5	
_	AA313414_s	ESTs: Weakly similar to cDNA EST EMBL:	T1157	1.5	5.3
	RC_H73484_s	ESTs: Weakly similar to similar to Yeast	1.3	6.3	
	AFFX-HUMISGF3A/M9			2.3	13.5
	AFFX-HUMRGE/M1009		1.1	7.9	
10	AFFX-M27830_5			0.5	7.4
10	AFFX-M27830_5			0.6	5.4
	RC AA063431_f	•	ESTs	0.8	4.1
	DC T63760 f	fortin: light polynoptide	1.1	3.7	

#### TABLE 8A

Table 8A shows the accession numbers for those pkeys lacking unigeneID's for Table 8. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey:
rney.
CAT numb
CAT HUMB

Unique Eos probeset identifier number

CAT number: Gene cluster number
Accession: Genbank accession numbers

15

10

5

15			
	Pkey	CAT number	Accessions
20		116761_1	AA079487 AA128547 AA128291 AA079587 AA079600
20		190299_1	AA973971 T88817 AA253263
	114636	109698_1	AA075488 AA129081 AA074851 AA082852 AA074732 AA084908 AA084751 AA076042 AA131172 AA085374 AA079519 AA074510 AA113824 AA102437 AA070833 AA070143 AA084693 AA084389 AA076373 AA075492 AA062834 AA084335 AA078829 AA079344 AA069916 AA079275 AA070914 AA654069 AA081976 AA080957 AA083115 AA070942 AA085296
	123526	genbank_AA6	08657 AA608657
25		genbank_AA6	
		genbank_T91	
		genbank_W38	
		genbank_N66	
30		genbank_N673 entrez K01166	
50		221 267	Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165
	123302	221_401	AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107
•			Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278 AF062134 AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190
35			AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991
			AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012
			L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090
			AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526
40	-		AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 A\268604 Y15773 X64239 X62969 U00506
40			X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080
	•		D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957
			M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384
			U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133
45	•		AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519
			Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520 AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509
			AF062298 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191
			AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321
			AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115
50			AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068661 AF068664
			AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702
			AW351514 D78345 T29140 J00231 NM_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007
			Al857980 AW368899 Al905833 AW406586 AA482084 Al872299 AA715266 AW404328 Al831674 Al709348 AA603112
55	400 (70		AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113
33		genbank_AA0	
		entrez_M2130	
		genbank_N480 entrez_M5599	
		221 260	X62111 S67984 AJ131056 Z47243 Z47235 AF062268 Z47237 AJ131058 AF062130 AF062282 X62108 AA385989 AA464794
60	101731	1	X69861 AW402964 M90808 Z98735 Z98734 Z98736 AF035018 X79161 U00545 AF174046 AF174071 U00552 U96288
			AF021989 AF062255 AF174061 S73953 AF062135 AF062155 X64147 U00555 AF174070 AF129754 U86789 Z98714 Z98738
•			575886 A 1009476 A 1009496 A 1009496 A 1009499 MARCH 1002103 A 1009393 A 1009497 A 100947 A 1009

190

S75886 AJ008175 AJ008186 AJ008188 Y08403 H15753 H22208 AA327241 AW405737 H42300 H39677 H26239 H26903

PCT/US02/02242 WO 02/059377

> H45128 R86072 AA327565 AI660584 AW361537 AW383759 S71043 H15014 H45570 H42819 H45523 H45134 R72043 H24543 H27636 H27610 T28147 H25496 AW364071 AW364072 H45561 H45556 H42605 AI735017 T47421 R48719 H27570 H44599 AI459598 H42347 H41938 H24993 AA345888 H22339 AI538691 AJ012264 AA664201 AI880450 AA327310 AI991250 AI833028 AW001210 AI956075 H30467 AA326915 H41943 AI749266 AI744441 AA327377 AW512326 AI735170 H01634 AI587047 AI571623 AA327486 AA327103 AA327195 AA326973 T28143

124842 217726\_1 103758 AA084874 f\_at

R56485 R37248 R59992 AA084874 f

130064 221\_264

X57815 L29157 AA367448 AW328098 AW404536 L29156 L29163 H27683 R83195 AA295096 AW327822 H25458 AW404692 X57819 X57823 AW405604 AW404447 Z34914 AW406542 AA427726 AA604389 AW405606 AW405918 AW405117 AW407182 L03632 AW405058 L03627 AW407470 R72738 L21959 AW375738 X87888 AF124166 AF054638 AJ241406 U09902 AW405284 M12025 AA360219 L03631 L03629 AW327727 AF194810 AF058076 AF194686 AF063774 AF063737 AF063755 AF063740 AF063739 AF063738 S73129 L43088 AF063775 L33026 AF060138 AF194813 AF194812 AF194811 AF194809 AF194814 AF194808 AF064505 AF064503 AF063765 AF063757 AF063752 AF063716 AF063736 AF194806 AF058077 AF063747 AF063772 AF063781 AF060137 AF194805 AF060134 AF060132 AF058074 AF063754 AF063704 U38589 Z18332 AF060122 AF194807 AF060135 AF064506 AF064504 AF063773 L26540 AF058072 AF060131 AF064500 AF060136 AF064513 AF194683 AF194711 AF058075 AF063717 Z19546 AF194581 X72746 U96393 U09890 X98897 AF194592 M80916 AJ241405 AF194632 AJ388659 AF194625 Z74694 AF194588 AF194601 U09901 U09911 U09892 AJ010336 AJ006162 AJ249377 AJ241414 AA327392 U97248 X72747 Z46850 X95739 AW406701 AJ243109 AF194609 S80758 AF194595 AF194596 L22483 Z70262 D84141 AW405758 AF001788 AF194580 D84143 U76684 AF194593 L03630 X87892 X91134 U21249 Z46346 AJ132426 AF103659 AJ233718 AF021038 AJ233727 H24657 U09882 S75627 AA573599 AF047231 AF047232 AF103616 AW404484 Z46848 S76132 AF103663 AF103713 Y17940 AF047216 AF103595 Y17956 AF052799 AF052797 AF052802 AF052798 AF052801 AF052794 AF052796 AF047218 AF052800 AF047217 AF052795 AF032351 AF103701 AF103708 AF103710 AF103706 S62232 AF103645 AF103632 AF103647 AF103644 AF103640 AF103692 AF093581 AF103620 AW405934 Al445389 AW383753 AA360256 AF099676 H21654 H39501 Al820828 H53689

20

5

10

15

25

W26785 AW384496 AW407708 AA541663 AA911602 Al821461 AA588300 AA327050 H42717 Al951280 AA421322 Al923193 AA864302 H25133 D87023 J03011 M61771 D87017 AA526865 AA253450 U29463 U06715 W24970 AA584303 T39581 AA155603 AA305043 AA429426 W05664 AA102382 AA482044 W24487 AA319060 130232 18831 2

T88946 F10106 AA232161 AA243117 AA158937 AA100864

109097 genbank\_AA167512

2000277421

AA167512

### TABLE 9: Figure 9 from BRCA 001-2 US

5 Table 9 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10 E	xAccn: nigenelD:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unique qene title
------	---------------------	---

15	Pkey	ExAccn	UnigenelD	UnigeneTitle
20	102211 103587 104115 105038 105500	AF183810 AW503733 AW602166	Hs.78776 Hs.82128 Hs.26102 Hs.9414 Hs.222399	estrogen receptor 1 putative transmembrane protein 5T4 oncofetal trophoblast glycoprotein opposite strand to trichorhinophalangeal syndrome I KIAA1488 protein CEGP1 protein
25	106155 106373 106414 110009	AW503807	Hs.28827 Hs.6614	hypothetical protein FLJ22060 nuclear factor VB histone acetyltransferase miltogen-activated protein kinase kinase kinase 2 ESTs, Weakly similar to A43932 mucin 2 precursor, intestinal Homo sapiens clone 25194 mRNA sequence
30	116470 117280 119771 121723	Al904232 Al272141 M18217 Al905687 AA243499	Hs.75323 Hs.83484 Hs.172129 Hs.2533 Hs.104800	prohibitin SRY (sex determining region Y)-box 4 Homo sapiens cDNA: FLJ21409 fis, clone COL03924 EST hypothetical protein FLJ10134
35	132371 134169 302235	AW953575 AA235448 Al690916 AL049987		ESTs, Weakly similar to S64054 hypothetical protein YGL050w p53-induced protein PIGPC1 PRO2000 protein transducer of ERBB2, 1 Homo sapiens mRNA; cDNA DKFZp564F112 Homo sapiens mRNA; cDNA DKFZp434

# TABLE 10: Figure 10 from BRCA 001-3 PCT

Table 10 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAccn: UnigenelD:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number
	Unigene Title:	Unigene gene title
	R1:	Ratio of tumor to normal body tissue
	R2:	Ratio of 90th percentile tumor to body
15	R3:	Ratio of 75th percentile body to tumor
	R4:	Ratio of tumor to normal breast tissue

	R4:		Railo oi iui	not to normal breast assue				
	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2	R3	R4
20	100092	AA130080	He 1205	proteasome (prosome, macropain) 26S subu	4.2	152	36	12.2
		AA380887	Hs.5085	dolichyl-phosphate mannosyltransferase p	9.8	123	13	5
	100103		Hs.11951	ectonucleotide pyrophosphatase/phosphodi	13.2	244	19	9.9
	100131		Hs.136348	osteoblast specific factor 2 (fasciclin	15.7	1030	66	5
25	100154		Hs.81892	KIAA0101 gene product	4.1	320	· 78	10.6
23	100157		Hs.119	Wilms' tumour 1-associating protein	4.7	119	26	3
		AL037228	Hs.82043	D123 gene product	5.1	106	21	9.2
		BE242284		adenylate cyclase 7	4.7	47	1	4.3
	100210		Hs.3104	KIAA0042 gene product	4.7	47	4	0.7
30			Hs.118110	bone marrow stromal cell antigen 2	3.8	350 -	93	1.9
50	100213		Hs.3085	KIAA0054 gene product; Helicase	4.1	64	16	3
		NM 01515		KIAA0071 protein	3.4	77	23	5.9
			7Hs.170040	platelet-derived growth factor receptor-	4.5	45	4 ·	4
		D38491	Hs.322478	KIAA0117 protein	5.9	59	1	2.6
35	100200		Hs.82007	KIAA0094 protein	3.5	96	28	1.3
55		BE247550		growth factor receptor-bound protein 7	3.1	306	98	1.5
		AA331881		peroxiredoxin 3	12.8	128	1	11.7
		AW247529		platelet-activating factor acetylhydrola	4.2	187	44	5.4
		AI878927	Hs.79284	mesoderm specific transcript (mouse) hom	4.5	129	29	3.1
40		D80004	Hs.75909	KIAA0182 protein	3.5	78	23	4.8
40		D86957	Hs.80712	KIAA0202 protein	10.2	102	1	4.8
		D86961	Hs.79299	lipoma HMGIC fusion partner-like 2	4	40	1	3.8
		NM_01473		KIAA0215 gene product	3.2	32	2	2.9
		D86978	Hs.84790	KIAA0225 protein	3.6	36	7	3.2
45		AA013051		topoisomerase (DNA) II binding protein	5.6	76	14	2
			Hs.122669	KIAA0264 protein	3.5	35	9	3.1
			Hs.57652	cadherin, EGF LAG seven-pass G-type rece	5.5	145	· 27	2.2
		D87470	Hs.75400	KIAA0280 protein	3.4	34	1	1.2
		X51501	Hs.99949	prolactin-induced protein	22.7	760	34	1.4
50			Hs.301946	lysosomal	14.4	144	9	4.7
50		NM 0050		plastin 3 (T isoform)	4.1.	259	63	1.9
			Hs.132748	Homo sapiens ribosomal protein L39 mRNA,	3.3	116	36	2,2
		L05424	Hs.169610	CD44 antigen (homing function and Indian	8.5	85	1	3.2
		L05424	Hs.169610	CD44 antigen (homing function and Indian	3	594	201	2.3
. 55			Hs.144630	nuclear receptor subfamily 2, group F, m	5	82	17	0.9
. 55		J05581	Hs.89603	mucin 1, transmembrane	3.5	37	11	2.8
			Hs.191356	general transcription factor IIH, polype	9.7	97	10	7.2
		M26460		gb:Homo sapiens (clone 104) retinoblasto	3.3	33	1	0.8
			7 Hs.74861	activated RNA polymerase II transcriptio	3.7	477	130	3.1
60		X80821	Hs.27973	KIAA0874 protein	<b>6.3</b> .	63	4	5.7
		BE245294		S164 protein	4.7	47	1	4.2
			Hs.79411	replication protein A2 (32kD)	3.8	115 .	30	7.1
		K01160		NM_002122:Homo sapiens major histocompat	3.9	390	100	11.1
			Hs.250502	carbonic anhydrase VIII	3.9	39	8	3.6
				•				

	101084	AW409934	Hs.75528	nucleolar GTPase	4.1	53	13	- 4
		AW862258		neuropeptide Y receptor Y1	15,3	153	1	14.1
	101185	NM_00162	1Hs.170087	aryl hydrocarbon receptor	11.3	113	8	3.9
		L20320	Hs.184298	cyclin-dependent kinase 7 (homolog of Xe	3.1	118	38	2
5		L22524	Hs.2256					
9				matrix metalloproteinase 7 (MMP7; uterin	8.2	396	48	0.9
		AU077288		ADP-ribosylation factor-like 1	4	110	28	10.7
	101275	BE545277	Hs.3273	Ts translation elongation factor, mitoch	4.2	50	12	4.4
_	101300	BE535511	Hs.74137	transmembrane trafficking protein	6.6	135	21	13.1
	101396	BE267931	Hs.78996	proliferating cell nuclear antigen	6.4	249	39	22.4
10		M21305		gb:Human alpha satellite and satellite 3	6.5	878	135	0.8
10			1Ua 105050					
		NM_000424		keratin 5 (epidermolysis bullosa simplex	4.8	622	130	0.7
		NM_000546		tumor protein p53 (Li-Fraumeni syndrome)	5.1	97	19	9.3
	101478	NM_002890	0Hs.758	RAS p21 protein activator (GTPase activa	9.6	96	1	8.5
	101484	AA053486	Hs.20315	interferon-induced protein with tetratri	11.2	112	8	5.9
15		X16896	Hs.82112	interleukin 1 receptor, type I	3.9	39	2	3.5
		BE391804		guanylate binding protein 1, interferon-	3.6	36	ī	2.6
			113.02001					
		M55998		gb:Human alpha-1 collagen type I gene, 3	3.1	2898	923	2.2
		AA436989		H2A histone family, member A	6.9	103	15	8.4
	101684	M63256	Hs.75124	cerebellar degeneration-related protein	6.4	64	2	4.9
20	101724	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	9.4	94	1	0.3
		S70114	Hs.239489	TIA1 cytotoxic granule-associated RNA-bi	8.9	89	5	8
		M81057	Hs.180884					
				carboxypeptidase B1 (tissue)	3.6	824	227	1.4
		M83822	Hs.62354	cell division cycle 4-like	9	144	16	13
0.5		M84605	Hs.957	putative opioid réceptor, neuromedin K (	3.3	36	11	2.4
25 ·	101803	AW024390	Hs.155691	pre-B-cell leukemia transcription factor	5.4	180	34	15.9
	101809	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	12	120	8	9
	101839	AA446644	Hs 692	GA733-2 antigen; epithelial glycoprotein	3.1	353	116	2.8
		AL049610		transcription elongation factor A (SII)-	7.3	73	1	
								5.3
20		AL036287		calponin 3, acidic	3.8	399	105 .	3.3
30		BE245149		protein tyrosine kinase 9	4.6	148	32	11.3
	102095	U11313	Hs.75760	sterol carrier protein 2	9.5	95	4	8.8
	102123	NM_001809	9Hs.1594	centromere protein A (17kD)	4.2	42	7	3.4
		NM_006456		sialyltransferase	9.3	93	4	3
		NM_004419		dual specificity phosphatase 5	5.4	137	26	2.5
35								
33		AA450274		CDC16 (cell division cycle 16, S. cerevi	4.6	151	33	2
		BE313280		death associated protein 3	9.3	93	5	8
		AL036335		secreted phosphoprotein 1 (osteopontin,	45.7	457	1	39.7
	102211	BE314524	Hs.78776	putative transmembrane protein	3.9	442	114	1.3
	102221	NM_006769	9Hs.3844	LIM domain only 4	4.9	49	1	3.6
40		U27185	Hs.82547	retinoic acid receptor responder (tazaro	3.1	31	1	1.3
		NM_001546		inhibitor of DNA binding 4, dominant neg	3.8	163	43	0.5
	102200	AA306342	Un CO474					
•				protein kinase C-like 2	4.5	45	1	3.6
		AF015224		mammaglobin 1	8.5	2058	243	1.4
		U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	6.4	428	67	2.3
45	102369	U39840	Hs.299867	hepatocyte nuclear factor 3, alpha	6.7	67	9	6.3
	102407	AW602154	Hs.82143	E74-like factor 2 (ets domain transcript	5.3	53	1	4.8
		BE300330		selenophosphate synthetase 2	3.3	111	34	7.5
		NM_001394		dual specificity phosphatase 4	20.2	202	5	1.3
50		NM_003937		kynureninase (L-kynurenine hydrolase)	3.8	38	1	1.5
50		U63830	Hs.146847	TRAF family member-associated NFKB activ	8.2	82	1	6.8
	102580	U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatida	4.1	41	1	3.3
•	102618	AL037672	Hs.81071	extracellular matrix protein 1	10.2	628 ·	62	17.2
		U67319	Hs.9216	caspase 7, apoptosis-related cysteine pr	5	66	13	5.3
		NM_002270		karyopherin (importin) beta 2	6.1	126	21	2.4
55		U71207						
55			Hs.29279	eyes absent (Drosophila) homolog 2	4.5	45	1	2.8
		U79293	Hs.159264	Human done 23948 mRNA sequence	4.1	41	1	2.4
	102784	U85658	Hs.61796 .	transcription factor AP-2 gamma (activat	4.4	255	58	1.6
		U90304	Hs.25351	iroquois homeobox protein 5	3.6	142	39	1.6
		BE242035	Hs.151461	embryonic ectoderm development	3.5	35	1	2.7
60		D85390	Hs.5057	carboxypeptidase D	5.6	56	1	5.3
00				donos 23667 and 22775 -in- former's				
		BE262386		clones 23667 and 23775 zinc finger prote	4.2	42	7	3.7
		AI815559		signal recognition particle receptor ('d	3.2	58	18	5
		NM_002275		keratin 15 .	5.8	753	131	0.4
	102927	BE512730	Hs.65114	keratin 18	3.1	815	266	1.7
65		AL119505		activating transcription factor 2	3.2	32	4	2.6
		AU076611		methylene tetrahydrofolate dehydrogenase	5.7	251	44	6.6
		AI910275		trefoil factor 1 (pS2)	5.6	1346	239	5.4
	10000	, 10 10210	113, 1700	, or a second se	J:U	10-10	203	J.7

	103023	AW500470	Hs.117950	multifunctional polypeptide similar to S	5.8	218	<b>38</b> .	13
	103024	NM_002343	Hs.105938	potential and a second	3.7	1421	388	1.9
	103036		Hs.83169	Tribute in the second of the s	3.1	94	30	5.8
_		AA926960		OB OLO Protom tumoso t	3.5	332 312	94 65	3.1
5	103119		Hs.2877		4.8 5.2	331	65 64	30.9 1.5
	103134		Hs.2839		4.9	49	5	3.8
	103134		Hs.2839	treine discuss (possessy)	3.3	1497	458	2.1
	103171	AW583058	Hs.77367		3.5	796	228	3.2
.10		AW411340		menonia menoca ay gamma menoca a	5.6	191	34	3.5
. 10	103226		Hs.44313	Tourissiania Silienia Protessi	4.1	53	13	4.9
		AA206186		monocyte to macrophage differentiation-a	3.4	34	8	2.3
	103346		Hs.5464	thyroid hormone receptor coactivating pr	3.9	43	11	1
		H09366	Hs.78853	uracil-DNA glycosylase	9.3	93	8	8.2
·15	103375	NM_005982	2Hs.54416		9.7	97	1	9.3
	103376	AL036166		- Control of the cont	6.3	98	16	9.1
		X94453	Hs.114366	pyttomic o out out, and of the contract of	4.3	77	18	7.2
		AW175781		to bronce brooks observed	4.9 4.9	153 261	31 53	2.4 3.7
00		Al878922	Hs.180139		4.9 3.5	564	162	1.7
20		Y00815	Hs.75216	protein drooms prooping,	3.9	49	13	2.5
		AW408009		and any and a second a second and a second a	7.5	136	18	3.4
		AL133415 BE270266			7.9	79	2	6.9
		BE409838		or tomorrous copilionate gry copilion	3.3	745	229	1.8
<b>25</b> .		AW403814			3.2	41	13	2.8
23.		NM 00034			7.3	73	1	5.2
•		NM_00008			3.8	1612	429	3.1
		NM_00352			3.2	32	5 ·	2.8
		AA314389			3.2	32	9	2.7
30	103990	AB033112	Hs.42179		4.9	49	1	4.2
		NM_00240			7.2	498	69	9.3
		AF183810		opposite strand to trichorhinophalangeal	29	290	1	26.8
		H63349	Hs.98806	hypothetical protein	3.7	37 52	7.	2.1 4.3
25			Hs.146381	RNA binding motif protein, X chromosome	5.2 8	52 84	1 11	4.3 6.3
35			Hs.283037	HSPC039 protein	5.8	58	1	3.2
		AB012113		small inducible cytokine subfamily A (Cy doublecortin and CaM kinase-like 1	6.4	64	8	3
		AB002367	Hs.109253	N-terminal acetyltransferase complex ard	4.7	229	49	7.9
		AI337300	Hs.284123	hypothetical protein MGC4604	3.2	32	7	2.4
40			Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C	5.3	144	27	13.1
40		X51501	Hs.99949	prolactin-induced protein	6.9	1494	218	1.3
		R56678	Hs.88959	hypothetical protein MGC4816	7.7	77	8	6.9
		AA040620		hypothetical protein AF140225	3.7	37	5	2.5
	104590	AW373062	2 Hs.83623	nuclear receptor subfamily 1, group I, m	6.1	493	81	0.7
45	104602	H47610		gb:yp75f03.s1 Soares fetal liver spleen	3.8	38	4	1.2
	104613	AF123303		hypothetical protein	4.8	231	49	7.3
		H00820	Hs.30977	ESTs, Weakly similar to B34087 hypotheti	3.4	154	46	3
		R82252	Hs.106106	protein kinase (cAMP-dependent, catalyli	5	468 82	94 22	4.7 3.1
50		BE298665		Homo sapiens mRNA; cDNA DKFZp564D016 (fr	3.0 14.9	02 149	1	6.4
50		7 Al239923	Hs.30098	ESTs macrophage erythroblast attacher	6.3	165	26	3.2
		BE244072		gb:ze97d11.s1 Soares_fetal_heart_NbHH19W	3.8	40	11	3.8
		7 AA027317 4 AI858702		ESTs, Weakly similar to N-WASP [H.sapien	7.7	77	1	5.1
		7 Al139058	Hs.125790	leucine-rich repeat-containing 2	7	70	1	6.5
55		6 AI250789		ESTs	4.7	201	43.	4.5
55			8 Hs.23165	ESTs	7.4	74	1	6
		AA026880		prolactin receptor	3.9	280	72	3.3
		6 BE298808		DKFZP434N093 protein	4.2	135	32	4
	10494	3 AF072873	Hs.114218	frizzled (Drosophila) homolog 6	16.2	162	1	4.2
60	10496	B AI249502	Hs.29669	ESTs	3.8	38	1	2.4
		7 Al392640		amino acid transporter system A1	3.2		165	1.9
		7 AA121686		ESTs	3.2	32	4	2.9 3.6
		9 Al122691		ESTS	3.7	157	43 1	3.6 5.2
<i>(</i> =		8 AW50373		KIAA1488 protein	5.5 10.3	55 103	. 1	3.9
65		1 AB037716		KIAA1295 protein tumican	6.6	66	1	5.4
	•	6 AA148710 8 H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	3.1	31	i	2.5
	10300	0 1100000	113.00 100	, sopreme sorur; Euri (Q27 ha, Giane i E	·		*	

	105091	AA148859	Hs.179909	hypothetical protein FLJ22995	3.2	32	1	3
	105143	Al368836	Hs.24808	ESTs, Weakly similar to I38022 hypotheti	7.3	73	1	3.8
		AA307279		methyl-CpG binding domain protein 4	4.2	90	22	2.8
		AL133033		KIAA1025 protein	6	60	6	4.6
5		AW612147			3.8	38	2	
,				Homo sapiens C1orf19 mRNA, partial cds				3.2
		AA313825		AD036 protein	9.3	436	47	5.8
		AA975096		hypothetical protein PRO2849	5.7	57	8	5.3
		AA328102		cytoskeleton associated protein 2	4.5	45	1	3.6
	105248	AW952479	Hs.22826	tropomodulin 3 (ubiquitous)	4.3	43	1	3.9
10	105252	AB039670	Hs.9728	ALEX1 protein	8	80	6	7.3
	105253	AW997484	Hs.5003	KIAA0456 protein	3.9	-39	6 .	3.2
		AA894638		ESTs	3.5	35	7	2.7
		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	4.5	45	10	0.5
15		AK000796		hypothetical protein	3.8	93	25	7.5
13		AA234561		ESTs	2.8	131	47	3.9
		AF151073		hypothetical protein	3.9	79	20	6.5
	105376	AW994032	Hs.8768	hypothetical protein FLJ10849	5.1	181	36	15.8
	105386	AW500718	Hs.8115	Homo sapiens, clone MGC:16169, mRNA, com	4.1	41	2	3.3
•	105400	AF198620	Hs.65648	RNA binding motif protein 8A	6.2	62	6	5.6
20		W20027	Hs.23439	ESTs	3.3	206	63	2.2
-•		AL137257	-	Homo sapiens cDNA: FLJ23015 fis, clone L	3.2	466	146	8.4
		AL117441					-	
				hypothetical protein FLJ13033	16.6	166	8	12.7
		AW602166		CEGP1 protein	25.4	508	20	3
25		AA173942		Homo sapiens mRNA; cDNA DKFZp564H1916 (		117	13	10.6
25		AB037829		regulator of nonsense transcripts 2; DKF	3.2	32	6	1.5
		AK001269		hypothetical protein FLJ10407	8,3	83	3	1.8
	105539	AB040884	Hs.109694	KIAA1451 protein	3.5	73	21	1.6
	105564	BE616694	Hs.288042	hypothetical protein FLJ14299	5.8	336	58	2
	105610	AA280072	Hs.99872	fetal Alzheimer antigen	3.2	32	1	1
30		R35343	Hs.24968	Human DNA sequence from clone RP1-233G16		79	17	5.2
-		AA281279		hypothetical protein FLJ14681	4	75	19	1.7
		AA001021		**				
				thyroid hormone receptor interactor 8	4.5	45	1	3.7
		AW294631			3.6	36	1	0.1
25		Al609530	Hs.279789	histone deacetylase 3	6.4	64	.8	6
35	105687	NM_014517	7Hs.28423	upstream binding protein 1 (LBP-1a)	4.7	152	33	5.3
	105691	A1680737	Hs.289068	Homo sapiens cDNA FLJ11918 fis, clone HE	5.7	57	8	4.1
	105730	AW377314	Hs.5364	DKFZP564I052 protein	6.9	69	1	4.4
	105731	AA834664	Hs.29131	nuclear receptor coactivator 2	3.4	34	1	3.1
		BE246502		sema domain, immunoglobulin domain (lg),	3	30	10	0.9
40			Hs.15159	chemokine-like factor, alternatively spl	5.4	54	1	4.4
		H57111	Hs.221132	ESTs		67	13	
		AW369278			5.3		-	5.3
				hypothetical protein FLJ20160	4.9	49	1	4.5
		W84446	Hs.226434	hypothetical protein MGC4643	3.3	98	30	4.7
45		AA878183		Homo sapiens cDNA FLJ13618 fis, clone PL	3.2	143 ·	46	3.6
45		AF206019		REV1 (yeast homolog)- like	4	40	3	3.2
	105807	AA788946	Hs.16869	ESTs, Moderately similar to CA1C RAT COL	4.7	747	158	5.7
	105823	A1559444	Hs.293960	ESTs	3.9	371	94	4.6
	105832	AW802282	Hs.22265	pyruvate dehydrogenase phosphatase	3.6	68	19	6
	105840	AA601518	Hs.22209	secreted modular calcium-binding protein	4.8	134	28	3.2
50		AI827976	Hs.24391	hypothetical protein FLJ13612	4.3	772	179	1.7
٠.		A1640775	Hs.28332	Homo sapiens cDNA: FLJ21560 fis, clone C	4.3	43	1	3.7
		AW021691		GCN5 (general control of amino-acid synt	3.6	36	7	3.1
		AK001708		hypothetical protein FLJ10846	3.4	34	8	2.9
بر بے		AK001735		UDP-glucose:glycoprotein glucosyltransfe	3.6	45	13	1.3
55		N25986	Hs.22380	ESTs	3.4	34	1	1.5
		A1240665	Hs.8895	ESTs	21.2	212	6	17.4
	106020	AA043039	Hs.7870	hypothetical protein	3.9	47 ·	12	4.4
	106024	AL122072	Hs.103804	heterogeneous nuclear ribonucleoprotein	4.4	174	40	1.6
		AW952005		hypothetical protein FLJ12903	4.7	47	1	4
60		AA382267		ESTs	3.4	49	15	4.4
00		AA417034						
			Un 200074	gb:zu04f10.s1 Soares_testis_NHT Homo sap	3.5	53	15	1.2
		BE614474		F-box only protein 22	3.4	116	35	2.2
		NM_001329		C-terminal binding protein 2	3.6	444	125	4.6
	106070		Hs.5957	Homo sapiens done 24416 mRNA sequence	3.6	365	103	6.9
65		AF115402		E74-like factor 5 (ets domain transcript	26.3	356	14	1
	106096	AW379378	Hs.170121	protein tyrosine phosphatase, receptor t	3.2	267	83	2.3
	106126	AA576953	Hs.22972	hypothetical protein FLJ13352	3.8	38	1	3.3

				and and the tip	9.9	483	49	1.8
		AA425414		The state of the s	5.5 6.7	94	14	8
	106157	AI244563	Hs.34892 Hs.325531		3.3	95	29	4.4
		AB040896			3.8	83	22	7.5
5		AI765107	Hs.274422		3.3	97	30	6.4
,		AW961393		hypothetical protein FLJ10955	4.5	116	26	4.5
	106310		Hs.17240	ESTs	7	70	3	1.3
		AB007866	Hs.158249	KIAA0406 gene product	3.2	37	12	2.6
	106330	AW977397	Hs.35580	ESTs	3.8	38	1	1.9
10	106383	AA447453	Hs.27860	Homo sapiens mRNA; cDNA DKFZp586M0723 (1	16	255	16	6.6
		AW748420		Homo sapiens cDNA: FLJ21487 fis, clone C	4.9	337	70 .	2.7 5 ·
	106394		Hs.25320	Homo sapiens clone 25142 mRNA sequence	3.1	72 465	23 54	5 1.6
		AK000310		hypothetical protein FLJ20303	3.1	165 31	1	2.6
1.5		AA789081		glioma-amplified sequence-41	3.1 5.5	147	27	4.4
15		AB033042		cofactor required for Sp1 transcriptiona	4.4	222	51	1.8
		Al205785	Hs.30348	ESTs KIAA1116 protein	7.4	74	3	1.7
		AA243837	2Hs.227602 He 57787	ESTs ·	15.2	152	1	12.6
		AK000933		Homo sapiens cDNA FLJ10071 fis, clone HE	3.8	263	69 .	3.9
20			Hs.293552	ESTs, Moderately similar to ALU7_HUMAN A	4.9	49	1	4.1
20		R49131	Hs.26267	ATP-dependant interferon response protei	5.8	58	5	3.1
		AW188205		Homo sapiens clone 23570 mRNA sequence	5.3	166	32	14.9
		AL049951		Homo sapiens mRNA; cDNA DKFZp564O0122 (	f5.4	75	14	0.8
	106683	BE296396	Hs.14512	DIPB protein	3.6	210	58	4.7
25 -		N28524	Hs.29403	hypothetical protein FLJ22060	5.7	57	10	4.8 .
		N38902	Hs.334437	hypothetical protein MGC4248	4.4	371	84	3.2
•			Hs.239489	TIA1 cytotoxic granule-associated RNA-bi	4.3	101	24 1	1.6 · 4.
			8Hs.171957	triple functional domain (PTPRF interact	4.6 3.5	46 58	17	1.6
20		AL044182		KIAA0753 gene product	5.4	192	36	4.4
30		AB037744		KIAA1323 protein molecule possessing ankyrin repeats indu	3.3	696	214	1.8
		AA149537	Hs.301183	hypothetical protein FLJ20477	3.8	38	1	1.6
		AA835868		mannosidase, alpha, class 1A, member 1	4.3	43	10	. 2.2
		AK001826		hypothetical protein FLJ11269	3.6	36 .	1	1.2
35 .			Hs.167496	RAN binding protein 6	4.5	45	1 .	3.8
<b>.</b>		AA134329		Homo sapiens, clone IMAGE:3685398, mRNA,	5.7	94	17	7.3
		AI868648		ESTs	3.5	180	52	2.3
	106968	AF216751	Hs.26813	CDA14	5.5	130	24	12.5
_	106990	AA280722	Hs.24758	ESTs, Weakly similar to 138022 hypotheti	3.2	266	83	1.8
40	107008	AL157479	Hs.23740	KIAA1598 protein	5.1	298	59 60	4.4 2.8
		AA598820		gb:ae36h12.s1 Gessler Wilms tumor Homo s	3.3	228	69 18	3.8
			Hs.247309	succinate-CoA ligase, GDP-forming, beta	3.1 3.1	55 75	24	2.2
		AW40186		programmed cell death 8 (apoptosis-induc	3.1	367	119	2.3
15			4 Hs.35198	ectonucleotide pyrophosphatase/phosphodi hypothetical protein DKFZp566G1424	3.9	98	25	8.6
45		) AL122043	Hs.19221	KIAA1344 protein	6.3	63	1	5.4
			6 Hs.32793	ESTs .	4.6	71	16	3.6
		AV661958		GK001 protein	2.5	392	155	4.3
		AW37806		ESTs	15.6	156	7	10.8
50		7 AL080235		DKFZP586E1621 protein	4.8	48	8	3.1
			B Hs.82689	tumor rejection antigen (gp96) 1	3.4	251	74	23.7
		D AI290284		ESTs	3.6	36	6	0.5
			4 Hs.315111	nuclear receptor co-repressor/HDAC3 comp	5.4	483	90	4 19.2
			9 Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	199	44	2.9
55			7 Hs.30661	hypothetical protein MGC4606	12.5	156	13 35	9.6
		6 T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp586l0324 (	f 3.2 3.5	110. 35	1	2.6
	10731	8 T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence S-adenosylmethionine decarboxylase 1	5.8	151	26	11.4
			3 /Hs.262476	Homo sapiens cDNA FLJ13595 fis, clone PL	3.2	32	5	2.1
60		2 A1498986 8 A1580492		hypothetical protein	4.4	73	17	6.2
OU	10/03	0 AIDOU492 7 AA4AQ7A	7 Hs.173091	ubiquitin-like 3	3.5	282	80	3.7
			73 Hs.47584	potassium voltage-gated channel, delayed	5.7	85	15	7.8
			51 Hs.61184	CGI-79 protein	3.5	35	1	1
			9 Hs.61307	ESTs	4.3	43	10	2.7
65	10788	6 AA02578	2 Hs.61284	ESTs	3.1	31	9	2.2
- <b>-</b>	10790	8 AF08799	9 Hs.42826	ESTs	4.7	47	4	4.3
	10792	2 BE15385	i5 Hs.61460	Ig superfamily receptor LNIR	9	. 90	1	5.5

•								
	107994	AA036811	Hs.48469	LIM domains containing 1	4.5	45	1	3.8
	108040	AL121031	Hs.159971	SWI/SNF related, matrix associated, acti	6.5	65	2	6
		AJ404672		· ·	7.4	74	8	6
		BE548479		*, .	3.4	34	1	2.3
5								
J		AW151340			18.7	187	1	17
	108467	A1478658	Hs.94631	brefeldin A-inhibited guanine nucleotide	3.8	38 -	1	3.2
	108539	AA084677	Hs.54558	hypothetical protein FLJ22222	5.7	57	1	4.9
		AW022410		** *	3.2	32	5	1.7
		BE546947			8.7	247	29	5.7
10								
10		AB029000			3.7	625·	168	3.8
	108778	AF133123	Hs.90847	general transcription factor IIIC, polyp	3.7	37	1	3.2
	108806	AF070578	Hs.71168	Homo sapiens clone 24674 mRNA sequence	3.4	34	1	2.8
		AI652236	Hs.49376	hypothetical protein FLJ20644	3.5	35	1	3.2
				• •				
1.5		AW295647		hypothetical protein MGC5350	5.3	53	1	2.8
15	108846	AL117452	Hs.44155	DKFZP586G1517 protein	4.8	96	20	6.5
	108857	AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	5.4	54	1	4
		BE276891		retinoic acid induced 3	3.1	529	170	4.1
		Al380268	Hs.173648		3.3	33	5	1.7
				ESTs, Weakly similar to Zinc-finger prot				
20		NM_007240		dual specificity phosphatase 12	3.4	34	1	2.6
20	109060	BE062109	Hs.241551	chloride channel, calcium activated, fam	3.1	31	8	2
	109101	AW608930	Hs.52184	hypothetical protein FLJ20618	3.4	71	21	2.4
		AW419196			4.1	334	82	3.4
		AK000684		hypothetical protein FLJ22104	3.3	33	1	2.9
	109128	H89083	Hs.181915	ESTs .	4	40	7	1.1
25	109160	BE220601	Hs.301997	hypothetical protein FLJ13033	3.8	233	62	3.8
	109166	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	8.8	199	23	16.1
		AA179962		EST	3.2	32	1	2.2
		AW976516		Homo sapiens cDNA: FLJ21354 fis, clone C	3.2	32	10	2.9
		Al381800	Hs.300684		4.9	121	25	10.4
30	109273	AA375752	Hs.82719	Homo sapiens mRNA; cDNA DKFZp586F1822 (f	2.9	114	39	9.9
	109292	AW975746	Hs.188662	KIAA1702 protein	7.1	71	1	6.5
		AL096858	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	6.9	69	5	6.2
		R98881	Hs.109655	sex comb on midleg (Drosophila)-like 1	3.3	39	12	1.5
	109412	BE543313	Hs.209473	hypothetical protein FLJ10520	4.2	56	14	2.2
35	109415	U80736	Hs.110826	trinucleotide repeat containing 9	12.3	123	1	11.3
	109481	AA878923	Hs.289069	hypothetical protein FLJ21016	3.2	286	91	5.7
		AI631874	Hs.155140	casein kinase 2, alpha 1 polypeptide	8.3	83	8	1.9
		AA989362		ESTs	5.9	59	10	4.2
4.0		F10024	Hs.268740	ESTs .	3.2	41	13	3.3
40	109795	AA173942	Hs.326416	Homo sapiens mRNA; cDNA DKFZp564H1916 (f	5.9	208	36	-1.8
	109799	AW965076	Hs.180378	hypothetical protein 669	5	50	5 .	4.1
		R68827	Hs.95011	syntrophin, beta 1 (dystrophin-associate	3.7	37	4	2
						142		9.5
		AW390822		L-kynurenine/alpha-aminoadipate aminotra	14.2		1	
		AI084066	Hs.20072	myosin regulatory light chain interactin	4.1	41	7	1.7
45	109958	AA001266	Hs.133521	ESTs ·	4.2	58	14	0.8
	109984	Al796320	Hs.10299	Homo sapiens cDNA FLJ13545 fis, clone PL	3.2	136	43	3.6
		BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	6.3	693	110	7.2
		AI668594		ESTs, Weakly similar to CP4Y_HUMAN CYTOC		913	199	2.9
			Hs.176588					
50		AK000768	Hs.107872	hypothetical protein FLJ20761	3.8	38	7	2.8
50		Al610702	Hs.28212	ESTs, Weakly similar to TRHY_HUMAN TRICH	6.7	78	12	3
	110478	H11236	Hs.31034	peroxisomal biogenesis factor 11A	3.7	37	1	2.1 .
	110481	AF075089		ESTs	3.6	36	10	2.5
		H61560	. 10.00020	gb:yr22g03.s1 Soares fetal liver spleen	3.3	33		1.8
			11: 40400				1	
		AA071276		KIAA0859 protein	3.5	35	8	1.9
55	110705	AB007902	Hs.32168	KIAA0442 protein	3.6	282	79	1.7
	110721	H97678	Hs.31319	ESTs	4.4	103	24	3.8
	110731	NM_014899		KIAA0878 protein	3.3	138	42	3.6
		BE000831			13.5	135		5.1
			ris.2303/	Homo sapiens cDNA FLJ11812 fis, clone HE			1	
		N22414		gb:yw39a07.s1 Weizmann Olfactory Epithel	5.4	54	1	3.7
60	110787	AA831267	Hs.12244	hypothetical protein FLJ20097	4.7	47	4	4.2
	110799	AI089660	Hs.323401	dpy-30-like protein	5	50	1	4.3
		AL157503		Homo sapiens mRNA; cDNA DKFZp586N2424 (I		31	1	2.7
	110830	AF153330	He 30046		8.4	84		5.3
	440044	ALTACTOR		solute carrier family 19 (thiamine trans			1	
c =		AI740792	Hs.167531	methylcrotonoyl-Coenzyme A carboxylase 2	10.5	105	4	7.1
65	110854	BE612992	Hs.27931	hypothetical protein FLJ10607 similar to	7.9	79	1	6.2
	110882	AW963705	Hs.301183	molecule possessing ankyrin repeats indu	3.9	353	90	1.2
		Al433165	Hs.9856	ESTs	3.1	31	1	1.3
							-	

	440040	D=000005	11-00704	turnelly stimul meets in CI 142407	20.0	200	4	10.5
		BE092285		hypothetical protein FLJ13187	20.9	209 115	1 34	19.5 2.4
		BE242691		ESTS	3.4 3.5		9	3.2
	110970		Hs.96870	staufen (Drosophila, RNA-binding protein		35 43	1	2
5	111084		Hs.15456	PDZ domain containing 1 ESTs, Moderately similar to Z195_HUMAN Z	5.4	54	1.	4.3
5	111125				7.2	72	10	6.1
		AB037807		hypothetical protein Homo sapiens cDNA FLJ13289 fis, done OV		77	1	5
	111164		Hs.122489		7.7 25.1	288	12	6.7
		AK000136		asporin (LRR class 1)	3.9	146	37	9.8
10			Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE		63	1	5.8
10			Hs.151046	hypothetical protein FLJ11193	6.3 3.7	119	33	6.7
		AB037782		KIAA1361 protein		402	112	4.9
			Hs.334838	KIAA1866 protein	3.6	402 43	1	
			Hs.110855	ESTs	4.3		1	1
15		AA902656		NIF3 (Ngg1 interacting factor 3, S.pombe	3.3	33 61 .	.13	1.1 5.6
15			Hs.288880	PAN2 protein	4.8 4.3	43	5	2.2
		AW263155		hypothetical protein FLJ10540	4.1	41	1	2.6
٠.		W20090	Hs.6616	ESTs	3.8	425	111	4
		BE314949		hypothetical protein FLJ23309	4.3	65	15	<del>4</del> 5.7
20			Hs.326292	hypothetical gene DKFZp434A1114		314	91	2.4
20			Hs.169111	oxidation resistance 1	3.4 3.5	35	1	2.1
	111540		Hs.9786	zinc finger protein 275	3.5	105	30	9.6
			Hs.279008	hypothetical protein FLJ20170	3.2	37	12	3.5
			Hs.127236	hypothetical protein FLJ12879		62	2	5.9
25		BE383234		Homo sapiens, clone MGC:15393, mRNA, com	8.1	328	41	1.7
25			Hs.112360	prominin (mouse)-like 1	4.2	125	30	7.4
		R40576	Hs.21590	hypothetical protein DKFZp564O0523	6.5	65	10	1.5
		NM_01531	UU3.0103	KIAA0942 protein gb:yg29c02.s1 Soares infant brain 1NIB H	3.3	33	10	2.3
		R44538	Ho 7449		6.1	185	31	6.6
30		R41823	Hs.7413	ESTs; calsyntenin-2	3.5	507	145	3.3
30		NM_00365		ESTs hypothetical protein FLJ22191	3.5	40	12	2.5
		A1432672	Hs.288539		5.7 <sup>-</sup>	567	100	6.7
		AB029000	HS.70623	KIAA1077 protein	4	70	18	6.8
		R51818	Un 25070	gb:yg77h12.s1 Soares infant brain 1NIB H	3.7	37	1	3
35		R53734	Hs.25978	ESTs, Weakly similar to 2109260A B cell	4.3	45	11	4.4
33			Hs.301904	hypothetical protein FLJ12671	2.8	751	270	1.3
		AA863360		ESTs, Weakly similar to fatty acid omega	3.5	41	12	3.7
		AK000914		hypothetical protein FLJ10052  Homo sapiens cDNA FLJ11321 fis, clone PL	4.2	42	6	3.6
			Hs.285885		4.7	54	12	4.5
40		R68425	Hs.13809	hypothetical protein FLJ10648	4.8	48	2	3.4
40			Hs.140996 Hs.83883	ESTs transmembrane, prostate androgen induced	4.5	390	87 · ·	5.3
		Z42387			3.2	99	31.	3.1
		AL134324	Hs.7312 Hs.7549	ESTs ESTs	9.6	124	13	9
•		AI571940		microtubule-associated protein 1B	9.1	91	6	8.3
45		N39342 AA283057	Hs.103042 Hs.266957	hypothetical protein FLJ14281	6.5	65	6	4.8
45		T66847	Hs.194040	ESTs, Weakly similar to 138022 hypotheti	3.5	· 35	1	1.4
			Hs.89576	inner mitochondrial membrane peptidase 2	3.5	35	. 4	3.3
		AI791905	Hs.95549	hypothetical protein	7.6	76	1	4.2
		A1075407	Hs.296083	ESTs, Moderately similar to 154374 gene	3.1	453	148	7 .
50		AI869372	Hs.17207	Homo sapiens cDNA FLJ11922 fis, clone HE	3.6	36	4	2.6
50		T97307	113.17207	gb:ye53h05.s1 Soares fetal liver spleen	12.3	129	11	11.7
		AL359588	Hs.7041	hypothetical protein DKFZp762B226	4.6	46	4	4.3
	113703	A1269096	Hs.135578	chitobiase, di-N-acetyl-	3.6	36	i	1.2
		T62849	Hs.11090	membrane-spanning 4-domains, subfamily A	3.3	744	227	2.5
55	113734	DE2/7683	Hs.14611	dual specificity phosphatase 11 (RNA/RNP	3.3	180	54	2.1
55		W44735	Hs.9286	Homo sapiens cDNA: FLJ21278 fis, done C	5.1	51	5	4.5
		NM_00503		plastin 3 (T isoform)	3.2	238	75	2.1
	113840	AA457211	Hs 8858	bromodomain adjacent to zinc finger doma	4.3	43	8	3.6
			4 Hs.24095	ESTs	6.1	110	18	10.2
60		W76027	Hs.23920	hypothetical protein FLJ11105	4	48	12	4
00		AW953484		hypothetical protein FLJ22041 similar to	3.7	239	65	3.6
		W17056	Hs.83623	nuclear receptor subfamily 1, group 1, m	4.3	819	191	1.2
		AI267652		Homo sapiens mRNA; cDNA DKFZp434E082 (f		123	12	7
		A1825386		hypothetical protein FLJ21939 similar to	4.4	44	6	2.3
65			Hs.177534	dual specificity phosphatase 10	4.5	45	4	2.6
03	144051	VE118883	Hs.34192	Homo sapiens PRO0823 mRNA, complete cds	3.5	35	6	3.2
•	114037	AK001612	Hs.26962	Homo sapiens cDNA FLJ10750 fis, clone NT	3.1	31	5	1.5
	114002	A1001012		Light or the total man and the same of the			•	

	444404 1457554	Un 405040	handraid and a sector of AC A) as ChiA	24.2	040	40	
	114124 W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	24.2	242	10	5.6
	114138 AW384793		Homo sapiens mRNA; cDNA DKFZp434E033 (fr		67	1	6.3
	114162 AF155661		pyruvate dehydrogenase phosphatase	3.8	73	19	1.8
_	114196 AF017445		fucose-1-phosphate guanylyltransferase	4.4		24	5.1
5	114208 AL049466		ESTs	5.7		1	4.9
	114239 AL137667	Hs.267445	Homo sapiens mRNA; cDNA DKFZp434B231 (fr	3.3	33	1	2.4
	114251 H15261	Hs.21948	ESTs	4.2	46 .	11	1.4
-	114306 AF100143	Hs.6540	fibroblast growth factor 13	4.5	45	2	3
	114460 AF183810	Hs.26102	trichorhinophalangeal syndrome I	4.4	44	1	3
10	114542 AW970128		anterior gradient 2 (Xenepus laevis) hom	4.7	770	166	5.8
	114652 Al521936	Hs. 107149	novel protein similar to archaeal, yeast	5.2		3	2.3
	114767 AI859865	Hs.154443	minichromosome maintenance deficient (S.	4.6		43	10
	114768 AF212848		ets homologous factor	13.7		1	8.9
				3.3		51	7.3
15	114774 AV656017		CGI-76 protein				
15	114798 AA159181		serologically defined colon cancer antig	7.4	137	19	1.8
	114821 AI648602	Hs.55468	ESTs	4.7	57	12	4.7
	114860 AL157545	•	bromodomain and PHD finger containing, 3	9.1	91	1	7.6
-	114918 BE165762		hypothetical protein from BCRA2 region	10.1	111	11	10.2
	114940 BE092696	Hs.75928	ESTs	6.4	67	11	5
20	114965 AI733881	Hs.72472	8MP-R1B	35.9	359	10	29.7
	114969 AW162998	Hs.24684	KIAA1376 protein	9.4	94	8	7.3
	114988 AA251089		gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens	11.5	115	1	6.9
	115004 AA329340	Hs.4867	mannosyl (alpha-1,3-)-glycoprotein beta-	4.2	42	9	1.1 .
	115054 AW265668	Hs.87729	hypothetical protein FLJ12428	5.1	51	1	4.2
25		Hs.41271	Homo sapiens mRNA full length insert cDN	4.5	290	65	3.7
	115140 NM_01415		HSPC067 protein-	4.8	48	1	4.4
	115142 Al623693	Hs.191533	ESTs	3.2	49	16	4.2
	115188 AK000219		hypothetical protein FLJ20212	3.3	33	1	3
	115206 AW183695		ESTs	5.8	58	i	5
30	115221 AW365434		hypothetical protein FLJ10116	5.5	343	62	2.5
50	115262 AI422867		ESTs	11.2	112	1	10.3
		Hs.88594					
	115291 BE545072		hypothetical protein FLJ10461	4.5	96	21	7.8
	115536 - AK001468-		anillin (Drosophila Scraps homolog), act	5.9	59	1	4.2
25	115583 NM_01231		leucine zipper, down-regulated in cancer	9.8	98	1	8.8
35	115600 AA081395		Homo sapiens cDNA FLJ10366 fis, clone NT	4.6	46	2	1.8
	115622 Al088691	Hs.208414	Homo sapiens mRNA; cDNA DKFZp564D0472 (f		44	7	1.1
	115646 N36110	Hs.305971	solute carrier family 2 (facilitated glu	3.2	372	115	2.1
	115674 AW992356	Hs.8364	Homo sapiens pyruvate dehydrogenase kina	10.2	506	50 .	2.8
	115675 W87707	Hs.82065	interleukin 6 signal transducer (gp130,	5.2	405	78	10.1
40	115719 AW992405	Hs.59622	Homo sapiens, clone IMAGE:3507281, mRNA,	7.6 ·	144 -	19	13.9
	115725 AW899053	Hs.76917	F-box only protein 8	3.1	58	19	2.5
	115764 AW582256	Hs.91011	anterior gradient 2 (Xenepus laevis) hom	5.7	368	65	28.5
	115821 AW338063	Hs.130965	zinc-finger protein ZBRK1	3.9	39	8	2.2
	115825 R50956	Hs.159993	gycosyltransferase	4.2	79	19	1.9
45	115839 BE300266		transducin-like enhancer of split 1, hom	5.8	58	1	4.4
	115844 Al373062		hypothetical protein MGC5370	6.2	62	1	5.4
	115892 AA291377		ESTs	3.2	40	13	0.7
	115967 AI745379		ESTs	8.4	101	12	8.7
	116093 AW673312		hypothetical protein FLJ20331	3.6	36	1	2
50	116097 Al198719	Hs. 176376	ESTs			i	2
50	116107 AL133916		hypothetical protein FLJ20093	5.1	51	8	1
	116127 AF126743			3.4	34		
	11012/ AF120/43	HS.279004	DNAJ domain-containing	3.5	35	8	3.3
	116129 AF189011		putative ribonuclease III	4.5	45	9	3.4
55	116204 AW861622		Homo sapiens cDNA FLJ14934 fis, clone PL	5.2	52	4	3.9
55	116226 AW976438		RBP1-like protein	3.8	38	7	2.1
	116238 AV660717		DKFZP586N0819 protein	5.1	198	39	17.9
	116250 N76712	Hs.44829	ESTs, Weakly similar to 138022 hypotheti	13.3	133	8	3.2
	116256 AA328153	Hs.88201	ESTs, Weakly similar to A Chain A, Cryst	3.3	106	33	9.8
	116298 Al955411	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	4.8	179	38	2.8
60	116336 AL133033	Hs.4084	KIAA1025 protein	3.2	173	55	3
	116351 AL133623	Hs.82501	similar to mouse Xm1 / Dhm2 protein	3.7	37	1	1.8
	116365 N50174	Hs.46765	ESTs	3.9	39	10	0.6
	116379 AA448588	Hs.71252	hypothetical protein DKFZp761C169	5.6	106	19	9
	116429 AF191018	Hs.279923	putative nucleotide binding protein, est	3.6	256	72	3.7
65	116450 Al654450	Hs.47274	Homo sapiens mRNA; cDNA DKFZp564B176 (fr		119	39	2
~~	116461 AA313607	Hs.58633	Homo sapiens cDNA: FLJ22145 fis, clone H	5.5	315	58	3.1
	116470 Al272141	Hs.83484	SRY (sex determining region Y)-box 4	3.4	496	144	1.6
	1.0110 MEIE[4]	113.00704	OLL foot accomming todical t know a	J.7	430	177	1.5

		*****	U- 00°04	CCT-	3.1	31	4	1.9
		A1418366	Hs.68501		3.3	931	279	5.6
	116625	AW888411	Hs.241567	RNA binding motif, single stranded inter	3.6	36	1	1.9
		AI768015	Hs.92127		4.5	96	22	6.9
5		AW902848		ESTs	4.2	42	1	2.7
•		F10577	Hs.306088	v-crk avian sarcoma virus CT10 oncogene	7.1	71	9	6.9
		AA741307	Hs.65641	hypothetical protein FLJ20073	4.3	190	44	5.4
		H25836	Hs.301527	ESTs, Moderately similar to unknown [H.s	22.8	228	9	12.4
		AW362955		Homo sapiens cDNA FLJ14415 fis, clone HE	4.9	108	22 ·	9
10		AW161357		microtubule-associated protein tau	4.6	163	35 10	7.3 2.4
		H64938	Hs.337434	ESTs, Weakly similar to A46010 X-linked	6.9	69 48	10 1	2.4
			Hs.130093	ESTs	4.8 3.3	33	1	2.3
		H91164	Hs.335797	ESTS	3.1	38	13	1.7
15		H95785	Hs.167652	ESTs, Highly similar to 1819485A CENP-E	4.8	48	1	0.9
15		AW901347 N25929	Hs.42500	hypothetical protein FLJ23342 ADP-ribosylation factor-like 5	3.1	295	96	27.9
		W03011	Hs.306881	MSTP043 protein	3.6	41	12	2.8
		M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C	3.9	322	83	4.4
		AI041793	Hs.42502	ESTs	3.5	72	21	1.3
20		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	17.4	174	9	6.9
		N30205	Hs.93740	ESTs, Weakly similar to 138022 hypotheti	3.2	35	11	0.7
	117634	AW341639	Hs.13323	hypothetical protein FLJ22059	5	50	1	4.7
	117667	U59305	Hs.44708	Ser-Thr protein kinase related to the my	4.5	211 1		5
	117852	AW877787	Hs.136102	KIAA0853 protein	4.6	46	1	3.8
25		N49967	Hs.46624	HSPC043 protein	3.1	31	1	2.7 4.4
		AI521436	Hs.38891	ESTs	4.9 5	49 50	2	3.1
		AA374756		Homo sapiens mRNA for KIAA1771 protein,	3.6	89	25	0.9
		AI813865	Hs.164478	hypothetical protein FLJ21939 similar to platelet derived growth factor C	3.2	· 378	117	2.8
20		AF091434		bromodomain and PHD finger containing, 3	14.5	145	1	2.4
30		2 AL157545 5 N66845	H5.42175	qb:za46c11.s1 Soares fetal liver spleen	3.1	199	64	1
		N22617	Hs.43228	Homo sapiens cDNA FLJ11835 fis, clone HE	6	60	5	3.7
		AI949952	Hs.49397	ESTs	3.3	81 ·	25	1.5
		N79496	Hs.50824	EST, Moderately similar to I54374 gene N	3.4	740	217	2.8
35			2 Hs.173001	hypothetical protein FLJ13964	4.3	162	38	12.1
		T58283	Hs.10450	Homo sapiens cDNA: FLJ22063 fis, clone H	3.4	118	35	2.3
	118873	3 Al824009	· Hs.44577	ESTs	3.5	35	1	2.9
		3 Al191811	Hs.54629	ESTs	8.4	84	10	0.8
			7 Hs.94445	ESTs	7.3	73	. 3	5.4
40		1 N29309	Hs.39288	ESTS	5 3.7	50 37	5 6	4.7 0.5
			57Hs.250696	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic	3.3	36	11	0.6
		3 N98488	He 00700	gb:zb82h01.s1 Soares_senescent_fibroblas Homo sapiens cDNA: FLJ22930 fis, clone K	3.3	167	51	2.6
		8 R39261	Hs.90790 Hs.117183	ESTs	5.3	53	6	2.3
45		6 R45175 8 H09334	Hs.92482	ESTs	3.7	37	4	. 3
73		1 Al061118		Fanconi anemia, complementation group F	8.2	82	1	6.4
	11929	8 NM 0012	41Hs.155478	cyclin T2	4	40	4	1.2
			1 Hs.37054	ephrin-A3	3.3	571	171	2
•	11936	7 T78324	Hs.250895	ribosomal protein L34	3.4	34	3.	2.4
50	11942	7 AW47454	7 Hs.53565	Homo sapiens PIG-M mRNA for mannosyltran	4.6	60	13	4.8
	11958	0 AL079310	) Hs.92260	high-mobility group protein 2-like 1	8.1	94	12	6.5
	11958	6 AF08803	3 Hs.159225	ESTS	3.3 3.3	33 33	8 10	0.9 0.5
	11963	8 NM_0161	22Hs.56148	NY-REN-58 antigen	5.4	54	10.	4.1
55	11967	6 AA24383	7 Hs.57787	ESTS	4.6	46	7	0.8
55	119/1	/ AA91831	7 Hs.57987 ' Hs.2533	B-cell CLL/lymphoma 11B (zinc finger pro EST	3.5	2073	595.	2.1
		1 AI905687		hypothetical protein	4.4	44	1	3.1
			625Hs.191381 6 Hs.121281	prion protein 2 (dublet)	3.4	34	1	2.5
			0 Hs.43213	ESTs, Weakly similar to IEFS_HUMAN TRANS		36	1	2.9
60			11 Hs.58461	ESTs, Weakly similar to A35659 krueppel-	5.2	52	6	1.8
O.		9 AI057404		ESTs	3.7	37	4	1.9
		0 AL05009		DKFZP586B0319 protein	6.9	162	24	2.6
			9 Hs.14158	copine III	3.7	590	159	3.8
	12013	32 W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	6.9	319	47	2.1
65			1 Hs.153746		5.3	53	5	0.9
	1202	15 AF10921	9 Hs.108787	phosphatidylinositol glycan, class N	3.2	106 34	34 1	3.3 1.7
•	1202	SU AKU0006	1 Hs.101590	hypothetical protein	3.4	J.4.	. 1	i٠٠

			•					
	120296	AW995911	Hs.299883	hypothetical protein FLJ23399	4.2	124	30	1.8
		R06859	Hs.193172	ESTs, Weakly similar to 138022 hypotheti	7.5	112	15	2.5
		AA223249			3.3	33		
				abl-interactor 12 (SH3-containing protei			10	2.8
<b>.</b> .		AW966893		Homo sapiens mRNA; cDNA DKFZp586F1323 (f		48	1	0.5
5		AA251973	•	ESTs	3.4	34	4	0.1
	120493	AW968080	Hs.152939	Homo sapiens clone 24630 mRNA sequence	3.9	161	42	2
	120524	AA261852	Hs.192905	ESTs	6.8	68	1	0.2
	120554	AA284447	Hs 271887	ESTs	3.2	32	5	0.6
		BE244580			8.5	127		
10				hypothetical protein FLJ10330			15	1.6
10	_	AB037744		KIAA1323 protein	3.7	37	1	0.5
	120572	H39599	Hs.294008	ESTs	3.6	36	8 .	0.2
	120588	AA703226	Hs.16193	Homo sapiens mRNA; cDNA DKFZp586B211 (fr	5.6	101	18	1.6
	120649	AA687322	Hs.192843	leucine zipper protein FKSG14	5.4	54	10	2.5
		AI952639	Hs.98267	ESTs	3.2	32	8 .	3
15								
13		AW449855		Homo sapiens cDNA FLJ12727 fis, clone NT	5.3	58	11	3.3
		Y19062	Hs.96870	staufen (Drosophila, RNA-binding protein	3.3	33	3	0.2
	120822	AA347422	Hs.238040	EST, Weakly similar to B34087 hypothetic	3.8	38	7	0.2
	120915	AL135556	Hs.97104	ESTs	3.5	37	11	0.1
		AA481003		ESTs	3.1	31	1	0.4
20		AA398155		ESTs				
20					7.9	79	1	2.7
			Hs.29626	hypothetical brain protein my038	5.1	51	1	2.4
	121125	AL042981	Hs.251278	KIAA1201 protein	3.7	37	10	1
	121176	AL121523	Hs.97774	ESTs	7	70	1	0.9
	121202	AA970946	Hs 97794	ESTs	3.9	39	1	0.2
25		AA406293		ESTs	3.4	34	<u>i</u>	0.8
		AF044197						
				B-cell attracting chemokine 1 (CXCL13;	3.5	35	1	2.6
		AK000282		hypothetical protein FLJ20275	10.3	103	1	9.3
	121517	A1002968	Hs.235402	ESTs, Weakly similar to T26525 hypotheti	3.5	143	41	2.6
	121553	AA412488	Hs.48820	TATA box binding protein (TBP)-associate	4.6	46	3	8.0
30	121556	AA412494	Hs.98152	EST	4.2	77	19	1.4
		AA416568		gb:zu05c10.s1 Soares_testis_NHT Homo sap	3.2	32	1	0.8
			Ha 00244					
		A1338247	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f		34	10	0.7
		AA243499		hypothetical protein FLJ10134	2.9	214	74	3.7
	121831	AA449644	Hs.193063	Homo sapiens cDNA FLJ14201 fis, clone NT	3.9	39	1	0.2
35	121853	AA425887	Hs.98502	hypothetical protein FLJ14303	4.4	48	11	0.9
	121873	AV650929	Hs.145696	splicing factor (CC1.3)	3.6	150	42	3.2
		A1249368	Hs.98558	ESTs; protease inhibitor 15 (PI15)	2.7	864	321	0.6
		AW117207		ESTs	3.5	35	3	2.3
40		AI810721	Hs.95424	ESTs	4.9	49	7	3.7
40		AW794215		KIAA1085 protein	3.2	88	28	1.2
	122223	AF169797	Hs.27413	adaptor protein containing pH domain, PT	12.6	126	7	7.5
	122235	AA436475	Hs.112227	membrane-associated nucleic acid binding	4.1	43	11	1.6
	122273	AI298368	Hs.150926	fucose-1-phosphate guanylyltransferase	3.1	31	1	1
		AA446189		ESTs	3.3	53	16	4
45				and the second s				
73		BE567620		ESTs	3.2	291	91	4
		AA449453		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.1	31	6	8.0
	122636	AW651706	Hs.99519	hypothetical protein FLJ14007	3.5	35	1	3
	122637	AA454149	Hs.99357	EST	3.2	32	10	3.1
	122798	AW366286	Hs.145696	splicing factor (CC1.3)	3.2	36	11	2.5
50		AA335721		ESTs	5.6	108	20	1.8
•		AA749382		ubiquitin-conjugating enzyme E2D 3 (homo	3.6	36	1	3.4
		A1718702		major histocompatibility complex, class	3.7	162	44	12.4
		AA478446		KIAA1096 protein	7.2	72	1	5.7
	122974	AA447871	Hs.194215	ESTs, Weakly similar to I38022 hypotheti	4.7	59	13	4.7
-55	123016	AW338067	Hs.323231	Homo sapiens cDNA FLJ11946 fis, clone HE	3.3	207	63	3.5
	123090	AL135185	Hs.48778	niban protein	3.8	207	55	5.5
		AI073913		ESTs, Weakly similar to JE0350 Anterior	9.9	351	36	13.9
		AA830335		ESTs ·	4.1	72	18	1.5
<b>CO</b>		AA488988		ESTs	3.7	41	11	1.6
60	123442	AA299652	Hs.111496	Homo sapiens cDNA FLJ11643 fis, clone HE	6.7	67	2	2.1
	123449	AL049325	Hs.112493	Homo sapiens mRNA; cDNA DKFZp564D036 (fr	3.4	34	1	2.6
		BE439553		Homo sapiens, clone IMAGE:4098694, mRNA,	9.7	102	11	6
		AW179019		mitochondrial ribosomal protein L42	4.2	42	7	2.9
65		AW975051		ESTs, Weakly similar to 178885 serine/th	3.9	39	1	3.2
65			Hs.173933	nuclear factor I/A	4.3	43	1	3.5
		AL035414	Hs.21068	hypothetical protein	5.8	58	1	4.9
	123523	AA608588		gb:ae54e06.s1 Stratagene lung carcinoma	3.1	927	295	2.1
				•				

					_	404	25	- 0
		AF150208			5	121 68	25 10	5.9 6.1
		AA608955	Hs.109653	20.0	6.8 o =	85	1	4.3
		AA602964	450540		8.5 3.9	39	5	4.3 3.7
_		BE550112			3.9	60	16	4.8
5		AA706910			3.4	80	24	3.8
	123926	AA425769	HS.227933	, ago, o. octoberes, memoring or	4.5	45	2	3.6
		AW082862		Nypoulousen protein v ==== v==	5.8	321	55	17
		Al147155	Hs.270016	40.0	10.4	880	85	5.3
10		BE387335		Zoto, trouting comments to be tree trapped.	3.1	41	14 .	
10	124287.		Hs.5123		3.2	32	1	1.5
	124292	AA249027	Hs.13366	ribosomal protein S6	10.5	105	1	9.9
	124300	NM_005402	715.241307	ilboodina proto ee	12.8	141	11	12.2
		AF283776		Homo sapiens mRNA; cDNA DKFZp586C1723 (f		31	1	1.8
15		AI821780	Hs.179864		3.3	33	1	1.7
13		R01073	113.17.0004	20.0	4.2	42	7	3
		R41933	Hs.140237		3.4	210	63	3.3
			Hs.103804		6.5	162	25	14.7
		T90298	Hs.271396	ESTs	3.1.	31	6	2.4
20		T91518		gb:ye20f05.s1 Stratagene lung (937210) H	3.4	985	286	2.8
20			Hs.122730	ESTs, Moderately similar to KIAA1215 pro	3.6	224	63	. 4
	125144	AB037742	Hs.24336	KIAA1321 protein	6.3	63	6	5
		W38240		Empirically selected from AFFX single pr	3.6	38	11,	2.6
		W93048	Hs.250723	hypothetical protein MGC2747	3.1	31	1	2.8
25			Hs.122647	N-myristoyltransferase 2	3.2	37	12	3.6
		AW401809		KIAA1150 protein	13.1	131	1	5.1
		T32982	Hs.102720	ESTs	7.7	81	11	7.6
	125303	AA173319	Hs.288193	hypothetical protein MGC12217	14.3	143	9	13.1
	125377	W72949	Hs.77495	UBX domain-containing 1	3.3	34	11	3.2
30		AL038165		translocase of outer mitochondrial membr	8.2	124	15	11.5
	125471	AA421691	Hs.152601	UDP-glucose ceramide glucosyltransferase	3.7	224	61	21 ·
			Hs.164950	ESTs	6.7	67	1	.6 4.2
		T62641	Hs.278544	acetyl-Coenzyme A acetyltransferase 2 (a	5.5	55 63	10	1
25			Hs.241493	natural killer-tumor recognition sequenc	5.5 4.3	68	12 16	2.8
35		AW292171		scaffold attachment factor B	4.8	48	5	4.1
			Hs.191356	general transcription factor IIH, polype	6.8	223	33	2.8
		AI858032	Hs.75722	ribophorin II v-kit Hardy-Zuckerman 4 feline sarcoma v	8.3	87	11	0.4
		AA143045		YY1 transcription factor	11.3	124	11	9.7
40		NM_00340		Homo sapiens mRNA; cDNA DKFZp564B1264 (		306	4	26.5
40		2 AW630088 3 T30968	Hs.13531	hypothetical protein FLJ10971	.4.9	68	14	1.4
		AW090198		KIAA1150 protein	6.4	74	12	6.6
		W78968	Hs.181307	H3 histone, family 3A	5	264	53	3.4
			Hs.61635	six transmembrane epithelial antigen of	3.8	38	1	2.7
45	. —		8 Hs.181297	ESTs	3.6	36	6	2.9
			Hs.172028	a disintegrin and metalloproteinase doma	3.1	31 -	1	2.5
			Hs.102178	syntaxin 16	4.4	76	18	1
		AW66388		hypothetical protein FLJ10936	3.8	38	1	3
			3 Hs.48320	doubte ring-finger protein, Dorfin	6.7	155	23	1.4
50			Hs.279609	mitochondrial carrier homolog 2	8.8	110	13	10.5
			) Hs.128065	ESTs	3.6	36	10	1.9
	12697	1 T26989	Hs.283664	aspartate beta-hydroxylase	5.5	79	15	4.4
	12716	7 AA625690	) Hs.190272	ESTs	3.1	33	11	2.3
	12725	1 AA936428	3 Hs.128638	ESTs	3.5	35	1	3.1
55			8 Hs.269350	ESTs	4.8	106	22	1
		9 D60237	Hs.14368	SH3 domain binding glutamic acid-rich pr	7.5	75	1	6.5
		7 Al926047		ESTS	3.8	38 33	. 7 9	3.4 0.9
			4 Hs.245474	ESTs, Moderately similar to ALU5_HUMAN A	3.3	152	35	12.5
60	12767	7 AF175265	5 Hs.264190	vacuolar protein sorting 35 (yeast homol	4.3 5.4	. 73	35 14	6.8
60	12777	4 AA31363	9 Hs.119488	cystein-rich hydrophobic domain 2	5.2	81	16	1.1
	12799	9 AW97882	7 Hs.69851	nucleolar protein family A, member 1 (H/	3.9	220	57	2.5
	12821	8 AA186/3	3 Hs.292154	stromal cell protein matrix Gla protein	9.4	94	3	5.3
	12830	5 AI954968	Hs.279009	Homo sapiens mRNA; cDNA DKFZp564B222 (I		46	8	3.9
65			4 Hs.100261 Hs.296251	programmed cell death 4	7.2	72	1	5.8
65	12848	2 A1694143	2 Hs.199009	protein containing CXXC domain 2	3.8	38	i	0.9
	12000	7 ANNOQAAC	2 Hs.199009 03 Hs.100861	hypothetical protein FLJ14600	5.6	73	13	6.1
	12031	1 14133740	,5 110.100001					

		Al932995	Hs.183475	Homo sapiens clone 25061 mRNA sequence	4.2	104	25	7.8
	128579	N25956	Hs.101810	Homo sapiens cDNA FLJ14232 fis, clone NT	3.1	172	55	3.1
	128595	U31875	Hs.272499	short-chain alcohol dehydrogenase family	3.3	105	32	3
_	128610	N48373	Hs.10247	activated leucocyte cell adhesion molecu	7.3	106	15	5
5	128653	D87432	Hs.10315	solute carrier family 7 (cationic amino	3.1	31	1	2.2
		AA307211		proteasome (prosome, macropain) subunit.	3.6	130	36	3.5
		NM_00413		granzyme B (granzyme 2, cytotoxic T-lymp	3.9	43	11	1.8
		AF026692		secreted frizzled-related protein 4	17.4	409	24	7.8
		AB011125		KIAA0553 protein	3.1	34	11	2.7
10		NM_014720		•				
. 10				Ste20-related serine/threonine kinase	3.6	36	5	1.5
		AK001731		Homo sapiens mRNA; cDNA DKFZp586H0924 (		288	87	7.9
		R57988	Hs.10706	epithelial protein lost in neoplasm beta	11.3	113	8	2.5
		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	7.1	392	56	3.6
1 ~ .		AA009647		a disintegrin and metalloproteinase doma	4.6	132	29	9.7
15		AA115333		ESTs-	8.2	82	1	7.4
	129075	BE250162	Hs.83765	dihydrofolate reductase	5	50	1	3.3
	129095	L12350	Hs.108623	thrombospondin 2	3.2	814	257	2.4
	129151	N23018	Hs.171391	C-terminal binding protein 2	4.4	44	1	3.8
	129168	Al132988	Hs.109052	chromosome 14 open reading frame 2	14.2	142	6	9.4
20		AF013758		polyadenylate binding protein-interactin	7.1	71	1	6.2
		BE169531		TAK1-binding protein 2; KIAA0733 protein	5	64	13	6.3
		AF220050		uncharacterized hematopoietic stem/proge	5.2	75	15	6.4
		NM_015344		leptin receptor overlapping transcript-l	3.7	39	11	3.2
		NM_014918		KIAA0990 protein				
25		AL049538			9.5	95	1	8.5
25				ras association (RalGDS/AF-6) domain con	7.6	92	12	1.4
		BE220806		Homo sapiens clone 23785 mRNA sequence	7.1	150	21	14.5
		BE219987		phosphatidylinositol glycan, class F	3.9	54	14	5.1
		X61959	Hs.207776	aspartylglucosaminidase	3.6	36	1	2.7
20		NM_005754		Ras-GTPase-activating protein SH3-domain	4	40	4	3.2
30		AW964541		hypothetical protein FLJ21127	4.6	199	44	2.3
	129598	N30436	Hs.11556	Homo sapiens cDNA FLJ12566 fis, clone NT	4.2	42	1	3.8
	129691	M26939	Hs.119571	collagen, type III, alpha 1 (Ehlers-Dani	6.4	1111	175	5
	129698	BE242144	Hs.12013	ATP-binding cassette, sub-family E (OABP	4.8	48 '	8	3.8
	129721	NM_001415	5Hs.211539	eukaryotic translation initiation factor	5.8	171	30	2.9
35		BE165866		nuclear receptor subfamily 1, group I, m	4.5	45	1	2.4
		R42216	Hs.12342	Homo sapiens clone 24538 mRNA sequence	5.3	53	9	3.6
		R39246	Hs.239666	Homo sapiens cDNA FLJ13495 fis, clone PL	3.1	31	2 ·	2.5
		AB028945		cortactin SH3 domain-binding protein	11.4	114	1	10
		AI222069	Hs.13015	hypothetical protein similar to mouse Dn	4.7	-556	119	4.5
40		T71333	Hs.13854		3.1			
70				ESTs		31	3	3
		NM_000399		early growth response 2 (Krox-20 (Drosop	3.2	32 ·	1	0.2
		BE061916		chromosome 8 open reading frame 2	6.7	67	1	5.7
		AF027153		solute carrier family 5 (inositol transp	1	1	1_	1
15		AK001635		hypothetical protein FLJ10773	14.6	219	15	7.6
45		T47294	Hs.149923	X-box binding protein 1	3.1	1336	434	1.4
		AW977534	Hs.151469	calcium/calmodulin-dependent serine prot	5.3	53	9	3.2
		U38847	Hs.151518	TAR (HIV) RNA-binding protein 1	4.2	46	11	1.1
		AB040914		KIAA1481 protein	13.2	331	25	12.4
	130356	AF127577	Hs.155017	nuclear receptor interacting protein 1	3.3	354	108	4
50		AL135301			8.1	81	9	5.5
	130385	AW067800	Hs.155223	stanniocalcin 2	72.2	722	1	1.9
		BE385099		hypothetical protein MGC3017	6.5	65	4	5.3
	130417	AW163518	Hs 155485	huntingtin interacting protein 2	3.5	79	23	2.5
		U63630	Hs.155637	protein kinase, DNA-activated, catalytic	6.1		1	
55		D90041				61		5.7
55			Hs.155956	N-acetyltransferase 1 (arylamine N-acety	10.8	706	66	9.2
		W19744	Hs.180059	Homo sapiens cDNA FLJ20653 fis, clone KA	3.9	39	1	1.9
		AW876523		hypothetical protein FLJ12910	3.9	· 39	1	2.6
		AA383092		replication protein A3 (14kD)	4.4	44	1	4.1
		AA383256	Hs.1657	estrogen receptor 1	32.2	322	1	4.7
60	130614	Al354355	Hs.16697	down-regulator of transcription 1, TBP-b	5.2	251	48	21
	130617	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	10	100	1	7.6
	130619	AI963376 .	Hs.12532	chromosome 1 open reading frame 21	3.9	39	1	3.4
	.130625	AF176012	Hs.260720	J domain containing protein 1	10.5	105	i .	9
			Hs.17767	KIAA1554 protein	6.8	129	19	12.1
65		R62676	Hs.17820	Rho-associated, coiled-coil containing p	4.1	41	1	3.6
		R68537	Hs.17962	ESTs	9.2	234	26	16.8
		AJ271881	Hs.279762	bromodomain-containing 7	17.5	175	20	12.8
	,00,.2			D. D. T. C. College L.		11.5	-	12.0

					•	• •
	130723 BE247676 Hs.18442	E-1 enzyme	8.1	81	3 1	2.8 4.3
	130751 AF052105 Hs.18879	chromosome 12 open reading frame	4.9	49 100	28	4.3 6.6
	130780 AA197226 Hs.19347	hypothetical protein MGC11321 HMT1 (hnRNP methyltransferase, S. cerevi	3.6 3.4	525	154	5.3
5	130863 Y10805 Hs.20521 130871 AF080158 Hs.226573	inhibitor of kappa light polypeptide gen	10.5	121	12	1.6
,	130888 AL044315 Hs.173094	Homo sapiens mRNA for KIAA1750 protein,	6	202	34	3.7
	130974 NM_003528Hs.2178	H2B histone family, member Q	7.1	100	14	7.5
	130979 NM_012446Hs.169833	single-stranded-DNA-binding protein	3.2	87	27	1.7
:	130987 BE613269 Hs.21893	hypothetical protein DKFZp761N0624	3.5	124	35	6.5
10	130993 T97401 Hs.21929	ESTs	4.5	45	1 .	2.5
-,	131076 AA749230 Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	3.2	210	66	3.8
•	131085 BE207357 Hs.3454	KIAA1821 protein	3.8	42	11	0.6
	131126 NM_016156Hs.181326	KIAA1073 protein	6.7	67	6	1.9
`	131129 BE541042 Hs.23240	Homo sapiens cDNA: FLJ21848 fis, clone H	5.8	115	20	2.5
15	131148 AW953575 Hs.303125	p53-induced protein PIGPC1	3.8	585	153	3.7
	131164 AW013807 Hs.182265	keratin 19	5.2	1320	256 1	3.2 3.3
	131176 AA465113 Hs.23853	ESTs, Weakly similar to A34615 profilagg	3.8 4.8	38 48	i	4.1
	131200 BE540516 Hs.293732	hypothetical protein MGC3195 Homo sapiens cDNA FLJ20738 fis, clone HE	6.1	343	56	16.4
20	131216 AI815486 Hs.243901	thioredoxin domain-containing	8	100	13	2.9
20	131245 AL080080 Hs.24766 131248 Al038989 Hs.332633	Bardet-Biedl syndrome 2	4	95	24	1.1
	131273 AW206008 Hs.283378	Homo sapiens cDNA: FLJ21778 fis, clone H	4.6	239	53	3.5
	131319 NM_003155Hs.25590	stanniocalcin 1	3.5	402	114	2.1
	131367 Al750575 Hs.173933	nuclear factor I/A	3.3	775	233	2.4
25	131375 AW293165 Hs.143134	ESTs	3.8	38	1	3
	131379 AK001123 Hs.26176	hypothetical protein FLJ10261	3.9	116	30	0.5
	131388 NM_014810Hs.92200	KIAA0480 gene product	7.6	76	1	5
	131475 AA992841 Hs.27263	KIAA1458 protein	5.1	113	22	6.1
	131492 Al452601 Hs.288869	nuclear receptor subfamily 2, group F, m	8.4	169	20 .	4.6
30	131501 AV661958 Hs.8207	GK001 protein	3.1	197.	63 1	18.7 4.4
	131535 N22120 Hs.75277	hypothetical protein FLJ13910	5.9 5.1	59 51	1	3.9
	131544 AL355715 Hs.28555	programmed cell death 9 (PDCD9)	3.8	79	21	6.9
	131546 AA093668 Hs.28578	muscleblind (Drosophila)-like H2A histone family, member L	4	350	88	3
35	131562 NM_003512Hs.28777 131564 T93500 Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	4.7	381	81	6.4
55	131604 AA306477 Hs.29379	hypothetical protein FLJ10687	4.6	46	7	3.8
	131684 NM_002104Hs.3066	granzyme K (serine protease, granzyme 3;	3.2	82	26	6.6
	131687 BE297635 Hs.3069	heat shock 70kD protein 9B (mortalin-2)	6.7	93	14	8.4
	131689 AB012124 Hs.30696	transcription factor-like 5 (basic helix	3.8	51	14.	1.7
40	131693 AW963776 Hs.110796	SAR1 protein	7.2	72	4	5.7
	131739 AF017986 Hs.31386	secreted frizzled-related protein 2	2.1	1561	757	1.7
	131742 AA961420 Hs.31433	ESTs	11.7	117	1	10.1
	131775 AB014548 Hs.31921	KIAA0648 protein	4.8	48	1	4.6
45	131787 D87077 Hs.196275	KIAA0240 protein	3.2	207 115	64 34	5.5 9.1
45	131798 X86098 Hs.301449	adenovirus 5 E1A binding protein	3.4 5.8	91	16	1.4
	131836 W00712 Hs.32990 131853 Al681917 Hs.3321	DKFZP566F084 protein ESTs, Highly similar to IRX1_HUMAN IROQU	4.9	632	: 129	1.7
	131853 Al681917 Hs.3321 131877 J04088 Hs.156346	topoisomerase (DNA) II alpha (170kD)	6.8	68	1	5.6
	131881 AW361018 Hs.3383	upstream regulatory element binding prot	4	140	35	1.8
50	131885 BE502341 Hs.3402	ESTs	5.7	57	1	4.5
50	131904 AF078866 Hs.284296	Homo sapiens cDNA: FLJ22993 fis, clone K	5.5	90	17	2.9
	131919 T15803 Hs.272458	protein phosphatase 3 (formerly 2B), cat	5.6	95	17	9.1
	131941 BE252983 Hs.35086	ubiquitin specific protease 1	7.4	103	14	6.5
	131945 NM_002916Hs.35120	replication factor C (activator 1) 4 (37	3.7	37	1	3.4
55	131949 AK000010 Hs.258798	hypothetical protein FLJ20003	3.5	35	1	2.5
	131965 W79283 Hs.35962	ESTs	5.5	168	31	4.4
	131977 U90441 Hs.3622	procollagen-proline, 2-oxoglutarate 4-di	3.7	37	9	2.8
•	131985 AA503020 Hs.36563	hypothetical protein FLJ22418	40.2 7.3	402	1	4 1.2
<b>C</b> 0	131993 Al878910 Hs.3688	cisplatin resistance-associated overexpr	22.6	73 226	1 10	0.9
60	132064 AA121098 Hs.3838	serum-inducible kinase CGI-107 protein	3.1	227	73	16.8
	132094 NM_016045Hs.3945 132109 AW190902 Hs.40098	cysteine knot superfamily 1, BMP antagon	3.5	73	21	6.3
	132109 AW190902 Hs.40098 132116 AW960474 Hs.40289	ESTs	3.6	141	39	12.6
•	132116 AVV900474 HS.40209 132143 D52059 Hs.7972	KIAA0871 protein	4.9	49	1	4.1
65	132160 W26406 Hs.295923	seven in absentia (Drosophila) homolog 1	4.4	53	12	2.1
05	132164 A1752235 Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	5	225	45	9.1
	132180 NM_004460Hs.418	fibroblast activation protein, alpha	10.7	433	41	7.2
	,32.10-	• • •				

		Al699482	Hs.42151	ESTs	3.4	58	17	4
		AI078645	Hs.431	murine leukemia viral (bmi-1) oncogene h	4.2	42	1	2.2
		NM_01598	6Hs.7120	cytokine receptor-like molecule 9	3.4	34	2	3
-		U28831	Hs.44566	KIAA1641 protein	18.6	186	10	1.5
5		N37065	Hs.44856	hypothetical protein FLJ12116	5.5	323	59	10.5
		NM_00354		H4 histone family, member G	3.3	979	298	2.2
		AA312135	Hs.46967	HSPCO34 protein	3.6	<b>36</b> .	1	3.1
		W32624	Hs.278626	Arg/Abl-interacting protein ArgBP2	5.9	186	32	3.7
		AL135094		hypothetical protein FLJ 14495	4.2	159	38	7.1
10	132407	BE613126	Hs.47783	B aggressive lymphoma gene	4.6	46	1	4.3
	132425	N87549	Hs.125287	zinc finger protein ZNF140-like protein	3.6	146	41	1.1
	132440	AB020699	Hs.112751	KIAA0892 protein	3.3	33	4	2.9
	132465	AW169847	Hs.49169	KIAA1634 protein	8.3	145	18	3.7
	132522	AB023164	Hs.5070	KIAA0947 protein	4.6	46	1	4.4
15	132528	T78736	Hs.50758	SMC4 (structural maintenance of chromoso	9.3	93	1	8.4
		AA306105		SEC22, vesicle trafficking protein (S. c	4.9	49	1	4.4
		BE568452		protein regulator of cytokinesis 1	11.8	201	17	19.1
		Al929659		signal recognition particle 72kD	3.8	38	1	3
		AW803564		Homo sapiens cDNA: FLJ22528 fis, clone H	4.8	93	20	3.1
20		AW606927		hypothetical protein DKFZp586F1122 simil	6.1	61	2	5.9
. ~0		BE262677		hypothetical protein PRO1855	3.4	193	58	12.3
		AF037335		carbonic anhydrase XII	14.2	390	28	22.5
		AL050025		hypothetical protein FLJ20151	3.3	909	274	3.2
		AU076916		guanine monphosphate synthetase	5	50	1	4.1
25 -		AB018319		KIAA0776 protein	4.2	171	41	12.6
23		AA025480		ESTs, Weakly similar to T33468 hypotheti	6.5	65	1	5.6
		AW242243			3.7	37	i	2.2
		U25435	Hs.57419	peroxisomal famesylated protein	3. <i>t</i> 7	115	17	5.4
		AL120050		CCCTC-binding factor (zinc finger protei	3.3	61	19	5.4 5.1
30				Homo sapiens cDNA: FLJ23005 fis, clone L				
30		NM_00144		glypican 4	4.8	48	1	3.6
		BE077155		hypothetical protein DKFZp761B1514	12.6	126	8	9.9
		AI936442		hypothetical protein FLJ10808	11	187	17	10.4
		BE613337		geminin	3.3	106	33	2.6
25		AL047045		Homo sapiens done 122482 unknown mRNA	3.5	110	32	2.1
35		AF234532		myosin X	4.1	62	15	4.9
		AA093322		RNA binding motif protein 3	22.1	221	9	17.8
		X77343	Hs.334334	transcription factor AP-2 alpha (activat	12.7	311	25	2.4
		AA112748		done HQ0310 PRO0310p1	3	380	127	5.5
40		NM_00637		sema domain, immunoglobulin domain (lg),	7.3	271	37	2.3
40		AJ002744		UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	427	93	10.4
		U92649	Hs.64311	a disintegrin and metalloproteinase doma	3.6	36	1	3.1
		AK001628		KIAA0483 protein	5.2	117	23	5
		AA218564		vacuolar protein sorting 26 (yeast homol	3.1	359	118	2.5
		A1275243	Hs.180201	hypothetical protein FLJ20671	5.1	58	12	5.7
45		AF231981	Hs.250175	homolog of yeast long chain polyunsatura	3	816	275	3.9
		W32474	Hs.301746	RAP2A, member of RAS oncogene family	3.1	234	76	8.6
		AK001489		ADP-ribosylation factor-like 1	8.1	81	1	4.6
		Z48633	Hs.283742	H.sapiens mRNA for retrotransposon	12.4	124	6	10.8
~ ^	133291	BE297855	Hs.69855	NRAS-related gene	3.3	33	1	2.9
50	133294	AJ001388	Hs.69997	zinc finger protein 238	7.9	234	30	18.9
		AI499220	Hs.71573	hypothetical protein FLJ10074	4.6	46	5	3.5
	133362	AK001519	Hs.7194	CGI-74 protein	5	110	22	9.7
	133370	AF245505	Hs.72157	DKFZP564I1922 protein	3.2	725	227	3.2
	133407	AF017987	Hs.7306	secreted frizzled-related protein 1	4.1	374	91	1.1
55	133422	AB033061	Hs.73287	KIAA1235 protein	4.3	43	1	3.9
	133435	Al929357	Hs.323966	Homo sapiens clone H63 unknown mRNA	5.5	186	34	16.5
	133479	W01556	Hs.238797	ESTs, Moderately similar to I38022 hypot	3.5	35	7	2.1
	133493	AW998046	Hs.194369	arginine-glutamic acid dipeptide (RE) re	3.6	39	11	0.4
	133504	NM_00441	5Hs.74316	desmoplakin (DPI, DPII)	4.1	640	158	3
60		NM_00016		gap junction protein, alpha 1, 43kD (con	3.2	351	111	5.2
		W25797	Hs.177486	amyloid beta (A4) precursor protein (pro	3.2	226	71	2.8
		AU077050		translin	3.4	178	53	8.8
		D21262	Hs.75337	nucleolar and coiled-body phosphprotein	4.7	47	1	4
		AW246428		ubiquitin-conjugating enzyme E2N (homolo	8.5	85	i	7.2
65		NM_00692		splicing factor, arginine/serine-rich 5	3.6	36	1	0.4
		Al352558		tyrosine 3-monooxygenase/tryptophan 5-mo	3.4	234	68	10.7
		AW410035		MAD (mothers against decapentaplegic, Dr	9.3	93	1	7.8

PCT/US02/02242

	133765	M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteob	3.2	560	174	2.6
	133780	AA557660	Hs.76152	decorin	5.4	144	27	13.3
	133784	BE622743	Hs.301064	arfaptin 1	4.7	.47	1	4.1
		NM_002462		myxovirus (influenza) resistance 1, homo	3.3	380 .	114	4.9
5	133829	AW630088	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B1264 (f	6.7	304	46	7.8
•		AA147026		ESTs	6.2	600	97	4.1
• .		AU076964		calumenin	3.3	889	267	5
		AA355986		transcription factor 8 (represses interl	3.7	91	-25	2.6
	133990		Hs.7822	Homo sapiens mRNA; cDNA DKFZp564C1216 (f	3.4	91	27	8.5
10		AA535244		RAB2, member RAS oncogene family	7.8	78	1 .	5.6
10		NM_005025		serine (or cysteine) proteinase inhibito	5.9	59	1	3.3
		AF091622		KIAA0244 protein	5.8	58	1	4.9
	134087		Hs.173824	thymine-DNA glycosylase	6.4	100	16	4.4
•	134089		Hs.79029	ESTs	5.1	51	9	3.8
15		NM_004354		cyclin G2	5	50	1	3.2
15		BE513171		mitochondrial ribosomal protein L3	4.8	246	51	3.9
	134110		Hs.79136	LIV-1 protein, estrogen regulated	4.5	1472	330	2.1
				KIAA0203 gene product	4.6	69	15	5.8
		NM_01478			7	97	14	7.5
20		D28459	Hs.80612	ubiquitin-conjugating enzyme E2A (RAD6 h	3.4	34	5	2.6
20		C05768	Hs.8078	Homo sapiens done FBD3 Cri-du-chat crit	3.6	36	1	2.8
•		X76040	Hs.278614	protease, serine, 15	6.7	- 67	9	5.7
		R45621	Hs.81057	hypothetical protein MGC2718				12
		AI022650	Hs.8117	erbb2-interacting protein ERBIN	4.5	137	31	
~ ·		BE538082		ESTs, Moderately similar to A46010 X-lin	5.2	52 500	1	4.9
25		AW903838		chondroitin sulfate proteoglycan 2 (vers	8.6	568	66	22.4
		AW959281		ESTs	4.8	53	11	3.7
		AW291946		interleukin 6 signal transducer (gp130,	7.1	71	4	6.4
			2Hs.199067	v-erb-b2 avian erythroblastic leukemia v	3	68	23 .	2.8
		AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	4.4	44	1	4.1
30		N22687	Hs.8236	ESTs	13.3	445	34	6
	134380	AU077143	Hs.179565	minichromosome maintenance deficient (S.	4.5	45	2	3.4
	134395	AA456539	Hs.8262	lysosomal	6	60	5	5.9
	134401	Al916662	Hs.211577	kinectin 1 (kinesin receptor)	4.1	301	73	6.1
	134405	AW067903	Hs.82772	collagen, type XI, alpha 1	4.6	1216	267	4.4
35	134415	AI750762	Hs.82911	protein tyrosine phosphatase type IVA, m	4.9	163	34	15.1
		NM_00641		solute carrier family 35 (CMP-sialic aci	4.9	49	3	3.8
	134419	W95642	Hs.82961	trefoil factor 3 (intestinal)	3.2	1872	592	3.3
	134421	AU077196	Hs.82985	collagen, type V, alpha 2	6.3	1075	171	3.8
		U29344	Hs.83190	fatty acid synthase	3.3	710	217	2
40		X82153	Hs.83942	cathepsin K (pycnodysostosis)	34.3	411	12 ·	5.1
. •		AF061739		protein associated with PRK1	4.8	153	32	4.3
		D63477	Hs.84087	KIAA0143 protein	3.1	147	48	. 12.7
		BE091005		activated RNA polymerase II transcriptio	3.3	33	1	2
		M14156	Hs.85112	insulin-like growth factor 1 (somatomedi	4.2	42	5	2.6
45		U66615	Hs.172280	SWI/SNF related, matrix associated, acti	3.9	39	1	2.5.
			Hs.173840	HUEL (C4orf1)-interacting protein	3.7	41	11	0.6
		NM_00288		RAP1A, member of RAS oncogene family	5.2	52	1	3
			3 Hs.171581	ubiquitin C-terminal hydrolase UCH37	4.9	49	1	3.7
		AW299723		bone morphogenetic protein receptor, typ	5.2	52	5	3.5
50		AK001741		hypothetical protein FLJ10879	6.4	64	. 1	5.1
30		A1750878		thrombospondin 1	12.6	126	<b>1</b>	10.8
	134672	AF271212	Hs.322901	disrupter of silencing 10	5.4	81	15	2.6
		AK000606		golgi SNAP receptor complex member 1	3.4	179	52	1.5
		X04011	Hs.88974	cytochrome b-245, beta polypeptide (chro	3.2	143	45	13.9
55 🗤			Hs.284226	F-box only protein 6	7	70	6	6
JJ 51		BE281128		TONDU	3.1	31	1	2.3
				15 kDa selenoprotein	5.7	57	i	5
		Al879195		FAT tumor suppressor (Drosophila) homolo	3.2	153	48	4.7
		X87241	Hs.166994	Homo sapiens mRNA; cDNA DKFZp434P1530		452	114	2
60		AL137491		Homo sapiens cDNA FLJ11223 fis, clone PL	5.1°	150	30	7.2
60		AK002085		nudix (nucleoside diphosphate linked moi	8.2	114	14	9.9
	134989	AW96805		huux (nucleuside dipriospriate ilinea ilioi			1	10
	135029	H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase 7	11.5	115 259	48	1.4
		AL034344		forkhead box C1	5.4		394	.2.2
6	135051	A1272141	Hs.83484	SRY (sex determining region Y)-box 4	3.3	1296	594 64	3.2
65	135062	2 AK000967		KIAA1682 protein	3.8 # 9.4	240		7.9
	135073	W55956	Hs.94030	Homo sapiens mRNA; cDNA DKFZp586E1624		101	. 13	2.6
	135098	5 AW2/452	6 Hs.277721	ovarian carcinoma antigen CA125	3.3	33	• 1	2.0

	٠.								
_	135117	W52493	Hs.94694	Homo sapiens cDNA FLJ10561 fis, clone NT	5.3	53	1	4.1	
-	`135144	NM_01625	5Hs.95260	Autosomal Highly Conserved Protein	7.4	74	5	2.4	
	135154	AK001835	Hs.267812	sorting nexin 4	6.6	69	11	6.3	
	135155	Al207958	Hs.166556	Homo sapiens, Similar to TEA domain fami	6.1	61	1	5.1	
5	135172	AB028956	Hs.12144	KIAA1033 protein	3.4	88	26	1.4	
	135242	AI583187	Hs.9700	cyclin E1	3.1	31	- 1	2.3	
	135243	BE463721	Hs.97101	putative G protein-coupled receptor	3.4	169	50	9.1	
	135269	NM_00340	3Hs.97496	YY1 transcription factor	3.4	475	142	2.5	
	135356	BE312948	Hs.18104	hypothetical protein FLJ11274	3.1	31	10	. 1.7	
10	135357	A1565004	Hs.79572	cathepsin D (lysosomal aspartyl protease	4.7	710	151	2.5	•
	135389	U05237	Hs.99872	fetal Alzheimer antigen	20.6	206	4	. 19.1	
	135397	L14922	Hs.166563	replication factor C (activator 1) 1 (14	3.2	32	1	2.4	
	-135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	3.2	117	37	9.4	
	•	Al471525	Hs.247486	ESTs	3.8	58	16	5.5	
15		X70683	Hs.93668	ESTs	1.8	1047	596	1.6	
		L14922	Hs.82128	5T4 oncofetal trophoblast glycoprotein	5	285	58	1.2	
	•	M23263	Hs.904	amylo-1;6-glucosidase; 4-alpha-glucanotransfera	ıs	3.1	31	1	2.6
		AI267886	Hş.148027	polymerase (RNA) II (DNA directed) polypeptide	В	7.8	137	18	11.9
••		AA044840		stromal cell-derived factor 1	4.7	114	25	0.9	
20		N90960	Hs.227459	ESTs; Moderately similar to !!!! ALU SUBFAMILY	1	4.7	151	32	9.3
		AA873285		ESTs	4.7	47	3	4.4	
		T56679	Hs.865	RAP1A; member of RAS oncogene family	4	40	1	3.4	
. *		AA305536		"EST176522 Colon carcinoma (Caco-2) cell line	ij	3.6	121	34	11.8
0.5		A1369384		arylsulfatase D	3.5	113	33	1.7	
25		AA219081	Hs.242396	ESTs; Moderately similar to !!!! ALU SUBFAMIL\	()	3.4	107	32	9.9

WO 02/059377 PCT/US02/02242

#### TABLE 10A

Table 10 A shows the accession numbers for those pkeys lacking unigeneID's for Table 10. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene cluster number
Accession:	Genbank accession numbers

15

10				
	Pkey	CAT number	Accession	
	123619	371681_1	AA602964 AA609200	
20 -	104602	524482_2	H47610 R86920	
	121581	283769_1	AA416568 AA442889 A	VA417233 AA442223
•	123523	genbank_AA608588	AA608588	
	100821	tigr_HT4306	M26460 U09116	
	125091	genbank_T91518	T91518 ·	
.25	125150		_W38240 W38	240
	118475		N66845 ·	
	104787			
	106055	genbank_AA417034	AA417034	
	113702	genbank_T97307	T97307	
30	101046	entrez_K01160	K01160	•
	101447	entrez_M21305	M21305	
	101624	entrez_M55998	M55998	
	124677		R01073	
	110581		H61560	
35	119023		N98488	•
	110775		N22414	•
	112092		.R44538	
	112253		R51818	
	107014			
40	114988	genbank_AA251089	AA251089	

# TABLE 11: Figure 11 from BRCA 001-3 PCT

Table 11 depicts a preferred group of genes upregulated in tumor tissue compared to normal 5 breast tissue.

10	Pkey: ExAcon: Unigene Unigene R1: R2: R3:	Exen elD: Unige e Title: Unige Ratio Ratio	nplar Accessi ene number ene gene title of tumor to r of 90th perce	eset identifier number ion number. Genbank accession number e normal body tissue entile tumor to normal body entile normal body to tumor				
	R4:	Ratio	of tumor to r	normal breast tissue				
20	Pkey	ExAcon	UnigeneID	Unigene Title	R1	R2	R3	R4
•	100147 100522	D12485 D13666 X51501	Hs.11951 Hs.136348 Hs.99949	ectonucleotide pyrophosphalase/phosphodi osteoblast specific factor 2 (fasciclin prolactin-induced protein	13.2 15.7 22.7	244 1030 760	19 66 34	9.9 5 1.4
25	101104 101478	NM_002890	Hs.169266 DHs.758	CD44 antigen (homing function and Indian neuropeptide Y receptor Y1 RAS p21 protein activator (GTPase activa	8.5 15.3 9.6	85 153 96	1 1 1	3.2 14.1 8.5
30	101754 101888	L11690 S70114 AL049610 BE313280	Hs.95243	bullous pemphigoid antigen 1 (230/240kD) TIA1 cytotoxic granule-associated RNA-bi transcription elongation factor A (SII)-	9.4 8.9 7.3	94 89 73	1 5 1	0.3 8 5.3
50	102304 102348 102457	AF015224 U37519 NM_001394	Hs.46452 Hs.87539 4Hs.2359	death associated protein 3 mammaglobin 1 aldehyde dehydrogenase 3 family, member dual specificity phosphatase 4	9.3 8.5 6.4 20.2	93 2058 428 202	67 5	8 1.4 2.3 1.3
35	102823 103557	U63830 D85390 AL133415 NM_000346	Hs.146847 Hs.5057 Hs.297753 5Hs.2316	carboxypeptidase D	8.2 5.6 7.5 7.3	82 56 136 73	1 1 18 1	6.8 5.3 3.4 5.2
40	104115 104667 104804	AF183810 Al239923 Al858702	Hs.26102 Hs.30098 Hs.31803	opposite strand to trichorninophalangeal ESTs ESTs, Weakly similar to N-WASP [H.sapien	29 14.9 7.7	290 149 77	1 1 1	26.8 6.4 5.1
	104896 104943	Al139058 AW015318 AF072873 AW503733	Hs.23165 Hs.114218	leucine-rich repeat-containing 2 ESTs frizzled (Drosophila) homolog 6	7 7.4 16.2	70 74 162	1 1 1	6.5 6 4.2
45	105329 105500	AA234561	Hs.22862 Hs.222399	KIAA1488 protein ESTs CEGP1 protein hypothetical protein FLJ10407	5.5 2.8 25.4 8.3	55 131 508 83	1 47 20 3	5.2 3.9 3 1.8
50	105730 106012 106095	AW377314 AI240665 AF115402 AA425414	Hs.5364 Hs.8895 Hs.11713	DKFZP564I052 protein ESTs E74-like factor 5 (ets domain transcript	6.9 21.2 26.3	69 212 356 483	1 6 14 49	4.4 17.4 1
<b>.</b>	107102 107136 107151	AB037765 AV661958 AW378065	Hs.30652 Hs.8207 Hs.8687	nuclear factor I/B KIAA1344 protein GK001 protein ESTs	9.9 6.3 2.5 15.6	63 392 156	1 155 7	1.8 5.4 4.3 10.8
55	108339 109112	BE153855 AW151340 AW419196 AW975746	Hs.51615 Hs.257924	Ig superfamily receptor LNIR ESTs, Weakly similar to ALU7_HUMAN ALU S hypothetical protein FLJ13782 KIAA1702 protein	9 18.7 4.1 7.1	90 187 334 71	1 1 82 1	5.5 17 3.4 6.5
60	109415 109912 110009	U80736 AW390822 BE075297	Hs.110826 Hs.301528 Hs.6614	trinucleotide repeat containing 9 L-kynurenine/alpha-aminoadipate aminotra ESTs, Weakly similar to A43932 mucin 2 p	12.3 14.2 6.3	123 142 693	1 1 110	11.3 9.5 7.2
		BE092285 N46180		hypothetical protein FLJ13187 Homo sapiens cDNA FLJ13289 fis, clone OV	20.9 7.7	209 77	1	19.5 5

			. 455 1 41	05.4	200	42	6.7
	111179 AK000136		asporin (LRR class 1)	25.1		12	6.7
	111190 AK002055		hypothetical protein FLJ11193	6.3	63	1	5.8
	111223 AA852773			3.6		112	4.9
~	111357 BE314949		hypothetical protein FLJ23309	3.8	425	111	4 6.7
5	112244 AB029000		KIAA1077 protein	5.7	567	100	-
	113047 Al571940	Hs.7549	ESTs	9.6	124	13	9
	113702 T97307	:	gb:ye53h05.s1 Soares fetal liver spleen	12.3	129	11	11.7
	114124 W57554		lymphoid nuclear protein (LAF-4) mRNA	24.2	242	10	5.6
	114138 AW38479		Homo sapiens mRNA; cDNA DKFZp434E033 (fr		67	1	6.3
.10	114768 AF212848		ets homologous factor	13.7	137	1	8.9
	114860 AL157545	Hs.42179	bromodomain and PHD finger containing, 3	9.1	91	1	7.6
	114965 AI733881	Hs.72472	BMP-R1B	35.9	359	10	29.7
	114988 AA251089		gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens	11.5	115	1	6.9
	115206 AW18369	5 Hs.186572	ESTs	5.8	58	1	5
15	115719 AW99240	5 Hs.59622	Homo sapiens, clone IMAGE:3507281, mRNA,	7.6	144	19	13.9
	115844 Al373062	Hs.332938	hypothetical protein MGC5370	6.2 ·	62	1	5.4
	116470 Al272141	Hs.83484	SRY (sex determining region Y)-box 4	1.8	1047		1.6
	116786 H25836	Hs.301527	ESTs, Moderately similar to unknown [H.s	22.8	228	9	12.4
	117280 M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C	3.9	322	83	4.4
20	117412 N32536	Hs.42645	solute carrier family 16 (monocarboxylic	17:4	174	9	6.9
	118472 AL157545		bromodomain and PHD finger containing, 3	14.5	145	1	2.4
	119271 Al061118	Hs.65328	Fanconi anemia, complementation group F	8.2	82	1	6.4
	119771 Al905687	Hs.2533	EST	3.5	2073	595	2.1
•	120562 BE244580		hypothetical protein FLJ10330	8.5	127	15	1.6
25	121463 AK00028		hypothetical protein FLJ20275	10.3	103	1	9.3
20	121723 AA24349		hypothetical protein FLJ10134	2.9	214	74	3.7
	122963 AA47844		KIAA1096 protein	7.2	72	1	5.7
	123137 Al073913		ESTs, Weakly similar to JE0350 Anterior	9.9	351	36	13.9
	123619 AA60296		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	8.5	85	1	4.3
30	123709 AA70691			3.9	60	16	4.8
50	124006 Al147155			5.8	321	55	17
	124000 ATT47 133	E Lie 202713	ESTs, Weakly similar to S64054 hypotheti	10.4	880		5.3
			ribosomal protein S6	10.5	105	1	9.9
				13.1	131	i	5.1
35	125279 AW40180 125617 AA28792		KIAA1150 protein	6.7	67	1	6
33				30.6	306	4	26.5
	127439 D60237	Hs.14368	SH3 domain binding glutamic acid-rich pr	7.5	75	1	6.5
	128305 AI954968		matrix Gla protein	7.2	72	i	5.8
	128482 AI694143		programmed cell death 4	17.4	409	24	7.8
40	128790 AF02669		secreted frizzled-related protein 4	7.1	392	56	3.6
40	128925 R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	8.2	82	1	7.4
	129017 AA11533	3 MS. 107900	E015 .	7.1	71	1	6.2
			polyadenylate binding protein-interactin	9.5	95	i	8.5
	129337 NM_U149	0 115 40400	KIAA0990 protein	7.1	150	21	14,5
15			Homo sapiens clone 23785 mRNA sequence	11.4	114	1	10
45	129821 AB02894	5 MS. 12090	cortactin SH3 domain-binding protein	6.7	67	í	5.7
			chromosome 8 open reading frame 2	1	1	i	1
	130057 AF02715		solute carrier family 5 (Inositol transp	14.6	219	15	7.6
	130095 AK00163	5 MS. 14030	hypothetical protein FLJ10773	13.2	331	25	12.4
50	130343 AB04091	4 HS.210020	3 KIAA1481 protein	72.2	722	1	1.9
50	130385 AW0678	00 HS.15522	S Stanniocalcin 2	6.5	65	4	5.3
	130407 BE38509		hypothetical protein MGC3017				
	130441 U63630	Hs.155637		6.1 10.8	61 706	1 66	5.7 9.2
	130455 D90041		N-acetyltransferase 1 (arylamine N-acety				
~ ~	· 130604 AA38325		estrogen receptor 1	32.2	322	1	4.7
55	130617 M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	10	100	1	7.6
	130712 AJ27188	1 Hs.27976	2 bromodomain-containing 7	17.5	175	2	12.8
	131148 AW9535	75 Hs.30312	5 p53-induced protein PIGPC1	3.8	585	153	
	131388 NM_014			7.6	76	1	5
	131564 T93500	Hs.28792		4.7	381	81	6.4
60	131742 AA96142	20 Hs.31433		11.7	117	1	10.1
	131877 J04088		6 topoisomerase (DNA) II alpha (170kD)	6.8	68	1	5.6
	131985 AA5030			40.2	402	1	4
	132316 U28831	Hs.44566		18.6	186	10	1.5
	132528 T78736	Hs.50758		9.3	93	1	8.4
65	132742 AA0254		2 ESTs, Weakly similar to T33468 hypotheti	6.5	65	1	5.6
	132990 X77343		4 transcription factor AP-2 alpha (activat	12.7	311		2.4
	133015 AJ00274	14 Hs.24631	5 UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	427	93	10.4

	133199	AF231981	Hs.250175	homolog of yeast long chain polyunsatura	3	816	275	3.9
	133240	AK001489	Hs.242894	ADP-ribosylation factor-like 1	8.1	81	1	4.6
	133271	Z48633	Hs.283742	H.sapiens mRNA for retrotransposon	12.4	124	6	10.8
_	133640	AW246428	Hs.75355	ubiquitin-conjugating enzyme E2N (homolo	8.5	85	1	7.2
5	133746	AW410035	Hs.75862	MAD (mothers against decapentaplegic, Dr	9.3	93	1	7.8
	133999	AA535244	Hs.78305	RAB2, member RAS oncogene family	7.8	78	1	5.6
	134110	U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.5	1472	330	2.1
	134485	X82153	Hs.83942	cathepsin K (pycnodysostosis)	34.3	411	12	5.1
	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	6.4	64	1	5.1
10	134880	AI879195	Hs.90606	15 kDa selenoprotein	5.7	57	1	5
	135029	H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase 7	11.5	115	1	10
	135389	U05237	Hs.99872	fetal Alzheimer antigen	20.6	206	4	19.1
	128305	AI954968	Hs.279009	matrix Gla protein	9.4	94	3	5.3

#### TABLE 11A

Table 11A shows the accession numbers for those pkeys lacking unigeneID's for Table 11. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey:

Unique Eos probeset identifier number

CAT number: Accession:

Gene cluster number Genbank accession numbers

15

CAT number Accession Pkey

123619 20 113702

AA602964 AA609200 371681\_1 T97307

genbank\_T97307 114988

genbank\_AA251089 AA251089

# TABLE 12: Figure 12 from BRCA 001-3 PCT

5 Table 12 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAccn: UnigenelD: Unigene Title:									
15	R1: Ratio of tumor to normal body tissue R2: Ratio of 90 <sup>th</sup> percentile tumor to body R3: Ratio of 75 <sup>th</sup> percentile body to tumor R4: Ratio of tumor to normal breast tissue									
	Pkey	ExAccn	UnigenelD	Unigene Title	R1 -	R2	R3	R4		
20	100131		Hs.11951	phosphodiesterase I (PC-1)	13.2	244	19	9.9		
	105500		Hs.222399		25.4	508	20	3		
	112244	AB029000	Hs.70823	KIAA1077 protein	5.7	567	100	6.7		
	114124	W57554	Hs.125019	ESTs	24.2	242	10	5.6		
	119771	Al905687	Hs.2533	ESTs	3.5	2073	595	2.1		
25	121723	AA243499	Hs.104800	ESTs	2.9	214	74	3.7		
	128790	AF026692	Hs.105700	secreted frizzled-related protein 4	17.4	409	24	7.8		
	131148	AW953575	Hs.303125	ESTs	3.8	585	153	`3.7		
	131985	AA503020	Hs.36563	ESTs	40.2	402	1	4		
	133100	AF231081	He 250175	Home seniors clone 23004 mDNA sequence	3	816	275	30		

WO 02/059377 PCT/US02/02242

#### TABLE 13: Table 1 from BRCA 001-5 US

5 Table 13 depicts a preferred group of genes upregulated in breast cancer cells.

10	Pkey: ExAccn: UnigeneID: Unigene Title: R1:		Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of tumor to normal body tissue					
15	Pkey	ExAccn	UniGene ID	Unigene Title	R1			
	·		•		· ·			
		M97935		control	16.7			
20		M97935		control	6.3			
20		M97935		control	8.3 14.8			
		M97935	Un 420E	control	7.5			
		AB003103	Hs.111783	proteasome (prosome; macropain) 26S sub Lsm1 protein	4.9			
				actin related protein 2/3 complex; subunit	4.7			
25		AF006084		dolichyl-phosphate mannosyltransferase p	13.4			
23		AF007875 D00596	Hs.82962	thymidylate synthetase	15.9			
		D10495	Hs.155342	protein kinase C; delta	4.6			
· +		D10493	Hs.168669	oxoglutarate dehydrogenase (lipoamide)	7.5			
		D10323	Hs.61153	proteasome (prosome; macropain) 26S sub	4.4			
30		D11034	Hs.11951	phosphodiesterase I/nucleotide pyrophosp	8.7			
50		D12403	Hs.15071	chaperonin containing TCP1; subunit 8 (t	9.5			
		D13643	Hs.75616	Human mRNA for KIAA0018 gene; comp	6			
		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin I-like	8.5			
		D14657	Hs.81892	KIAA0101 gene product	10.5			
35		D14812	Hs.173714	MORF-related gene X	4.6			
		D14878	Hs.82043	D123 gene product	7.9			
		D21090	Hs.178658	RAD23 (S. cerevisiae) homolog B	5.6			
	100203	D25538	Hs.172199	adenylate cyclase 7	9.9			
		D26308	Hs.76289	biliverdin reductase B (flavin reductase (N	4.9			
40	100215	D26598	Hs.82793	proteasome (prosome; macropain) subunit	14.2			
	100216	D26599	Hs.1390	proteasome (prosome; macropain) subunit	11.3			
	100219	D28137	Hs.118110	bone marrow stromal cell antigen 2	5.7			
	100227	D28915	Hs.82316	interieron-induced; hepatitis C-associated	5.7			
	100248	D31888	Hs.78398	KIAA0071 protein	· 7.4			
45	100287	D43950	Hs.1600	chaperonin containing TCP1; subunit 5 (e	5.6			
		D49396	Hs.75454	antioxidant protein 1	12.9			
•		D50525	Hs.699	hypothetical protein	8.4			
		D63391	Hs.6793	platelet-activating factor acetylhydrolase;	6.8			
50		D63487	Hs.82563	KIAA0153 protein	4.4			
50		D78129	Hs.71465	Homo sapiens mRNA for squalene epoxid	12.6			
		D78514	Hs.78563	ubiquitin-conjugating enzyme E2G 1 (hom	4.6			
		D79987	Hs.153479	extra spindle poles; S. cerevisiae; homolo	6.5			
		D79997	Hs.184339	KIAA0175 gene product	8.4			
55		D80004	Hs.75909	KIAA0182 protein	4.5			
55		D82060	Hs.278721	Ke4 gene; mouse; human homolog of	8.1 10.7			
		D83777	Hs.75137	KIAA0193 gene product	7.2			
		D84145	Hs.39913	novel RGD-containing protein minichromosome maintenance deficient (m	7.2 7.2			
		D84557 D86425	Hs.155462 Hs.82733	nidogen 2	7.2 5.4			
60		D86479	Hs.118397	AE-binding protein 1	4.3			
00		D86957	Hs.80712	KIAA0202 protein	11.9			
		D86985	Hs.79276	Human mRNA for KIAA0232 gene; comp	9.7			
		D87464	Hs.10037	KIAA0274 gene product	6.4			
		D87465	Hs.74583	KIAA0275 gene product	10			
65		D87469	Hs.57652	EGF-like-domain; multiple 2	6.2			
~~	110		·	·				

				•	
	100467	D89052	Hs.7476	ATPase; H+ transporting; lysosomal (vacu	7.5
		D89289	Hs.118722	fucosyltransferase 8 (alpha (1;6) fucosyltr	5
		HT1112			
			Hs.10842	Ras-Like Protein Tc4	16.9
_		HT1400	Hs.79137	Carboxyl Methyltransferase, Aspartate, A	5.6
5		HT2710	Hs.114599	Collagen, Type Viii, Alpha 1	7.5
		HT3018	Hs.132748	Ribosomal Protein L39 Homolog	4.4
	100667	HT3127	Hs.169610	Epican, Alt. Splice 11	4.6
	100668	HT3938	Hs.169610	Epican, Alt. Splice 12	4.4
	100676	HT3742	Hs.287820	Fibronectin, Alt. Splice 1	9
10		HT26388	Hs.89603	Mucin 1, Epithelial, Alt. Splice 9	4.7
- 0		HT4018	Hs.191356	Basic Transcription Factor, 44 Kda Subun	13.7
		HT4343			
			Hs.278544	Cytosolic Acetoacetyl-Coenzyme A Thio	10.6
		HT4344	Hs.4756	Rad2	5.5
16.		HT4392	Hs.183418	Protein Kinase Pitslre, Alpha, Alt. Splice	4.1
15	100850	HT417	Hs.297939	Cathepsin B	4
	100866	HT4582	Hs.75113	Transcription Factor Iiia	4.9
	100906	HT5158	Hs.5398	Guanosine 5'-Monophosphate Synthase	8.7
	100914	HT511	Hs.324178	Ras Inhibitor Inf	7.2
	100916		Hs.73946	Endothelial Cell Growth Factor 1	5.9
20	100945		Hs.180686	Oncogene E6-Ap, Papillomavirus	4.6
20		J02923	Hs.76506		30.1
				lymphocyte cytosolic protein 1 (L-plastin	
		J03589	Hs.76480	ubiquitin-like 4	8.3
		J03909	Hs.14623	interferon; gamma-inducible protein 30	6.9
0.5		J03934	Hs.80706	diaphorase (NADH/NADPH) (cytochrom	4.3
25	101011	J04430	Hs.1211	acid phosphatase 5; tartrate resistant	5.9
	101017	J04599	Hs.821	biglycan	5.1
	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B;	37.2
	101038	J05249	Hs.79411	replication protein A2 (32kD)	6.1
		K02405	Hs.73931	Human MHC class II HLA-DQ-beta mRN	4.3
30		K03515	Hs.180532	glucose phosphate isomerase	4.3
50		L06132			7.4
			Hs.149155	voltage-dependent anion channel 1	
		L06797	Hs.89414	chemokine (C-X-C motif); receptor 4 (fus	4.6
		L07615	Hs.169266	Human neuropeptide Y receptor Y1 (NPY	18.3
0.5		L12723	Hs.90093	heat shock 70kD protein 4	17.4
35	101152	L13800	Hs.9884	Homo sapiens liver expressed protein gen	7.6
	101183	L19779	Hs.795	H2A histone family; member O	10.9
	101216	L25876	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	7.4
	101233	L29008	Hs.878	sorbitol dehydrogenase	14.6
		L33801	Hs.78802	glycogen synthase kinase 3 beta	7.5
40		L38810	Hs.79387	proteasome (prosome; macropain) 26S sub	4.4
		L42572	Hs.78504	inner membrane protein; mitochondrial (m	5.8
		L47276			
			Hs.156346	Homo sapiens (cell line HL-6) alpha topo	18.9
		L77213	Hs.30954	phosphomevalonate kinase	7.5
4.5		L77701	Hs.16297	COX17 (yeast) homolog; cytochrome c ox	9.3
45		M13755	Hs.833	interferon-stimulated protein; 15 kDa	18.1
	101396	M15796	Hs.78996	proliferating cell nuclear antigen	8.6
	101404	M16342	Hs.182447	heterogeneous nuclear ribonucleoprotein C	4.5
	101439	M20902	Hs.268571	apolipoprotein C-I	6.1
	101464	M22538	Hs.51299	NADH dehydrogenase (ubiquinone) flavo	8.7
50		M22877	Hs.169248	Human somatic cytochrome c (HCS) gene	4.2
•		M22960	Hs.118126	protective protein for beta-galactosidase (	6.5
		M23379	Hs.758		
				RAS p21 protein activator (GTPase activa	14
		M24594	Hs.20315	interferon-induced protein 56	9.2
		M30818	Hs.926	myxovirus (influenza) resistance 2; homol	5.1
55		M30938	Hs.84981	X-ray repair complementing defective rep	4.7
		M31169		Human propionyl-CoA carboxylase beta-s	5.5
	101552	M31642	Hs.82314	hypoxanthine phosphoribosyltransferase 1	8.5
		M34677	Hs.83363	DNA segment on chromosome X (unique)	4.5
		M37583	Hs.119192	H2A histone family; member Z	5.7
60		M60750	Hs.2178	H2B histone family; member A	5.8
		M60752	Hs.121017		
	101004	MODE		H2A histone family; member A	13.5
	10100/	M60858	Hs.79110	nudeolin	4
	101084	M63256	Hs.75124	cerebellar degeneration-related protein (62	7.6
65		M64929	Hs.179574	protein phosphatase 2 (formerly 2A); regu	4.2
65		M77142	Hs.239489	TIA1 cytotoxic granule-associated RNA-b	4.5
	101758	M77836	Hs.79217	pyrroline-5-carboxylate reductase 1	5.7
	101767	M81057	Hs.180884	carboxypeptidase B1 (tissue)	21.7
				•	

	101770 M81601	Hs.78869	transcription elongation factor A (SII); 1	•	4.6
	101791 M83822	Hs.62354	cell division cycle 4-like		9.7 5.5
	101803 M86546	Hs.155691	pre-B-cell leukemia transcription factor 1		22.5
5	101809 M86849	Hs.323733	Homo sapiens connexin 26 (GJB2) mRNA		4
3	101839 M93036 101851 M94250	Hs.692	membrane component; chromosomal 4; su midkine (neurite growth-promoting factor		7.6
		Hs.82045 Hs.95243	transcription elongation factor A (SII)-like		11.4
	101888 M99701 101973 S82597	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:po	•	4.6
	101991 U00968	Hs.166	Human SREBP-1 mRNA; complete cds		4.1
10	102009 U02680	Hs.82643	protein tyrosine kinase 9		4.4
10	102025 U03911	Hs.78934	mutS (E. coli) homolog 2 (colon cancer; n		4
	102047 U07158	Hs.83734	syntaxin 4A (placental)		6.1
•	102051 U07550	Hs.1197	heat shock 10kD protein 1 (chaperonin 10		4.4
	102083 U10323	Hs.75117	interleukin enhancer binding factor 2; 45k		10.4
15	102095 U11313	Hs.75760	sterol carrier protein 2		9.5
	102130 U15009	Hs.1575	small nuclear ribonucleoprotein D3 polyp		6.6
	102133 U15173	Hs.155596	BCL2/adenovirus E1B 19kD-interacting p		4.3
	102148 U16954	Hs.75823	ALL1-fused gene from chromosome 1q		6.9
	102179 U19713	Hs.76364	allograft inflammatory factor 1		4.8
20	102180 U19718	Hs.83551	microfibrillar-associated protein 2		7.2
	102193 U20758	Hs.313	secreted phosphoprotein 1 (osteopontin; b		7.2
	102198 U21090	Hs.74598	polymerase (DNA directed); delta 2; regu	•	4.3
	102202 U21931	Hs.574	fructose-bisphosphatase 1		4.5
25	102209 U22970	Hs.265827	interferon; alpha-inducible protein (clone		9.9 4.9
<b>25</b> .	102211 U23070	Hs.78776	putative transmembrane protein		4.5 8.5
	102220 U24389	Hs.65436	lysyl oxidase-like 1 proteasome (prosome; macropain) 26S sub		5.4
	102224 U24704	Hs.148495	chromobox homolog 3 (Drosophila HP1 g		7.7
	102234 U26312	Hs.278554 Hs.74122	caspase 4; apoptosis-related cysteine prot		5.4
30	102250 U28014 102260 U28386	Hs.159557	karyopherin alpha 2 (RAG cohort 1; impo		6.3
50	102260 U28388	Hs.155935	complement component 3a receptor 1		5.7
	102273 U30888	Hs.75981	ubiquitin specific protease 14 (tRNA-guan		6.1
	102298 U32849	Hs.54483	N-myc (and STAT) interactor		4.1
	102302 U33052	Hs.69171	protein kinase C-like 2		4.3
35	102305 U33286	Hs.90073	chromosome segregation 1 (yeast homolo		5.4
	102320 U34683	Hs.82327	glutathione synthetase		4.1
	102330 U35451	Hs.77254	chromobox homolog 1 (Drosophila HP1 b		4
	102348 U37519	Hs.87539	aldehyde dehydrogenase 8		9.4
4.0	102361 U39400	Hs.75859	chromosome 11 open reading frame 4		5.2
40	102362 U39412	Hs.75932	N-ethylmaleimide-sensitive factor attachm		9.3
	102369 U39840	Hs.299867	hepatocyte nuclear factor 3; alpha		7.7 10.4
	102395 U41767	Hs.92208	a disintegrin and metalloproteinase domai		6.2
	102409 U43286	Hs.118725	selenophosphate synthetase 2		4.1
45	102418 U43923	Hs.79058 Hs.3873	suppressor of Ty (S.cerevisiae) 4 homolog palmitoyl-protein thioesterase (ceroid-lipo		4.8
43	102425 U44772	Hs.2359	dual specificity phosphatase 4		6.3
	102457 U48807 102465 U49352	Hs.81548	2;4-dienoyl CoA reductase 1; mitochondri		9.4
	102495 U51240	Hs.79356	Lysosomal-associated multispanning mem		6.5
	102534 U56833	Hs.198307	von Hippel-Lindau binding protein 1		8.6
50	102546 U57877	Hs.3577	succinate dehydrogenase complex; subuni		4.3
• •	102549 U58046	Hs.198899	eukaryotic translation initiation factor 3; s		6.3
•	102557 U58766	Hs.264428	tissue specific transplantation antigen P35		· 5
	102562 U59309	Hs.75653	fumarate hydratase		6
	102568 U59877	Hs.223025	RAB31; member RAS oncogene family		9.1
55	102580 U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatid		7.9
	102581 U61145	Hs.77256	enhancer of zeste (Drosophila) homolog 2		7.6
	102590 U62136	Hs.79300	Homo sapiens enterocyte differentiation a		7 4
	102591 U62325	Hs.324125	amyloid beta (A4) precursor protein-bindi		5
60	102592 U62389	Hs.11223	Human putative cytosolic NADP-depende Jun activation domain binding protein		6.1
60	102617 U65928	Hs.198767 He 81071	extracellular matrix protein 1		23.2
	102618 U65932	Hs.81071 Hs.9216	caspase 7; apoptosis-related cysteine prot		8.9
	102638 U67319 102663 U70322	Hs.168075	karyopherin (importin) beta 2		7.1
	102666 U70660	Hs.279910	ATX1 (antioxidant protein 1; yeast) homo		4.7
65	102660 070660 102679 U72661	Hs.11342	ninjurin 1; nerve injury-induced protein-1		4.7
-	102687 U73379	Hs.93002	ubiquitin carrier protein E2-C		7.7
•	102704 U76638	Hs.54089	BRCA1 associated RING domain 1		5.6

	102705 U77180	Hs.50002	small inducible cytokine subfamily A (Cy		11.8
	102721 U79241	Hs.118666	Human done 23759 mRNA; partial cds		15
	102729 U79254	Hs.181311	asparaginyHRNA synthetase		5
	102739 U79282	Hs.155572	Human clone 23801 mRNA sequence		6
5	102742 U79293	Hs.159264	Human done 23948 mRNA sequence		13.1
	102761 U82130	Hs.118910	tumor susceptibility gene 101		7
	102788 U86602	Hs.74407	nucleolar protein p40		4.1
•	102790 U87269	Hs.154196	E4F transcription factor 1		7.1
10	102801 U89606	Hs.38041	pyridoxal (pyridoxine; vitamin B6) kinase		4.7
10	102808 U90426	Hs.179606	nuclear RNA helicase; DECD variant of D		7.5 15.2
	102817 U90904 102823 U90914	Hs.83724 Hs.5057	Human clone 23773 mRNA sequence carboxypeptidase D		6.6
	102827 U91327	Hs.6456	chaperonin containing TCP1; subunit 2 (b		6
	102838 U94592	Hs.80658	Human uncoupling protein homolog (UCP		6.1
15	102841 U95006	Hs.37616	Human D9 splice variant B mRNA; comp		4.2
	102844 U96113	Hs.324275	Homo sapiens Nedd-4-like ubiquitin-prot		6.8
	102868 X02419	Hs.77274	plasminogen activator, urokinase		4
	102907 X06985	Hs.202833	heme oxygenase (decycling) 1		22.7
	102919 X12447		aldolase A; fructose-bisphosphate		9.9
20	102929 X13238	Hs.74649	cytochrome c oxidase subunit VIc		5.4
	102973 X16663	Hs.14601	hematopoietic cell-specific Lyn substrate		4.8
	102983 X17620	Hs.118638	non-metastatic cells 1; protein (NM23A)		4.6
	102985 X17644	Hs.2707	G1 to S phase transition 1		20.6
25	103003 X52003	Hs.1406	trefoil factor 1 (breast cancer, estrogen-ind		10.7 5.8
23	103018 X53296	Hs.81134	interleukin 1 receptor antagonist		4
	103023 X53793 103036 X54925	Hs.117950 Hs.83169	multifunctional polypeptide similar to SA matrix metalloproteinase 1 (interstitial col		7.3
	103050 X54525	Hs.155324	matrix metalloproteinase 11 (stromelysin	•	17.8
	103073 X59417	Hs.74077	proteasome (prosome; macropain) subunit		5.6
30	103075 X59543	Hs.2934	ribonucleotide reductase M1 polypeptide		4.2
- 0	103080 X59798	Hs.82932	cyclin D1 (PRAD1: parathyroid adenomat		6.7
	103094 X60787	Hs.296281	interleukin enhancer binding factor 1		5.7
	103105 X61970	Hs.76913	proteasome (prosome; macropain) subunit		5.8
	103121 X63679	Hs.4147	translocating chain-associating membrane		4.2
35	103149 X66363	Hs.171834	PCTAIRE protein kinase 1		12
	103180 X69433	Hs.5337	isocitrate dehydrogenase 2 (NADP+); mit		18.9 10.7
	103182 X69819	Hs.99995	intercellular adhesion molecule 3		4.1
	103188 X70040 103191 X70218	Hs.2942 Hs.2903	macrophage stimulating 1 receptor (c-met protein phosphatase 4 (formerly X); cataly		10.7
40	103191 X70216 103193 X70476	Hs.75724	coatomer protein complex; subunit beta 2		8.2
70	103194 X70649	Hs.78580	DEAD/H (Asp-Glu-Ala-Asp/His) box pol	•	13.7
	103195 X70940	Hs.2642	eukaryotic translation elongation factor 1	•	13.4
	103206 X72755	Hs.77367	monokine induced by gamma interferon		15.1
	103207 X72790		Human endogenous retrovirus mRNA for		5.3
45	103208 X72841	Hs.31314	retinoblastoma-binding protein 7		12.3
	103216 X74262	Hs.16003	retinoblastoma-binding protein 4		4.1
	103226 X75042	Hs.44313	v-rel avian reticuloendotheliosis viral onco		6.9
	103230 X75861	Hs.74637	testis enhanced gene transcript		7.9
50	103262 X78565	Hs.289114	hexabrachion (tenascin C; cytotactin)		5 5.7
5.0	103278 X79882	Hs.80680	tung resistance-related protein immature colon carcinoma transcript 1		4.6
	103297 X81788 103302 X82103	Hs.9078 Hs.3059	coatomer protein complex; subunit beta		4.5
	103316 X83301	Hs.324728	SMA5		7.1
	103330 X85373	Hs.77496	small nuclear ribonucleoprotein polypepti		4
55	103349 X89059		serine/threonine kinase 9		4.7
	103352 X89398	Hs.78853	uracil-DNA glycosylase		5.3
	103364 X90872	Hs.279929	SULT1C sulfotransferase		4
	103374 X91788	Hs.84974	chloride channel; nucleotide-sensitive; 1A		4.2
· .	103380 X92396	Hs.24167	synaptobrevin-like 1		13.6
60	103395 X94754	Hs.279946	methionine-tRNA synthetase	•	14.2
	103402 X95404	Hs.180370	cofilin 1 (non-muscle)		4.6
	103410 X96506	Hs.295362	DR1-associated protein 1 (negative cofact	•	8.3 4.9
	103420 X97065 103421 X97074	Hs.173497	Sec23 (S. cerevisiae) homolog B adaptor-related protein complex 2; sigma		4.9 5
65	103427 X97074 103427 X97303	Hs.119591 Hs.250655	H.sapiens mRNA for Ptg-12 protein		7
03	103427 X97503	Hs.20716	translocase of inner mitochondrial membr		4.5
	103438 X98263	Hs.152720	M-phase phosphoprotein 6		4.5

	402404	V0000E	Un 76472	Inculin like arough forter 2 recenter	4.2
	103464 103470		Hs.76473 Hs.174103	Insulin-like growth factor 2 receptor integrin; alpha L (antigen CD11A (p180);	4.5
	103470		Hs.83050	phosphatidylinositol 3-kinase-associated p	4.1
	103494		Hs.33102	transcription factor AP-2 beta (activating	4.5
5	103547		Hs.180062	proteasome (prosome; macropain) subunit	4.3
,	103551		Hs.75248	topoisomerase (DNA) II beta (180kD)	4
	103565		Hs.146354	thioredoxin-dependent peroxide reductase	7.6
	103587		Hs.82128	5T4 oncofetal trophoblast glycoprotein	14.6
		Z47727	Hs.150675	polymerase (RNA) II (DNA directed) pol	6.3
10		Z48042	Hs.278672	membrane component; chromosome 11; s	4.4
	103658		Hs.172928	collagen; type I; alpha 1	5.9
	103680			Homo sapiens DNA sequence from PAC	4.4
	103772	AA092473	Hs.278554	chromobox homolog 3 (Drosophila HP1 g	4.9
	103774	AA092898	Hs.92918	ESTs; Weakly similar to R07G3.8 [C.eleg	6.1
15	103821	AA157623	Hs.198793	KIAA0750 gene product	23.3
	103835	AA172215	Hs.93748	ESTs; Moderately similar to TRANSCRIP	4
	103886	AA236384	Hs.105737	ESTs; Weakly similar to gene 9306 protei	4.9
	103890	AA236843	Hs.72085	ESTs; Weakly similar to unknown [S.cere	7.8
			Hs.239189	ESTs	4.8
20		AA393432		hypothetical protein	5.3
		AA428090		ESTs	28.7
			Hs.268371	zv68f6.r1 Soares_total_fetus_Nb2HF8_9w	5.7
			Hs.283037	ESTs; Highly similar to HSPC039 protein	6.9
0.5		AA476564		ESTs; Weakly similar to finger protein HZ	5.2
25			Hs.283740	ESTs	7.8
			Hs.114309	ESTS	5.1
		AA486946		Homo sapiens mRNA; cDNA DKFZp564	4.3 12.3
		AB000221		small inducible cytokine subfamily A (Cy	6.2
20			Hs.168212 Hs.7381	kinesin family member 3B	4.2
30		C01687 C02582	Hs.109253	ATP synthase; H+ transporting; mitochon ESTs; Highly similar to N-terminal acetyl	4.5
		D52818	Hs.111680	endosulfine alpha	4.7
		D55869	Hs.284123	Homo sapiens mRNA full length insert cD	4.2
		H19378	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586	6.4
35		L44497	Hs.7351	ESTs	4.9
75		M19169	Hs.123114	cystatin SN	11.6
		N33807	Hs.324275	protease; serine; 15	5.6
		R56678	Hs.88959	Human DNA sequence from clone 967N2	6.3
		R81003	Hs.325820	serine protease; umbilical endothelium	13.6
40		AA004274		ESTs	6.3
			Hs.106106	ESTs .	10.1
•	104658	AA007145	Hs.27268	Homo sapiens mRNA; cDNA DKFZp564	4.3
	104667	AA007234	Hs.30098	ESTs	16.6
	104675	AA009596	Hs.301553	ESTs; Moderately similar to !!!! ALU SU	4.6
45		AA025534		ESTs	4.8
		AA027163		ESTs	.8.1
			Hs.301871	ESTs; Moderately similar to cAMP induc	10.9
		AA031357		ESTs; Weakly similar to N-WASP [H.sap	5.5
50 ·		AA032147		ESTS I I I I I I I I I I I I I I I I I	10.4
50		AA039469		ESTs; Weakly similar to KIAA0299 [H.s	4.6
			Hs.241507	Homo sapiens mRNA; cDNA DKFZp564	4.3
			Hs.225979	Human gene from PACs 37M17 and 305B	4.5 4.7
		AA053021 AA055809		SCO (cytochrome oxidase deficient; yeast ESTs; Weakly similar to phosphoprotein [	8.8
55			Hs.25252	ESTs	5.5
55		AA057839		ESTs	4.2
			Hs.33363	DKFZP434N093 protein	7
			Hs.318725	ESTs; Highly similar to CGI-72 protein [H	7.1
			Hs.114218	ESTs .	5.7
60			Hs.10026	ESTs; Weakly similar to ORF YJL063c [S	4.7
			Hs.33905	ESTs	5.5
			Hs.29669	ESTs	4.3
			Hs.50758	chromosome-associated polypeptide C	8.3
			Hs.18272	ESTs	6.2
65			Hs.19322	ESTs	6.7
	104987	AA101723	Hs.11861	ESTs	9.2
			Hs.182704	ESTs; Moderately similar to alternatively	6.9
			•		

	105012 AA116036 Hs.9329	chromosome 20 open reading frame 1	10.7
•	105019 AA121879 Hs.9280	proteasome (prosome; macropain) subunit	5.7
	105029 AA126855 Hs.13268	ESTs	4.4
	105033 AA127964 Hs.274329	TP53 target gene 1	6.3
-5	105035 AA128486 Hs.8859	ESTs	6.5
9	105039 AA130349 Hs.36475	ESTs	
			4
	105062 AA134968 Hs.36529	ESTs	4.3
	105076 AA142858 Hs.37810	ESTs	6.4
10	105087 AA147884 Hs.9812	ESTs	. 9.2
10	105091 AA148859 Hs.179909	ESTs; Weakly similar to !!!! ALU SUBFA	, 5.7
	105093 AA149051 Hs.32405	ESTs	6.3
	105107 AA152302 Hs.25035	DKFZP566G223 protein	6.2
	105127 AA158132 Hs.301957	ESTs; Weakly similar to contains similar	5.7
	105132 AA159501 Hs.247280	HBV associated factor	4.2
1.5	105143 AA165333 Hs.24808	ESTs	4.7
13			
	105154 AA171736 Hs.35947	methyl-CpG binding domain protein 4	9
	105162 AA176690 Hs.4084	KIAA1025 protein	9.1
	105186 AA191512 Hs.28005	Homo sapiens mRNA; cDNA DKFZp564	19.3
	105209 AA205072 Hs.227743	KIAA0980 protein	7.4
20	105223 AA211388 Hs.7750	ESTs	5.1
	105252 AA227428 Hs.9728	ESTs; Weakly similar to KIAA0512 prote	11.1
	105253 AA227448 Hs.5003	KIAA0456 protein	6.4
	105261 AA227871 Hs.6361	MEK partner 1	9.1
	105263 AA227926 Hs.6682	ESTs	6.7
25 -	105274 AA228122 Hs.281866	ATPase; H+ transporting; lysosomal (vacu	5.3
25	105297 AA233451 Hs.183858	, , , , , , , , , , , , , , , , , , , ,	
		transcriptional intermediary factor 1	8.7
	105309 AA233790 Hs.4104	ESTs; Weakly similar to cDNA EST yk38	7.4
	105312 AA233854 Hs.23348	S-phase kinase-associated protein 2 (p45)	5.8
20	105342 AA235286 Hs.157078	ESTs	4.5
30	105376 AA236559 Hs.8768	ESTs; Weakly similar to !!!! ALU SUBFA	5.8
	105386 AA236950 Hs.8115	ESTs	5.5
	105397 AA242868 Hs.7395	ESTs; Weakly similar to house-keeping p	7.7
	105399 AA243007 Hs.16420	ESTs; Highly similar to SH3 domain-bind	5.6
	105400 AA243052 Hs.65648	RNA binding motif protein 8	5.8
35	105404 AA243303 Hs.21187	ESTs	9.1
	105409 AA243562 Hs.301855	ESTs	4.4
	105436 AA252172 Hs.237856	ESTs; Moderately similar to cAMP induc	5.1
	105483 AA255874 Hs.23458		
		ESTs	4.9
40	105493 AA256268 Hs.10283	ESTs	6
40	105495 AA256317 Hs.28785	Homo sapiens mRNA; cDNA DKFZp586	5.2
	105496 AA256323 Hs.301997	DKFZP434N126 protein	8.7
	105500 AA256485 Hs.222399	CGI-96 protein	9.5
	105507 AA256678 Hs.226318	ESTs; Moderately similar to CCR4-associ	4.1
	105538 AA258860 Hs.32597	ring finger protein (C3H2C3 type) 6	4.1
45	105544 AA261954 Hs.24678	ESTs	. 8
	105546 AA262032 Hs.268281	ESTs; Weakly similar to 62D9.a [D.melan	8.1
	105549 AA262417 Hs.5415	ESTs	4:6
	105551 AA262477 Hs.25292	ribonuclease HI; large subunit	9.1
	105560 AA262783 Hs.306915	ESTs	4.5
50	105565 AA278302 Hs.18349		
50		ESTs; Weakly similar to partial CDS [C.e	4.2
	105566 AA278323 Hs.17481	Homo sapiens clone 24606 mRNA sequen	11.9
	105575. AA278717 Hs.12772	ESTs	5.9
	105584 AA279012 Hs.3454	ESTs; Weakly similar to KIAA0665 prote	4.4
	105596 AA279418 Hs.18490	ESTs	4
55	105604 AA279787 Hs.15467	ESTs; Moderately similar to putative pho	5.6
	105610 AA279991 Hs.99872	ESTs; Weakly similar to trithorax homolo	5.3
	105621 AA280865 Hs.6375	Homo sapiens mRNA; cDNA DKFZp564	4.8
	105627 AA281245 Hs.23317	ESTs	7.5
	105638 AA281599 Hs.247817	Homo sapiens mRNA for for histone H2B	.5.9
60	105645 AA282138 Hs.11325	ESTs	
00	105650 AA282347 Hs.25635		6.4
		ESTs; Highly similar to HSPC003 (H.sap	11.3
	105666 AA283930 Hs.34906	ESTS	4.7
	105674 AA284755 Hs.279789	CDW52 antigen (CAMPATH-1 antigen)	8
~ =	105687 AA286809 Hs.28423	ESTs	7.1
65	105700 AA287643 Hs.35254	ESTs; Weakly similar to hypothetical pro	4.9
	105705 AA290767 Hs.101282	Homo sapiens mRNA; cDNA DKFZp434	8
	105709 AA291268 Hs.26761	DKFZP586L0724 protein	6.8
		•	

	105731 AA292711 Hs.29131	ESTs	6.4
	105753 AA299789 Hs.110857		7
	105774 AA348014 Hs.23412	ESTs	7.1
_	105784 AA350771 Hs.17850	ESTs	13.4
5	105791 AA358038 Hs.14368	SH3-binding domain glutamic acid-rich p	4.3
	105807 AA393803 Hs.16869	ESTs; Moderately similar to COLLAGEN	5.3
	105808 AA393808 Hs.28613		4.1
	105812 AA394126 Hs.20814	ESTs; Highly similar to CGI-27 protein [H	14.6
	105813 AA394140 Hs.18585	ESTs	4.9
10	105819 AA397920 Hs.28783	Homo sapiens mRNA; cDNA DKFZp564	4.9
	105870 AA399623 Hs.10106	' ESTs	4.8
	105874 AA400074 Hs.171111	B ESTs	4
	105896 AA400999 Hs.7838	Human ring zinc-finger protein (ZNF127-	4.8
	105934 AA404248 Hs.16577	ESTs	5.2
15	105935 AA404277 Hs.26372	7 ESTs; Weakly similar to bisphosphate 3'-	4
	105966 AA406105 Hs.5344	adaptor-related protein complex 1; gamma	8.3
	105974 AA406321 Hs.6224	KIAA0895 protein	4.6
	105990 AA410336 Hs.29403	ESTs; Weakly similar to PROBABLE AT	4.5
	105995 AA410510 Hs.5345	ESTs	4.9
20	106000 AA410972 Hs.20726	ESTs	5.8
	106007 AA411462 Hs.11042	ESTs; Weakly similar to veli 1 [H.sapiens	6.9
	106016 AA411819 Hs.8164	KIAA0898 protein	5
	106034 AA412473 Hs.14928	ESTs	6.6
	106042 AA412700 Hs.16989		4.6
25.	106057 AA417067 Hs.28907		4.5
25.		ESTs	12.3
	106065 AA417558 Hs.25206	Homo sapiens clone 24416 mRNA sequen	5
	106070 AA417761 Hs.5957		15.4
	106103 AA421104 Hs.12094	ESTs	6.4
20	106126 AA424006 Hs.22972	ESTs; Moderately similar to H5AR (M.m	5.1
30	106154 AA425304 Hs.6994	ESTs	11.1
	106157 AA425367 Hs.34892	ESTs	
	106166 AA425872 Hs.19561	NADH dehydrogenase (ubiquinone) 1 alp	19.3
	106204 AA428024 Hs.21479		4.7
2.5	106210 AA428239 Hs.10338		5.7
35	106220 AA428582 Hs.32196		7.7
	106236 AA429951 Hs.21104	ESTs	8
	106240 AA430074 Hs.18552		4.4
	106263 AA431462 Hs.28329	ESTs	4.9
	106288 AA435536 Hs.24336	ESTs	8.8
40	106293 AA435591 Hs.30144		8.7
	106310 AA436244 Hs.17240		4.5
	106317 AA436568 Hs.10812	4· ESTs	4
	106328 AA436705 Hs.28020	KIAA0766 gene product	4.4
	106341 AA441798 Hs.5243	ESTs; Moderately similar to p1L2 hypoth	23.7
45	106348 AA442253 Hs.10702	ESTs	4.7
	106350 AA442763 Hs.19469	8 cyclin B2	6.1
	106371 AA443923 Hs.17031	0 ESTs	6.8
	106389 AA446949 Hs.6236	ESTs	4.7
	106394 AA447223 Hs.25320	Homo sapiens clone 25142 mRNA sequen	4.4
50	106426 AA448282 Hs.16208	ESTs; Weakly similar to F55C12.5 [C.ele	4.5
	106459 AA449741 Hs.4029	glioma-amplified sequence-41	4.8
	106462 AA449912 Hs.30532	ESTs; Highly similar to CGI-77 protein [H	5.2
	106468 AA450047 Hs.14770		6.8
	106479 AA450351 Hs.7525		12.4
55	106494 AA452108 Hs.18387		4.5
-	106503 AA452411 Hs.29679		5.1
	106507 AA452584 Hs.26781		4.9
	106533 AA453786 Hs.14599		8.3
	106568 AA455970 Hs.2828		· 7.6
60	106586 AA456598 Hs.57787		8.2
00	106589 AA456646 Hs.2866		4.8
	106606 AA457730 Hs.28343		4.4
	106611 AA458904 Hs.2626		7
			4.5
65	106614 AA458934 Hs.25619 106628 AA459657 Hs.1231		4.5 6.5
05			5.5
	106637 AA459961 Hs.2508		4.4
	106644 AA460239 Hs.1268	) ESTs	4.4

		•				
	106664	AA460969	Hs.7510	mitogen-activated protein kinase kinase ki		8.4
	106698	AA463745	Hs.29403	ESTs; Weakly similar to PROBABLE AT		5.3
		AA465171		ESTs		5.6
		AA465339		ESTs		10.1
5						
J		AA476473		triple functional domain (PTPRF interacti		10.4
		AA477263		ESTs .		4.2
		AA477717		interleukin 13 receptor, alpha 1		6.9
	106784	AA478558	Hs.227913	API5-like 1		5.1
	106831	AA482014	Hs.29463	centrin; EF-hand protein; 3 (CDC31 yeast		5.1
10		AA482112		ESTs		4.8
10		AA482548		ESTs		10.3
		AA486183				
				ESTs; Weakly similar to similar to oxyste		6.2
		AA487228		ESTs		4.5
	106878	AA488872	Hs.12314	Homo sapiens mRNA; cDNA DKFZp586		7.9
15	106888	AA489101	Hs.24734	oxysterol binding protein		6.4
	106895	AA489665	Hs.25245	ESTs		4.6
		AA490323		SUMO-1 activating enzyme subunit 1	-	4.2
		AA490885		ESTs		12.3
		AA490899		ESTs	•	6.2
20						
20		AA496204		ESTs		4
		AA496347		retinoblastoma-binding protein 7		4.8
	106948	AA496788	Hs.21077	KIAA0532 protein		4
	106968	AA504631	Hs.26813	ESTs; Weakly similar to hypothetical 43.2		4.4
	106973	AA505141	Hs.11923	Human DNA sequence from clone 167A1		5.4
25		AA521121		bromodomain adjacent to zinc finger dom		4.1
		AA521157		ESTs	•	5.7
			Hs.195464			18.7
				insulin-like growth factor binding protein		
		AA598710		ESTs		6.2
20		AA599214		ESTs		4.1
30			Hs.247309	succinate-CoA ligase; GDP-forming; beta		5.3
	107052	AA600134	Hs.12482	glyceronephosphate O-acyltransferase		4.8
	107053	AA600147	Hs.5741	ESTs; Weakly similar to NADH-cytochro		5.8
	107056	AA600310	Hs.18720	programmed cell death 8 (apoptosis-induc		4.9
		AA609210		ESTs		8.4
35		AA609723		ESTs		8
55						
		AA609943		ESTs		9.5
		AA620553		flap structure-specific endonuclease 1		4.9
		AA620598		ESTs		5.3
4.0		AA620795		ESTs		4
40	107140	AA620889	Hs.170088	ESTs		6.7
	107151	AA621169	Hs.8687	ESTs		19
	107159	AA621340	Hs.10600	ESTs; Weakly similar to ORF YKR081c [		8.1
		AA621714		ESTs		8.5
		D51095	Hs.35861	DKFZP586E1621 protein		7.2
45						
43		D59971	Hs.25925	ESTs		7.9
		T34527	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:po		5.6
		T40327	Hs.30661	lung resistance-related protein		8.4
	107324	T81665	Hs.278422	DKFZP586G1122 protein		7.5
	107372	U85625	Hs.8297	ribonuclease 6 precursor		4.7
50	107373	U85773	Hs.154695	phosphomannomutase 2		4.8
		W58247	Hs.279766	Homo sapiens kinesin superfamily motor		6.3
		Y13936	Hs.17883	protein phosphatase 1G (formerly 2C); ma		8.3
		AA024835		potassium voltage-gated channel; delayed		7.3
E E		AA026030		ESTs; Weakly similar to CALPAIN 2; LA		7.3
55		AA026894		ESTs		4.9
	108039	AA041341	Hs.46670	ESTs		5.4
	108040	AA041551	Hs.159971	ESTs		8.4
		AA046424		ESTs; Weakly similar to HYPOTHETICA		6.6
		AA058686		ESTs		7.7
60			Hs.172608	ESTs		4
50				ESTs		
		AA071514				4
		AA100694		Human DNA sequence from BAC 15E1 o		5.5
		AA112396		ESTs; Moderately similar to HOMEOBO		14.3
			Hs.274417	Homo sapiens mRNA; cDNA DKFZp564		5.2
65		AA120785		ESTs		5.6
	108695	AA121315	Hs.70823	KIAA1077 protein		10.5
		AA126422		zn84f1.s1 Stratagene lung carcinoma 9372		4.4

•			•		
	108774 AA128125	Hs.71040	ESTs; Moderately similar to CELL GROW		4.6
	108828 AA131584		DKFZP564O0463 protein		5.5
	108872 AA134063	Hs.111680	ESTs		7.2
	108884 AA134958		ESTs		11.3
5	108893 AA135894		retinoic acid induced 3		8.9
-	109008 AA156360		ESTs		14.7
	109010 AA156460		dual specificity phosphatase 12		4.9
	109011 AA156542		ESTs		4.6
	109042 AA159525	Hs.71779	Homo sapiens DNA from chromosome 19		7.2
10	109086 AA166695		tumor necrosis factor (ligand) superfamily		- 4
•	109090 AA167006		ESTs		5.9
	109101 AA167708		ESTs		4.2
	109112 AA169379		ESTs		4
	109160 AA179387		DKFZP434N126 protein		4
15	109166 AA179845		RAB6 interacting; kinesin-like (rabkinesin		13.6
	109178 AA181600		ESTs		11.8
	109179 AA181902	Hs.192789	ESTs; Weakly similar to !!!! ALU SUBFA		5.4
	109261 AA195255	Hs.61779	ESTs		6.7
	109270 AA195515		ESTs; Weakly similar to alternatively spli		4.9
20	109277 AA196332		ESTs		5.4
	109313 AA206800		ESTs; Moderately similar to zinc finger p		5.5
	109415 AA227219		trinucleotide repeat containing 9		20.1
	109454 AA232255		ESTs		4.7
	109467 AA232904		ESTs		6.8
25	109481 AA233342		ESTs; Weakly similar to WD40 protein C	•	10.6
	109508 AA233892		ESTs; Weakly similar to !!!! ALU SUBFA		8
	109514 AA234087	Hs.262346	ESTs; Weakly similar to ORF2: function		8.2
	109572 F02027	Hs.171937	ESTs		4.8
	109632 F04165	Hs.235873	ESTs; Weakly similar to K11C4.2 [C.eleg		5.2
30	109644, F04477	Hs.291531	ESTs; Moderately similar to GLYCERAL		6.6
	109703 F09684	Hs.24792	ESTs; Weakly similar to ORF YOR283w		7.1
	109726 F10009	Hs.9196	ESTs		5
	109747 F10161	Hs.22969	ESTs		4.7
	109799 F10770	Hs.180378	Homo sapiens clone 669 unknown mRNA		4.5
35	109814 F10979	Hs.153106	Homo sapiens clone 23728 mRNA sequen		8.7
	110189 H20543	Hs.6278	DKFZP586B1621 protein	-	16.6
	110240 H25577	Hs.176588	ESTs; Weakly similar to CYTOCHROME		6.2
	110280 H29285	Hs.32468	ESTs		4.5
	110520 H56965	· Hs.4082	yr09f06.s1 Soares fetal liver spleen 1NFL		5.7
40	110561 H59617	Hs.5199	ESTs; Weakly similar to UBIQUITIN-CO		19.5
	110707 H95079	Hs.15617	ESTs; Weakly similar to !!!! ALU SUBFA		6.2
	110734 H98714	Hs.24131	ESTs		30.2
	110770 N22262	Hs.131705	ESTs		5.8
	110780 N23174	Hs.22891	solute carrier family 7 (cationic amino aci		8.2
45	110787 N24716	Hs.12244	ESTs; Weakly similar to C44B9.1 [C.eleg		6.7
	110794 N25262	Hs.27931	ESTs		5.9
	110799 N26101	Hs.323401	Human ring zinc-finger protein (ZNF127-		4
	110818 N29454	Hs.27552	ESTs; Weakly similar to putative p150 [H		4.3
_	110839 N30856	Hs.30246	solute carrier family 19 (thiamine transpo		12.8
50	110844 N31952	Hs.167531	Homo sapiens mRNA full length insert cD		10.1
	110854 N32919	Hs.27931	ESTs		4.7
	110856 N33063	•	ESTs; Weakly similar to S164 [H.sapiens		4.2
	110860 N33438	Hs.170065	ESTs		12.5
	110897 N39148	Hs.6880	DKFZP434D156 protein		4
55	110915 N46252	Hs.29724	ESTs		23.2
	110935 N48787	Hs.305979	protease inhibitor 1 (anti-elastase); alpha-		4.8
	110970 N51374	Hs.96870	Homo sapiens mRNA full length insert cD		5.4
	111006 N53375	Hs.166146	Homer, neuronal immediate early gene; 3		4.7
	111008 N53388	Hs.7222	ESTs		13.3
60	111018 N54067	Hs.3628	mitogen-activated protein kinase kinase ki	•	5.7
	111084 N59543	Hs. 15456	PDZ domain containing 1		8.3
	· 111100 N62522	Hs.20450	ESTs		14.3
	111125 N63823	Hs.269115	ESTs		7.9
	111132 N64378	Hs.83293	ESTs; Highly similar to unknown function	•	4.4
65	111139 N64683	Hs.290943	ESTs	. •	6
	111164 N66857	Hs.14808	ESTs; Weakly similar to !!!! ALU CLASS		4.1
	111172 N67102	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586		5.5
•					

	111178 N		Hs.24633	ESTs	5.7
	111179 N		Hs.10760	ESTs	37
	111181 N		Hs.171802	ESTs; Weakly similar to hypothetical pro	5.6
نے	111184 N		Hs.243901	Homo sapiens mRNA; cDNA DKFZp564	8.7
5	111221 N		Hs.15119	ESTs .	7.3
	111223 N		Hs.297939	ESTs; Weakly similar to neogenin (H.sap	9
	111229 N		Hs.110855		8.9
	111241 N		Hs.288880	ESTs; Weakly similar to CGI-82 protein [	6.9
10	111268 N		Hs.26118	Homo sapiens clone 24766 mRNA sequen	4.5
10	111295 N		Hs.21275	ESTs; Weakly similar to ubiquitin-conjug	5.6
	111299 N		Hs.24936	ESTS	8.5
	111336 N		Hs.29894	ESTs	6.7
	111357 N		Hs.87128	ESTs	15
1.5	111370 N		Hs.94631	brefeldin A-inhibited guanine nucleotide-e	5.2
15	111806 R		Hs.279008	ESTs	10
	111825 R		Hs.286148	stromal antigen 1	4.5
	111836 R		Hs.25119	ESTs	7.2
	111890 R		Hs.12365	ESTs	17.3
20	111923 R		Hs.25925	Homo sapiens clone 23860 mRNA sequen	7.3
20	111942 R		Hs.21590	ESTs	9.2
	111987 R		Hs.6763	KIAA0942 protein	10.6
	112101 R		Hs.296341	adenylyl cyclase-associated protein 2	5.3
	112134 R		Hs.7413	ESTs	17.4
25	112197 R		Hs.5637	ESTs	4.4
25	112244 R		Hs.70823	KIAA1077 protein	11
	112253 R			Homo sapiens mRNA; cDNA DKFZp566	9.3
	112305 R		Hs.26244	ESTs	4.4
	112449 R		Hs.124186	ring finger protein 2	6.3
20	112483 R		Hs.285885	ESTs	4.9
30	112519 R		Hs.11861	ESTs	14.3
	112610 R		Hs.23643	ESTs	5.2
	112693 R		Hs.91065	ESTs; Moderately similar to proliferation	4.6
	112751 R		Hs.8207	ESTs	5.6
25	112801 R		Hs.157160	protein kinase; DNA-activated; catalytic p	8.7
35	112869 T(		Hs.4747	dyskeratosis congenita 1; dyskerin	5.9
	112871 TO		Hs.12285	ESTs	5.8
	112908 T		Hs.3530	TLS-associated serine-arginine protein	4.1
	112966 T1		Hs.102548	glucocorticoid receptor DNA binding fact	5.7
40	112971 T		Hs.83883	ESTs To the state of the state	6.4
40	112995 T2		Hs.7155	ESTs; Weakly similar to TYKi protein [M	9.1
	113047 T2		Hs.7549	ESTs	5.4
	113075 T3		Hs.6986	ESTs; Weakly similar to !!!! ALU SUBFA	5.7
	113117 T4		Hs.159153	ESTs	5.8
45	113206 TS		Hs.241471	ESTs; Moderately similar to !!!! ALU SU	6.4
43	113248 T6		11- 207400	yc16e1.s1 Stratagene lung (#93721) Homo	4.6
	113260 T6		Hs.287420	ESTs	6.9
	113277 T6		Hs.11774	protein (peptidyl-prolyl cis/trans isomeras	5.6
	113278 TE		Hs.11135	yc11h10.s1 Stratagene lung (#937210) Ho	4.5
50	113440 T8		Hs.191445	ESTS	6.4
50	113523 TS		Hs.95549	ESTs	6.4
	113702 TS		Hs.296083	ESTs	8.7
			Uo 7044	ESTs; Moderately similar to !!!! ALU SU	9.5
	113783 W 113794 W		Hs.7041	ESTs; Weakly similar to !!!! ALU SUBFA	5.2
55	113794 W		Hs.11090	ESTS	11.9
55	113811 W		Hs.9286	ESTs	16.7
	113822 W		Hs.6994	ESTs	4 4.8
	113823 W		Hs.17466	retinoic acid receptor responder (tazaroten rab6 GTPase activating protein (GAP and	
	113836 W		Hs.55099		4
60	113857 W		Hs.12040 Hs.5297	ESTs; Weakly similar to KIAA0881 prote Homo sapiens mRNA; cDNA DKFZp564	4.1 4.3
00					
	113886 W		Hs.23920	ESTs	4.6
	113895 W		Hs.12921 Hs.3849	ESTs Moakly similar to EKEOS hinding a	7.1
	113923 W 113931 W		Hs.3496	ESTs; Weakly similar to FK506-binding p	6.8
65	113951 W		Hs.30504	ESTS Home perions mBNA: cDNA DVEZPA24	6.1
05	113970 W		Hs.8109	Homo sapiens mRNA; cDNA DKFZp434	14 15
	114051 W		Hs.177534	ESTs dual specificity phosphatase 10	
•	117051 W	J7372	1 13. 17 7 334	and sherward hunshingrase in	5.4

	114057	W96222	Hs.34192	ESTs	4.8
	114086	Z38266	Hs.288649	Homo sapiens PAC clone DJ0777O23 fro	5.1
	114098	Z38347	Hs:118338	ESTs; Weakly similar to similar to S, cere	6.2
	114109	Z38435	Hs.184108	ribosomal protein L21	4.6
5	114124	Z38595	Hs.125019	ESTs; Highly similar to KIAA0886 prote	22
		Z38763	Hs.15740	amyloid beta (A4) precursor protein-bindi	8.8
		Z38814	Hs.27196	ESTs	4
	114162	Z38909	Hs.22265	ESTs	7.2
• •		Z39062	Hs.23740	ESTs	5.3
10		Z39211	Hs.150926	fucose-1-phosphate guanylyltransferase	4.4
		Z39301	Hs.7859	ESTs	5.1
		Z39897	Hs.13297	ESTs	7.2
		Z39898	Hs.21948	ESTs	14.7
15		Z40715	Hs.184641	delta-6 fatty acid desaturase	19.4
15		Z40758	Hs.173091	DKFZP434K151 protein ESTs	8.9 13.7
		Z41342 AA024604	Hs.22941	ESTs .	10.1
			Hs.104613	ESTS	5.7
			Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:po	7.3
20			Hs.106469	suppressor of var1 (S.cerevisiae) 3-like 1	4.3
20			Hs.293380	ESTs	11.7
			Hs.292833	ESTs	7.3
			Hs.107149	ESTs; Weakly similar to PTB-ASSOCIAT	6.1
		AA113303		transmembrane 4 superfamily member (te	4.3
25			Hs.110857	ESTs; Highly similar to putative DNA-dir	7.1
	114767	AA148885	Hs.154443	minichromosome maintenance deficient (S	5.3
	114799	AA159323	Hs.109929	ESTs	4.2
	114804	AA160363	Hs.269956	ESTs	4.8
		AA161161		multiple inositol polyphosphate phosphata	7.1
30		AA165313		ESTs	4.4
		AA235035		ESTs; Moderately similar to ubiquitin spe	5
			Hs.196437	ESTs; Weakly similar to R26660_1; parti	16.9
		AA236359		ESTS	5.1
35		AA243012		ESTS	8.5 35.1
33		AA250737		ESTs	5.7
		AA252627		homeo box B5 ESTs	6.2
		AA252863 AA253217		ESTS	13
			Hs.198269	NADH dehydrogenase (ubiquinone) 1 alp	28.2
40		AA256486		ESTs	8.8
. •			Hs.279938	ESTs; Weakly similar to supported by GE	4.1
			Hs.284216	ESTs	8.3
			Hs.186572	ESTs	5.1
	115239	AA278650	Hs.73291	ESTs; Weakly similar to similar to the bet	4.6
45			Hs.283732	ESTs	8.3
	. 115249	AA278961	Hs.71124	ESTs	10.1
		AA279071		splicing factor 3b; subunit 1; 155kD	9.5
			Hs.293736	ESTs	5.8
50			Hs.122579	ESTs	5.1
50		AA281793		ESTS	5
			Hs.193063	ESTS	6.1
		AA283198		ESTs	4.9 5.8
		AA284361 AA287138	Hs.193090	ESTs ESTs; Weakly similar to ASPARTYL-TR	11.7
55		AA297130		Human DNA sequence from clone 620E1	6.8
55		AA331393		ESTs .	5.8
		AA398392		ESTs; Weakly similar to F33Q13 0 gene p	9.7
			Hs.283037	ESTs; Highly similar to HSPC& Fotein	8.7
		AA400247		ESTs	4
60		AA400948		ESTs; Weakly similar to zinc fireger prote	8.4
			Hs.305971	ESTs	5.3
	115652	AA405098	Hs.38178	ESTs	16.1
		AA405620		ESTs; Weakly similar to weak similarity t	4.7
<i>~</i> -			Hs.183056	Human DNA sequence from done 34B21	5.1
65		AA406546		Homo sapiens mRNA; cDNA DKFZp564	20.5
		AA417102		ESTs	4.8
	115763	AA421560		EȘTs	7
				225	

				•	
	115764	AA421562	Hs.91011	anterior gradient 2 (Xenepus laevis) homo	41.6
		AA428576		ESTs	4.2
		AA430124		ESTs	11.9
		AA433943		ESTs; Weakly similar to Weak similarity	33.5
5		AA435839		KIAA0887 protein	7.2
,		AA441911			5.1
			•	ESTs; Weakly similar to KIAA0926 prote	
		AA443602		ESTs	4.8
		AA443793		ESTs	8.3
10		AA443798		poly(A)-specific ribonuclease (deadenylat	13.5
10			Hs.301048	cofilin 1 (non-muscle)	7.5
	·115967	AA446887	Hs.42911	ESTs	8.8
	115984	AA447687	Hs.91109	ESTs	· 13.1
	116009	AA449448	Hs.44238	ESTs	5.5
	116024	AA451748	Hs.83883	Human DNA sequence from clone 718J7	7.5
15	116028	AA452112	Hs.42644	thioredoxin-like	12.7
	116050	AA453656	Hs.88417	ESTs	7.2
			Hs.176376	ESTs	11.8
		AA457566		ESTs	4.5
		AA459254		ESTs	4.5
20			Hs.279884	v-myc avian myelocytomatosis viral onco	4.3
20					7.6
		AA459956		ESTs; Highly similar to putative ribonucle	
		AA460649		ESTs	4.8
			Hs.108646	ESTs .	6.8
25		AA478397		ESTs	4.9
25		AA478415		ESTs	4
		AA479362		DKFZP586N0819 protein	4.6
	116246	AA479961	Hs.250646	ESTs; Highly similar to ubiquitin-conjuga	4
		AA480886		ESTs	18.5
	116250	AA480975	Hs.44829	ESTs	10.8
30	116254	AA481146	Hs.41086	ESTs; Weakly similar to OXYSTEROL-B	9.1
	116256	AA481256	Hs.88201	ESTs; Weakly similar to lysophospholipa	8.4
			Hs.272239	Homo sapiens mRNA; cDNA DKFZp586	7.2
		AA482595		ESTs; Weakly similar to F25B5.3 [C.eleg	11.1
			Hs.204501	ESTs; Weakly similar to Wiskott-Aldrich	6.2
35		AA489046		ESTs	4.9
55			Hs.159471	ESTs; Weakly similar to snRNP protein B	4.6
		AA490959		Homo sapiens mRNA; cDNA DKFZp564	5.8
		AA491457		ESTs	4.3
				ESTS	4.3 8.4
40		AA496127			
40		AA504116		Homo sapiens mRNA; cDNA DKFZp434	5.3
		AA504806		Homo sapiens clone 23620 mRNA sequen	5.2
		AA609204		KIAA0874 protein	6.6
			Hs.190488	ESTs; Weakly similar to KERATIN; TYP	4.5
. ~	116470	C13992	Hs.83484	ESTs	4.5
45	116480	C14088		glyceraldehyde-3-phosphate dehydrogena	5.6
	116578	D51272	Hs.75337	nucleolar phosphoprotein p130	4.1
	116579	D51276	Hs.81915	leukemia-associated phosphoprotein p18	5.8
	116626	F02028	Hs.81907	ESTs	4.9
	116647	F03069	Hs.15395	ESTs; Weakly similar to ARGINYL-TRN	6.1
50		F04816	Hs.92127	ESTs	10.6
		F08813	Hs.273829	LINE retrotransposable element 1	4.2
		F09983	Hs.317589	ESTs	13
		F13665	Hs.65641	ESTs	8.5
		F13681	Hs.53913		
55				ESTS	5.6
23		F13779	Hs.165909	ESTS	11.6
		F13789	Hs.93796	DKFZP586D2223 protein	5.4
		H11054	Hs.155342	protein kinase C; delta	4.3
		H22566	Hs.30098	ESTs	5.7
<i>(</i> 0		H25836	Hs.301527	tumor necrosis factor (ligand) superfamily	8.8
60		H28581	Hs.15641	ESTs .	8.6
		H29532	Hs.101174	microtubule-associated protein tau	22.2
	116803	H47357	Hs.109701	ESTs; Moderately similar to weak similar	6.7
	116877	H68116	Hs.168732	ESTs	6.5
		H72948	Hs.821	biglycan	20.7
65		N20083	Hs.42792	ESTs	4.4
		N20579	Hs.61153	ESTs	7.4
		N22162	Hs.183779	ESTs; Weakly similar to cDNA EST vk33	4.1
					7.1

WO 02/059377

	117344	N24046	Hs.210706	ESTs	7.4
	117367		Hs.42502	ESTs	10.5
	117392		Hs.93405	ESTs	5.8
	117394		Hs.39871	KIAA0727 protein	8.4
5	117412		Hs.42645	ESTs	18.1
•		N31726	Hs.44268	ESTs; Highly similar to myelin gene expr	5.8
	117557	N33920	Hs.44532	diubiquitin	· 12.3
	117634	N36421	Hs.13323	ESTs; Weakly similar to SODIUM- AND	4.4
	117639	N36923	Hs.44833	ESTs	6 ·
10	117754	N47469	Hs.59757	ESTs	7.6
	117852	N49408	Hs.136102	KIAA0853 protein	5.9
		N50050	Hs.303025	ESTs; Weakly similar to keratin; 67K typ	7.9
		N51056	Hs.38891	ESTs	7.9
		N51394	Hs.75478	KIAA0956 protein	5
15		N52000	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586	7
		N57773	Hs.93560	ESTs; Weakly similar to trg (R.norvegicu	4.8
		N62195	Hs.77910	3-hydroxy-3-methylglutaryl-Coenzyme A	13.4 5.4
		N62339	Hs.166254	heat shock 90kD protein 1; alpha	5.4 4.2
20		N62827	Hs.48645	EST	7.2
20		N63604	Hs.47166	ESTs .	6
		N64168 N66158	Hs.48938 Hs.74649	ESTS	4.1
		N66769	Hs.291033	ESTS	5.4
		N66818	Hs.42179	ESTs	10.8
25		N66845	115.42175	ESTs; Weakly similar to IIII ALU CLASS	4.5
ديد		N67149	Hs.50115	ESTs	5.3
		N67889	Hs.49397	ESTs	10.4
		N68010	Hs.49427	ESTs	7.9
		N69222		ESTs	9.2
30		N71781	Hs.50081	Homo sapiens mRNA full length insert cD	9.8
	118698	N72113 ·	Hs.50187	ESTs	4.3
	118901	N90719	Hs.94445	ESTs	8.1
	118952	N92966		ESTs; Highly similar to CGI-90 protein [H	12.5
~ ~		N93629	Hs.93391	ESTs	5
35		N94362	Hs.125830	ESTs	7.3
		N94439	Hs.45105	ESTs	8.2
		N99256	Hs.114611	ESTs	5
		R05316	Hs.5472	ESTs	4
40		R36451	Hs.287820	fibronectin 1	6 4.1
40		T15916	Hs.102950 Hs.65328	ESTs; Highly similar to coat protein gamm	12.1
		T16387 T23820	Hs.155478	ESTs cyclin T2	5.6
•		T25725	113.133470	ESTs	14.3
		T62571	Hs.146388	microtubule-associated protein 7	4
45		W35390	Hs.55533	ESTs	5.3
		W42451	Hs.92260	high-mobility group protein 2-like 1	5.6
		W46286	Hs.233694	ESTs; Weakly similar to ZK1058.5 [C.ele	6.5
		W47620	Hs.56009	2'-5'oligoadenylate synthetase 3	8.1
	119676	W60473	Hs.57787	ESTs	5.5
50	119717	W69134	Hs.57987	ESTs	4.6
	119729	W69747	Hs.94806	KIAA1062 protein	4
	119805	W73788	Hs.43213	ESTs .	4
		W80702	Hs.58461	ESTs	4.8
		W80852	Hs.250696	KDEL (Lys-Asp-Glu-Leu) endoplasmic re	4.2
55·		W81129	Hs.44865	Homo sapiens mRNA; cDNA DKFZp586	4.8
		W84767	Hs.58698	ESTs	5.9
		W86779	Hs.272531	DKFZP586B0319 protein	9
		W86835	Hs.14158 Hs.93581	copine III Homo sapiens mRNA; cDNA DKFZp586	4.8
60		) W87812   Z38656		coatomer protein complex; subunit alpha	4 4.2
OU.		Z39549	Hs.75887 Hs.153746	ESTs	11
		Z35345 Z40805	Hs.91668	ESTs	8.2
		Z40805 Z41815	Hs.65946	ESTs	15.6
	12024	AA169752		ESTs; Weakly similar to Similarity to Yea	4.2
65	120314	AA194166	Hs.221040	KIAA1038 protein	6.8
	120329	AA195651	Hs.104106	ESTs .	15.2
	120352	AA211400	Hs.193172	ESTs	6.8
		-			

		AA236822		KIAA1097 protein		5.6
		AA261852		ESTs		5.6
	120528	AA262107	Hs.104413	ESTs		4.5
	120571	AA280738	Hs.34892	ESTs		4.9
5	120649	AA287115	Hs.192843	ESTs		4.5
	120655	AA287347	Hs.238205	ESTs .		6.7
		AA287833		ESTs .		8.3
		AA292654		eukaryotic translation initiation factor 2 al		4.6
		AA292655		ESTs		10.6
10		AA293470		ESTs		5.4
10		AA358015	113.100747	EST	•	7.1
			LI- 201072			
			Hs.301872	ESTs; Moderately similar to !!!! ALU SU	· -	4.6
		AA381125		ESTs		8.2
1.5			Hs.104650	ESTs; Highly similar to similar to mago n		8.6
15			Hs.129206	casein kinase 1; gamma 3		10.5
	120977	AA398155	Hs.97600	ESTs		10.9
	121103	AA398936	Hs.97697	EST		7.4
	121291	AA401753	Hs.8186	fung cancer candidate	•	5.3
	121320	AA403008	Hs.301927	T-cell receptor; alpha (V;D;J;C)		13.5
20		AA411745		ESTs; Weakly similar to KIAA0554 prote		8.9
			Hs.174104	ESTs		22.6
			Hs.104800	ESTs; Weakly similar to Mouse 19.5 mRN	•	8
			Hs.234545	ESTs	,	5.6
		AA434411		ESTs		5.3
25						
23		AA449444		ESTs		4
		AA454756		ESTs		4 .
		AA456326		ESTs		6.2
		AA459894		ESTs .		5.3
	122856	AA463740	Hs.75367	Src-like-adapter		13.1
30	122882	AA465381	Hs.108812	ESTs; Weakly similar to B0041.5 [C.eleg		5.5
	122928	AA476578	Hs.101840	ESTs		6.3
	122974	AA478625	Hs.194215	ESTs		6
			Hs.106290	Kelch motif containing protein		12.5
			Hs.323231	ESTs; Weakly similar to alternatively spli		4.4
35			Hs.104207	ESTs		8.3
55			Hs.191721	ESTs		4.2
			Hs.129928	ESTs; Moderately similar to KIAA0454 p		5.2
			Hs.194024	ESTs		4.2
						14.6
40			Hs.100686	ESTs; Weakly similar to secreted cement		
40		AA488892		ESTs; Weakly similar to Gag-Pol polypro		4.5
		AA489020		ESTs		5.2
			Hs.187585	ESTs		4
	123436	AA598714	Hs.223014	protease; serine; 15		7.3
	123442	AA598803	Hs.111496	ESTs		5.9
45	123449	AA598899	Hs.112493	Homo sapiens mRNA; cDNA DKFZp564		4.1
			Hs.112110	ESTs	• *	4
			Hs.293156	ESTs		12.8
		AA608751		ESTs; Weakly similar to !!!! ALU SUBFA	,	7.9
		AA609200		ESTs		23.1
50			Hs.158549	ESTs		6.6
50			Hs.278672	membrane component; chromosome 11; s		4.7
			Hs.112264	ESIS		4 76
			Hs.287733	methylmalonate-semialdehyde dehydroge		7.6
55		D57317	Hs.74861	activated RNA polymerase II transcription		4.4
55		D60302	Hs.270016	ESTs		20.6
	124012	D80240	Hs.241471	HUM5G11A Human fetal brain (TFujiwa		6.7
	124021	F02859	Hs.13974	ESTs		4.7
	124049	F10523	Hs.74519	primase; polypeptide 2A (58kD)		4.7
	124059	F13673	Hs.283713	ESTs		7.7
60		H66710	Hs.133525	ESTs .		5.5
		H93575	Hs.241507	Homo sapiens mRNA; cDNA DKFZp564		11.4
		H94877	Hs.215766	GTP-binding protein		13.7
		H94892	·Hs.288757	v-ral simian leukemia viral oncogene hom		14
		N21359	Hs.101282	Homo sapiens mRNA; cDNA DKFZp434		8.6
65		N21339 N21626	Hs.102406	ESTs		7.2
05			113.102700	yw37g07.s1 Morton Fetal Cochlea Homo		5.2
		N22401	Uo 7535			5.2 7.9
	124390	N29325	Hs.7535	ESTs; Highly similar to COBW-like place		7.3

	101100	1140400	Un 44000	FCT- :	0.5
		N40188	Hs.11090	ESTS.	9.5 4.8
		N48000	U- 200475	Homo sapiens mRNA; cDNA DKFZp586	
		N50114	Hs.266175	ESTs	6.1 5.6
5		N63172	Hs.146409 Hs.11090	cell division cycle 42 (GTP-binding prote ESTs	12.8
J .		N74604 N79515	Hs.306117	interleukin 13 receptor; alpha 1	6.4
		N91279	Hs.109654	ESTs; Moderately similar to outer membr	8.3
		R01037	Hs.181013	phosphoglycerate mutase 1 (brain)	12.3
		R01077	113.101013	ESTs; Weakly similar to !!!! ALU CLASS	5.4
10		R12405	Hs.112423	Homo sapiens mRNA; cDNA DKFZp586	6.6
10		R40923	Hs.106604	ESTs	4.9
		R41933	110.100004	ESTs	7.2
		R44357	Hs.48712	ESTs; Weakly similar to cDNA EST EMB	8.6
		R63652	Hs.137190	ESTs	4.9
15		R88992	Hs.180612	ESTs	4.7
~~		T10598	Hs.324841	ESTs; Weakly similar to !!!! ALU SUBFA	4.4
		T11134	Hs.431	murine leukernia viral (bmi-1) oncogene h	12.6
		T78089	Hs.270134	ESTs	4:1
		T92544	Hs.137548	CD84 antigen (leukocyte antigen)	14.8
20	125132	W15495	Hs.129781	chromosome 21 open reading frame 5	6.7
	125144	W37999	Hs.24336	ESTs	4.8
	125154	W38419		ESTs	5.3
	125243	W86423	Hs.105413	ESTs	6.6
	125279	W93640	Hs.4779	ESTs; Moderately similar to similar to AD	5.8
25	125299	Z39436	Hs.102720	ESTs	12.2
	125303	Z39821	Hs.288193	ESTs	10.2
		Z39833	Hs.124940	GTP-binding protein	6.8
		AA151216		tyrosine 3-monooxygenase/tryptophan 5-m	8
20			Hs.288967	ESTs	5.4
30			Hs.267812	sorting nexin 4	4.1
		AA507383		cytochrome c oxidase subunit VIc	11.5
		AI432621		CD47 antigen (Rh-related antigen; integri	4
			Hs.191356	general transcription factor IIH; polypepti	9.4
35		AI283493		ribophorin II.	6.2 25.9
22		H09290	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564	4.1
		AA434562		ESTs: Mankly cimilar to transformation r	16.4
		N90960 N99638	Hs.265398 Hs.124084	ESTs; Weakly similar to transformation-r tumor necrosis factor receptor superfamily	9.5
		A1066486		similar to S. cerevisiae RER1	5.6
40		U46278	Hs.122489	ESTs	7.5
-10		W40262	Hs.146310	ESTs; Weakly similar to putative p150 [H	4.1
		W78968	Hs.181307	H3 histone; family 3A	4.5
		AA205862		ESTs	5.2
		T72569	Hs.125359	Thy-1 cell surface antigen	4.4
45			Hs.102178	ESTs	4.6
			Hs.160628	ESTs	11.7
	126819	AA305536	Hs.279607	ESTs	4
	126877	AI052047	Hs.26102	ESTs	7
	126991	R31652	Hs.821	biglycan	5.6
50 ·			Hs.179729	collagen; type X; alpha 1 (Schmid metaph	14.3
	127514	AA826926	Hs.204214	ESTs	4.5
		W07286	Hs.10340	ESTs; Weakly similar to weak similarity t	5.1
			Hs.264190	ESTs; Highly similar to MEM3 [M.muscu	17.3
			Hs.136713	ESTs; Weakly similar to V4-1 [H.sapiens	4.1
55		Al281549	Hs.311054	ESTs	5.5
			Hs.166229	ESTs	5.8
•		H02682	Hs.292154	ESTs; Moderately similar to recombinatio	5.8
		D59653	Hs.241471	EST .	7.4
60		U83908		programmed cell death 4	5.8 8.3
00			Hs.100861	ESTs; Weakly similar to p60 katanin [H.s	8.3 6.6
			Hs.183475 Hs.101448	Homo sapiens clone 25061 mRNA sequen metastasis associated 1	5.2
				keratin 8	5.2 5.1
		AA412048 U31875	Hs.38260 Hs.152677	short-chain alcohol dehydrogenase family	27.1
65		L38608	Hs.10247	activated leucocyte cell adhesion molecule	13.2
99			Hs.10247	DKFZP434A043 protein	6.7
			Hs.103106	Homo sapiens mRNA for G7b protein (G	4.5
			.,		,

	128651	AA446990	Hs.103135	ESTs	6.1
		R48943	Hs.10315	solute carrier family 7 (cationic amino aci	4.4
	128656	AA458542		coatomer protein complex; subunit epsilon	14.3
_	128717	T30617	Hs.104222	Homo sapiens mRNA; cDNA DKFZp566	24.5
5		M64174	Hs.50651	Janus kinase 1 (a protein tyrosine kinase)	7.3
		N49308	Hs.104938	ESTs; Weakly similar to alpha 1(XVIII) c	9.2
		X85372	Hs.105465	small nuclear ribonucleoprotein polypepti	5.4
		W93562	Hs.105749	KIAA0553 protein	4.6
10		W15528 AA455658	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586 basement membrane-induced gene	4
10		AA400271		Homo sapiens mRNA for putative Ca2+t	6.9 4.5
		AA252023		ESTs; Weakly similar to HRIHFB2157 [H	6.4
		D61676	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586	6.4
		AA410325		ESTs	7
15	128946	N29353	Hs.107318	kynurenine 3-monooxygenase (kynurenin	5.2
		AA485655	Hs.223025	proteasome (prosome; macropain) subunit	13.1
		F10290	Hs.185807	Homo sapiens clone 24758 mRNA sequen	5.8
		AA460049		ESTs; Weakly similar to SODIUM- AND	12.6
20		AA131421		ESTS	9.8
20		H13108 X62466	Hs.107968 Hs.276770	ESTs CDW52 antigen (CAMPATH-1 antigen)	13.9 10.7
		AA129465		ESTs	4.7
		L12350	Hs.108623	thrombospondin 2	4.4
		AA234530		N-ethylmaleimide-sensitive factor	20.7
25		AA131252		ESTs	5.9
	129164	AA282183	Hs.109045	ESTs,	5.8
•		R40556	Hs.318401	ESTs; Highly similar to HSPC039 protein	7.6
,		X89109	Hs.109606	coronin; actin-binding protein; 1A	12
30		AA211941		polyadenylate binding protein-interacting	7.9
50		W24360 AA435665	Hs.237868	interleukin 7 receptor	5.3 8.4
		H88033	Hs.109727	ESTs; Moderately similar to HN1 [M.mus KIAA0733 protein	7.8
		AA151574		pilin-like transcription factor	6.4
		AA090695		ESTs	6.2
35		Z35227	Hs.109918	ras homolog gene family; member H	5.4
		AA026318	Hs.289101	glucose regulated protein; 58kD	4.4
		C20976	Hs.110165	ESTs; Highly similar to ribosomal protein	5.7
		N93155	Hs.285976	calmodulin 1 (phosphorylase kinase; delta	7.7
40		AA037467		ESTS	6
40		AA167268 H18027	Hs.184697	Human ras inhibitor mRNA; 3' end plexin C1	9.3 18.2
		W92984	Hs.288224	ESTs	5.9
		AA151621		ESTs	4:1
		T80814	Hs.11101	discs; large (Drosophila) homolog 3 (neur	10.9
45	129404	AA172056	Hs.317584	ESTs	5.3
		N23707	Hs.111138	KIAA0712 gene product	4
		AA412087		EST; Highly similar to protein inhibitor o	8
		AA421213		Lsm3 protein	5.5
50		C00225 AA298786	Hs.306163	ESTs; Weakly similar to fos39554_1 [H.s ESTs	5.5 6.8
20		R21443	Hs.166254	heat shock 90kD protein 1; alpha	5
		AA278243		ESTs	6.8
	129626	AA447410	Hs.111334	ESTs; Weakly similar to !!!! ALU SUBFA	5.1
		AA258308	Hs.71968	Homo sapiens mRNA; cDNA DKFZp564	5.3
55		U26727	Hs.1174	cyclin-dependent kinase inhibitor 2A (mel	8.2
		R50008	Hs.11806	7-dehydrocholesterol reductase	4.3
		AA442768		translocase of inner mitochondrial membr	4.4
		M88458 X06700	Hs.118778 Hs.119571	KDEL (Lys-Asp-Glu-Leu) endoplasmic re collagen; type III; alpha 1 (Ehlers-Danios	4
60		AA454618		associated molecule with the SH3 domain	6 6.4
		AA252436		lysophospholipase I	7.7
		AA452161		YME1 (S.cerevisiae)-like 1	5
	129850	N20593	Hs.288932	GDP dissociation inhibitor 2	6.9
~~		AA102520		ESTs; Weakly similar to heat shock prote	5
65		AA043021	Hs.13225	UDP-Gal:betaGtcNAc beta 1;4- galactosy	6.6
		M87789	U- 4404F0	immunoglobulin gamma 3 (Gm marker)	4
	123300	AA450045	⊓S. 14U452	cargo selection protein (mannose 6 phosp	5.8

PCT/US02/02242

	130029 AA236412	Hs.236510	ESTs; Moderately similar to PFT27 [M.m	5.6
	130033 M90696	Hs.181301	cathepsin S	5.4
	130036 AA195260		ESTs; Moderately similar to !!!! ALU SU	7.4
_	130069 AA055896		collagen; type V; alpha 1	7.6
5	130077 T24055	Hs.91379	ribosomal protein L26	4
	130080 X14850	Hs.147097	H2A histone family; member X	12.1
	130096 AA223874		KIAA0704 protein	5 · 7.8
	130114 AA234717		ESTs	· 7.8
10	130125 M36803 130135 M61764	Hs.1504 Hs.21635	hemopexin tubulin; gamma 1	5.6
10	130170 AA610070		calcium/calmodulin-dependent serine pro	7.5
	130189 D43947	Hs.151761	KIAA0100 gene product	6.4
	130208 AA620556		peroxisomal D3;D2-enoyl-CoA isomerase	6,4
	130211 D50840	Hs.23703	UDP-glucose ceramide glucosyltransferas	4.5
15	130235 X14046	Hs.153053	CD37 antigen	9.1
	130276 S75295	Hs.169149	karyopherin alpha 1 (importin alpha 5)	8.6
	130280 L13738	Hs.153937	activated p21cdc42Hs kinase	5
	130313 AA620323	Hs.154320	ubiquitin-activating enzyme E1C (homolo	6.1
	130314 D86967	Hs.154332	KIAA0212 gene product	10
20	130328 AA135673		KIAA0391 gene product	6.1
	130356 X84373	Hs.155017	nuclear receptor interacting protein 1	10.6
	130367 Z38501	Hs.8768	ESTs; Weakly similar to !!!! ALU SUBFA	8.3
	130378 T47333	Hs.155188	TATA box binding protein (TBP)-associa	7.1 5.6
25	130384 X66364	Hs.166071 Hs.155291	cyclin-dependent kinase 5	4.1
23	130393 D13630 130399 AA449417		, KIAA0005 gene product  Homo saptens mRNA for putative glucosy	4.6
	130407 N29888	Hs.155410	ESTs	7
	130414 M21121	Hs.241392	small inducible cytokine A5 (RANTES)	4.1
	130417 U58522	Hs.155485	huntingtin-interacting protein 2	7.9
30	130421 D21260	Hs.178710	clathrin; heavy polypeptide-like 2	4
	130441 U35835	Hs.155637	protein kinase; DNA-activated; catalytic p	6.8
	130455 X17059	Hs.155956	N-acetyltransferase 1 (arylamine N-acetyl	26.4
	130498 L38951	Hs.180446	karyopherin (importin) beta 1	4.8
	130499 AA41672		Homo sapiens mRNA for KIAA0446 prot	6.1
35	130511 L32137	Hs.1584	cartilage oligomeric matrix protein (pseud	8.3
	130553 AA43003		pituitary tumor-transforming 1	7.5
	130558 H96654	Hs.15984	ESTs; Weakly similar to gene pp21 protei	5.6
	130568 AA23253		ESTs, Highly similar to CGI-13 protein [H	4 13.3
40	130583 W24957	Hs.293907	ESTs; Moderately similar to similar to C.e ESTs	10.1
40	130585 H66211 130604 X03635	Hs.16331 Hs.1657	estrogen receptor 1	39.9
	130614 AA13200		ESTs	5.1
	130619 AA47773		ESTs	5.9
	130622 AA23524		ESTs; Weakly similar to cytochrome P45	4.1
45	130625 F03969	Hs.260720	matrix metalloproteinase 2 (gelatinase A;	8.3
	130627 L23808	Hs.1695	matrix metalloproteinase 12 (macrophage	10.3
	130629 M60346	Hs.1697	ATPase; H+ transporting; lysosomal (vacu	. 7 .
	130635 M87503	Hs.1706	interferon-stimulated transcription factor	5.5
	130639 D59711	Hs.17132	ESTs	7.2
50	130677 H17861	Hs.17767	ESTs	13.5
	130681 D82808	Hs.17820	Rho-associated; coiled-coil containing pro	6
	130693 AA48720		ESTs	6.1
	130703 N63295	Hs.18103	ESTs	. 4.3 4
55	130706 AA48884 130712 AA29206		comichon-like	5.1
55	130712 AA29200 130714 X92896	Hs.18212	adenylate cyclase 7 DNA segment on chromosome X (unique)	8.4
	130715 T98227	Hs.171952	occludin	5.7
	130744 AA20352		POP7 (processing of precursor; S. cerevis	6.2
	130747 AA47129		ESTs	8.2
60	130751 AA43563		Homo sapiens clone 23965 mRNA sequen	8.3
	130796 R39390	Hs.19525	ESTs	. 4.5
	130800 AA22338		ESTs; Weakly similar to katanin p80 subu	7.7
	130855 AA42543		putative DNA/chromatin binding motif	4.3
<i>-</i> -	130859 AA28732		ceroid-lipofuscinosis; neuronal 2; late infa	9.8
65	130866 M58028	Hs.2055	ubiquitin-activating enzyme E1 (A1S9T a	4.3
	130880 D14678	Hs.20830	kinesin-like 2	4.5
	130891 D31891	Hs.20991	SET domain; bifurcated; 1	4

	400000	A A O F C 4 B O	U- 400000	COT-	0.7
		AA056489		ESTs	8.7
		W03592	Hs.21198	translocase of outer mitochondrial membr	20.9
		AA291710		collagen; type IV; alpha 3 (Goodpasture a	9
	130921	AA074596	Hs.194688	bromodomain adjacent to zinc finger dom	5.3
5	130944	M97935	Hs.21486	signal transducer and activator of transcrip	18.8
	130974	X57985	Hs.2178	H2B histone family; member Q	13.4
		R45698	Hs.21893	ESTs; Weakly similar to cAMP inducible	8.5
		N48963	Hs.21992	KIAA0689 protein	7.2
		AA435748	Hs. 169341	ESTs; Weakly similar to phosphatidic acid	5.2
10					
10		X02530	Hs.2248	small inducible cytokine subfamily B (Cy	10.1
		T35341	Hs.22880	ESTs; Highly similar to dipeptidyl peptid	6.3
		H11760	Hs.23606	ESTs .	7.3
	131185	M25753	Hs.23960	cyclin B1	6.2
	131200	AA609427	Hs.293732	ESTs; Moderately similar to !!!! ALU SU	4.3
15	131206	AA044078	Hs.24210	ESTs	5.5
	131210	AA430047	Hs.95549	ESTs	7.1
		AA429472		DKFZP434P106 protein	5.6
		D38076	Hs.24763	RAN binding protein 1	5.5
		AA620599		DKFZP564E1962 protein	6.7
20		AA256042		ESTs	5.8
20				stanniocalcin	8.9
		U25997	Hs.25590		
		AA463450		Nijmegen breakage syndrome 1 (nibrin)	6.5
•		R34531	Hs.92200	KIAA0480 gene product	9.2
0.5		H84658	Hs.279836	ESTs	12.1
25 -		AA608962	Hs.27258	calcyclin binding protein	18.1
	131475	Z39053	Hs.27263	ESTs	7.5
	131501	AA121127	Hs.8207	H3 histone; family 3A	5.5
	131514	X02152	Hs.2795	lactate dehydrogenase A	5.1
		N39152	Hs.301804	ESTs	4.3
30		D60856	Hs.28309	UDP-qlucose dehydrogenase	8.4
•		N33236	Hs.28555	ESTs; Weakly similar to B0511.8 [C.eleg	5.6
		D30946	Hs.28707	signal sequence receptor; gamma (transloc	8.7
		U90551	Hs.28777	H2A histone family; member L	18.8
		AA491465		ESTs :	11.8
35					
رد		AA235385		ESTs; Moderately similar to alternatively	4.7
		M15182	Hs.183868	glucuronidase; beta	5.2
		U52100	Hs.29191	epithelial membrane protein 2	4.4
		D14533	Hs.192803	xeroderma pigmentosum; complementatio	4.6
40		AA136126		mitogen-activated protein kinase-activated	4.3
40		AA136660	Hs.30579	ESTs	9.4
	131684	U26174	Hs.3066	granzyme K (serine protease; granzyme 3	9.7
	131687	L11066	Hs.3069	heat shock 70kD protein 9B (mortalin-2)	6.2
	131689	AA599653	Hs.30696	transcription factor-like 5 (basic helix-loo	8.3
	131693	W60913	Hs.110796	ESTs; Weakly similar to cDNA EST yk45	9
45	131710	AA233225	Hs.30985	MRS1 protein	5.2
		D49738	Hs.31053	cytoskeleton-associated protein 1	6.6
		D31352	Hs.31433	ESTs	11
		H46831	Hs. 107767	ESTs; Moderately similar to CaM-KII inh	4.9
		AA460450		DKFZP586G1722 protein	9.2
50		N32724			4.5
50			Hs.32317	Sox-like transcriptional factor	
		L76517	Hs.3260	presenilin 1 (Alzheimer disease 3)	5.4
		AA437226		interleukin 10 receptor, alpha	4
		AA091932		dynamin-like protein	6.7
	131877	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	5
55	131885	AA044095	Hs.3402	ESTs	11.1
	131891	AA158258	Hs.30376	heterogeneous nuclear protein similar to r	5.6
	131925	AA248470	Hs.183180	ESTs; Weakly similar to RING finger pro	4.5
		AA205460		ESTs	14.3
		D62657	Hs.35086	ubiquitin-specific protease 1	6.2
60		W90146	Hs.35962	ESTs	6.3
		D86960	Hs.3610	KIAA0205 gene product	4.2
		R70167	Hs.154938	ESTs	4.3
		AA410424		Homo sapiens mRNA; cDNA DKFZp586	4.6
			Hs.3622	procollagen-proline: 2-oxoglutarate 4-diox	
65		F09788 AA479515		Human DNA sequence from clone 703H1	6.4
05					12
		D82399	Hs.136644	Homo sapiens clone 23714 mRNA sequen	10
	13201/	W67251	Hs.267659	Homo sapiens vav 3 oncogene (VAV3) m	4.7

	132021 T68246 Hs.306079	chaperonin containing TCP1; subunit 5 (e	5.2
	132065 D82226 Hs.211594	proteasome (prosome; macropain) 26S sub	8.5
	132085 D44466 Hs.3887	proteasome (prosome; macropain) 26S sub	13.5
	132089 AA131971 Hs.39122	ESTs	4.8
5	132109 AA599801 Hs.40098	ESTs	6.2
	132143 AA257056 Hs.7972	KIAA0871 protein	14.6
	132149 T10822 Hs.324743	ESTs	5.3
•	132153 N90141 Hs.41066	ESTs; Moderately similar to ELONGATI	9.2
	132160 AA281770 Hs.295923	seven in absentia (Drosophila) homolog 1	5.5
10	132164 U84573 Hs.41270	procollagen-lysine; 2-oxoglutarate 5-dioxy	8.1
	132180 AA405569 Hs.418	fibroblast activation protein; alpha; sepras	15.4
:	132183 L19183 Hs.199695	hypothetical protein	12.2
	132225 AA128980	ESTs	5.6
	132227 AA412620 Hs.4248	ESTs	6.7
15	132235 F09058 Hs.42656	ESTs	6.2
	132256 AA608856 Hs.431	murine leukemia viral (bmi-1) oncogene h	6
	132298 N41849 Hs.7120	Homo sapiens cytokine receptor related p	5.6
	. 132314 AA285290 Hs.44499	small EDRK-rich factor 2	6.8
	132325 N37065 Hs.44856	ESTs	4.7
20	132384 AA479933 Hs.46967	Human DNA sequence from clone 167A1	4.2
	132387 R70914 Hs.281434	heat shock 70kD protein 1	9.1
	132393 W85888 Hs.47334	ESTs; Moderately similar to !!!! ALU SU	4
	132406 F09979 Hs.4774	ESTs	15
	132407 AA431459 Hs.47783	ESTs	8
25	132413 AA132969 Hs.260116	KIAA1104 protein	4
	132446 AA426218 Hs.48764	ESTs	5.3
•	132465 AA047896 Hs.49169	ESTs	15.4
	132482 AA429478 Hs.238126	ESTs; Highly similar to CGI-49 protein [H	9
	132492 T03749 Hs.4990	KIAA1089 protein	8.5
<b>30</b>	132528 AA283006 Hs.50758	chromosome-associated polypeptide C	4.3 9.8
	132540 AA488987 Hs.5097	synaptogyrin 2	10.1
	132543 AA417152 Hs.5101	protein regulator of cytokinesis 1	5.9
	132580 L37042 Hs.283738	casein kinase 1; alpha 1	4.2
~ ~	132586 AA412452 Hs.52515	DKFZP434N024 protein	4.2
35	132608 AA199588 Hs.5321	ARP3 (actin-related protein 3; yeast) hom	5.2
	132616 AA386264 Hs.283558	isocitrate dehydrogenase 2 (NADP+); mit	10.1
	132617 AA171913 Hs.5338	carbonic anhydrase XII	4.8
	132618 AA253330 Hs.279916	adaptor-related protein complex 1; gamma	5.7
40	132640 U33821 Hs.5437	Tax1 (human T-cell leukemia virus type I	4.4
40	132668 AA453614 Hs.5460	KIAA0776 protein	15.6
	132694 M60830 Hs.5509	ecotropic viral integration site 2B	7
	132700 N47109 Hs.5521	ESTs	5.6
	132724 AA417962 Hs.55498	geranylgeranyl diphosphate synthase 1 ESTs; Moderately similar to neuronal thre	4.9
15	132738 W42674 Hs.264636		7.9
45	132742 AA490862 Hs.292812	glutamyl-prolyl-tRNA synthetase	4.1
	132744 X54326 Hs.55921	ESTs	8
	132795 H99152 Hs.57079	mutL (E. coli) homolog 1 (colon cancer, n	8
	132807 AA331777 Hs.57301 132811 U25435 Hs.57419	transcriptional repressor	4
50.		tousled-like kinase 2	6.5
<b>30</b> .		Homo sapiens clone 23675 mRNA sequen	5.6
	102010 1120011	ESTs	12.4
		eukaryotic translation initiation factor 3; s	7
		glypican 4	6.2
55	132856 W79865 Hs.58367 132869 N26855 Hs.203961	ESTs	6.5
55	132874 AA425776 Hs.58609	ESTs	5.6
	132880 AA444369 Hs.177537	ESTs	7.2
		ESTs	7.5
	132894 D82422 Hs.5944 132900 N56451 Hs.5978	LIM domain only 7	4.4
60	132903 AA235404 Hs.5985	Homo sapiens clone 25186 mRNA sequen	9.1
00	132904 X83618 Hs.59889	3-hydroxy-3-methylglutaryi-Coenzyme A	10.7
	132906 AA142857 Hs.234896	ESTs; Highly similar to geminin [H.sapie	10.2
•	132914 AA496037 Hs.60293	ESTs	4.7
	132918 AA252605 Hs.6051	KIAA0616 protein	7.1
65	132936 AB002305 Hs.6111	KIAA0307 gene product	8.3
0,5	132951 U04209 Hs.61418	microfibrillar-associated protein 1	4.3
	132957 AA234791 Hs.61469	Human gene from PAC 753P9; chromoso	13.2
	.32331 /0 237131 110131100		

	132959	AA028103	Hs 61472	ESTs; Weakly similar to unknown [S.cere	•	18.9
		N77151	Hs.61638	myosin X		5.8
		H80409	Hs.62112	zinc finger protein 207		4.3
		AA458761	Hs.18387	transcription factor AP-2 alpha (activating		4.2
5		AA505133		solute carrier family 2 (facilitated glucose		26.4
		Y00062	Hs.170121	protein tyrosine phosphatase; receptor typ		4.4
	133002	AF006082		ARP2 (actin-related protein 2; yeast) hom		4.7
		C21400	Hs.278605	KIAA0970 protein		6.6
	133015	AA047036	Hs.246315	ESTs		7.9
10		W81298	Hs.6289	growth factor receptor-bound protein 2		5.2
	133039	X62055	Hs.63489	protein tyrosine phosphatase; non-recepto		4
-	133050	S67325	Hs.63788	propionyl Coenzyme A carboxylase; beta		5.2
	133056	AA071387		jumping translocation breakpoint		5
	133062	R33663	Hs.64056	ESTs		5.4
15	133083	N70633	Hs.6456	chaperonin containing TCP1; subunit 2 (b		6
	133091	AA122147		KIAA0483 protein		5
			Hs.285996	ESTs		5.6
	133124	AA156049	Hs.267923	ESTs		4.1
	133126	D16469	Hs.6551	ATPase; H+ transporting; lysosomal (vacu		6.2
20	133196	R37367	Hs.6727	Ras-GTPase activating protein SH3 doma		5.1
	133214	Y10659	Hs.285115	interleukin 13 receptor, alpha 1		6.2
	133225	241415	Hs.6823	ESTs; Weakly similar to intrinsic factor-B		8.3
	133228	N90029	Hs.6831	Homo sapiens clone 1400 unknown prote		4.7
	133239	AA059405	Hs.179882	Homo sapiens clone 24655 mRNA sequen		5.5
25	133240	D31161	Hs.242894	ESTs		9
	133257	AF006086	Hs.6895	actin related protein 2/3 comptex; subunit		7.7
	133264	W72187	Hs.69192	ESTs; Weakly similar to cDNA EST yk37		6.7
	133274	AA488886	Hs.6949	ESTs		4.2
	133281	AA421079	Hs.69594	ESTs; Weakly similar to Sox-like transcri		4.9
30	133283	AA410507	Hs.6968	ESTs		4.3
	133287	L15702	Hs.69771	B-factor; properdin		9.3
	133294	R79723	Hs.69997	zinc finger protein 238		30.4
	133297	AA600057	Hs.70266	KIAA0905 protein		10.4
	133318	AA256168	Hs.152316	ESTs		8.5
35	133362	H06195	Hs.7194	ESTs; Highly similar to CGI-59 protein [H		14
		AA156897		DKFZP564I1922 protein		5
		X57579	Hs.727	inhibin; beta A (activin A; activin AB alp		13.9
		AA491296		ESTs		4.3
40		N79516	Hs.73287	ESTs; Weakly similar to eyelid [D.melano		4.5
40		AA255438		Homo sapiens mRNA; cDNA DKFZp566		8
		T23983	Hs.323966	ESTs		5
		AA094989		voltage-dependent anion channel 3		8.7
		X03068	Hs.73931	major histocompatibility complex; class II		5
15		X78710	Hs.211581	metal-regulatory transcription factor 1		5.3
45		AA316868		ESTs; Weakly similar to 140G11.h [D.me		6.8
		X52947	Hs.74471	gap junction protein; alpha 1; 43kD (conn		5.7
		D63480	Hs.278634	KIAA0146 protein		4.8
		AA313977		transcription elongation factor B (SIII); po		9.5
50		W94333	Hs.279915	translocase of inner mitochondrial membr	•	5
50		F03717	Hs.75063	human immunodeficiency virus type I enh		7.4
•	400000	L37368	Hs.75104	RNA-binding protein S1; serine-rich dom		5
		D13315	Hs.75207	glyoxalase i		4.2
		AA148318		KIAA0069 protein		4.5
55		U09587	Hs.75280	glycyl-tRNA synthetase		10
23		D21262	Hs.75337	nucleolar phosphoprotein p130		4.5
		U24166	Hs.234279	microtubule-associated protein; RP/EB fa		15.2
		D83004	Hs.75355 Hs.75367	ubiquitin-conjugating enzyme E2N (homo		9.1
	133044	D89077 AA479139		Src-like-adapter		6.4
60		AA479139 AA287383		acid phosphatase 1; soluble ESTs		4.8
<b>.</b>		AA458946		ESTS .		4.2
		K01396	Hs.297681	protease inhibitor 1 (anti-elastase); alpha-		4.3
		N21648	Hs.75659	MpV17 transgene: murine homolog; glom		8.3 4.6
•		Y00282	Hs.75722	ribophorin II		. 7.5
65		L27841	Hs.75737	pericentriolar material 1	·	9.4
05		U49278	Hs.75875	ubiquitin-conjugating enzyme E2 variant		4.5
		D21255	Hs.75929	cadherin 11 (OB-cadherin; osteoblast)		6.4
	100700	JE 1200	1 10.1 0323	Concini i i (OD-Cameini, Osicoomst)		0.4

	133772 W73693	Hs.76038	isopentenyl-diphosphate delta isomerase	7.9
	133774 Z23090	Hs.76067	heat shock 27kD protein 1	4.1
	133776 J03473	Hs.177766	ADP-ribosyltransferase (NAD+; poly (AD	13
_	133784 AA214305		ESTs	5.2
5	133814 M33882	Hs.76391	myxovirus (influenza) resistance 1; homol	11.7
	133829 AA453783		Homo sapiens mRNA; cDNA DKFZp564	9.4
	133834 AA147510		serine protease; umbilical endothelium	4.8
	133839 M59815	Hs.170250	complement component 4A	• 6.7
10	133842 U73477	Hs.285013	putative human HLA class II associated p	7.1
10	133845 T68510	Hs.76704	ESTs	6.3
	133859 U86782	Hs.178761	26S proteasome-associated pad1 homolog	13.7
	133867 D43948	Hs.76989	KIAA0097 gene product	4.1
	133868 U58090 -	Hs.183874	cullin 4A	4
1.5	133871 AA454597		ESTs	4.7
15	133893 X01060	Hs.77356	transferrin receptor (p90; CD71)	8.3
	133914 N32811	Hs.77542	ESTs	5
	133918 W72783	Hs.58382	ESTs; Weakly similar to C13F10.5 [C.ele	4.5
	133944 AA045870		Homo sapiens mRNA; cDNA DKFZp564	6.3
••	133946 AA156565		4-nitrophenylphosphatase domain and non	6.4
20	133963 L34587	Hs.184693	transcription elongation factor B (SIII); po	6.3
	133980 D00760	Hs.250811	proteasome (prosome; macropain) subunit	11.9
	133990 C02374	Hs.7822	Homo sapiens mRNA; cDNA DKFZp564	8.2
	133999 M28213	Hs.78305	RAB2; member RAS oncogene family	5.2
0.5	134030 J03077	Hs.78575	prosaposin (variant Gaucher disease and v	4.6
25 -	134032 Z81326	Hs.78589	protease inhibitor 12 (neuroserpin)	6.5
	134045 S82470	Hs.78768	BB1	11.9
	134046 D28473	Hs.172801	isoleucine-tRNA synthetase	5.2
	134064 D87685	Hs.78893	KIAA0244 protein	7.3
20	134070 H98621	Hs.78946	cullin 3	4.7 7
30	134087 U51166	Hs.173824	thymine-DNA glycosylase	, 4.5
	134090 M22382	Hs.79037	heat shock 60kD protein 1 (chaperonin)	
	134098 X06323	Hs.79086	ribosomal protein; mitochondrial; L3	9.4 4.4
	134110 U41060	Hs.79136	LIV-1 protein; estrogen regulated	6.6
25	134132 U32519	Hs.220689	Ras-GTPase-activating protein SH3-doma	8.6 ·
35	134168 AA398908		Human Chromosome 16 BAC clone CIT9	9.3
	134170 M63138	Hs.79572	cathepsin D (lysosomal aspartyl protease)	6.3
	134208 U88871	Hs.79993	peroxisomal biogenesis factor 7	4.3
	134258 L28010	Hs.808	heterogeneous nuclear ribonucleoprotein F	6.9
40	134288 AA430008		ESTs Homo sapiens clone 24856 mRNA sequen	7.4
40	134310 AA313414			6.1
	134326 U16306	Hs.81800	chondroitin sulfate proteoglycan 2 (versic	8.6
	134329 D38551	Hs.81848	RAD21 (S. pombe) homolog ESTs; Weakly similar to CGI-128 protein	6.1
	134331 AA452020			4.4
45	134351 R82074	Hs.82109	syndecan 1 Human clone 191B7 placenta expressed m	6.6
43	134357 L43575	Hs.82171 Hs.82212		5.3
	134363 M37033		CD53 antigen phosphoribosylglycinamide formyltransfe	4.8
	134367 X54199	Hs.82285	ESTs	15.2
	134374 D62633	Hs.8236	ESTs; Highly similar to CGI-118 protein	7.2
50	134375 AA412720 134376 X02874	Hs.82389 Hs.82396	2';5'-oligoadenylate synthetase 1	6.4
50	134376 A02674 134381 U56637	Hs.184270	capping protein (actin filament) muscle Z-	4
	134388 ·M15841	Hs.82575	small nuclear ribonucleoprotein polypepti	5.7
	134395 L09717	Hs.8262	lysosomal-associated membrane protein 2	6.9
	134399 H99801	Hs.82689	tumor rejection antigen (gp96) 1	4.5
55	134401 AA24374		kinectin 1 (kinesin receptor)	11.2
55	134405 J04177	Hs.82772	collagen; type XI; alpha 1	15.3
	134415 AA32927		protein tyrosine phosphatase type IVA; m	4.1
	134417 D87969	Hs.82921	solute carrier family 35 (CMP-sialic acid t	4.2
	134417 L08044	Hs.82961	trefoil factor 3 (intestinal)	5.9
60	134421 AA12238		collagen; type V; alpha 2	5.8
00		Hs.83006	ESTs; Highly similar to CGI-139 protein	4.4
	134423 W96151 134438 AA44998		ESTs; Highly similar to col-139 protein ESTs; Highly similar to proteine kinase JN	7.7
		4 rts.240037 Hs.83419	KIAA0252 protein	4.6
	134446 T25732 134453 X70683	Hs.83484	SRY (sex determining region Y)-box 4	5.1
65	134453 X70683 134470 X54942	Hs.83758	CDC28 protein kinase 2	20.3
05	134487 R38185		Homo sapiens unknown mRNA	5
		Hs.84087	KIAA0143 protein	16,1
	134495 D63477	113.04007	120 VIO PIOWIII	10.1

		M63180 ·	Hs.84131	threonyl-tRNA synthetase	6.1
	134506	U45328	Hs.84285	ubiquitin-conjugating enzyme E21 (homol	4.6
	134529	H24460	Hs.848	FK506-binding protein 4 (59kD)	6.2
	134570	U66615	Hs.172280	SWI/SNF related; matrix associated; actin	4.8
5	134582	AA234966	Hs.86041	CGG triplet repeat binding protein 1	4.7
	134600	R68884	Hs.86347	ESTs; Weakly similar to predicted using G	5.8
		X74496	Hs.86978	prolyl endopeptidase	4.5
		W23625	Hs.8739	ESTs; Weakly similar to ORF YGR200c [	13.7
			Hs.123090	ESTs	5.8
10		AA250745		protein kinase; cAMP-dependent; catalyti	
10				adochrome h 245; hete neknestide (ehre	8.9
		X04011	Hs.88974	cytochrome b-245; beta polypeptide (chro	6.8
		U89922	Hs.890	lymphotoxin beta (TNF superfamily; mem	35.7
		W47183	Hs.284226	ESTs; Weakly similar to neural F box pro	8.1
1.5		J05582	Hs.89603	mucin 1; transmembrane	6.2
15		Z49099	Hs.89718	spermine synthase	4.2
	134810	M27394	Hs.89751	membrane-spanning 4-domains; subfamily	. 7
	134840	U51477 ·	Hs.89981	diacylglycerol kinase; zeta (104kD)	4.1
	134843	H60595	Hs.90061	progesterone binding protein	4.7
	134853	D82348	Hs.90280	5-aminoimidazole-4-carboxamide ribonuc	10.2
20		U84011	Hs.904	amylo-1;6-glucosidase; 4-alpha-glucanotr	12.1
		Z39762	Hs.90419	KIAA0882 protein	6
		N27670	Hs.9071	progesterone membrane binding protein	5
		N46086	Hs.92308	ESTs	4.1
•		AA236324			
25		H05625		Homo sapiens mRNA; chromosome 1 spe	16.8
23			Hs.5831	ESTs	4
		AA282343		purine-rich element binding protein B	4.4
		D59675	Hs.92927	ESTs	7
		U54999	Hs.278338	LGN protein	4.8
20		AA224180		ESTs; Moderately similar to 17-beta-hydr	13.6
30	135032	AA243497	Hs.173685	Human DNA sequence from clone 30M3	4
	135037	U77948	Hs.278589	general transcription factor II; i	8
	135059	AA598449	Hs.93832	Homo sapiens clone 24483 unknown mRN	5.4
	135071	L08069	Hs.94	heat shock protein; DNAJ-like 2	9.3
		AA495950	Hs.94262	ESTs	6.7
35		W52493	Hs.94694	Homo sapiens clone 24837 mRNA sequen	10.2
		AA044842		Homo sapiens mRNA; cDNA DKFZp586	6.6
		AA126433		sorting nexin 4	7.4
		D31157	Hs.324277		
		AA454930		ESTs; Weakly similar to growth factor-res ESTs	6.2
40					19.5
40		AA215333		putative G protein-coupled receptor	8.8
		H20989	Hs.198281	pyruvate kinase; muscle	12.4
		D83174	Hs.9930	collagen-binding protein 2 (colligen 2)	5.5
		AA480109		TYRO protein tyrosine kinase binding pro	5.4
4.5		U05237	Hs.99872	fetal Alzheimer antigen	7.8
45	135400	M23263	Hs.99915	androgen receptor (dihydrotestosterone re	9.1
	135411	L10333	Hs.99947	reticulon 1	5.3
	300019	M97935		AFFX control: STAT1	8.3
	300021	M97935		AFFX control: STAT1	7
		M97935		AFFX control: STAT1	14
50		AI199738	Hs.208275	ESTs; Weakly similar to !!!! ALU CLASS	9.1
		AI694585	Hs.270464	ESTs; Weakly similar to !!!! ALU CLASS	7.4
		AW079607			
•		AW015860		ESTs; Weakly similar to ZnT-3 [H.sapien	30.1
				ESTS	11.9
55		AA699328		ESTs	5.5
55		Al492179	Hs.166244	ESTs; Weakly similar to cDNA EST yk40	11
		AW293224		ESTs	11
		T79326	Hs.298262	ESTs; Weakly similar to dJ88J8.1 [H.sapi	8.8
		N85789	Hs.150186	ESTs; Weakly similar to PTERIN-4-ALP	6
	301576	AI682905	Hs.270431	ESTs; Weakly similar to !!!! ALU SUBFA	4.7
60		AA373124		ESTs; Weakly similar to C17G10.1 [C.ele	8
	301704	AA526313	Hs.293691	ESTs	4.2
	301782	N99399	Hs.143046	EST cluster (not in UniGene) with exon h	18
		AA312082		GDNF family receptor alpha 1	20.7
		NM_004694		EST cluster (not in UniGene) with exon h	11.6
65		AF013956		chromobox homolog 4 (Drosophila Pc da	9.2
	302032	NM_00199	2Hs 128087	EST cluster (not in UniGene) with exon h	4.3
		H05698	Hs.222399	ESTe: Woodh, similar to protein harming	
	302007	103030	N3.222333	ESTs; Weakly similar to protein-tyrosine	7.8

		•	
	302145 NM_003613Hs.151407	EST cluster (not in UniGene) with exon h	15.1
	302236 Al128606 Hs.6557	zinc finger protein 161	25.8
	302276 NM_004448Hs.323910	EST cluster (not in UniGene) with exon h	21.6
_	302290 AL117607 Hs.175563	Homo sapiens mRNA; cDNA DKFZp564	41.4
5	302326 NM_004271Hs.184018	EST cluster (not in UniGene) with exon h	8.9
	302342 AB023141 Hs.190386	KIAA0924 protein	5.4
	302372 AL117406 Hs.200102	Homo sapiens mRNA; cDNA DKFZp434	8.9
	302422 AB021227 Hs.3743	matrix metalloproteinase 24 (membrane-in	5.2
10	302431 AF129530 Hs.226434	EST cluster (not in UniGene) with exon h	·5.3
10	302501 AF022726 Hs.251446	EST cluster (not in UniGene) with exon h	9.9
	302505 AL049650 Hs.247874	multiple UniGene matches	4.3
	302533 L36149 Hs.248116	chemokine (C motif) XC receptor 1	4.9
	302638 AA463798 Hs.102696	ESTs; Weakly similar to C11D2.4 [C.eleg	5.3
15	302656 AW293005 Hs.70704 302792 AA343696 Hs.46821	ESTs: Wester similar to putative (H capia	8.4 4.5
IJ		ESTs; Weakly similar to putative [H.sapie EST cluster (not in UniGene) with exon h	6.8
	302820 X04588 Hs.85844 302838 U66049 Hs.82171	EST cluster (not in UniGene) with exon h	8.4
	302892 N58545 Hs.42346	histone deacetylase 3	22.8
	302977 AW263124 Hs.315111	EST cluster (not in UniGene) with exon h	6.8
20	302989 N46406 Hs.84700	EST cluster (not in UniGene) with exon h	8.9
	303007 AA478876 Hs.317714	pallid (mouse) homolog; pallidin	10.1
-	303052 AF140242 Hs.279926	EST cluster (not in UniGene) with exon h	24.4
	303131 AW081061 Hs.103180	actin-like 6	6.3
	303132 Al929819 Hs.4055	ESTs	17.7
25	303153 U09759 Hs.246857	mitogen-activated protein kinase 9	11.4
	303387 AA908797 Hs.180799	ESTS	15.8
	303499 Al815990 Hs.293515	ESTs	7.2
	303502 AA488528	EST cluster (not in UniGene) with exon h	5.3
•	303576 T07216 Hs.301226	EST cluster (not in UniGene) with exon h	16.2
30	303620 AA397546 Hs.119151	ESTs	8.9
	303634 Al953377 Hs.28444	ESTs; Weakly similar to predicted using G	12
	303642 AW299459 Hs.111977	EST cluster (not in UniGene) with exon h	4.2
	303654 AA436942 Hs.288529	ESTs	8.4
35	303733 AW502498 Hs.15220	ESTs; Weakly similar to zinc finger prote	5.2 28.4
55	303780 Al424014 Hs.18995 303792 C75094 Hs.199839	ESTs; Moderately similar to KIAA0456 p ESTs; Highly similar to NG22 [H.sapiens	4.4
	303842 Al337304 Hs.126268	ESTs; Weakly similar to similar to PDZ d	8.1
	303951 AW475081 Hs.172928	collagen; type I; alpha 1	7.5
	304465 AA421948	EST singleton (not in UniGene) with exon	6.5
40	304507 AA456426	EST	5.4
. •	304591 AA505702	EST singleton (not in UniGene) with exon	9.8
	304601 AA507875	EST singleton (not in UniGene) with exon	7.5
	304659 AA533185	EST singleton (not in UniGene) with exon	7
	305040 AA630582 Hs.169476	glyceraldehyde-3-phosphate dehydrogena	12.4
45	305134 AA653159 Hs.179661	EST singleton (not in UniGene) with exon	8.7
•	305415 AA725116 Hs.78465	EST singleton (not in UniGene) with exon	5.3
	305453 AA738110	EST singleton (not in UniGene) with exon	4.1
	305898 AA872838	keratin 8	7.7
50	305913 AA876109	EST singleton (not in UniGene) with exon	6.3
20	305950 AA884479 306004 AA889992 Hs.2186	EST singleton (not in UniGene) with exon	5.6 13.2
		EST singleton (not in UniGene) with exon EST singleton (not in UniGene) with exon	4.4
	306009 AA894560 Hs.283370 306060 AA906161 Hs.76277	EST singleton (not in UniGene) with exon	4.4
	306398 AA970548 Hs.297681	EST singleton (not in UniGene) with exon	7.6
55	306505 AA987722 Hs.172928	EST singleton (not in UniGene) with exon	19.7
	306576 AA995761 Hs.276092	EST singleton (not in UniGene) with exon	5.5
	307117 Al184111 Hs.76067	heat shock 27kD protein 1	7.7
	307138 Al185516 Hs.172928	collagen; type I; alpha 1	8,3
	307187 Al190870 Hs.276417	EST singleton (not in UniGene) with exon	4.1
60	307542 Al280859 Hs.62954	EST singleton (not in UniGene) with exon	6
	307554 Al281603 Hs.172928	EST singleton (not in UniGene) with exon	10.8
	307806 Al351739 Hs.276726	EST singleton (not in UniGene) with exon	4.7
	308079 Al472733 Hs.270208	ESTs	4.2
65	308307 Al581398 Hs.172928	collagen; type I; alpha 1	5.4
65	308511 Al687580 Hs.169476	EST singleton (not in UniGene) with exon	10.1
	308615 AI738593 Hs.101774	EST singleton (not in UniGene) with exon	15.1
	308677 AI761173	EST singleton (not in UniGene) with exon	4.6

				·	
	308852	A1829848	Hs.182937	peptidylprolyl isomerase A (cyclophilin A	5.9
. •		A1872290	Hs.300697	immunoglobulin gamma 3 (Gm marker)	4.5
		AI873242	110.00001	EST singleton (not in UniGene) with exon	7.6
_		AI880172		EST singleton (not in UniGene) with exon	6.6
5	309177	AI951118		EST singleton (not in UniGene) with exon	24.3
•	309186	A1952723	Hs.90207	EST singleton (not in UniGene) with exon	6.1
		AI955915		major histocompatibility complex; class I;	5.6
			•		6.2
		A1969897		EST singleton (not in UniGene) with exon	
	309279	A1990102		EST singleton (not in UniGene) with exon	7.9
10	309583	AW170035		EST	64.5
	309624	AW191929	Hs 252989	EST	- 5.3
		AW192764			6.9
				collagen; type I; alpha 1	
	309641	AW194230	Hs.253100	EST	11.4
	309698	AW238461	Hs.73742	ribosomal protein; large; P0	4.3
15	309700	AW241170	Hs.179661	Homo sapiens clone 24703 beta-tubulin m	11.9
		AI335004		ESTs	4.2
		AW450967		ESTs	5.7
	310373	AW080778	Hs.145582	ESTs	4.8
	310438	AW022192	Hs.200197	ESTs	39.1
20		Al281848		ESTs	4.9
20		AW205632		ESTs	7
				·	
	310877	T47784	Hs.188955	ESTs	4.1
	311067	AI587332	Hs.209115	ESTs	11.2
	311166	AI821294	Hs.118599	ESTs	24.1
25		T57896	Hs.191095	EST cluster (not in UniGene)	5.7
23					
			Hs.206132	ESTs	15.7
	311587	Al828254	Hs.271019	ESTs	6.4
	311774	AA700870	Hs.14304	ESTs	6.2
		AI056769	Hs.133512	ESTs	5
30	-				5.9
50		T60843	, Hs.189679	ESTs	
		AA216387		EST cluster (not in UniGene)	5.5
	311972	N51511	Hs.188449	ESTs	5.2
	312014	A1435650	Hs.128778	ESTs	4.3
		AA588275		ESTs	14.7
25					
35		T89855	Hs.195648	EST cluster (not in UniGene)	9.8
	312153	AA759250	Hs.153028	cytochrome b-561	27.1
	312168	T92251	Hs.198882	ESTs	4.2
			Hs.191168	ESTs	6.1
		AI796815		ESTs; Weakly similar to ubiquitous TPR	5.5
40			Hs.199993		
40		AW451893	Hs.151124	ESTs	18.4
	312312	A1080505	Hs.134529	ESTs	11.9
	312369	AA582039	Hs 173884	Homo sapiens mRNA; chromosome 1 spe	4
		R46180	Hs.153485	ESTs	13.6
4.5		AW139117		ESTs	. 4.1
45	312470	AW451347	Hs.175862	ESTs	4.6
	312483	Al417526	Hs.7753	ESTs	15.3
	312521	AA033609	Hs.319093	ESTs	12.5
		Al498371	Hs.183526	ESTs	14.6
50		AW439195		ESTs	5.3
50	312754	R99834	Hs.250383	ESTs	8.4
	312772	H63791		EST cluster (not in UniGene)	4.3
· .	312821	AA699325	Hs 269880	ESTs	8.3
		AW292286		ESTs	7.1
			Hs.194054	ESTs	5.9
55	312854	AA828713	Hs.321058	EST cluster (not in UniGene)	4.1
		AA088446		ESTs	7.3
					6.1
		AI422367		ESTs	
		AA732534		ESTs	4.2
	313126	AA720887	Hs.283313	EST cluster (not in UniGene)	18.1
60			Hs.288010	ESTs	17
		Al738851		ESTs	12.9
			Hs.182099	ESTs	7.1
		AW068358		ESTs	13.7
			Hs.105445	ESTs	27.9
65			Hs.144758	ESTs	9.8
				ESTs	8.2
			Hs.137323		
	313455	AW081702	! Hs.98571	ESTs	6.9

	242500 44004440 Up 204677	ECT alvator (not in UniCono)	5.3
	313590 AA804410 Hs.291677	EST cluster (not in UniGene)	7.6
	313663 Al953261 Hs.169813	ESTs ESTs; Weakly similar to choline kinase is	12.5
	313667 U69201 Hs.13684 313749 AW450376 Hs.119004	ESTs Committee to Choline kindse is	5.5
5	313832 AW271022 Hs.133294	ESTs	4.3
9	313881 AA535580 Hs.16331	ESTs	7.7
•	313915 Al969390 Hs.163443	ESTs	27.1
	313955 Al858884 Hs.270647	ESTs	5.7
	313974 Al310151 Hs.173524	ESTs	4.3
10	314097 AA648744 Hs.269493	ESTs	14.5
10	314129 AA228366 Hs.115122	ESTs	9.5
	314359 AA205569 Hs.194193	ESTs	5.4
	314384 AA535840 Hs.162203	ESTs; Weakly similar to alternatively spli	5.3
	314394 Al380563 Hs.130816	ESTs	13.2
15	314462 AA347951 Hs.326413	ESTs	6.2
	314465 AA602917 Hs.156974	ESTs	18.1
	314470 Al934422 Hs.30661	ESTs !	4.2
	314488 AA358265 Hs.182890	ESTs	6.1
	314506 AA833655 Hs.206868.	ESTs	27.8
20	314510 Al204418 Hs.190080	ESTs	9.5
	314558 Al873274 Hs.190721	ESTs	22.5
	314661 AA436432 Hs.324239	EST cluster (not in UniGene)	13.3
	314691 AW207206 Hs.136319	ESTs	21.4
0.5	314754 AW026761 Hs.134374	ESTs	4.4
25	314775 Al149880 Hs.188809	ESTs	4.4
	314943 Al476797 Hs.184572	cell division cycle 2; G1 to S and G2 to M	18.4
	314961 AW008061 Hs.231994	ESTs	10.2
	314963 Al689617 Hs.200934	ESTs	5.3 20.7
20	315006 Al538613 Hs.298241	ESTs	20. <i>1</i> 5
30	315010 AA531082 Hs.240049	ESTs	6.1
	315019 AA532807 Hs.105822	ESTs ESTs	12
	315033 Al493046 Hs.146133 315036 AA534953 Hs.163297	ESTS	8.3
	315036 AA334933 FIS.103297 315037 AW205863 Hs.133988	ESTs; Weakly similar to gene MAC25 pr	6.1
35	315051 AW292425 Hs.163484	EST	12.7
55	315054 Al968598 Hs.78768	ESTs	7.6
	315073 AW452948 Hs.257631	ESTs	13.9
	315080 AA744550 Hs.136345	ESTs	4.4
	315083 Al221325 Hs.205442	ESTs	5.1
40	315088 AA557351 Hs.152448	ESTs; Moderately similar to MULTIFUN	4.7
	315175 Al025842 Hs.152530	ESTs	11.9
	315196 AA972756 Hs.44898	ESTs	28.8
	315296 AA876905 Hs.125286	ESTs	16.1
	315303 AW194364 Hs.128022	ESTs; Weakly similar to FIG-1 PROTEIN	25.7
45	315352 AA604799 Hs.136528	ESTs; Moderately similar to !!!! ALU SU	12.3
	315364 AA643602 Hs.155485	ESTs; Highly similar to serine protease [H	4.6
	315368 AW291563 Hs.104696	ESTs	4.8
	315390 Al801565 Hs.200113	ESTs; Weakly similar to alternatively spli	4.4
50	315408 AW273261 Hs.216292	ESTs	5
50	315458 AA872000 Hs.116104	ESTs	7.6
	315472 AA828850 Hs.165469	ESTs ESTs	4.9 · 5.2
	315478 AA665612 Hs.120874 315498 AA628539 Hs.116252	ESTs; Moderately similar to !!!! ALU SU	4,8
,	315527 Al791138 Hs.116768	ESTs	4.4
55	315530 Al200852 Hs.127780	ESTs .	22.4
55	315562 AA737415 Hs.152826	ESTs	5.9
	315634 AA837085 Hs.220585	ESTs	8.8
	315647 AA648983 Hs.212911	ESTs	15
	315652 Al521489 Hs.3053	ESTs	6.3
60	315676 AW002565 Hs.124660	ESTs	9.2
	315680 AA814309 Hs.123583	ESTs	8.1
	315735 Al831760 Hs.155111	ESTs	13.4
	315741 AA812168 Hs.122559	ESTs	5.4
	315769 AA744875 Hs.189413	ESTs	4.4
65	315978 AA830893 Hs.119769	ESTs	10.4
	315984 AI015862 Hs.131793	ESTs.	5
	316042 AW297979 Hs.170698	ESTs	14.7

	•		
	316136 AA830808 Hs.124366	ESTs	4
	316177 Al908272 Hs.293102	EST cluster (not in UniGene)	32.6
	316313 AA741300 Hs.202599	ESTs	4.8
	316405 AA757900 Hs.270823	ESTs	4.8
5	316480 Al749921 Hs.205377	ESTs .	12.9
	316564 Al743571 Hs.168799	ESTs; Weakly similar to !!!! ALU SUBFA	8.1
	316714 AA809792 Hs.123307	ESTs	5
	316715 Al440266 Hs.170673	ESTs	4.2
	316828 AA828116 Hs.173076	ESTs	5.2
10	316869 Al954880 Hs.134604	ESTs	13.3
-	316905 AW138241 Hs.210846	ESTs	6.2
	316943 AW014875 Hs.137007	ESTs	5.3
	316949 AA856749 Hs.124620	ESTs	7.2
	317008 AW051597 Hs.143707	ESTs	4.1
15	317028 AA962623 Hs.189144	ESTs; Weakly similar to RENAL SODIU	4.2
-	317067 Al805392 Hs.325335	ESTs	4.5
	317069 AI732892 Hs.190489	ESTs	6.4
	317210 AA490718	EST cluster (not in UniGene)	4.4
	317298 Al922374 Hs.158549	ESTs	5.9
20	317658 AW139077 Hs.202217	ESTs	4.6
	317674 AW294909 Hs.132208	ESTs	5.2
	317685 AI798630 Hs.149997	ESTs	4.3
	317836 AA983913 Hs.128929	ESTs	12.4
	317881 Al827248 Hs.224398	ESTs	12.1
25	317902 Al828602 Hs.211265	ESTs	8.8
	317916 Al565071 Hs.159983	ESTs	12.6
	318042 AW294522 Hs.149991	ESTs	5.6
	318053 Al074465 Hs.133469	ESTs	4
	318064 AW296888 Hs.170939	ESTs	5.2
30	318070 Al024594 Hs.248942	ESTs	4.7
	318073 AW167087 Hs.131562	ESTs	15.7
	318146 Al040125 Hs.150521	ESTs	5.9
	318186 AW016773 Hs.3709	ESTs	5.3
2.5	318481 Al291584 Hs.145921	ESTs; Weakly similar to HYPOTHETICA	7.6
35	318566 Al335361 Hs.226376	ESTs	5.8
	318617 AW247252 Hs.75514	nucleoside phosphorylase	. 11.1
	318662 Al285898 Hs.294014	ESTs	16.3
	318691 AW192139 Hs.181307	H3 histone; family 3A	4
40	318740 NM_002543Hs.77729	EST cluster (not in UniGene)	21.3
40	318744 AI793124 Hs.144479	ESTs	35
•	318948 AA317274 Hs.13996	ESTs	11.7
	319163 F15257 Hs.27	glycine dehydrogenase (decarboxylating;	7 8.9
	319478 R06841 Hs.270307	EST cluster (not in UniGene)	8.2
45	319545 R83716 Hs.14355	ESTs EST cluster (not in UniGene)	25.4
73	319668 NM_002731Hs.87773 319763 AA460775 Hs.6295	ESTs	7
	319913 AA179304 Hs.271586	ESTs; Moderately similar to IIII ALU SU	8.7
	319936 W22152 Hs.282929	EST cluster (not in UniGene)	5.6
	319951 AA307665 Hs.14559	ESTs	4.9
50	319962 H06350 Hs.135056	ESTs	9.2
	319977 AA632632	EST cluster (not in UniGene)	4.6
	320074 AA321166 Hs.278233	EST cluster (not in UniGene)	16.7
	320092 AF022799 Hs.113292	calpain 9 (nCL-4)	5.4
	320107 AA836461 Hs.291712	EST cluster (not in UniGene)	5.3
55	320133 D63271	EST cluster (not in UniGene)	5.5
	320167 AA984373 Hs.90790	EST cluster (not in UniGene)	15
	320187 T99949 Hs.303428	EST cluster (not in UniGene)	6.7
	320211 AL039402 Hs.125783	DEME-6 protein	24.3
	320401 U90449 Hs.152717	nucleoside diphosphate kinase type 6 (inh	10
60 ·	320458 Al884396 Hs.24131	ESTs	5.4
	320488 R31386 Hs.191791	EST cluster (not in UniGene)	4.9
	320521 N31464 Hs.24743	ESTs	9.5
	320661 AA864846 Hs.115175	EST cluster (not in UniGene)	6.6
<i>C</i> 5	320691 R61576 Hs.313951	hypothetical protein	5.9
65	320699 R63161 Hs.118249	EST cluster (not in UniGene)	4
	320727 U96044 Hs.181125	EST cluster (not in UniGene)	45.3
	320993 AL050145 Hs.225986	Homo sapiens mRNA; cDNA DKFZp586	7.2

			•		_
	321012	AA737314	Hs.194324	EST cluster (not in UniGene)	6.1
		AW393497		EST duster (not in UniGene)	5
		AF134149		EST cluster (not in UniGene)	11.4
٠,		AI769410	Hs.221461	ESTs	7.7
- 5		AA295304	Hs.297939	ESTs; Weakly similar to neogenin [H.sap	5.5
		AA078493		EST cluster (not in UniGene)	16.9
	321387		Hs.141278	ESTs; Weakly similar to !!!! ALU SUBFA	4.2
		AW366305		EST duster (not in UniGene)	6.3
10		AW392474		ESTs; Moderately similar to !!!! ALU SU	9
10		N98619	Hs.42915	ARP2 (actin-related protein 2; yeast) hom	11.3
		H84762		ESTs	10.4
		D28390	Hs.272897	EST duster (not in UniGene)	19.9
		AW157424		ESTs	5.6
		H67065	Hs.271530	ESTs; Weakly similar to !!!! ALU SUBFA	5.4
15		AW068268		ESTs; Weakly similar to !!!! ALU CLASS	6.5
		N77342	Hs.21851	EST cluster (not in UniGene)	10.2
		AA310039		ESTS	9.8
	_	AA233527		low density lipoprotein receptor (familial	27.8
•		AL137517		EST cluster (not in UniGene)	40.2
20		AF085968	Hs.48474	EST cluster (not in UniGene)	5.7
		AF085975		EST cluster (not in UniGene)	7.7
			Hs.104222	follistatin-like 1	14.4
		W07459	Hs.157601	EST cluster (not in UniGene)	13.4
0.5			Hs.297856	EST cluster (not in UniGene)	7.6
25			Hs.269947	ESTs	4.4
			Hs.293616	ESTs	21
			Hs.279727	DiGeorge syndrome critical region gene 2	15.3
		C16391		EST cluster (not in UniGene)	21.3
20		C18965	Hs.159473	ESTs	11.7
30		AA580288		EST cluster (not in UniGene)	8.9
			Hs.210761	ESTs	10.8
		Al301107	Hs.150790	ESTs	6.5
		AL120351		EST cluster (not in UniGene)	5.5
26			Hs.124165	ESTs	17.9
35		AI064982		multifunctional polypeptide similar to SA	5.8
		AL049370		Homo sapiens mRNA; cDNA DKFZp586	11.6
			Hs.130186	ESTs	6.4
		W44372	Hs.110771	EST cluster (not in UniGene)	7.3 15.8
40		T70731	Hs.193620	EST cluster (not in UniGene)	4.8
40			Hs.255096	EST cluster (not in UniGene)	20.2
		A1829520		ESTs	8.8
			Hs.208558	EST cluster (not in UniGene)	5
			Hs.208752	ESTs; Weakly similar to !!!! ALU SUBFA	5 6.5
15		AI751438	Hs.41271	ESTs; Weakly similar to !!!! ALU SUBFA	7.1
45			Hs.289088	EST cluster (not in UniGene)	6.1
		AA327102		EST cluster (not in UniGene)	16.8
		AA410943		EST cluster (not in UniGene)	10.0
		Al684674 AA570698		ESTs; Weakly similar to waclaw [D.melan	6.4
50				ESTs	8
50		AA378201	Hs.274454	EST cluster (not in UniGene)	6.3
				EST cluster (not in UniGene) EST cluster (not in UniGene)	50.1
			Hs.269350 Hs.292471	ESTs; Weakly similar to !!!! ALU SUBFA	5.7
			Hs.145078	ESTs ·	9.5
55		AW502000		EST cluster (not in UniGene)	4.4
55			Hs.152812	EST cluster (not in UniGene)	16.7
			1 Hs.122489	ESTs; Weakly similar to !!!! ALU CLASS	5.5
			Hs.136340	ESTs	5.4
			Hs.163986	ESTs	8.8
60			8 Hs.292934	ESTs	23.1
UU		AA448021		EST duster (not in UniGene)	21.2
		7 AI610425			5
		Al031771	Hs.19597	ESTs ESTs	5
			Hs.132586 Hs.200994	EST duster (not in UniGene)	4.1
65		AI826999	Hs.224624	ESTs .	6.3
05			Hs.143842	ESTS .	11.7
		D31323	Hs.271492	ESTs	4.8
	J243V	. 501020	113.21 1432	LOIS	7.0

	324961	AA613792		EST cluster (not in UniGene)		· 13.3
	324987	T06882	Hs.172634	ESTs		19.6
		T06997	Hs.121028	EST cluster (not in UniGene)		24.5
				ESTs		4.6
_		AI064690	Hs.171176		- 1	
5	325622			CH.14_hs gi[5867000		5.2
	326213			CH.17_hs gi 5867224		8.1
	326474			CH.19_hs gij5867405		12.7
	326816			CH.20_hs gi 6552458		9.4
						•
1.0	326817			CH.20_hs gi[6552458		11.7
10	327110			CH.21_hs gi 6117842		14.7
	327196			CH.01_hs gi[5867446		5.1
	327283			CH.01_hs gi[5867478		4.3
	327313					4.8
				CH.01_hs gi[5867501		
	327450			CH.02_hs gi 5867766		4.1
15	328059			CH.06_hs gi 6117819		6.2
	328304			CH.07_hs gi 6004478		5.4
	328492			CH.07_hs gi 5868455		7
	328857			CH.07_hs gi[6381927		5.2
	329367			CH.X_hs gi 5868842		7.6
20	329373			CH.X_hs gi]6682537		12
	329655			CH.14_p2 gi 6448516		4
	329899			CH.15_p2 gil6563505		4
	329960			CH.16_p2 gi 5091594		7.6
	330084			CH.19_p2 gi[6015302		4
<b>25</b> .		M23263		androgen receptor (dihydrotestosterone re		5.8
20						10.2
		AA449749		ESTs; Highly similar to secreted apoptosi		
	330387	H14624 .		ESTs; Highly similar to secreted apoptosi		4.4
	330388	X03363	•	HER2 receptor tyrosine kinase (c-erbB-2;		17.7
		D50692	Hs.78221	c-myc binding protein		10.1
30				Hs.73946		Endothelial Cell Growth Factor 1 5.5
50		TIGR:HT54				
		M13755	Hs.833	interferon-stimulated protein; 15 kDa		67 ·
	330494	M29696	Hs.237868	interleukin 7 receptor		6 · · · ·
	330500	M34423	Hs.79222	galactosidase; beta 1		13.1
		M75099	Hs.227729	FK506-binding protein 2 (13kD)		29
25						
35		M81057	Hs.180884	carboxypeptidase B1 (tissue)		38.5
	330541	U22970	Hs.265827	multiple UniGene matches		7.4
	330542	U23942	Hs.226213	cytochrome P450; 51 (lanosterol 14-alpha		15
		U32989	Hs.183671	tryptophan 2;3-dioxygenase		11
40		U39840	Hs.299867	hepatocyte nuclear factor 3; alpha		6.5
40		U49082	Hs.76460	transporter protein		7.7
	330573	U62800	Hs.83393	cystatin E/M		· <b>4</b>
		D57823	Hs.321403	Sec23 (S. cerevisiae) homolog A		10.5
		AA164687		mannosyl (alpha-1;3-)-glycoprotein beta-1		24.3
	330814	AA015730	Hs.265398	ESTs; Weakly similar to transformation-r		44.1
45	330850	AA075298	Hs.322710	ESTs		4.4
		AA127474		ESTs; Weakly similar to !!!! ALU SUBFA		8.1
						5.2
		AA133457		ESTs	•	
		AA195936		general transcription factor IIA; 1 (37kD a		<b>5</b> ·
	330924	AA232136	Hs.159737	Homo sapiens mRNA; cDNA DKFZp434		9.1
50		H55762	Hs.9302	ESTs		7.6
50		H98597	Hs.30340	ESTs		13.5
		N32919	Hs.2/931	ESTs		9.1
	331046	N66563	Hs.191358	ESTs		10.5
	331135	R61398	Hs.4197	ESTs	٠.	7.4
55	331145	R72427	Hs.129873	ESTs; Weakly similar to CYTOCHROME		41.9
33						
		R73816	Hs.17385	ESTs		4.7
	331222	T98531	Hs.173904	ESTs		4.1
	331230	W69807	Hs.16537	hypothetical protein; similar to (U06944)		4.9
		AA252079		dachshund (Drosophila) homolog		15.1
60	22422	A A 004070	110.00001			
60		AA281076		ESTs	•	4.8
	331337	AA287662	Hs.50495	ESTs		7.6
		AA303125		ESTs; Weakly similar to !!!! ALU SUBFA		13
			Hs.126550	ESTs		12.4
	331344					
65	331362	AA417956	Hs.40782	ESTs		6.5
65	331362 331363	AA417956 AA421562	Hs.40782 Hs.91011	ESTs anterior gradient 2 (Xenepus laevis) homo		6.5 28.2
65	331362 331363	AA417956	Hs.40782 Hs.91011	ESTs		6.5
65	331362 331363 331376	AA417956 AA421562	Hs.40782 Hs.91011 Hs.41007	ESTs anterior gradient 2 (Xenepus laevis) homo		6.5 28.2

	331478 N26608	Hs.40639	ESTs		.7
	331526 N49967	Hs.46624	ESTs		19.8
	331533 N51517	Hs.47282	ESTs		6.5
	331681 W85712	Hs.119571	collagen; type III; alpha 1 (Ehlers-Danios		13.8
5	331686 W88502	Hs.182258	ESTs		9.9
-	331750 AA284372		ESTs		5.6
	331751 AA284840	•	ESTs		5.8
	331760 AA292721		ESTs; Weakly similar to unknown [H.sap	•	7.4
	331763 AA312861		ESTs		7.8
10	331825 AA411144		ESTs		15.2
	331890 AA432166		succinate dehydrogenase complex; subuni		24.3
•	331952 AA454756	Hs.97837	ESTs		5
	332015 AA487910	Hs.208800	ESTs; Weakly similar to !!!! ALU CLASS		10.5
	332043 AA490831	Hs.125056	ESTs		11.4
15	332060 AA504779		ESTs		13.6
	332071 AA598594	Hs.205293	ESTs		9.1
	332093 AA608794		ESTs		8.8
	332139 AA620669	Hs.112879	EST		9
	332219 N22508	Hs.139315	ESTs		7.1
20	332225 N33213	Hs.100425	ESTs		12.2
	332246 N57927	Hs.120777	ESTs; Weakly similar to RNA POLYME		15.6
	332247 N58172	Hs.109370	ESTs		16.9
	332260 N70088	Hs.138467	ESTs		4
	332269 N91279	Hs.109654	ESTs; Moderately similar to outer membr		8.2
25	332336 T96130	Hs.137551	ESTs		7.7
	332340 W15495	Hs.129781	chromosome 21 open reading frame 5		14.1
	332347 W60326	Hs.288684	ESTs		4.4
	332362 W93640	Hs.4779	ESTs; Moderately similar to similar to AD		16.9
	332467 AA489630	Hs.119004	KIAA0665 gene product		4.8
30	332499 M12036	Hs.323910	Human tyrosine kinase-type receptor (HE		10.4
	332513 AA018182	Hs.154424	deiodinase; iodothyronine; type II		5.8
	332526 AA281753	Hs.77515	inositol 1;4;5-triphosphate receptor; type		19
	332532 N63192	Hs.1892	EST; Highly similar to PHENYLETHAN		15.3
	332565 AA234896	Hs.25272	E1A binding protein p300		12.3
35	332607 R41791	Hs.36566	LIM domain kinase 1		11.1
	332640 AA417152	Hs.5101	protein regulator of cytokinesis 1		18.2
	332694 AA262768	Hs.243901	KIAA1067 protein		15.2
	332702 H93968	Hs.75725	transgelin 2	•	4.7
4.0	332705 T59161	Hs.76293	thymosin; beta 10		5.5
40	332749 AA479968	Hs.88251	arylsulfatase A		9.8
	332927		CH22_FGENES.38_1		17.7
	332929		CH22_FGENES.38_3		4.7
	332930		CH22_FGENES.38_4		7.4
	332955		CH22_FGENES.48_12		5.4
45	332958		CH22_FGENES.48_15		17.8
	332961		CH22_FGENES.48_18		10.6
-	332983		CH22_FGENES.54_5		4.3
	333009		CH22_FGENES.61_1		5.2
~^	333010		CH22_FGENES.61_2		8.1
50	333013	• .	CH22_FGENES.61_5		8.5
	333108		CH22_FGENES.79_14		5.6
	333139	_	CH22_FGENES.83_16		6.3
	333254	•	CH22_FGENES.118_2	•	6.8 11.4
55	333305	·	CH22_FGENES.137_2		5.1
55	333343		CH22_FGENES.139_12		12.7
	333388		CH22_FGENES.144_3		4.2
	333456		CH22_FGENES.157_5		7.6
	333459		CH22_FGENES.157_8 CH22_FGENES.173_2		8.2
60	333517	•	CH22_FGENES.173_2 CH22_FGENES.203_4		5
60	333585				4.3
	333679		CH22_FGENES.247_6		13.4
	333743		CH22_FGENES.264_1 CH22_FGENES.268_1		4
	333758		CH22_FGENES.271_6		5.6
65	333767		CH22_FGENES.271_6 CH22_FGENES.271_7		12.2
U.S	333768		CH22_FGENES.271_7 CH22_FGENES.271_8		48.3
	333769		CH22_FGENES.271_6 CH22_FGENES.275_1		6.1
	333795		0. ma_1 0=1m0m10_1		

	333796	CH22_FGENES.275_3	6.8
•	333892		
		CH22_FGENES.292_14	4.4
	333904	CH22_FGENES.294_2	6.5
	333905	CH22_FGENES.294_3	
_		· · · · · ·	9.3
5	333921	CH22_FGENES.296_12	9.6
	333968	CH22_FGENES.307_4	15.9
	334102	CH22_FGENES.327_60	7.1
	334222	CH22_FGENES.360_3	6.7
		<del>-</del>	
1.0	334223	CH22_FGENES.360_4	33.5
10	334264	CH22_FGENES.367_15	18.5
	334343		
		CH22_FGENES.375_25	6.1
	334360	CH22_FGENES.378_5	6.1
	334784	CH22 FGENES.432 9	4.8
	334789	CH22_FGENES.432_14	5.1
15	334794	CH22_FGENES.434_2	7
	334889		
		CH22_FGENES.452_3	12.4
	335004	CH22_FGENES.472_8	7.9
	335115	CH22_FGENES.496_2	18.8
	335287	CH22_FGENES.526_11	4.5
20	335342	CH22_FGENES.536_1	5.3
. – -			
	335491	CH22_FGENES.570_23	24
	335495	CH22_FGENES.570_28	7
	335498	CH22 FGENES.571_7	12.2
	335544	CH22_FGENES.576_5	8.4
25 -	335610	CH22_FGENES.583_4	12.9
20			
	335653	CH22_FGENES.590_4	6.7
	335682	CH22_FGENES.595_2	12.1
	335687	CH22_FGENES.596_2	13.9
	335755 ·	CH22_FGENES.604_4	11.5
30	335782	CH22_FGENES.609_4	
50	·		17.9
	335791	CH22_FGENES.611_7	27.3
	335809	CH22_FGENES.617_6	19.2
	335822	CH22_FGENES.619_7	19.1
	335823	CH22_FGENES.619_8	4.5
35			
33	335824	CH22_FGENES.619_11	40.2
	335825	CH22_FGENES.619_12	34.3
	335895		
		CH22_FGENES.635_3	10.2
	335917	CH22_FGENES.636_13	6
	335920	CH22_FGENES.636_16	8.8
40			
40	336035	CH22_FGENES.678_6	5.9
	336042	CH22_FGENES.679_4	5.8
	336093		
		CH22_FGENES.691_2	11.6
	336096	CH22_FGENES.691_5	7.6
	336150	CH22_FGENES.706_6	6.3
45			
4,5	336152 .	CH22_FGENES.706_9	10.5
	336416	CH22_FGENES.823_38	5
	336444		
		CH22_FGENES.827_10	4.8
	336449	CH22_FGENES.829_6	13.6
	336471	CH22_FGENES.829_30	6.9
50			
30	336512	CH22_FGENES.834_7	21.4
	336558	CH22_FGENES.842_3	8.2
	*****		
	336560	CH22_FGENES.842_5	9
	336676	CH22_FGENES.43-4	9.4
	336959	CH22_FGENES.367-13	
55			19
55	337968	CH22_EM:AC005500.GENSCAN.103-2	13.4
	338008	CH22 EM:AC005500.GENSCAN.127-9	15.2
	338057	CH22_EM:AC005500.GENSCAN.160-1	13.9
	338410	CH22 EM:AC005500.GENSCAN,341-6	8
	338451	<u>-</u>	
60		CH22_EM:AC005500.GENSCAN.359-3	11.6
60	338588	CH22_EM:AC005500.GENSCAN.432-1	10.3
	338665	CH22 EM:AC005500.GENSCAN,464-2	
	-		4.8
	338689	CH22_EM:AC005500.GENSCAN.475-3	6.7
	338832	CH22_DJ246D7.GENSCAN.6-9	4.8
	338980		
C =		CH22_DA59H18.GENSCAN.2-4	5.1
65	339352	CH22_BA354I12.GENSCAN.29-7	6.9
	339373	CH22_BA232E17.GENSCAN.1-29	
	000010	OTIEZ_DAZDZE IT OCHODANI. 1-23	4.3

## TABLE 13A

Table 13 A shows the accession numbers for those pkeys lacking unigeneID's for Table 13. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10
----

5

Unique Eos probeset identifier number

Pkey: CAT number: Accession:

Gene cluster number Genbank accession numbers

- 15

			• •
	Pkey	CAT number	Accession
20	103207 103349 110856	371681_1 306354 110522 19346_14 328626_1	AA602964 AA609200 X72790 X89059 AA992380 N33063 N21418 H79958 R21911 H79957 T63857 AW971220 AA493469 T63699
25	123169	44573_2	Al950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 Al219788 AA884444 N92578 F13493 AA927794 Al560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 Al890387 Al950344 Al741346 Al689062 AA282915 AW102898 Al872193 Al763273 AW173586 AW150329 Al653832 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512 Al961530 AW629970
30			BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005
35	116480 132225 125154 118475	genbank_AA6 genbank_C14 genbank_AA1 genbank_W38 genbank_N66	088 C14088 28980 AA128980 419 W38419
40	102919	25180_2	M21191 AL035748 AA021266 AA323126 AA180515 Al613029 D28356 NM_000034 M11560 AW401425 AW248248 AA012956 AA323294 W04965 H38759 AA206622 AA580747 Al541172 AA381075 AA354229 AW402353 AW405575 AW404021 AW406207 AA075752 AW176066 AA287222 AA195818 T20243 R87945 AA295539 AA402533 AA232419 AA224515 AW401583 AA331367 AW402140 AW249079 R31488 AA075757 X05236 AW239490 AA338036 AW239495 AA357262 AA431005 AA306726 R33804 AA216544 AW275288 AA227044 AL038124 AA243300 C03242 AA315615 AL035840 R64336 AA313917 AA018963 AA001385 AA054395 H30840 AW498825 AA086141 Al557324 AA121576 H39128 R77161 AA019688 AA380987 AA348140 AA348257
45		,	AW176086 AA362432 AA171389 AA362416 AA299938 AA319093 AA337972 C04921 AA345696 R89640 AA085425 AA481708 AA313637 AL039229 H84490 H86153 F00656 AA326668 AA347304 R65890 H41949 AA339309 AW402002 AW404854 AA192582 AA112802 H09248 N83165 H38367 AA356339 AA455763 R66853 AA294935 H85911 AA310414 H93436 N87014 AA001186 H83640 AA411328 AA317929 C04192 AW406288 U46335 AA323179 AA427649 AI366131 H14328 AA197161 AA379497 AA311816 AA017206 AA001137 AA017420 AA012990 AW163775 AA021397 AA295513 AA355248 AA374921
50			AW380419 AA345864 AA318058 AA371711 AA363255 AA057094 R88057 AA394045 AW362741 AA479579 AW362789 AW362775 AA223624 AW362809 AW362746 AW362753 AW380412 AA057104 AA295271 X06352 AW362771 X12447 R59553 R87925 AA292864 R83920 F01120 AA496740 AA852551 AL039209 AA093339 AA333961 N86416 C03325 C03831 AA194750 AA359270 AA359460 AW245492 AA339400 AA330784 AI908970 N89223 AW361938 AI940063 AA134323 AA371741 F01267 AW372970 AA341973 AA346098 AW372969 AA337549 AA327342 H93855 AI074079 F29118 AA852940 F35696 AA345963
55			AA079578 AA113785 C02989 AA095945 C03145 C05199 AA346024 AA190506 AW361659 AI909845 AW374374 AW374382 AW374401 AW374373 AW374370 AI909831 AW374367 AA353658 F01041 C02843 AA375948 AW374414 AA213946 AI525039 H13744 R31007 AA112044 AA134404 H47935 AW177018 AA429768 AA336873 AA112875 H46393 AA191267 D59131 AW406037 AA055244 AA341880 AA179024 AA308537 AW406985 AW327311 H30301 AA300705 H43788 AW364149 AA806213 AA481936 C04941 AW375299 M21190 AA410818 AA250940 AI354547 AA317422 AA250903 AI865497 AA890603
60			AA366197 AW498538 M78072 AW406461 C03092 F00308 H56488 AA336320 AW406501 AA354102 AA382942 AA096393 AW376830 AA383446 F01259 AW081388 T94036 AA379643 H43842 AI524063 AA621727 AA379099 AA371417 R66811 H44129 N84794 F01135 AA477852 AA293062 AW361595 H27194 AI831650 H43253 H24797 AI564680 AA380090 W20057 AI921586 AI192549 AW090808 H25967 AA918121 AI626060 H20221 AA812572 H42178 AA887222 H96000 C03180 F00946

C03986 Al318091 Al860172 AA582179 Al633388 AA557193 R68075 F24105 AW518239 W56622 Al625219 Al925243 AW468046 Al921828 AA339164 Al144391 AA643334 AA459631 AA873247 AW373432 AA604384 H27600 Al680458 AA159956 AA610836 AA364298 AW373435 AA604225 W73754 AW087924 AA599776 N89227 AI630871 AI633128 AW514329 AA010455 AA563928 AI571596 AI128394 W73707 AI423575 AA583809 AA657988 AI950837 AA169782 AA600009 AI885540 AA771884 AI978829 AA505408 AA533937 AA481469 AA610869 AA775241 AW273870 AW070909 AI905695 AA480115 AA574051 5 AI889185 AA773167 AA331375 AA001437 AA194324 AA194300 AA558632 AI038538 AA411329 AA781570 AI833176 AA935520 AW074197 AA583063 AW073099 AW001198 AA948025 AA587857 AA191540 AI460085 AA193244 AI538037 AA515572 AA758587 AI149311 AA508610 AA206409 AA534004 AA994600 AA827543 AI916349 AW245129 AW517804 D25663 AA781985 AA284536 AI819422 H16040 H27531 AA456564 AA845555 AI423596 AA012908 AA889439 AA716311 AA968868 10 AA320508 AA725731 AA834202 AA935997 AA724815 AA769353 AA594803 F00827 AI342442 AI003519 AI002503 AI347597 AI040946 AA197162 AA987883 AA292865 AW001944 AI640711 AW244044 AA456784 F30588 AA290829 H24754 AI978683 AA483686 AA583939 AA121382 AA833831 AA477102 AA977322 AA666379 F35456 AA993537 AI749610 AA226934 AA716204 AW513025 AA628543 AA583705 F25702 Al368748 Al124097 Al880086 AA477513 Al758834 Al690753 AA477746 F37761 AA642243 AA159957 AA250844 AA459406 AA427566 F25054 AI569314 AA961665 AI922050 AI759000 AA555236 AA514432 AA293474 AA001129 AA826789 AA641390 AA134405 F35585 AA477416 AW193359 Al361315 AA284988 F36340 Al361322 15 F26969 AA991922 AA021267 F26973 AI361314 F35891 AI918509 AA250964 AA190992 AA577139 AA865535 AA134324 AW192842 Al224046 F18975 AA779626 AA856894 AW269997 AW014614 H95554 F31378 AA374868 F26343 AA654007 Al830942 AA113195 F26432 W56652 AA464690 AA055263 AA340654 AA031448 AA976399 AA972526 AA063476 R83921 T16240 AA533290 N91545 H44053 AA883451 AA513761 AA086477 H09249 F20482 F26737 AA054148 AA857063 AA017259 20 AA179789 AA088908 H43704 AA194320 F35950 AI880127 F20441 F32878 AA962483 H39094 H56489 H44621 F19390 Al302232 F25162 AA826965 AA086052 AA917410 AA454513 R59554 AA196755 AA086369 AA079530 H28106 AA243301 Al025737 AA101239 AA088887 Al214910 AA974886 F16089 F26054 AA515092 F33436 F32829 M78061 AA235645 F19715 F37529 Al811549 AA665180 AA708200 F01124 F32382 AA346220 AA627361 F30741 F30010 F28543 AA211715 F20245 AA331222 F25634 F21996 W28215 F21911 R65793 AI192566 H20130 H84491 AA719223 AA557435 F16967 F26989 F30353 AA857159 AA291918 F28234 F20840 F25176 F22437 T27904 AA480355 F19528 R87926 H14286 F27532 AW337864 F28411 H13692 F25651 AA975454 F24229 F29657 F18024 AA464779 F17588 F34954 AA947328 F18063 AA657777 AA459644 N91455 25 F27850 F29608 F27206 F18418 F31459 F18564 F33496 F16376 F29740 F29843 F29904 F29866 F19135 AW276602 T40337 F24835 F34672 F26474 Al926215 AA464185 F18217 N26193 AL043256 T41197 F33055 F00386 F29500 F34191 F33297 Al937207 F22724 F15909 F26232 F18889 AA318627 F29085 AA872104 F17509 F23373 F15660 F17552 F17412 F16863 F34033 F21515 F17364 F18383 F16546 F17561 F17260 AA292000 F15723 T47438 F16798 F18046 F18319 F17978 F17566 30 F34230 F33258 F20860 F17998 Al695701 118600 genbank\_N69222 N69222 118952 genbank\_N92966 N92966 120873 genbank\_AA358015 AA358015 35 113702 genbank\_T97307 129982 221 267 Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165 AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107 Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278 AF062134 AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190 40 AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991 AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012 L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090 AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526 AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 Al268604 Y15773 X64239 X62969 U00506 X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080 45 D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957 M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384 U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133 AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519 50 Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520 AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509 AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191 AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321 AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115 AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068671 AF068664 55 AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702 AW351514 D78345 T29140 J00231 NM\_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007 AI857980 AW368899 AI905833 AW406586 AA482084 AI872299 AA715266 AW404328 AI831674 AI709348 AA603112 AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113 60 115763 genbank\_AA421560 AA421560 124357 genbank\_N22401 N22401 108733 504187\_1 AA121022 AA126422 101544 entrez\_M31169 M31169 124447 genbank\_N48000 N48000 genbank\_R01073 65 124677 R01073 genbank\_R41933 124777 R41933 119302 genbank\_T25725 T25725

PCT/US02/02242

```
103680 entrez_Z93784Z93784
            135029 H58818_at
                                        H58818
            112253 genbank_R51818
                                                         R51818
                       CAT number Accession
            Pkey
            322175 46877_1
323011 139750_1
  5
                                          AF085975 H53458 H53459
                                          AA580288 AA315655 AA133031 AA377748
            322975 1510563_1
                                          C16391 C16413
            317210 211994_1
323817 233566_1
                                          AW881145 AA490718 M85637 AA304575 T06067 AA331991
                                          AA410943 AW948953 AA334202 AA332882
10
            309583 1046029_-2
                                          AW170035
            324961 376239_1
303502 325188_1
                                          AA613792 AW182329 T05304 AW858385
                                          BE174240 AA488528 AL042253
BE151746 BE336853 D63271 T94955 AA774994
            320133 447553_1
            311935 174129_1
321050 502195_1
                                          AA216387 T63548 AA228676
                                          C05928 AW393497
15
                                          AA534222 AA632632 T81234
            319977 345248_1
            312772 4380_7
                                          AW962299 AA310349 AW962294 H63791 H63751
                                         AA078493
            321354 116028_-2
            336512 CH22_3941FG_834_7_LINK_DJ
20
            336558 CH22_3992FG_842_3_LINK_DJ
            336560 CH22_3994FG_842_5_LINK_DJ
            329367 c_x_hs
            329373 c_ks
336976 CH22_4154FG_43_4_
338008 CH22_6490FG_LINK_EM:AC00
338057 CH22_6558FG_LINK_EM:AC00
25
            329655 c14_p2
            336959 CH22_4764FG_367_13_
            329899 c15_p2
30
            329960 c16_p2
            338410 CH22_7067FG__LINK_EM:AC00
338451 CH22_7124FG__LINK_EM:AC00
338588 CH22_7331FG__LINK_EM:AC00
338665 CH22_7438FG__LINK_EM:AC00
338689 CH22_7464FG__LINK_EM:AC00
35
            308677 AI761173
338832 CH22_7678FG__LINK_DJ246D7
338980 CH22_7859FG__LINK_DA59H18
            333009 CH22_233FG_61_1_LINK_EM:A
333010 CH22_234FG_61_2_LINK_EM:A
333013 CH22_237FG_61_5_LINK_EM:A
40
             308981 AI873242
             308995 AI880172
             333108 CH22_336FG_79_14_LINK_EM: 333139 CH22_368FG_83_16_LINK_EM:
 45
             333254 CH22_495FG_118_2_LINK_EM:
333305 CH22_550FG_137_2_LINK_EM:
333343 CH22_589FG_139_12_LINK_EM:
333388 CH22_634FG_144_3_LINK_EM:
 50
             326213 c17_hs
             333456 CH22_706FG_157_5_LINK_EM:
333459 CH22_709FG_157_8_LINK_EM:
333517 CH22_773FG_173_2_LINK_EM:
             333585 CH22_846FG_203_4_LINK_EM:
 55
             333679 CH22_941FG_247_6_LINK_EM:
              326474 c19_hs
             333743 CH22_1009FG_264_1_LINK_EM
             333758 CH22_1024FG_268_1_LINK_EM
333767 CH22_1034FG_271_6_LINK_EM
333768 CH22_1035FG_271_7_LINK_EM
 60
             333769 CH22_1036FG_271_8_LINK_EM
333795 CH22_1063FG_275_1_LINK_EM
333796 CH22_1065FG_275_3_LINK_EM
              335004 CH22_2326FG_472_8_LINK_EM
             333892 CH22_1163FG_292_14_LINK_E
335115 CH22_2447FG_496_2_LINK_EM
333904 CH22_1176FG_294_2_LINK_EM
 65
```

```
333905 CH22_1177FG_294_3_LINK_EM
333921 CH22_1194FG_296_12_LINK_E
333968 CH22_1245FG_307_4_LINK_EM
               328059 c_6_hs
               335287 CH22_2629FG_526_11_LINK_E
326816 c20_hs
   5
               326817 c20_hs
               335342 CH22_2689FG_536_1_LINK_EM
335491 CH22_2843FG_570_23_LINK_E
               335495 CH22_2847FG_570_28_LINK_E
10
               335498 CH22_2850FG_571_7_LINK_EM
               328304 c_7_hs
305453 AA738110
               335544 CH22_2899FG_576_5_LINK_EM
335610 CH22_2969FG_583_4_LINK_EM
335653 CH22_3013FG_590_4_LINK_EM
335682 CH22_3043FG_595_2_LINK_EM
335687 CH22_3048FG_596_2_LINK_EM
15
               328492 c_7_hs
               335755 CH22_3122FG_604_4_LINK_EM
335782 CH22_3151FG_609_4_LINK_EM
20
               335791 CH22_3160FG_611_7_LINK_EM
335809 CH22_3181FG_617_6_LINK_EM
335822 CH22_3195FG_619_7_LINK_EM
               335822 CH22_3195FG_619_F_LINK_EM
335823 CH22_3195FG_619_B_LINK_EM
335824 CH22_3197FG_619_11_LINK_E
335825 CH22_3198FG_619_12_LINK_E
335895 CH22_3272FG_635_3_LINK_EM
335917 CH22_3294FG_636_13_LINK_E
335920 CH22_3297FG_636_16_LINK_E
25
30
                305898 AA872838
                305913 AA876109
                305950 AA884479
                328857 c_7_hs
35
                330084 c19_p2
                337968 CH22_6419FG__LINK_EM:AC00
               309177 AI951118
                309198 Al955915
                309226 AI969897
40
                339352 CH22_8317FG__LINK_BA354I1
                309279 Al990102
                339373 CH22_8348FG__LINK_BA232E1
                325622 c14_hs
               334102 CH22_1380FG_327_60_LINK_E
332927 CH22_148FG_38_1_LINK_C20H
332929 CH22_150FG_38_3_LINK_C20H
45
               332939 CH22_150FG_38_3_LINK_C20H
332935 CH22_151FG_38_4_LINK_C20H
332955 CH22_179FG_48_12_LINK_EM:
332958 CH22_182FG_48_15_LINK_EM:
332961 CH22_185FG_48_18_LINK_EM:
332983 CH22_207FG_54_5_LINK_EM:A
50
               334222 CH22_1506FG_360_3_LINK_EM
334223 CH22_1507FG_360_4_LINK_EM
334264 CH22_1551FG_367_15_LINK_E
                327110 c21_hs
               334343 CH22_1636FG_375_25_LINK_E
334360 CH22_1654FG_378_5_LINK_EM
                327196 c_1_hs
                327283 c_1_hs
               327313 c_1_hs
304465 AA421948
60
                304507 AA456426
                327450 c_2_hs
304591 AA505702
65
                304601 AA507875
                304659 AA533185
                334784 CH22_2096FG_432_9_LINK_EM
```

PCT/US02/02242

334789 CH22\_2101FG\_432\_14\_LINK\_E
334794 CH22\_2106FG\_434\_2\_LINK\_EM
336035 CH22\_3420FG\_678\_6\_LINK\_DJ
336042 CH22\_3427FG\_679\_4\_LINK\_DJ
336096 CH22\_3481FG\_691\_2\_LINK\_DJ
336096 CH22\_3481FG\_691\_5\_LINK\_DJ
336899 CH22\_2206FG\_452\_3\_LINK\_EM
336150 CH22\_3540FG\_706\_6\_LINK\_DA
336152 CH22\_3543FG\_706\_9\_LINK\_DA
336416 CH22\_3833FG\_823\_38\_LINK\_B
336444 CH22\_3864FG\_827\_10\_LINK\_D
336449 CH22\_3870FG\_829\_6\_LINK\_DJ
336471 CH22\_3894FG\_829\_30\_LINK\_D

## TABLE 13B

Table 13B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 13B. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

		1
10	Pkey:	Unique number corresponding to an Eos probeset
10	Ref:	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication
		entitled "The DNA sequence of human chromosome 22." Dunham I, et al., Nature (1999) 402:489-495.
	Strand:	Indicates DNA strand from which exons were predicted.
•	Nt_position:	Indicates nucleotide positions of predicted exons.

15				
~~	Pkey	Ref	Strand	Nt_position
	332955	Dunham, I. et.al.	Plus	2508896-2508992
	332958	Dunham, I. et.al.	Plus	2516164-2516310
20	332961	Dunham, I. et.al.	Plus	2521424-2521555
	333139	Dunham, I. et.al.	Plus	3369495-3369571
	333254	Dunham, I. et.al.	Plus	2521424-2521555
	333305	Dunham, I. et.al.	Plus	4630388-4630645
	333388	Dunham, I. et.al.	Plus	4913749-4913805
25	333517	Dunham, I. et.al.	Plus	5570729-5570925
	333585	Dunham, I. et.al.	Plus	6234778-6234894
•	333679	Dunham, I. et.al.	Plus	7068795-7068896
	333767	Dunham, I. et.al.	Plus	7694407-7694623
	333768	Dunham, I. et.al.	Plus	7695440-7695697
30	333769	Dunham, I. et.al.	Pius	7696625-7696707
-	333795	Dunham, I. et.al.	Plus	7807688-7807795
	333796	Dunham, I. et.al.	· Pius	7808253-7808319
	333892	Dunham, I. et al.	Plus	8156825-8157001
	333921	Dunham, I. et.al.	Plus	8380325-8380441
35	333968	Dunham, I. et.al.	Plus	
-	334102	Dunham, I. et.al.	Plus	8681004-8681241
	334264	Dunham, I. et.al.	Plus	9995140-9996373
	334343	Dunham, I. et.al.	Plus	13234447-13234544 13655828-13656307
	334794	Dunham, I. et.al.	Plus	16374312-16374458
40	334889	Dunham, I. et.al.	Plus	
	335287	Dunham, I. et.al.	Plus	19286024-19286515
	335491	Dunham, I. et.al.	Plus	22299047-22299299
	335495	Dunham, I. et.al.	Plus	24128651-24128827 24140688-24140872
	335498	Dunham, I. et.al.	Plus	
45	335653	Dunham, I. et.al.	Pius	24172082-24172161
-13	335687	Dunham, I. et.al.	Plus	25329710-25329802
	335809	Dunham, I. et.al.	Plus	25445952-25446064
	335822	Dunham, I. et.al.		26310772-26310909
	335823	Dunham, I. et.al.	Plus	26364087-26364196
50	335824	Dunham, I. et al.	Plus	26365925-26366004
50	335825	Dunham, I. et.al.	Plus	26376860-26376942
	336035	Dunham, I. et.al.	Plus	26378175-26378268
	336093	Dunham, I. et.al.	Plus	29016748-29017410
	336096	Dunham, I. et.al.	Plus	29556922-29557002
55	336444		Plus	29578878-29579047
33	336959	Dunham, I. et.al.	Plus	34190585-34190718
	338008	Dunham, I. et.al. Dunham, I. et.al.	Plus	13233040-13233126
	338057		Plus	7697068-7697236
	338410	Dunham, I. et al.	Plus	8526397-8526522
60	338588	Dunham, I. et.al.	Plus	19292807-19292916
00	338665	Dunham, I. et.al. Dunham, I. et.al.	Plus	22896767-22896920
	338832	Dunham, I. et.al.	Plus .	24472654-24472853
	338980	Dunham, I. et.al.	Plus	27775128-27775290
	339352	Dunham, I. et.al.	Plus	29896789-29896874
	JJJJJ2	Community is ettal.	Plus	33544784-33545121

	332929 Dunham, I. et.al.	Minus	2020758-2020664
	332930 Dunham, I. et.al.	Minus	2022565-2022497
	332983 Dunham, I. et.al.	Minus	2631933-2631797
	333009 Dunham, I. et.al.	Minus	2766043-2765856
5	333010 Dunham, I. et.al.	Minus	2766207-2766119
	333013 Dunham, I. et.al.	Minus	2772278-2772039
	333108 Dunham, I. et al.	Minus	3240494-3240389
	333343 Dunham, I. et al.	Minus	4692886-4692753
10	333456 Dunham, I. et al.	Minus	2631933-2631797
10	333459 Dunham, I. et al.	Minus	5144548-5144344
	333743 Dunham, I. et al.	Minus	7573218-7573060 7666413-7666091
	333758 Dunham, I. et.al. 333904 Dunham, I. et.al.	Minus Minus	8217374-8217261
	333905 Dunham, I. et.al.	Minus	8217796-8217670
15	334222 Dunham, I. et.al.	Minus	12732417-12732289
13	334223 Dunham, I. et.al.	Minus	12734365-12734269
	334360 Dunham, I. et.al.	Minus	13728850-13728751
	334784 Dunham, I. et.al.	Minus	16294548-16294360
	334789 Dunham, I. et.al.	Minus	16306095-16305996
20	335004 Dunham, I. et.al.	Minus	20581911-20581794
	335115 Dunham, I. et.al.	Minus	21388250-21388146
	335342 Dunham, I. et.al.	Minus	22597448-22597284
	335544 Dunham, I. et.al.	Minus	24650505-24650403
	335610 Dunham, I. et.al.	Minus	25068943-25068841
25	335682 Dunham, I. et.al.	Minus	25421215-25421093
	335755 Dunham, I. et.al.	Minus	25763806-25763747
	335782 Dunham, I. et.al.	Minus	25908578-25908440
	335791 Dunham, I. et.al.	Minus	25948563-25948411
30	335895 Dunham, I. et al.	Minus	26975307-26975239 27028481-27028377
30	335917 Dunham, I. et.al. 335920 Dunham, I. et.al.	Minus Minus	27034927-27034811
	336042 Dunham, I. et.al.	Minus	29041694-29041500
	336150 Dunham, I. et.al.	Minus	30150423-30150256
	336152 Dunham, I. et.al.	Minus	30156053-30155870
35	336416 Dunham, i. et.al.	Minus	34047408-34047311
-	336449 Dunham, I. et.al.	Minus	34204707-34204577
	336471 Dunham, I. et.al.	Minus	34215091-34214978
	336512 Dunham, i. et.al.	Minus	34278373-34278275
	336558 Dunham, I. et.al.	Minus	34375825-34375698
40	336560 Dunham, I. et al.	Minus	34376814-34376596
	336676 Dunham, I. et.al.	Minus	2022565-2022497
	337968 Dunham, I. et.al.	Minus	7095797-7095680
	338451 Dunham, I. et al.		20174286-20174193
45	338689 Dunham, I. et al.		24893073-24892972 33860127-33860047
43	339373 Dunham, I. et.al. 325622 5867000	Minus Plus	69994-70075
	325622 5867000 329655 6448516	Minus	35565-35843
	329899 6563505	Minus	111058-111783
	329960 5091594	Minus	1031-1162
50	326213 5867224	Minus	60751-60927
	326474 5867405	Plus	16995-18101
	330084 6015302	Minus	57019-59337
	326816 6552458	Plus	198354-198436
	326817 6552458	Plus	199909-200001
55	327110 6117842	Plus	94608-94785
	327196 5867446	Plus	180921-181333
	327283 5867478	Minus	567-962
	327313 5867501	Minus	89734-89838
60	327450 5867766	Minus	47928-48076
60	328059 6117819 328492 5868455	Plus Minus	37052-37204 46094-46241
	328492 5868455 328304 6004478	Minus	3884-3952
	328857 6381927	Minus	80557-81051
	329367 5868842	Minus	87201-87587
65	329373 6682537	Minus	38950-39301

# TABLE 14: Table 2 from BRCA 001-5 US

Table 14, a subset of table 13, depicts a preferred group of genes highly upregulated in breast cancer cells.

10	Pkey: ExAccn: UnigeneID: Unigene Title: R1:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of tumor to normal breast tissue
	•	

15 ·	Pkey	ExAcon	UniGene ID	Unigene Title	R1
	100038	M97935		AFFX control: STAT1	16.7
	100114	D00596	Hs.82962	thymidylate synthetase	15.9
	100975	J02923	Hs.76506	lymphocyte cytosolic protein 1 (L-plastin)	30.1
20	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B; 9	37.2
	101104	L07615	Hs.169266	Human neuropeptide Y receptor Y1 (NPYY	18.3
	101143	L12723	Hs.90093	heat shock 70kD protein 4	17:4
	101332	L47276	Hs.156346	Homo sapiens (cell line HL-6) alpha topois	18.9
	101378	M13755	Hs.833	interferon-stimulated protein; 15 kDa	18.1
25	101809	M86849	Hs.323733	Homo sapiens connexin 26 (GJB2) mRNA	22.5
	102618	U65932	Hs.81071	extracellular matrix protein 1	23.2
	102721	U79241	Hs.118666	Human clone 23759 mRNA; partial cds	15
	102817	U90904	Hs.83724	Human clone 23773 mRNA sequence	15.2
	102907	X06985	Hs.202833	heme oxygenase (decycling) 1	. 22.7
30	102985	X17644	Hs.2707	G1 to S phase transition 1	20.6
	103060	X57766	Hs.155324	matrix metalloproteinase 11 (stromelysin 3	17.8
•	103180	X69433	Hs.5337	isocitrate dehydrogenase 2 (NADP+); mito	18.9
	103206	X72755	Hs.77367	monokine induced by gamma interferon	15.1
	103821	AA157623	Hs.198793	KIAA0750 gene product	23.3
35	104115	AA428090	Hs.26102	ESTs	28.7
		AA007234		ESTs	16.6
	105186	AA191512	Hs.28005	Homo sapiens mRNA; cDNA DKFZp564G	19.3
	106103	AA421104	Hs.12094	ESTs	15.4
40		AA621169		ESTs	19
40	109415	AA227219	Hs.110826	trinucleotide repeat containing 9	20.1
	110189	H20543	Hs.6278	DKFZP586B1621 protein	16.6
	110561	H59617	Hs.5199	ESTs; Weakly similar to UBIQUITIN-CON	19.5
	110734	H98714	Hs.24131	ESTs	30.2
		N46252	Hs.29724	ESTs	23.2
45	111179	N67239	Hs.10760	ESTs	37
		N91023	Hs.87128	ESTs	15
	112134	R46025	Hs.7413	ESTs	17.4
		W86748	Hs.8109	ESTs	15
		Z38595	Hs.125019	ESTs; Highly similar to KIAA0886 protein	22
50		Z40715	Hs.184641	delta-6 fatty acid desaturase	19.4
			Hs.196437	ESTs; Weakly similar to R26660_1; partial	16.9
		AA250737		ESTs	35.1
		AA405098		ESTs	16.1
		AA433943	Hs.43946	ESTs; Weakly similar to Weak similarity t	33.5
55		H29532	Hs.101174	microtubule-associated protein tau	22.2
		H72948	Hs.821	biglycan	20.7
		N26722	Hs.42645	ESTs	18.1
		Z41815	Hs.65946	ESTs	15.6
· .			Hs.104106	ESTs	15.2
60			Hs.174104	ESTs	22.6
		AA609200		ESTs	23.1
		D60302	Hs.270016	ESTs	20.6
		H09290	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B	25.9
	126160	N90960	Hs.265398	ESTs; Weakly similar to transformation-rel	16.4

	•			
	127677 AA916752 Hs.	.264190 E	ESTs; Highly similar to MEM3 (M.muscul	17.3
	128595 U31875 Hs.	.152677 s	short-chain alcohol dehydrogenase family m	27.1
	128717 T30617 Hs.	.104222 F	Homo sapiens mRNA; cDNA DKFZp566L	24.5
	129124 AA234530 Hs.	.108802	N-ethylmaleimide-sensitive factor	20.7
5	129366 H18027 Hs.		plexin C1	18.2
	130455 X17059 Hs.	.155956 N	N-acetyltransferase 1 (arylamine N-acetylt	26.4
		.1657 €		39.9
	130913 W03592 Hs.	.21198 t	translocase of outer mitochondrial membra	20.9
			signal transducer and activator of transcript	18.8
10	131472 AA608962 Hs.	.27258 c	calcyclin binding protein	18.1
	131562 U90551 Hs.	.28777 F	H2A histone family; member L	18.8
	132180 AA405569 Hs.	.418 f	fibroblast activation protein; alpha; seprase	15.4
	132406 F09979 Hs.	.4774 E	ESTs	15
	132465 AA047896 Hs.	.49169 E	ESTs	15.4
15	132994 AA505133 Hs.	.279905 8	solute carrier family 2 (facilitated glucose t	26.4
	133294 R79723 Hs.	.69997 2	zinc finger protein 238	30.4
•	133634 U24166 Hs.	.234279 r	microtubule-associated protein; RP/EB fam	15.2
	134374 D62633 Hs.	.8236 I	ESTs	15.2
	134405 J04177 Hs.	.82772	collagen; type XI; alpha 1	15.3
20	134470 X54942 Hs.	.83758	CDC28 protein kinase 2	20.3
	134495 D63477 Hs.	.84087 I	KIAA0143 protein	16.1
	134714 U89922 Hs	i.890 l	lymphotoxin beta (TNF superfamily; memb	35.7
	135237 AA454930 Hs.	.9691	ESTs	19.5
	301884 AA312082 Hs.	.105445	GDNF family receptor alpha 1	20.7
25	302276 NM_004448Hs	:.323910 I	EST cluster (not in UniGene) with exon hit	21.6
	302290 AL117607 Hs.	3.175563 I	Homo sapiens mRNA; cDNA DKFZp564N	41.4
	309177 Al951118		EST singleton (not in UniGene) with exon	24.3
	309583 AW170035	. 1	EST	64.5
	310438 AW022192 Hs	.200197 · I	ESTs .	39.1
30	311166 Al821294 Hs		ESTs	24.1
	312153 AA759355 Hs	s.153028 (	cytochrome b-561	27.1
	313915 Al969390 Hs	s.163443	ESTs	27.1
	314506 AA833655 Hs	.206868	ESTs	27.8
	314558 Al873274 Hs	s.190721	ESTs	22.5
35	314691 AW207206 Hs	s.136319	ESTs	21.4
	314943 Al476797 Hs	s.184572	cell division cycle 2; G1 to S and G2 to M	18.4
	315196 AA972756 Hs		ESTs	28.8
	316177 Al908272 Hs	s.293102	EST cluster (not in UniGene)	32.6
	318073 AW167087 Hs	s.131562	ESTs	15.7
40	318662 A1285898 Hs		ESTs	16.3
	318740 NM_002543Hs	s.77 <b>7</b> 29	EST duster (not in UniGene)	21.3
	318744 Al793124 Hs	s.144479	ESTs .	35
	319668 NM_002731Hs		EST cluster (not in UniGene)	25.4
	320074 AA321166 Hs	s.278233	EST cluster (not in UniGene)	16.7
45	320211 AL039402 Hs		DEME-6 protein	24.3
	320727 U96044 Hs	s.181125	EST cluster (not in UniGene)	15.3
	322818 AW043782 Hs		ESTs	21
	322882 AW248508 Hs		DiGeorge syndrome critical region gene 2	15.3
	324261 AL044891 Hs		EST cluster (not in UniGene)	50.1
50	324432 AA464510 Hs		EST cluster (not in UniGene)	16.7
	324603 AW016378 Hs		ESTs	23.1
	324620 AA448021 Hs	s.94109	EST cluster (not in UniGene)	21.2
		s.121028	EST cluster (not in UniGene)	24.5
	330388 X03363		HER2 receptor tyrosine kinase (c-erbB-2; E	17.7
55	330486 M13755 Hs	s.833	interferon-stimulated protein; 15 kDa	67
	330814 AA015730 Hs		ESTs; Weakly similar to transformation-rel	44.1
			ESTs; Weakly similar to CYTOCHROME	41.9
	331306 AA252079 Hs		dachshund (Drosophila) homolog	15.1
	331890 AA432166 Hs		succinate dehydrogenase complex; subunit	24.3
60	332526 AA281753 Hs		inositol 1;4;5-triphosphate receptor, type 3	19
			EST; Highly similar to PHENYLETHANO	15.3
	332694 AA262768 Hs	s.243901		15.2
	332958		CH22_FGENES.48_15	17.8
<i>-</i> -	333769		CH22_FGENES.271_8	48.3
65	333968		CH22_FGENES.307_4	15.9
	334223		CH22_FGENES.360_4	33.5
	334264		CH22_FGENES.367_15	18.5

335791	CH22_FGENES.611_7	27.3
336512	CH22_FGENES.834_7	21.4
338008	CH22_EM:AC005500.GENSCAN.127-9	15.2

#### TABLE 14A

Table 14A shows the accession numbers for those pkeys lacking unigeneID's for Table 14. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: CAT number: Unique Eos probeset identifier number

Gene cluster number

Accession:

Genbank accession numbers

15

#### Pkey CAT number Accession 309583 1046029\_-2 AW170035

309583 1046029\_-2 AW170035
336512 CH22\_3941FG\_834\_7\_LINK\_DJ
338008 CH22\_6490FG\_\_LINK\_EM:AC00
333769 CH22\_1036FG\_271\_8\_LINK\_EM
33968 CH22\_1245FG\_307\_4\_LINK\_EM
335791 CH22\_3160FG\_611\_7\_LINK\_EM
335791 CH22\_3160FG\_611\_7\_LINK\_EM
339958 CH22\_182FG\_48\_15\_LINK\_EM:
334223 CH22\_1507FG\_360\_4\_LINK\_EM:
334224 CH22\_1551FG\_367\_15\_LINK\_E
123619 371681\_1 AA602964 AA609200

## TABLE 14B

Table 14B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 14. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset  Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
15	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

	Pkey	Ref	Strand	Nt_position
	332958	Dunham, I. et.al.	Plus	2516164-2516310
20	333769	Dunham, I. et.al.	Plus	7696625-7696707
	333968	Dunham, I. et.al.	Plus	8681004-8681241
	334264	Dunham, I. et.al.	Plus	13234447-13234544
		Dunham, I. et.al.	Plus	7697068-7697236
		Dunham, I. et.al.	Minus	12734365-12734269
25	335791	Dunham, I. et.al.	Minus	25948563-25948411
		Dunham, I. et.al.	Minus	34278373-34278275

# TABLE 15: Table 3 from BRCA 001-5 US

Table 15 shows genes downregulated in breast cancer cells.

5

	Pkey:	Unique Eos probeset identifier number
	ExAcon:	Exemplar Accession number, Genbank accession number
	UnigenelD:	Unigene number
10	Unigene Title:	Unigene gene title
	R1:	Ratio of normal breast tissue to tumor

100115	15	Pkey	ExAccn	UniGene ID	Unigene Title	R1
100499   TIGR:HT1428   Hs.283108   Globin, Beta   100505   TIGR:HT1496   Hs. 169228   Adrenal-Specific Protein Pg2   2.	13	100145	nonciaa	Un 4704E0	alutathiana paravidasa 2 (alasma)	17
100815 TIGR.HT1496					•	
100815 TIGR:HT4268						
101125						
101367 M12963	20					
101397 M15856	20					
101883 M98399						
102257 V25138						
102857 X00129						
103211 X73079	à.					
103496   Y09267   Hs. 132821   Havin containing monoxygenase 2   1.	25					_
103562   Z21966   104672   AA007629   30   105083   AA146619   Hs. 18791   ESTs   ESTs   1. 106075   AA417915   Hs. 25930   106870   AA487576   Hs. 26530   Serum deprivation response (phosphatidyls eukaryotic translation initiation factor 4 gam   10799   AA609645   Hs. 261164   ESTs   1. 10799   AA609645   Hs. 261164   ESTs   1. 10799   AA037388   Hs. 82223   Human DNA sequence from clone 141H5   1. 11837   R36447   Hs. 281022   ESTs   2. 111837   R36447   Hs. 281022   ESTs   1. 12808   R97970   Hs. 281022   ESTs   1. 15949   AA448803   Hs. 43125   ESTs   1. 15949   AA448800   Hs. 43125   ESTs   1. 15949   AA448800   Hs. 43125   ESTs   2. 117224   N20300   Hs. 248707   ESTs   2. 117224   N20300   Hs. 248707   ESTs   2. 117975   AA446661   Hs. 173233   ESTs   2. 117918   Triposp   R15436   Hs. 173233   ESTs   2. 119758   R71792   Hs. 301002   ESTs; Weakly similar to cell death activato   2. 119798   W73386   Hs. 283059   ESTs   3. 119775   R71792   Hs. 301002   ESTs; Weakly similar to WASP-family pro   1. 119798   W73386   Hs. 249129   ESTs   3. 11978   W73386   Hs. 249129   ESTs   3. 12248   AA443605   Hs. 160318   Phospholemman   1. 14040795 protein   1. 14040795 pro						
104672 AA007629   105083 AA146619   Hs.18791   ESTs; Weakly similar to CALCIUM-BIND   105138 AA164519   Hs.15248   ESTs   106075 AA417915   Hs.25930   ESTs   106075 AA417915   Hs.26530   serum deprivation response (phosphatidyls   107099 AA609645   Hs.261164   ESTs   107099 AA609645   Hs.261164   ESTs   107099 AA037388   Hs.261164   ESTs   107099 AA037388   Hs.261164   ESTs   107099 AA037388   Hs.261164   ESTs   108604 AA099820   Hs.49696   ESTs   20111130   N64265   Hs.19515   yz44h12.s1 Morton Fetal Cochlea Homo sa   111837 R36447   Hs.24453   ESTs   112808 R97970   Hs.281022   ESTs   112808 R97970   Hs.281022   ESTs   115949 AA443800   Hs.43125   ESTs   115949 AA443800   Hs.43125   ESTs   211724   N20300   Hs.218707   ESTs   211750   AA41813   Hs.7889   Friedreich ataxia region gene X123   11975   R71792   Hs.301002   ESTs; Weakly similar to WS basic-helix-loo   119798 W73386   Hs.27899   ESTs   121318   AA405747   Hs.97649   ESTs   22127   AA43447   Hs.97649   ESTs   22127   AA43447   Hs.97649   ESTs   22127   AA43447   Hs.97649   ESTs   22127   AA43447   Hs.97649   ESTs   22127   AA438400   Hs.209100   ESTs   22127   AA438407   Hs.97649   ESTs   22127   AA43447   Hs.97649   ESTs   22127   AA43447   Hs.97649   ESTs   22127   AA43447   Hs.97649   ESTs   22127   AA438400   Hs.160318   phospholemman   123443   AA598841   Hs.160318   phospholemman   123443   AA598841   Hs.160318   phospholemman   123443   AA598841   Hs.160318   phospholemman   123443   AA598868   Hs.103253   perilipin   140427008B   Human fetal brain (TFujiw   127218   AA309765   Hs.160318   phospholemman   127218   AA						1.5
105083 AA146619				Hs.2815		1.8
105138	20					2.4
106075 AA417915	30				•	1.7
106870 AA487576 Hs.26530 serum deprivation response (phosphatidyls 107099 AA609645 Hs.211568 eukaryotic translation initiation factor 4 gam 2. 107097 AA037388 Hs.2211568 eukaryotic translation initiation factor 4 gam 2. 107997 AA037388 Hs.82223 Human DNA sequence from clone 141H5 o 1. 108604 AA099820 Hs.49696 ESTs 2. 111130 N64265 Hs.19515 yz44h12.s1 Morton Fetal Cochlea Homo sa 1. 11837 R36447 Hs.24453 ESTs 1. 12808 R97970 Hs.281022 EST 1. 13086 T40652 Hs.209100 DKFZP434C171 protein 1. 115740 AA418033 Hs.283559 ESTs 1. 15949 AA443800 Hs.43125 ESTs 2. 117924 N20300 Hs.218707 ESTs 1. 17224 N20300 Hs.218707 ESTs 1. 179135 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 119798 W73386 Hs.249129 ESTs 1. 19798 W73386 Hs.249129 ESTs 1. 19798 W73386 Hs.249129 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97044 ESTs 1. 122348 AA43695 Hs.293410 ESTs 1. 122348 AA443695 Hs.293410 ESTs 1. 123505 AA600135 Hs.160318 phospholemman 1. 12343 AA598841 Hs.160375 ESTs; Weakly similar to IIII ALU SUB 1. 126300 D81972 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16018 phospholemman 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1. 127218						1.5
107099						1.5
35         107616         AA004901         Hs.261164         ESTs         1.           107997         AA037388         Hs.82223         Human DNA sequence from clone 141H5 o         1.           108604         AA099820         Hs.49696         ESTs         2.           111130         N64265         Hs.19515         yz44h12.s1 Morton Fetal Cochlea Homo sa         1.           40         112538         R70255         ESTs         1.           112808         R97970         Hs.281022         EST         1.           113086         T40652         Hs.209100         DKFZP434C171 protein         1.           115740         AA418033         Hs.283559         ESTs         1.           45         115949         AA443800         Hs.43125         ESTs         2.           45         115949         AA443800         Hs.173233         ESTs         2.           45         115949         AA443800         Hs.43125         ESTs         2.           11724         N20300         Hs.218707         ESTs         1.           119595         R15436         Hs.77889         Friedreich ataxia region gene X123         1.           11975         R71792         Hs.301002						1.6
107997	0.5					2.7
108604 AA099820	35					1.6
111130 N64265 Hs. 19515 yz44h12.s1 Morton Fetal Cochlea Homo sa 1. 111837 R36447 Hs. 24453 ESTs 1. 12808 R70255 ESTs 1. 12808 R707970 Hs. 281022 EST 1. 13086 T40652 Hs. 209100 DKFZP434C171 protein 1. 15740 AA418033 Hs. 283559 ESTs 2. 15949 AA443800 Hs. 43125 ESTs 2. 11724 N20300 Hs. 218707 ESTs 2. 11724 N20300 Hs. 218707 ESTs 1. 119059 R15436 Hs. 47831 SETs 2. 117724 N20300 Hs. 218707 ESTs 1. 119059 R15436 Hs. 77889 Friedreich ataxia region gene X123 1. 19175 R71792 Hs. 301002 ESTs; Weakly similar to cell death activato 2. 119798 W73386 Hs. 249129 ESTs 3. 120889 AA365784 Hs. 97044 ESTs 1. 121381 AA405747 Hs. 97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs. 97549 ESTs 1. 122348 AA443695 Hs. 293410 ESTs 2. 122485 AA448300 Hs. 160318 phospholemman 1. 123443 AA598841 Hs. 167382 natriuretic peptide receptor A/guanylate cy ESTs; Moderately similar to IIII ALU SUB 1. 126300 D81972 Hs. 160318 phospholemman 1. 127218 AA309765 Hs. 116017 ESTs; Weakly similar to KIAA0795 protei 1.						1.7
111837 R36447 Hs.24453 ESTs 1.  40 112538 R70255 ESTs 1.  112808 R97970 Hs.281022 EST 1.  113086 T40652 Hs.209100 DKFZP434C171 protein 1.  115740 AA418033 Hs.283559 ESTs 1.  115949 AA443800 Hs.43125 ESTs 2.  45 115965 AA446661 Hs.173233 ESTs 2.  117224 N20300 Hs.218707 ESTs 2.  117724 N20300 Hs.218707 ESTs 1.  119059 R15436 Hs.77889 Friedreich ataxia region gene X123 1.  119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 2.  50 119359 T71021. Hs.285681 ESTs; Highly similar to WS basic-helix-loo 1.  119798 W73386 Hs.249129 ESTs 3.  120889 AA365784 Hs.97044 ESTs 1.  121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1.  121750 AA421184 Hs.97549 ESTs 1.  55 122127 AA434447 Hs.105771 ESTs 2.  122348 AA443695 Hs.293410 ESTs 2.  122485 AA448300 Hs.160318 phospholemman 1.  123443 AA598841 Hs.167382 natriuretic peptide receptor A/guanylate cy ESTs; Moderately similar to !!!! ALU SUB 1.  60 125284 W94688 Hs.103253 périlipin 1.  123674 R72515 Hs.160318 phospholemman 1.  127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.		108604	AA099820	Hs.49696		2.4
40 112538 R70255 ESTS 1. 112808 R97970 Hs.281022 EST 1. 113086 T40652 Hs.209100 DKFZP434C171 protein 1. 115740 AA418033 Hs.283559 ESTs 1. 115949 AA443800 Hs.43125 ESTs 2. 45 115945 AA446661 Hs.173233 ESTs 2. 117224 N20300 Hs.218707 ESTs 1. 119059 R15436 Hs.77889 Friedreich ataxia region gene X123 1. 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 2. 119359 T71021 Hs.285681 ESTs; Highly similar to was basic-helix-loo 1. 119098 W73386 Hs.249129 ESTs 3. 120889 AA365784 Hs.97044 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97549 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97549 ESTs 1. 122348 AA443695 Hs.293410 ESTs 2. 122485 AA448300 Hs.160318 phospholemman 1. 123443 AA598841 Hs.167382 matriuretic peptide receptor A/guanylate cy 1. ESTs; Moderately similar to !!!! ALU SUB 1. 60 125284 W94688 Hs.103253 périlipin 1. 126300 D81972 Hs.160318 phospholemman 1. 126300 D81972 Hs.160318 phospholemman 1. 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.		111130	N64265	Hs.19515	yz44h12.s1 Morton Fetal Cochlea Homo sa	1.7
112808 R97970 Hs.281022 EST 113086 T40652 Hs.209100 DKFZP434C171 protein 115740 AA418033 Hs.283559 ESTs 115949 AA443800 Hs.43125 ESTs 245 115965 AA446661 Hs.173233 ESTs 267 117224 N20300 Hs.218707 ESTs 27 117513 N32174 Hs.44317 SRY (sex-determining region Y)-box 10 28 119059 R15436 Hs.77889 Friedreich ataxia region gene X123 29 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 20 119359 T71021 Hs.285681 ESTs; Highly similar to WS basic-helix-loo 20 119398 W73386 Hs.249129 ESTs 21 120889 AA365784 Hs.97044 ESTs 21 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 21 121750 AA421184 Hs.97549 ESTs 22 122348 AA443695 Hs.293410 ESTs 23 122485 AA448300 Hs.160318 phospholemman 23 12343 AA598841 Hs.167382 Hs.160318 phospholemman 23 123505 AA600135 Hs.160318 phospholemman 24 123505 AA600135 Hs.160318 phospholemman 25 126300 D81972 Hs.160318 phospholemman 26 125284 W94688 Hs.103253 perillipin HUM427D08B Human fetal brain (TFujiw Hum427D0		111837	R36447	Hs.24453		1.6
113086 T40652 Hs.209100 DKFZP434C171 protein 115740 AA418033 Hs.283559 ESTs 115949 AA443800 Hs.43125 ESTs 2 45 115965 AA446661 Hs.173233 ESTs 117224 N20300 Hs.218707 ESTs 117513 N32174 Hs.44317 SRY (sex-determining region Y)-box 10 119059 R15436 Hs.77889 Friedreich ataxia region gene X123 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 1191798 W73386 Hs.285681 ESTs; Highly similar to WS basic-helix-loo 119798 W73386 Hs.249129 ESTs 120889 AA365784 Hs.97044 ESTs 121381 AA405747 Hs.97984 ESTs 121381 AA405747 Hs.97984 ESTs 121381 AA405747 Hs.97984 ESTs 1212348 AA443695 Hs.97044 ESTs 122348 AA443695 Hs.293410 ESTs 122485 AA448300 Hs.160318 phospholemman 123443 AA598841 Hs.167382 natriuretic peptide receptor Alguanylate cy 123505 AA600135 Hs.160318 phospholemman 123600 D81972 Hs.160318 phospholemman 126300 D81972 Hs.160318 phospholemman 127218 AA309765 Hs.160318 phospholemman	40	112538	R70255			1.9
115740 AA418033 Hs.283559 ESTs 115949 AA443800 Hs.43125 ESTs 22 115945 AA446661 Hs.173233 ESTs 23 11724 N20300 Hs.218707 ESTs 24 117513 N32174 Hs.44317 SRY (sex-determining region Y)-box 10 119059 R15436 Hs.77889 Friedreich ataxia region gene X123 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 25 26 27 28 29 20 20 21 219175 R71792 Hs.285681 ESTs; Highly similar to cell death activato 27 28 29 20 20 21 219359 T71021 Hs.285681 ESTs; Highly similar to WS basic-helix-loo 20 21 219359 AA365784 Hs.29129 ESTs 21 210889 AA365784 Hs.97044 ESTs 212181 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 2121750 AA421184 Hs.97549 ESTs 22218 AA448300 Hs.160318 phospholemman 2123443 AA598841 Hs.167382 natriuretic peptide receptor Alguanylate cy 22218		112808	R97970			1.5
115949 AA443800 Hs.43125 ESTs 2 115965 AA446661 Hs.173233 ESTs 2 117224 N20300 Hs.218707 ESTs 1. 117513 N32174 Hs.44317 SRY (sex-determining region Y)-box 10 1. 119059 R15436 Hs.77889 Friedreich ataxia region gene X123 1. 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 2. 50 119359 T71021 Hs.285681 ESTs; Highly similar to WS basic-helix-loo 1. 119798 W73386 Hs.249129 ESTs 3. 120889 AA365784 Hs.97044 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97549 ESTs 1. 121750 AA421184 Hs.97549 ESTs 1. 122348 AA443695 Hs.293410 ESTs 2. 122348 AA443695 Hs.293410 ESTs 2. 122485 AA448300 Hs.160318 phospholemman 1. 123443 AA598841 Hs.167382 natriuretic peptide receptor A/guanylate cy 1. ESTs; Moderately similar to !!!! ALU SUB 1. ESTs; Moderately similar to !!!! ALU SUB 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.160318 phospholemman 1. 127218 AA309765 Hs.160318 phospholemman 1.		113086	T40652	Hs.209100	DKFZP434C171 protein	1.9
45 115965 AA446661 Hs.173233 ESTs 2. 117224 N20300 Hs.218707 ESTs 1. 117513 N32174 Hs.44317 SRY (sex-determining region Y)-box 10 1. 119059 R15436 Hs.77889 Friedreich ataxia region gene X123 1. 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 2. 119359 T71021. Hs.285681 ESTs; Highly similar to WS basic-helix-loo 1. 119798 W73386 Hs.249129 ESTs 3. 120889 AA365784 Hs.97044 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97549 ESTs 1. 121750 AA421184 Hs.97549 ESTs 1. 122348 AA443695 Hs.293410 ESTs 2. 122385 AA640305 Hs.160318 phospholemman 1. 123443 AA598841 Hs.167382 natriuretic peptide receptor A/guanylate cy 1. 123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 1. 60 125284 W94688 Hs.103253 périlipin 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.160318 phospholemman 1. 127218 AA309765 Hs.160318 phospholemman 1.		115740	AA418033	Hs.283559	ESTs	1.6
117224 N20300 Hs.218707 ESTs 117513 N32174 Hs.44317 SRY (sex-determining region Y)-box 10 119059 R15436 Hs.77889 Friedretch ataxia region gene X123 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 119359 T71021. Hs.285681 ESTs; Weakly similar to WS basic-helix-loo 119369 A365784 Hs.249129 ESTs 120889 AA365784 Hs.97044 ESTs 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 121750 AA421184 Hs.97949 ESTs 122127 AA434447 Hs.105771 ESTs 122348 AA443695 Hs.293410 ESTs 122485 AA448300 Hs.160318 phospholemman 123443 AA598841 Hs.167382 natriuretic peptide receptor A/guanylate cy 123505 AA600135 60 125284 W94688 Hs.160318 phospholemman 123630 D81972 Hs.160318 phospholemman 126300 D81972 Hs.160318 phospholemman 127218 AA309765 Hs.160318 phospholemman 127218 AA309765 Hs.160318 phospholemman 127218 AA309765 Hs.160318 phospholemman 127218 AA309765 Hs.160318 phospholemman 127218 Ka309765 Hs.160318 phospholemman		115949	AA443800	Hs.43125	ESTs	
117513 N32174 Hs.44317 SRY (sex-determining region Y)-box 10 119059 R15436 Hs.77889 Friedreich ataxia region gene X123 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 119359 T71021 Hs.285681 ESTs; Highly similar to WS basic-helix-loo 119379 W73386 Hs.249129 ESTs 120889 AA365784 Hs.97044 ESTs 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 121750 AA421184 Hs.97549 ESTs 121750 AA421184 Hs.97549 ESTs 122248 AA443695 Hs.106771 ESTs 122348 AA443695 Hs.293410 ESTs 122348 AA443695 Hs.293410 ESTs 122348 AA448300 Hs.160318 phospholemman 123443 AA598841 Hs.167382 natriuretic peptide receptor A/guanylate cy 123505 AA600135 Hs.160318 prilipin 1 1236300 D81972 Hs.160318 phospholemman 126747 R72515 Hs.160318 phospholemman 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei	45	115965	AA446661	Hs.173233	ESTs	2.2
119059 R15436 Hs.77889 Friedreich ataxia region gene X123 1. 119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 2. 119359 T71021 Hs.285681 ESTs; Highly similar to WS basic-helix-loo 1. 119798 W73386 Hs.249129 ESTs 3. 120889 AA365784 Hs.977044 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97549 ESTs 1. 121750 AA421184 Hs.97549 ESTs 2. 122248 AA443695 Hs.105771 ESTs 2. 122348 AA443695 Hs.293410 ESTs 2. 122485 AA448300 Hs.160318 phospholemman 1. 123443 AA598841 Hs.167382 natriuretic peptide receptor Alguanylate cy 1. 123505 AA600135 ESTs; Weakly similar to IIII ALU SUB 1. 123674 R72515 Hs.160318 phospholemman 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.		117224	N20300	Hs.218707	ESTs	1.7
119175 R71792 Hs.301002 ESTs; Weakly similar to cell death activato 2. 119359 T71021 Hs.285681 ESTs; Highly similar to WS basic-helix-loo 1. 119798 W73386 Hs.249129 ESTs 3. 120889 AA365784 Hs.97044 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97549 ESTs 1. 122247 AA434447 Hs.105771 ESTs 2. 122348 AA443695 Hs.293410 ESTs 2. 122485 AA448300 Hs.160318 phospholemman 1. 123443 AA598841 Hs.167382 natriuretic peptide receptor Alguanylate cy 1. 123505 AA600135 ESTs; Moderately similar to IIII ALU SUB 1. 125284 W94688 Hs.103253 perilipin 1. 126747 R72515 Hs.160318 phospholemman 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.		117513	N32174	Hs.44317	SRY (sex-determining region Y)-box 10	1.7
50         119359 T71021         Hs.285681 ESTs; Highly similar to WS basic-helix-loo         1.19798 W73386         Hs.249129 ESTs         3           120889 AA365784         Hs.97044 ESTs         1.           121381 AA405747         Hs.97984 ESTs; Weakly similar to WASP-family pro         1.           121750 AA421184         Hs.97549 ESTs         1.           55 122127 AA434447         Hs.106771 ESTs         2.           122348 AA443695         Hs.293410 ESTs         2.           12343 AA598841         Hs.160318 phospholemman         1.           123505 AA600135         ESTs; Moderately similar to !!!! ALU SUB         1.           60 125284 W94688         Hs.103253 perilipin         1.           126747 R72515         Hs.160318 phospholemman         1.           126747 R72515         Hs.160318 phospholemman         1.           126748 R72515         Hs.160318 phospholemman         1.           127218 AA309765         Hs.160318 phospholemman         1.		119059	R15436	Hs.77889	Friedreich ataxia region gene X123	1.7
119798 W73386 Hs.249129 ESTs 3 120889 AA365784 Hs.97044 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97549 ESTs 1. 12217 AA434447 Hs.106771 ESTs 2. 122348 AA443695 Hs.293410 ESTs 2. 122485 AA448300 Hs.160318 phospholemman 1. 123443 AA598841 Hs.167382 natriuretic peptide receptor Alguanylate cy 1. 123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 1. 125284 W94688 Hs.103253 perilipin 1. 126747 R72515 Hs.160318 phospholemman 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.		119175	R71792	Hs.301002	ESTs; Weakly similar to cell death activato	2.8
120889 AA365784 Hs.97044 ESTs 1. 121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 1. 121750 AA421184 Hs.97549 ESTs 1. 121750 AA421184 Hs.97549 ESTs 1. 122348 AA443695 Hs.106771 ESTs 2. 122485 AA448300 Hs.160318 phospholemman 1. 123443 AA598841 Hs.167382 natriuretic peptide receptor Alguanylate cy 1. 123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 1. 125284 W94688 Hs.103253 perilipin 1. 126300 D81972 HUM427D08B Human fetal brain (TFujiw 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.	50	119359	T71021.	Hs.285681	ESTs; Highly similar to WS basic-helix-loo	1.9
121381 AA405747 Hs.97984 ESTs; Weakly similar to WASP-family pro 121750 AA421184 Hs.97549 ESTs 122127 AA434447 Hs.105771 ESTs 122348 AA443695 Hs.293410 ESTs 122485 AA448300 Hs.160318 phospholemman 123443 AA598841 Hs.167382 natriuretic peptide receptor Alguanylate cy 123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 125284 W94688 Hs.103253 perilipin 126300 D81972 HUM427D08B Human fetal brain (TFujiw 126747 R72515 Hs.160318 phospholemman 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei		119798	W73386	Hs.249129	ESTs	
121750 AA421184 Hs.97549 ESTs 1.  122127 AA434447 Hs.106771 ESTs 2.  122348 AA43695 Hs.293410 ESTs 2.  122485 AA448300 Hs.160318 phospholemman 1.  12343 AA598841 Hs.167382 natriuretic peptide receptor Alguanylate cy 1.  123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 1.  125284 W94688 Hs.103253 perilipin 1.  126300 D81972 HUM427D08B Human fetal brain (TFujiw 1.  126747 R72515 Hs.160318 phospholemman 1.  127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.		120889	AA365784	Hs.97044	ESTs	1.6
55       122127 AA434447       Hs. 106771 ESTs       2.         122348 AA443695       Hs. 293410 ESTs       2.         122485 AA448300       Hs. 160318 phospholemman       1.         123443 AA598841       Hs. 167382 natriuretic peptide receptor Alguanylate cy       1.         123505 AA600135       ESTs; Moderately similar to !!!! ALU SUB       1.         60 125284 W94688 Hs. 103253       Hs. 103253 perilipin       1.         126300 D81972 126747 R72515       Hs. 160318 phospholemman       1.         127218 AA309765       Hs. 116017 ESTs; Weakly similar to KIAA0795 protei       1.		121381	AA405747	Hs.97984	ESTs; Weakly similar to WASP-family pro	1.8
122348 AA443695 Hs.293410 ESTs 2 122485 AA448300 Hs.160318 phospholemman 1 123443 AA598841 Hs.167382 natriuretic peptide receptor A/guanylate cy 1 123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 1 125284 W94688 Hs.103253 perilipin 1 126300 D81972 Hs.160318 phospholemman 1 126747 R72515 Hs.160318 phospholemman 1 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1		121750	AA421184	Hs.97549	ESTs	1.5
122485 AA448300 Hs.160318 phospholemman 1 123443 AA598841 Hs.167382 natriuretic peptide receptor A/guanylate cy 1 123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 1 125284 W94688 Hs.103253 perilipin 1 126747 R72515 Hs.160318 phospholemman 1 127218 AA309765 Hs.16017 ESTs; Weakly similar to KIAA0795 protei 1	55	122127	AA434447	Hs.106771	ESTs	2.5
123443 AA598841 Hs.167382 natriuretic peptide receptor A/guanylate cy 1 123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 1 125284 W94688 Hs.103253 perilipin 1 126300 D81972 HUM427D08B Human fetal brain (TFujiw 1 126747 R72515 Hs.160318 phospholemman 1 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1		122348	AA443695	Hs.293410	ESTs	2.1
123505 AA600135 ESTs; Moderately similar to !!!! ALÚ SUB 1. 60 125284 W94688 Hs.103253 perilipin 1. 126300 D81972 HUM427D08B Human fetal brain (TFujiw 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.		122485	AA448300	Hs.160318	phospholemman	1.5
123505 AA600135 ESTs; Moderately similar to !!!! ALU SUB 1. 60 125284 W94688 Hs.103253 perilipin 1. 126300 D81972 HUM427D08B Human fetal brain (TFujiw 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.				Hs.167382		1.8
60 125284 W94688 Hs.103253 perilipin 1 126300 D81972 HUM427D08B Human fetal brain (TFujiw 1 126747 R72515 Hs.160318 phospholemman 1 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1		123505	AA600135			1.5
126300 D81972 HUM427D08B Human fetal brain (TFujiw 1. 126747 R72515 Hs.160318 phospholemman 1. 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.	60			Hs.103253		1.7
126747 R72515 Hs.160318 phospholemman 1 127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1						1.8
127218 AA309765 Hs.116017 ESTs; Weakly similar to KIAA0795 protei 1.				Hs.160318		1.6
						1.5
				Hs.75432		1.7

	407000	A 4 CO 4 4 O C .	11- 400000	FOT-	4 5
		AA634405	Hs.122608		1.5
		AA972780		ESTs; Weakly similar to IIII ALU SUBFA	1.5
	_	A1092391	Hs.134886		1.5
_	128842		Hs.20340	ESTs	1.6
5	128870		Hs.75309	eukaryotic translation elongation factor 2	1.7
		AA459944		DKFZP586P1422 protein	1.5
	129285		Hs.11006	ESTs	2.1
		N93465		ESTs; Highly similar to CGI-38 protein [H	1.5
10		M62402		insulin-like growth factor binding protein 6	1.7
10		M25079		hemoglobin; beta	1.7
		AA211776	Hs.2504	myomesin 1 (skelemin) (185kD)	3.8
		AA131466	Hs.23767	ESTs	1.9
		M12272	Hs.4	alcohol dehydrogenase 3 (class I); gamma p	2.2
1.5		AA295848	Hs.25475	aquaporin 7	1.7
15		D49487	Hs.194236		2.5
		AA045503	Hs.56874	ESTs; Weakly similar to Homo sapiens p2	1.6
	132931		Hs.6090	deleted in bladder cancer chromosome regi	1.5
		X64559	Hs.65424	tetranectin (plasminogen-binding protein)	2
20		U95367	Hs.70725	gamma-aminobutyric acid (GABA) A recep	1.5
20		X74295	Hs.74369	integrin; alpha 7	1.7
		S95936	Hs.284176		2.3 1.9
		N56898	Hs.75652	glutathione S-transferase M5	4.6
		N79674 U56814	Hs.8022 Hs.88646	TU3A protein	1.5
25		L10955	Hs.89485	deoxyribonuclease I-like 3 carbonic anhydrase IV	1.6
23		M72885	Hs.95910	Human G0S2 protein gene; complete cds	1.9
		AW027556	Hs.156286		1.7
		Al369956	Hs.257891		1.5
		AA514805	Hs.293055		1.8
30		AI807692	Hs.129129		1.6
50		AA923549	Hs.224121		2.1
		N77976		hemoglobin; alpha 1	1.8
		V00505	Hs.36977	hemoglobin; delta	1.6
		T04868	Hs.46780	EST cluster (not in UniGene) with exon hit	1.7
35		U94362	Hs.58589	glycogenin 2	1.5
	304182	H91086		EST singleton (not in UniGene) with exon	1.5
	304622	AA516384		EST singleton (not in UniGene) with exon	1.5
	304682	AA550994		EST singleton (not in UniGene) with exon	1.7
	305612	AA782347	Hs.272572	EST singleton (not in UniGene) with exon	1.5
40	306193	AA923457		EST singleton (not in UniGene) with exon	1.5
		Al192534		EST singleton (not in UniGene) with exon	1.6
		Al222691		EST singleton (not in UniGene) with exon	1.5
		AI452732		EST singleton (not in UniGene) with exon	1.9
15		Al612774	Hs.79372	retinoid X receptor; beta	1.5
45		AW296073	Hs.255504		1.5
		A1720978		ESTs; Moderately similar to alternatively s	1.8
		AW241947	Hs.232478		1.6
		AW238092	Hs.254759		2.1
50		T79860	Hs.118180		1.9 2.3
50		H25237	Hs.306814 Hs.143040		1.8
		N49684			2.2
		W32480 AW328672	Hs.157099 Hs.132760		1.9
		A1754634	Hs.131987		1.7
55		AA759098	Hs.192007		1.8
55		AA680055	Hs.264885		1.5
		AA948612	Hs.130414		1.6
		A1205077	Hs.294085		1.7
		AA837079	Hs.24647	ESTs	1.5
60	316983	A1480204	Hs.177131		1.5
	317604	AI650625	Hs.300756		1.6
	317951	AW206520	Hs.129621		1.5
	319400	W26902	Hs.154085	ESTs .	1:7
	320757	H22654	Hs.6382	EST duster (not in UniGene)	1.5
<b>65</b> .	321594	AA021402	Hs.11067	ESTs	1.7
	322102	H45589		EST duster (not in UniGene)	1.5
	322814	A1824495	Hs.211038	E515	2.2

	322929	AI365585	Hs.146246	ESTs	2.3
•	323831	AA335715	Hs.200299	= = 1 =	1.7
	324044	AL045752	Hs.22350	ESTs	1.8
	324675	AW014734	Hs.157969		2.2
5	325272			CH.11_hs gij5866902	1.5
•	325558			CH.12_hs gi 6056302	1.6
	325656			CH.14_hs gi 6056305	1.6
	326120			CH.17_hs gi 5867194	1.5
	326139		•	CH.17_hs gi 5867203	1.5
10	326855			CH.20_hs gij6552460	1.5
	327438			CH.02_hs gi 6004454	1.6
	329733			CH.14_p2 gi 6065783	1.6
	330931	F01443	Hs.284256		4.6
	331591	N71677	Hs.42146	ESTs	1.9
15	332159	AA621393	Hs.112984	EST	1.5
	332364	W94688 ·	Hs.103253	perilipin	2.1
	332502	H21819	Hs.14896	Homo sapiens clone 24590 mRNA sequenc	1.5
	334175	•		CH22_FGENES.349_10	1.5
	334347			CH22_FGENES.375_31	1.8
20	334737			CH22_FGENES.424_12	1.8
	335352			CH22_FGENES.539_5	1.5
	335639			CH22_FGENES.584_19	1.6
	336244			CH22_FGENES.746_2	1.5
0.5	336336			CH22_FGENES.814_8	1.7
25 ·	336865			CH22_FGENES.305-1	1.6
	337494	-		CH22_FGENES.799-12	1.6
	337764			CH22_EM:AC000097.GENSCAN.119-1	1.8
	337983	<i>:</i>		CH22_EM:AC005500.GENSCAN.110-1	2
άn	338192			CH22_EM:AC005500.GENSCAN.228-1	1.5
30	339366			CH22_BA354I12.GENSCAN.34-2	1.5

#### TABLE 15A

Table 15A shows the accession numbers for those pkeys lacking unigeneID's for Table 15. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

```
Pkey: Unique Eos probeset identifier number 
CAT number: Gene cluster number
```

Accession:

Genbank accession numbers

15

```
CAT number Accession
         Pkev
          126300 250375_2
                              D81972 BE003132
 20
          112538 504579_1
                              AA908813 R70255
          123505 genbank_AA600135
                                        AA600135
                              AA349096 Al368018 F21390 F17759 R48772 Al421485 Al300352 H43971 Al378525 F33652 R47898 Al264177 F22289 N28263
          104672 6735_7
                              AI276281 R48205 AI245302 AI190036 AI281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375
                              H45809 F33447 AA774528 AA007629 H42537 C01077 F32386
 25
         322102 46708 1
                              H45589 H19807 AF075038 H19808 H42437
         336865 CH22_4590FG_305_1_
         338192 CH22_6755FG__LINK_EM:AC00
         329733 c14 p2
         326120 c17_hs
 30
         326139 c17_hs
         326855 c20_hs
          335352 CH22_2699FG_539_5_LINK_EM
         335639 CH22_2999FG_584_19_LINK_E
         307206 Al192534
 35
         307377 Al222691
         337494 CH22_5727FG_799_12_
         337764 CH22_6115FG__LINK_EM:AC00
337983 CH22_6438FG__LINK_EM:AC00
         339366 CH22_8336FG__LINK_BA354I1
 40
         325272 c11_hs
         325558 c12_hs
          325656 c14_hs
          334175 CH22_1455FG_349_10_LINK_E
         304182 H91086
. 45
          334347 CH22_1640FG_375_31_LINK_E
          327438 c_2_hs
          304622 AA516384
          334737 CH22_2049FG_424_12_LINK_E
          304682 AA550994
 50
          336244 CH22_3642FG_746_2_LINK_DA
```

306193 AA923457

336336 CH22\_3746FG\_814\_8\_LINK\_BA

# TABLE 15B

Table 15B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 15. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled 'The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand:	Indicates DNA strand from which exons were predicted.
	Nt_position:	Indicates nucleotide positions of predicted exons.

15	Pkey	Ref	Strand	Nt_position
20	334347	Dunham, I. et.al.	Plus	13663814-13663926
	334737	Dunham, I. et.al.	Plus	15998517-15998685
	335639	Dunham, I. et.al.	Plus	25173591-25173696
	337494	Dunham, I. et.al.	Plus	33339024-33339148
	334175	Dunham, I. et.al.	Minus	11668659-11668597
25	335352 336244 336336 336865 337764	Dunham, I. et.al.	Minus Minus Minus Minus Minus	22681512-22681384 31402729-31402583 33797209-33797076 8622405-8622289 4035640-4035446
30	337983	Dunham, I. et.al.	Minus	7275495-7275271
	338192	Dunham, I. et.al.	Minus	13248453-13248277
	339366	Dunham, I. et.al.	Minus	33647431-33647293
	325272	5866902	Minus	13247-13312
	325558	6056302	Plus	70930-71030
35	325656	6056305	Minus	78190-78707
	329733	6065783	Plus	163237-163450
	326120	5867194	Plus	36116-36276
	326139	5867203	Minus	218901-218960
	326855	6552460	Minus	111390-111463
	327438	6004454	Minus	199569-199692

# TABLE 16: Table 4 from BRCA 001-5 US

Table 16, a subset of table 15, depicts a preferred group of genes highly downregulated in breast cancer cells.

10	Pkey: ExAcon: UnigenelD: Unigene Title:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title
	R1·	Ratio of normal breast tissue to tumor

15	Pkey	ExAccn	UniGene ID	Unigene Title	R1
	100502		Hs.169228	Adrenal-Specific Protein Pg2	2.3
	101367	M12963	Hs.4	alcohol dehydrogenase 1 (class I); alpha	2.9
20	102857	X00129	Hs.76461	retinol-binding protein 4; interstitial	3
20		AA007629		glycerol-3-phosphate dehydrogenase 1	2.4
	107099		Hs.211568	eukaryotic translation initiation factor 4 gam	2.7
			Hs.49696	ESTs	2.4
	115949		Hs.43125	ESTs	2
0.5		AA446661	Hs.173233	ESTs	2.2
25		R71792	Hs.301002	ESTs; Weakly similar to cell death activator	2.8
	119798	W73386	Hs.249129	ESTs	3 .
		AA434447	Hs.106771	ESTs	2.5
		AA443695	Hs.293410	ESTs	2.1
20	129285	T62068	Hs.11006	ESTs	2.1
30		AA211776	Hs.2504	myomesin 1 (skelemin) (185kD)	3.8
	131282		Hs.4	alcohol dehydrogenase 3 (class I); gamma	2.2
	131810	D49487	Hs.194236	leptin (murine obesity homolog)	2.5
		X64559	Hs.65424	tetranectin (plasminogen-binding protein)	2
25	133601		Hs.284176	transferrin .	2.3
35	134111	N79674	Hs.8022	TU3A protein	4.6
		AA923549	Hs.224121	ESTs	2.1
	311794	AW238092	Hs.254759	ESTs	2.1
		H25237	Hs.306814	ESTs	2.3
40	313283		Hs.157099	ESTs	2.2
40 ·	322814	AI824495	Hs.211038	ESTs	2,2
	322929	AI365585	Hs.146246	ESTs	2.3
	324675	AW014734	Hs.157969	ESTs	2.2
	330931	F01443 ·	Hs.284256	ESTs	4.6
	332364	W94688	Hs.103253	perilipin	2.1
45	337983			CH22_EM:AC005500.GENSCAN.110-1	2

### TABLE 16A

Table 16A shows the accession numbers for those pkeys lacking unigeneID's for Table 16. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey:

Unique Eos probeset identifier number

CAT number:

Gene cluster number

Accession:

Genbank accession numbers

15.

20

Pkey CAT number Accession

104672 6735\_7

AA349096 Al368018 F21390 F17759 R48772 Al421485 Al300352 H43971 Al378525 F33652 R47898 Al264177 F22289 N28263 Al276281 R48205 Al245302 Al190036 Al281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375

H45809 F33447 AA774528 AA007629 H42537 C01077 F32386

10

## TABLE 17: Table 1 from BRCA 014 P

Table 17 shows accession numbers representing 759 sequences of breast cancer genes or fragments thereof encoding breast cancer modulating proteins. For each overexpressed gene identified, a ratio of the relative amount of expression in breast tumors versus normal breast tissue.

	Pkey:		Uniqu	ue Eos probe	set identifier number	
	ExAccn:		Exem	nplar Accessi	ion number, Genbank accession number	
	Unigene	ID:	Uniqu	ene number		
•	Unigene	Title:	Uniqu	ene gene title		
15	R1:				normal breast tissue	
	•					
	Pkey	ExAccn		UnigenelD	Unigene Title	R1
20	400007	A)/CE4CC		LI= 02240	takedose tadosed becautto 0	•
20		AV65469		Hs.82316	interferon-induced, hepatitis C-associat	3
		AW2915		Hs.82733		3.2
		AI96206	Ú		AE-binding protein 1	3.6
		D86983			Melanoma associated gene	3.2
25		X83300		Hs.289103		5.2
25	100960				keratin 14 (epidermolysis bullosa simple	4.3
		BE38703		Hs.1211	acid phosphatase 5, tartrate resistant	3
		AA44232	24	Hs.795	H2A histone family, member O	3.2
	101194			Hs.188	phosphodiesterase 4B, cAMP-specific (dun	3 .
20		U66042		Hs.82171	Homo sapiens clone 19187 placenta expres	
30		BE56308	35	Hs.833	interferon-stimulated protein, 15 kDa	5.3
		R07566		Hs.73817	small inducible cytokine A3 (homologous	3.9
		M25809		Hs.64173	ATPase, H+ transporting, lysosomal (vacu	4.5
		M29874		Hs.1360	cytochrome P450, subfamily IIB (phenobar	9
2.5		AA35377		Hs.901	CD48 antigen (B-cell membrane protein)	3.4
35		NM_003		Hs.2178	H2B histone family, member Q	5.6
		BE01949	94	Hs.79217	pyrroline-5-carboxylate reductase 1	3.6
	101767	M81057		Hs.180884	carboxypeptidase B1 (tissue)	12
	101817	M89907			SWI/SNF related, matrix associated, acti	3.2
4.0	101851	BE26096	64	Hs.82045	midkine (neurite growth-promoting factor	4.1
40		M97815		Hs.183650	cellular retinoic acid-binding protein 2	6.5
	102209	NM_002	038	Hs.265827	interferon, alpha-inducible protein (clo	, 3
	102214	U23752		Hs.32964	SRY (sex determining region Y)-box 11	3
	102297	NM_001	504		G protein-coupled receptor 9	3.7
	102299	NM_005	824	Hs.155545	37 kDa leucine-rich repeat (LRR) protein	3.7.
45	102301	NM_005	651	Hs.183671	tryptophan 2,3-dioxygenase	5.2
	102305	AL04320	2	Hs.90073	chromosome segregation 1 (yeast homolog)	3.5
•	102369	U39840		Hs.299867	hepatocyte nuclear factor 3, alpha	3.9
	102591	U62325		Hs.324125	amyloid beta (A4) precursor protein-bind	4
	102721	H16646		Hs.118666	hypothetical protein PP591	3.5
50	102739	AA36302	25	Hs.155572	Human clone 23801 mRNA sequence	3.2
	102791	AF08022	29		gb:Human endogenous retrovirus K clone 1	3
		NM_002	318	Hs.83354	lysyl oxidase-like 2	3.2
	102903	M73779		Hs.250505	retinoic acid receptor, alpha	3.3
	103010	X52509		Hs.161640	tyrosine aminotransferase	12.4
55	103042	T81656		Hs.252259	ribosomal protein S3	4.5
	103117	X63578		Hs.295449	parvalbumin	3
	103207	X72790			gb:Human endogenous retrovirus mRNA for	5.9
	103282	BE39055	51	Hs.77628	steroidogenic acute regulatory protein r	3.9
		AI75160		Hs.8375	TNF receptor-associated factor 4	3.3
60		X85134		Hs.72984	retinoblastoma-binding protein 5	3.1
		X90872		Hs.279929	gp25L2 protein	3
	103385	NM_007	069	Hs.37189	similar to rat HREV107	3.4
		AA49642		Hs.9629	papillary renal cell carcinoma (transloc	3.2

PCT/US02/02242

	103498	Y09306	Hs.30148	homeodomain-interacting protein kinase 3	3.4
		BE616547	Hs.2785	keratin 17	3.7
		L02911		Activin A receptor, type I (ACVR1) (ALK	3.2
		BE336654	Hs.70937	H3 histone family, member A	4.5
5		AI571835	Hs.55468	ESTs	4
	104073	AW779318	Hs.88417	ESTs	3.8
	104103	AW021102	Hs.21509	ESTs	4.3
	104115	AF183810	Hs.26102	opposite strand to trichorhinophalangeal	7.6
		AA461618		ESTs, Weakly similar to KIAA0227 [H.sapi	3.6
10		AA084273	Hs.76561	ESTs, Weakly similar to S47072 finger pr	4
		AF173296		DC6 protein	3 3.2
		AB040927		KIAA1494 protein	4.3
		AI559444 AI929700	Hs.293960	endosulfine alpha	3.1
15		H20816	He 112/23	Homo sapiens mRNA; cDNA DKFZp586I1420 (f	3.2
13		AV650851	Hs.96900	hypothetical protein; KIAA1830 protein	4.4
		AA360954	Hs.27268	Homo sapiens cDNA: FLJ21933 fis, clone H	3.2
		AA015879	Hs.33536	ESTs	3.2
		T49951	Hs.9029	DKFZP434G032 protein	4.5
20	104825	AA035613	Hs.141883	ESTs	6.9
	104830	AW294092	Hs.21594	hypothetical protein MGC15754	11.1
	104865	T79340	Hs.22575	B-cell CLL/lymphoma 6, member B (zinc fi	3.5
		BE298684	Hs.26802	protein kinase domains containing protei	6.5
0.5		H78517	Hs.33905	ESTs	3.6
25		AW503733	Hs.9414	KIAA1488 protein	4.5
		H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	3.8 3
		AA148982	Hs.29068	ESTs Homo sapiens mRNA; cDNA DKFZp586G0321 (f	4.8
		AL137566 AW134924	Hs.32405 Hs.190325		8.2
30		AA814807	Hs.7395	hypothetical protein FLJ23182	3.1
50		AW505076		DiGeorge syndrome critical region gene 8	4.2
	-	AA252033		hypothetical protein DKFZp434K1421	4.4
		AA256750	Hs.28802	centaurin-alpha 2 protein	3.2
		AA279439		hypothetical protein FLJ10504	3.5
35		W16741	Hs.25635	HSPC003 protein	3.7
	105688	Al299139	Hs.17517	ESTs	5.5
	105808	Al133161		CGI-101 protein	3.5
		AW973653	Hs.20104	hypothetical protein FLJ00052	3.3
40		AA195191	Hs.5111	hypothetical protein FLJ20729	3.2
40		AA131657	Hs.23830	ESTS	3.3
		AL117474	Hs.41181	Homo sapiens mRNA; cDNA DKFZp727C191 (fr	3.2 3.3
		W28948 N39842	Hs.10762	ESTS KIAA1673	4.1
		BE397649	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	3.1
45		BE383668	Hs.42484	hypothetical protein FLJ10618	3.2
		AA351978	Hs.4943	hepatocellular carcinoma associated prot	7.8
		AL134708	Hs.145998		3
		AA648459		hypothetical protein AF301222	3.8
	106636	AW958037	Hs.286	ribosomal protein L4	3.3
50	106661	AW499914	Hs.7579	hypothetical protein FLJ10402	3
	106743	3 BE613328	Hs.21938	hypothetical protein FLJ12492	4.2
		AA485055	Hs.158213	sperm associated antigen 6	3.4
		Al311928		gb:qo89h04.x1 NCI_CGAP_Kid5 Homo sapiens	4.4
		AW192535	Hs.19479	ESTs .	3.6
55		AW472981		hypothetical protein MGC2771	4.1 3.6
		2 AA995351	Hs.31314	retinoblastoma-binding protein 7	5.3
		3 AF216751 5 AW963419	Hs.26813	CDA14 s stanniocalcin 2	3.4.
		3 N32849	Hs.31844	hypothetical protein FLJ12586	3.1
60		3 AW263124	Hs.315111	nuclear receptor co-repressor/HDAC3 comp	5.9
50		5 BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	3.9
		AW961576	Hs.60178	ESTs	4.6
		0 Al955040	Hs.265398	ESTs. Weakly similar to transformation-r	3
		0 AA025386	Hs.61311	ESTs, Weakly similar to S10590 cysteine	3.1
65		5 T40064	Hs.71968	Homo sapiens mRNA; cDNA DKFZp564F053 (fr	4.8
		0 Al263307	Hs.239884	H2B histone family, member L	3.3
	10821	7 AA058686	Hs.62588	ESTs	3.8

	108435	T82427	He 194101	Homo sapiens cDNA; FLJ20869 fis, clone A	3
		AB033073	Hs.43857	similar to glucosamine-6-sulfatases	3.3
		AA121022		gb:zn84f10.r1 Stratagene lung carcinoma	3.9
		AF068290	Hs.79741	hypothetical protein FLJ10116	6.1
5 .	108819	AA011449	Hs.271627	ESTs	3.6
		AA136674	Hs.118681		3.9
		AF186114		tumor necrosis factor (ligand) superfaml	3.7
		AK000684		hypothetical protein FLJ22104	3.1
10		AI970536		hypothetical protein FLJ13163	3.7
10		N23235 AA196443	Hs.30567 Hs.86043	ESTs, Weakly similar to B34087 hypotheti Homo sapiens cDNA FLJ13558 fis, clone PL	4.5 3.7
		AW504732	Hs.21275	hypothetical protein FLJ11011	4.6
		AA232255		ESTs, Moderately similar to A46010 X-lin	6.4
		AA234087		ESTs, Weakly similar to S72482 hypotheti	4.8
15		R45584	Hs.23025	ESTs, Weakly similar to ALU5_HUMAN ALU S	3.3
	109632	AA325138	Hs.235873	hypothetical protein FLJ22672	3
	109644	AW973964	Hs.291531	ESTs, Highly similar to 1203217A dehydro	3
		F09609		gb:HSC33H092 normalized infant brain cDN	3.2
20 .		F06838	Hs.14763	ESTs	3.2
20		R43646	Hs.12422	ESTs	3.8
		AW818436 AK001680	Hs.23590	solute carrier family 16 (monocarboxylic DKFZP434F091 protein	3.3 3.6
			Hs.31050	ESTs	4.2
		AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	5.1
25		H89355		adrenergic, alpha-2A-, receptor	5.3
	110707	AI239832	Hs.15617	ESTs, Weakly similar to ALU4_HUMAN ALU S	3.7
	110915	BE092285	Hs.29724	hypothetical protein FLJ13187	3.7
		N64683	Hs.290943		4
20		N66563	Hs.191358		3.1
30		A1767435	Hs.29822	ESTs ESTs	4.5 5.4
		A1457338 R07856	Hs.29894 Hs.16355	ESTs	3.4
		R08440	113.10333	gb:yf19f09.s1 Soares fetal liver spleen	3.1
	-	AA602004	Hs.23260	ESTs	3.2
35		R35252	Hs.24944	ESTs, Weakly similar to 2109260A B cell	3.3
	111876	R38239	Hs.293246	ESTs, Weakly similar to putative p150 [H	3.1
		AA421081	Hs.12388	ESTs	3.4
		AF070526	Hs.13429	Homo sapiens clone 24787 mRNA sequence	3.3
40		AW379029		ESTs, Weakly similar to unnamed protein	4.4
40		BE246743 AB033064		hypothetical protein FLJ22635 KIAA1238 protein	7.3 3.2
		H24334	Hs.26125	ESTs	4.4
		R54797	113.20123	gb:yg87b07.s1 Soares infant brain 1NIB H	3.4
		R66067	Hs.28664	ESTs ·	8.2
45		Al791493		ESTs, Weakly similar to A36036 cytochrom	5.5
	112631	R82040		gb:yj06b06.s1 Soares placenta Nb2HP Homo	3.9
		R82331	Hs.164599		5.4
		AW844878	Hs.19769	hypothetical protein MGC4174	3.2
50		A1418466	Hs.33665	ESTs	4.7
50		AA082465 AB032977	Hs.6298	choline/ethanolaminephosphotransferase KIAA1151 protein	3.7 3.1
		AA828380	Hs.126733	·	3.4
		AW813731		ESTs, Moderately similar to S65657 alpha	3.4
		BE613410	Hs.31575	SEC63, endoplasmic reticulum translocon	3.2
55	113200	T57773	Hs.10263	ESTs	3.5
		BE262470	Hs.241471		6.2
		T79925		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.7
		U54727	Hs.191445		3.
60		T91451	Hs.86538	ESTs	3.4 3.1
00		AW367788 - AI702609	Hs.15713	postmeiotic segregation increased 2-like hypothetical protein MGC2776	3.1
		NM_004585	Hs.17466	retinoic acid receptor responder (tazaro	3.9
		AI912410	Hs.27475	Homo sapiens cDNA FLJ12749 fis, clone NT	3
		W81598	_	gb:zd88g02.s1 Soares_fetal_heart_NbHH19W	4.6
65		W84768		gb:zh53d03.s1 Soares_fetal_liver_spleen_	3.1
		W27249	Hs.8109	hypothetical protein FLJ21080	6.9
	114086	AA378776	.Hs.288649	hypothetical protein MGC3077	4.3

PCT/US02/02242

	114148 AW470411	Hs.288433		4.1 3.4
	114424 AW780192	Hs.267596	suppressor of var1 (S.cerevisiae) 3-like	3.1
	114518 AW163267 114563 AI979168		glycoprotein (transmembrane) nmb	4.8
5	114965 Al733881		BMP-R1B	10.1
-	114995 AA769266	Hs.193657		3.6
	115121 Al634549		ESTs	3.2
	115134 AW968073		ESTs, Highly similar to A55713 inositol	4.2
	115167 AA749209		hypothetical protein	3
10	115253 BE149845	Hs.289038	hypothetical protein MGC4126	3.6
	115277 AA814100		ESTs .	3.9
	115327 N46436	Hs.109221		3.4
	115354 AA281636	Hs.334827		4.8
1.5	115657 AA405620		ESTs, Weakly similar to T29520 hypotheti	3.5 9.3
15	115676 AA953006	Hs.88143	ESTs ESTs, Weakly similar to ALU7_HUMAN ALU S	3.4
	115709 AW293849	Hs.58279	ESTS, Weakly Stitlina to ALO7_HOWAN ALO 3	4
	115729 AA417812 115787 Al126772	Hs.38775 Hs.40479	ESTs	3.1
	115830 AW970529	Hs.86434	hypothetical protein FLJ21816	3.6
20	115835 AA521410	Hs.41371	ESTs	3.1
	115850 NM_014937	Hs.52463	KIAA0966 protein	3
	115900 AK001500		hypothetical protein FLJ13852	3.2
	115935 AA354549	Hs.41181	Homo sapiens mRNA; cDNA DKFZp727C191 (fr	3
	115948 AL042465	Hs.43445	poly(A)-specific ribonuclease (deadenyla	3.1
25	116092 AB041035	Hs.93847	NM_016931:Homo sapiens NADPH oxidase 4 (	6.7
	116115 AL042355	Hs.70202	WD repeat domain 10	3.6
	116184 AW450737		CGI-09 protein	3.1
	116192 AA464976	Hs.62528	ESTs, Moderately similar to A46010 X-lin	3.3 3.2
20	116208 AI219083	Hs.42532	ESTs, Moderately similar to ALU8_HUMAN A baculoviral IAP repeat-containing 6	3.6
30	116246 AF265555 116443 AW962196		LBP protein 32	4.1
	116470 AI272141	Hs.83484	SRY (sex determining region Y)-box 4	4.1
	116726 AK001114	Hs.53913	hypothetical protein FLJ10252	8.6
	116845 AA649530		gb:ns44f05.s1 NCI_CGAP_Alv1 Homo sapiens	3.2
35	117026 H88256	Hs.50456	ESTs, Moderately similar to ZN75_HUMAN Z	3.5
	117216 AI569804	Hs.42792	ESTs, Weakly similar to I78885 serine/th	3.1
	117296 AL133427	Hs.42506	Homo sapiens mRNA full length insert cDN	3.2
	117403 H84455	Hs.40639	ESTs	4.7
40	117691 AB040959	Hs.93836	DKFZP434N014 protein	3
40	118229 AW968941		hypothetical protein DKFZp5661133	3.3 4.3
	118363 AI183838 118416 N66028	Hs.48938 Hs.49105	hypothetical protein FLJ21802 FKBP-associated protein	3.1
	118470 AW970584	Hs.291033		3.4
	118502 AL157488	Hs.50150	Homo sapiens mRNA; cDNA DKFZp564B182 (fr	5.2
45	118695 AK000465	Hs.50081	KIAA1199 protein	3.4
	118925 N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A	3.3
	119025 BE003760	Hs.55209	Homo sapiens mRNA; cDNA DKFZp434K0514 (f	19.7
	119036 R95872		chemokine binding protein 2	3.7
	119063 R16833	Hs.53106		4.1
50	119075 M10905		fibroneclin 1	3.2
	119620 W47620		2'-5'-oligoadenylate synthetase 3 (100 k	3.3
	119741 AF041853	Hs.43670	kinesin family member 3A ESTs	3.1 5
	119747 Al970797 119754 AL037824	Hs.64859	ras homolog gene family, member l	3.8
55	119905 AW449064	Hs 119571	collagen, type III, alpha 1 (Ehlers-Dani	3.1
33	120084 W94472	Hs.59529	ESTs, Moderately similar to ALU1_HUMAN A	8.4
	120241 AA825686	Hs.321176	ESTs, Weakly similar to S65824 reverse t	3.6
	120326 AA196300	Hs.21145	hypothetical protein RG083M05.2	3.2
	120742 AA225084		gb:nc21d06.r1 NCI_CGAP_Pr1 Homo sapiens	3.6
60	120870 AA357172		ESTs, Moderately similar to ALU1_HUMAN A	5.8
	120885 AA365515		hypothetical protein MGC4840	3
	120970 AA398118	Hs.97579	ESTs, Weakly similar to A46010 X-linked	3.7
	121054 AW976570	Hs.97387	ESTs Homo sapiens mRNA for KIAA1657 protein,	5.3 4
65	121095 AA320134 121103 AA398936	Hs.196029 Hs.97697	EST	3.5
65	121103 AA398936 121121 AA399371		is similar to SALL1 (sal (Drosophila)-tike	6.3
	121337 AW885727	Hs.301570		4.7
	I LIGOT MITOGOLE			

		AW206227		hypothetical protein FLJ23132	5
		M31669	Hs.1735	inhibin, beta B (activin AB beta polypep	3.6
		AA640987	Hs.193767		5.6
_		NM_015902		progestin induced protein	3.4
5		AK000492	Hs.98806 Hs.98998	hypothetical protein	4.1 . 3
		AA443311 AA446965	Hs.112092	ESTs	4.7
		AI767879	Hs.99214		3.8
		AW973253	Hs.292689	=	3.0
10		AA323296	Hs.97837	Homo sapiens mRNA; cDNA DKFZp547J047 (fr	5.6
10		AA526911	Hs.82772	collagen, type XI, alpha 1	3.2
		AW205931	Hs.99598	hypothetical protein MGC5338	8.6
		AA487809		catenin (cadherin-associated protein), d	3
	123111	AA228776	Hs.191721		6.9
15	123249	AA371307	Hs.125056	ESTs ,	3.6
	123273	AA491253	Hs.173611	Empirically selected from AFFX single pr	7
	123385	BE149685	Hs.17767	•	3.1
		T66087		Homo sapiens unknown mRNA sequence	3.4
•		A1308876		hypothetical protein DKFZp761D112	3.1
20		AI675944		Homo sapiens cDNA FLJ12033 fis, clone HE	3.8
		AA580082	Hs.112264		4.7
		AA352723	Hs.241471		3.8 4.1
		H69125 N22401	Hs.133525		4.1
25		N22401 N22508	Hs 130315	gb:yw37g07.s1 Morton Fetal Cochlea Homo Homo sapiens cDNA: FLJ21479 fis, clone C	3.6
25		AW451645		Homo sapiens cDNA FLJ11973 fis, clone HE	3.1
•		N34151		interferon induced transmembrane protein	3.5
		R41396		hypothetical protein FLJ23045	4.3
		BE065136 .		splicing factor (CC1.3)	6
30	125042	T78906	Hs.269432	ESTs, Moderately similar to ALU1_HUMAN A	8.1
	125184	W60326	Hs.288684	Homo sapiens cDNA FLJ11750 fis, clone HE	4.7
	125243	AW970536	Hs.105413	ESTs	3.1
		AF086534		ESTs, Moderately similar to ALU1_HUMAN A	3.3
25		AL359573		GTP-binding protein	3
35		AW880562	Hs.114574		3
		AI422996 AI924630	Hs.161378 Hs.4943	hepatocellular carcinoma associated prot	3.2 3.2
		N99638	115.4343	gb:za39g11.r1 Soares fetal liver spleen	4
		AW975814	Hs 326714	Homo sapiens clone IMAGE:713177, mRNA se	4
40 -		AA648886	Hs.151999		3.8
		AW450979		gb:UI-H-BI3-ala-a-12-0-UI.s1 NCI_CGAP_Su	3
		AW771958	Hs.175437	ESTs, Moderately similar to PC4259 ferri	3.6
	127980	AA961459	Hs.125644		4.1
	127997	AW068311	Hs.311054	Homo sapiens mRNA full length insert cDN	3.3
45		AA650274	Hs.41296	fibronectin leucine rich transmembrane p	4.6
		NM_003616		survival of motor neuron protein interac	3.9
		Y13153		kynurenine 3-monooxygenase (kynurenine 3	3.1
		AA775076		Homo sapiens, Similar to PRO0478 protein	3.9
50		D56365	Hs.63525	poly(rC)-binding protein 2	3.3
20	129270	AA357185 AF182277		ras homolog gene family, member H cytochrome P450, subfamily IIB (phenobar	3.1 3.9
		AA172106	Hs.330780	Rag C protein	6.2
		AA209534	Hs. 284243	tetraspan NET-6 protein	3.4
		AK000398	Hs.11747	hypothetical protein FLJ20391	3
<b>55</b> .		X56411	Hs.1219	alcohol dehydrogenase 4 (class II), pi p	3.2
		AI754813	Hs.146428	collagen, type V, alpha 1	5.4
		X03363	Hs.323910	v-erb-b2 avian erythroblastic leukemia v	4.4
	130298	Al347487	Hs.132781	class I cytokine receptor	4.6
<b>C</b> C		NM_003450	Hs.155204	zinc finger protein 174	5.6
60		A1582291	Hs.16846	ESTs, Weakly similar to O4HUD1 debrisoqu	3
		R77776	Hs.18103	ESTs	3.8
		AA809875	Hs.25933	ESTs	4.2
		AB014544	Hs.21572	KIAA0644 gene product	4.7
65		AI399653	Hs.22917	ESTS	4.3 3.8
UJ		H09048 R71802	Hs.23606 Hs.24853	ESTs .	3.5
		AW293399		nuclear receptor co-repressor 1	3.6
	101012		115.177507	The section of the se	0.0

	131507 AI826	3268 He 2	27769	ESTs, Weakly similar to MCAT_HUMAN MITOC	3.2
	131587 Al695			glucuronidase, beta	3.1
	131739 AF01			secreted frizzled-related protein 2	3.2
	131795 BE50			high-mobility group 20B	3.2
5	131970 D869	60 Hs.3	3610	KIAA0205 gene product	3.6
	131986 NM_0			LIM domain kinase 1	3.2
	132093 AA40			ESTs	3.2
	132122 AA42			Cbp/p300-interacting transactivator, wit	3
1.0	132159 D764			Zic family member 1 (odd-paired Drosophi	3.2
10	132333 AA19			ESTs Homo sapiens mRNA; cDNA DKFZp761C1712 (f	3.5 9.2
	132406 AL13 132482 AV66			CGI-49 protein	8.2
	132543 BE56			protein regulator of cytokinesis 1	3.4
	132624 AA32			bHLH protein DEC2	3.2
15	132700 AA31			ESTs	4.8
	132725 NM_			splicing factor, arginine/serine-rich 7	3.6
	132799 W73	311 Hs.	169407	SAC2 (suppressor of actin mutations 2, y	3.2
	132847 T481			eukaryotic translation initiation factor	3.5
20	132857 Y002			cell division cycle 2, G1 to S and G2 to	4.4
20	132936 AL12			aryl-hydrocarbon receptor nuclear transl	4.8
	133130 Al12			zinc finger protein 161 <sup>-</sup> ESTs, Weakly similar to A40348 Elav/Sex-	3.3 3.5
	133142 AW9 133167 AW1		65874 6641	kinesin family member 5C	4.5
	133225 AW6		6823	hypothetical protein FLJ10430	3.3
25	133274 AA08			hypothetical protein MGC11275	3
	133275 Z932				4.5
	133287 AW7		69771	B-factor, properdin	4.1
	133376 BE6		7232	acetyl-Coenzyme A carboxylase alpha	5.1
20	133462 AW6		73875	fumarylacetoacetate hydrolase (fumarylac	.3
30	133740 AW1			RAB2, member RAS oncogene family-like	3.4
	133831 BE23	-	76578	protein inhibitor of activated STAT3	3.9 6.2
	133976 Al90 134666 BE3		8752	GATA-binding protein 3 (T-cell receptor transmembrane protein 4	3.1
	134710 Al43		8889	serine hydroxymethyltransferase 1 (solub	3
35	134731 D89		89404	msh (Drosophila) homeo box homolog 2	5.8
	134776 J055		89603	mucin 1, transmembrane	4
	135230 AF0		96757	suppressor of Ty (S.cerevisiae) 3 homolo	3.2
	135303 R61	253 Hs.	98265	KIAA1877 protein	3.3
40	135400 X78		.99915	androgen receptor (dihydrotestosterone r	4.8
40	135411 L103		.99947	reticulon 1	3.8
•	300089 AI19			ESTs, Weakly similar to ALUA_HUMAN !!!!	3.8 4.2
	300233 AW6 300254 AW1		.189402 .55610	solute carrier family 30 (zinc transport	9.9
٠.	300256 AW5			Transmembrane protease, serine 3	4.9
45	300378 Z452			hypothetical protein FLJ22672	3.4
	300973 AA5		207566		3.5
	301111 R10		.191990		3.8
	301341 AA8			G protein-coupled receptor	13.9
<i>ε</i> ο .	301548 AI09			two pore potassium channel KT3.3	4.4
50	301884 AA3	12082 HS		GDNF family receptor alpha 1	5.7 8.6
	301936 U79		. 1 14924	solute carrier family 16 (monocarboxylic gb:ye54c10.r1 Soares fetal liver spleen	3.9
	301976 T979 302001 AB0		278346	KIAA0904 protein	7.7
	302067 BE5			CEGP1 protein	7.3
55	302094 AW		.6786	ESTs	3.3
	302099 AL0		.137576	ribosomal protein L34 pseudogene 1	4.2
	302145 NM			cartilage intermediate layer protein, nu	7.9
	302235 AL0			Homo sapiens mRNA; cDNA DKFZp564F112 (fr	5.6
60	302276 AW	057736 Hs	.323910	HER2 receptor tyrosine kinase (c-erb-b2,	5.4 34.1
60	302290 AA1	1/9949 HS		Homo sapiens mRNA; cDNA DKFZp564N0763 (f ATP-binding cassette transporter MRP8	6.7
	302372 AL1 302378 AL1			Homo sapiens mRNA full length insert cDN	4
	302378 ALT			synaptonemal complex protein 2	4.3
	302385 AJ2			lipophilin B (uteroglobin family member)	13.8
65	302680 AW	192334 Hs	.38218 .	ESTs	9.6
	302830 AIO	38997 Hs	.132921		5
	302857 AF2		.44836	inner centromere protein antigens (135kD).	3.4

	302892	AW176909	Hs.42346	calcineurin-binding protein calsarcin-1	3.4
	302970	W05608	Hs.312679	ESTs, Weakly similar to A49019 dynein he	5.1
	303271	AA652687	Hs.96151	Human DNA sequence from clone RP5-1103G7	3.7
		AL121460		hypothetical protein FLJ20508	4.1
5		AW006352	He 160642	ECTs Moskly similar to 720554 hundhad	
,			11- 200400	ESTs, Weakly similar to T32554 hypotheti	4.2
		AA355607	HS.309490	ESTs, Weakly similar to putative WHSC1 p	4.3
		AA367699	Hs.10082	potassium intermediate/small conductance	3.3
		AW299459		gb:xs50d08.x1 NCI_CGAP_Kid11 Homo sapien	4.2
	303780	A1424014	Hs.18995	KIAA1304 protein	3.6
10	303797	AW629759		gb:hh70e05.y1 NCI_CGAP_GU1 Homo sapiens	4.9
	303852	R53434	Hs.90207	hypothetical protein MGC11138	3.7
		AA149951	Hs.62112	zinc finger protein 207	3
		AA582081	. 10.021.2	gb:nn32h08.s1 NCI_CGAP_Gas1 Homo sapiens	4.1
		AA876109			
15				gb:nx24h01.s1 NCI_CGAP_GC3 Homo sapiens	3
13		AA876469		gb:oe48b04.s1 NCI_CGAP_Pr25 Homo sapiens	3.1
		Al140014		gb:qa68f09.x1 Soares_fetal_heart_NbHH19W	3.5
		Al144243		gb:qb85b12.x1 Soares_fetal_heart_NbHH19W	3.9
	308106	Al476803 .		gb:tj77e12.x1 Soares_NSF_F8_9W_OT_PA_P_S	4.3
	308307	A1581398	Hs.172928	collagen, type I, alpha 1	4.6
20	308615	AK000142	Hs.101774	hypothetical protein FLJ23045	4.4
	309177	Al951118	Hs.326736	Homo sapiens breast cancer antigen NY-BR	17.3
		AW024348	Hs 233191	EST, Weakly similar to A27217 glucose tr	3.2
		AW168083	. 10.200	gb:xg59g04.x1 NCI_CGAP_Ut4 Homo sapiens	3.1
		AW170035	Hc 226726	Homo sapiens breast cancer antigen NY-BR	
25		Al199712			57.6
23				ESTs, Weakly similar to 1917210A Pro/Arg	4.6
		Al685841	Hs.161354	•	3.6
		AW022192	Hs.200197		4.6
		AI939456	Hs.160870		3.2
20		AK000703	Hs.323822	Homo sapiens mRNA for KIAA1551 protein,	3.6
30	310781	AI380797	Hs.158992		10.2
	310895	Al955121	Hs.165724	N-acetylgalactosamine-4-O-sulfotransfera	3.4
	310955	AI476732	Hs.263912		10.9
	311117	Al671439		Homo sapiens mRNA for KIAA1657 protein,	3.1
		AI821005	Hs.118599		10.8
35	-	AA641098		ESTs, Moderately similar to ALU1_HUMAN A	4.3
-		AI758660	Hs.206132		
		AI828254			4.4
				ESTs, Weakly similar to A47582 B-cell gr	5.1
		AW023595	Hs.232048		5.8
40		AA700870	Hs.14304		3.3
40		A1056769	Hs.133512		3.9
		R12375	Hs.194600		3.3
		AA767342	Hs.122483	ESTs, Weakly similar to PSF_HUMAN PTB-AS	3
	311913	Al358522	Hs.270188	ESTs	3
	311923	T60843	Hs.189679	ESTs	5.6
45	311935	AA216387		gb:nc16b02.s1 NCI_CGAP_Pr1 Homo sapiens	5.2
	312019	AA373630	Hs.188750		3
	312021	AA759263	Hs.14041	ESTs	3.4
	312067		Hs.14411	ESTs	3.5
	312090			similar to rat nuclear ubiquitous casein	3.8
50		AI633744		ESTs, Weakly similar to I38022 hypotheti	4.4
-		BE261944			
	•	T000-1		hexokinase 1	5.2
	312168		Hs.198882		3.3
	312182		Hs.326263		3.3
E E		AA700439	Hs.188490		3.4
55		AW438602	Hs.191179	ESTs	3.9
		H73505	Hs.117874	ESTs	4
	312226	AA315703	Hs.199993	ESTs, Weakly similar to ALUB_HUMAN I!!!	4.9
	312299	AA972712	Hs.269737		5.7
	312544	AA516420		ESTs, Weakly similar to 138022 hypotheti	6.3
60		AW439195		ESTs, Weakly similar to S65657 alpha-1C-	4.9
		AW291545	Hs.185018		4.9
		AW292286			
	-		Hs.255058		4.4
		AA497043	Hs.115685		3.1
65		AI422023	Hs.161338		4.3
65		N76497	Hs.1787	proteolipid protein 1 (Pelizaeus-Merzbac	3.3
		AF026944	Hs.293797		5.8
	313096	AW073310	Hs.163533	Homo sapiens cDNA FLJ14142 fis, clone MA	4.5
		•			

				•	
	313126	AA746503	Hs.283313	FSTs	10
			Hs.151500		3.5
		AI801098			
		AW979008	Hs.222487		3.3
_		AW960454	Hs.222830		4.7
5	313325	AI420611	Hs.127832		3.4
	313328	AW449211	Hs.105445	GDNF family receptor alpha 1	12.4
	313352	AW150945	Hs.144758		4.1
		A1032087	Hs.269819		3
		AI674685	Hs.200141		5.2
10					
10		AA741151	Hs.137323		3.5
		W92070		gb:zh48g05.r1 Soares_fetal_liver_spleen_	3.7
	313569	Al273419	Hs.135146	hypothetical protein FLJ13984	3
	313591	AA046309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	5.6
	313615	AI540978	Hs.301997	hypothetical protein FLJ13033	3.2
15		C18863	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	26.3
		AW175896	Hs.65114		3
			Hs.221024		4.9
		A1535895			3.9
		AV657317		hypothetical protein MGC3077	
20		AA827082	Hs.291872		3.1
20	314078	AW129357	Hs.329700	ESTs .	8.3
	314097	AA648744	Hs.269493	ESTs	6.6
	314121	AI732083	Hs.187619	ESTs	6.2
		AA228366	Hs.115122		4
		AA740616		gb:ny97f11.s1 NCI_CGAP_GCB1 Homo sapiens	5.9
25 -	-	AA743396	Hs.189023		3.1
25	-				4
		AL036450	Hs.103238		
		AI280112		Homo sapiens cDNA FLJ13266 fis, clone OV	8
		AI697901	Hs.192425		3.7
	314322	AA907153	Hs.190060		3.3
30	314394	AW961597	Hs.130816	ESTs, Moderately similar to I38022 hypot	4.2
	314401	AI660412	Hs.234557	ESTs	3.3
		AA602917	Hs.156974		4.7
		AA833655		Homo sapiens cDNA FLJ14056 fis, clone HE	8.5
		AI204418	Hs.190080		4
25					
35		AW007211	Hs.16131		3.4
		AA399272	Hs.144341		6.7
		AI873274	Hs.190721		27.4
	314627	AA425310	Hs.155766	ESTs, Weakly similar to A47582 B-cell gr	4.4
	314648	AW979268		gb:EST391378 MAGE resequences, MAGP Homo	4.6
40	314691	AW207206	Hs.136319	ESTs	20.7
		AA457367	Hs.191638		3.6
		AW026761	Hs.134374		3.6
		BE350122		ESTs, Weakly similar to 178885 serine/th	4.9
					4.3
15		AW971198	Hs.294068		_
45		AI095087		ESTs, Moderately similar to S65657 alpha	3.7
		AA828032	Hs.189076		3.1
		AW972359	Hs.293334		3
	315006	AI538613	Hs.298241	Transmembrane protease, serine 3	10.9
	315021	AA533447	Hs.312989		5.3
50		AW292425	Hs.163484	ESTs	12.9
• •		AA551104		ESTs, Moderately similar to ALUC_HUMAN!	5.8
•		AW452948			4.2
	313073	A 47445ED	Hs.257631	E015	
		AA744550	Hs.136345		3.7
		AI025842	Hs.152530		6
55	315183	AW136134	Hs.220277		3.9
	315193	AI241331	Hs.131765	ESTs, Moderately similar to I38937 DNA/R	4.4
	315196	AI367347	Hs.44898	Homo saplens clone TCCCTA00151 mRNA sequ	8.2
		AI741506		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.6
		R38772		myelin transcription factor 1-like	3.4
60					
60		AW510994	Hs.220740		3.4
	315282	A1222165	Hs.144923	- ·	4.9
		AA876905	Hs.125286		4
	315368	AB037745	Hs.104696	KIAA1324 protein	4.7
	315397	AA218940	Hs.137516	fidgetin-like 1	3.1
65		AI378817	Hs.191847		3,1
		AA628539		ESTs, Moderately similar to ALU1_HUMAN A	3.2
		AI193043		ESTs, Weakly similar to T17226 hypotheti	4.1
	J.0020			mo to, recently onlines to 1 th and ofference	•••

	245500				
		AW015415	Hs.127780	ESIS	8.9
	315562	AA737415	Hs.152826	ESTs	5.5
	315634	AA837085	Hs.220585	ESTs	6.3
		AA648983	Hs.212911		3.6
5					
5		AI418055	Hs.161160		5.1
	315772	AW515373	Hs.271249	Homo sapiens cDNA FLJ13580 fis, clone PL	3.1
	315850	AW270550	Hs.116957	ESTs	3.8
		AA737345	Hs.294041		5
			•	· · •	
10		AA683336	Hs.189046		3.1
10	315977	AW865916	Hs.151206	ESTs	4.7
	315978	AA830893	Hs.119769	FSTs	4.1
		AI217477	Hs.194591		4.1
		AA764950	Hs.119898	ESIS	7
	316042	A1469960	Hs.170698	ESTs	4.9
15	316052	A1962796	Hs.136754	FSTs	4.1
		AW517524		NOD2 protein	
					3.2
		AW975114	Hs.293273		3.8
	316100	AW203986	Hs.213003	ESTs	3.2
•	316133	AI187742	Hs.125562	FSTs	3.7
20		A1904982			
20			US.533 105	ESTs, Moderately similar to ALU1_HUMAN A	30.7
		AI433540		gb:ti69g05.x1 NCI_CGAP_Kid11 Homo sapien	3.1
	316244	A1640761	Hs.224988	ESTs	3.5
	316303	AA740994 ·	Hs.209609		3.8
		AA741300			
25				ESTs, Weakly similar to I38022 hypotheti	4.4
23		AA747807	Hs.149500		3.2
	316580	AA938198	Hs.146123	poly(A) polymerase gamma	9.4
	316697	AW293174	Hs.252627		4.4
		Al440266		ESTs, Weakly similar to T24832 hypotheti	
					3
30		A1660898	Hs.195602		3.2
30	316869	A1954880	Hs.134604	ESTs	3.2
	316886	AA836331	Hs.134981	ESTs	4.4
		AA838114	Hs.221612		3.7
		AW014875	Hs.137007		4.6
		A1732892	Hs.190489	ESTs	5.9
35	317194	AW445167	Hs.126036	FSTs	4.1
		AI125252	Hs.126419		
					3.5
		AI806867	Hs.126594		5.1
	317452	AA972965	Hs.135568	ESTs	6.9
	317501	A1822034	Hs.137097	ESTs	4.6
40		AW294909	Hs.132208		4.3
-10					
		AW664964	Hs.128899		6.1
	317834	X56348	Hs.287270	ret proto-oncogene (multiple endocrine n	3.1
	317850	AI681545	Hs.152982	hypothetical protein FLJ13117	3.4
		AI827248	He 22/1398	Homo sapiens cDNA FLJ11469 fis, clone HE	9.6
45			115.224550	FOT	
43		AW102941	Hs.211265		4.1
٠.	317916	Al565071	Hs.159983	ESTs	10.3
	318042	AW294522	Hs.149991	ESTs	3.1
		Al077540	Hs.134090	· · -	3.9
50		AW294013	Hs.200942		3
50	318332	A1093930	Hs.163440	Homo sapiens cDNA: FLJ21000 fis, done C	4.4
	318418	AF107493	Hs.118498	Homo sapiens LUCA-15 protein mRNA, splic	5.4
	318558	AW402677	He 146381	RNA binding motif protein, X chromosome	4.4
			Ha 103163	Harman and thous protein, A Chromosome	
		AA526235	IIS. 193 102	Homo sapiens cDNA FLJ11983 fis, clone HE	5.9
	318634	T49598	Hs.156832		4
55	318740	NM_002543	Hs.77729	oxidised low density lipoprotein (lectin	7.3
		AI793124	Hs.144479		17.8
		F11802			
			Hs.6818	ESTs	3
	319191	NM_012391	Hs.79414	prostate epithelium-specific Ets transcr	3.6
	319478	AI524124	Hs.270307		4.6
60		W88532	Hs.254562		3.3
50			. 13.251302		
		AA761668		gb:nz24c08.s1 NCI_CGAP_GCB1 Homo sapiens	3.2
	319745	T79366	Hs.108258	actin binding protein; macrophin (microf	3.3
	319834	AA071267		gb:zm61g01.r1 Stratagene fibroblast (937	6.2
•		C19035	Hs.164259	ESTs	3.3
65		AA534222	131200		
برن			11- 020000	gb:nj21d02.s1 NCI_CGAP_AA1 Homo sapiens	4.3
•		AA321166	Hs.278233		. 3.4
	320167	AA984373	Hs.90790	Homo sapiens cDNA: FLJ22930 fis, clone K	4.1
				,	

	000407 T00040	Hs.303428 Homo sapiens cDNA FLJ14832 fis, done OV	5.3
	320187 T99949 320211 AL039402	Hs.125783 DEME-6 protein	9.2
		Hs.293662 ESTs	3.1
	320416 Al026984	Hs.167738 RNA polymerase II transcriptional regula	3.1
5	320588 U78082 320635 N50617	Hs.80506 small nuclear ribonucleoprotein polypept	6.1
5	320654 Al160015	Hs.118112 ESTs	3.5
	320742 AI601188	Hs.120910 ESTs	3
	320832 AA214584	Hs.290167 ESTs	3.7
	320915 Al359144	Hs.143688 Homo sapiens cDNA: FLJ23031 fis, clone L	3.1
10	321016 BE144167	Hs.49994 hypothetical protein similar to RNA-bind	3.3
10		Hs.144151 ESTs	12.3
	321171 AI769410	Hs.221461 ESTs	3.3
	321253 AA610649	Hs.333239 ESTs	3 .
	321318 AB033041	Hs.137507 vang (van gogh, Drosophila)-like 2	3.9
15	321642 Al432199	Hs.247084 ESTs	3
	321644 AW975944	Hs.237396 ESTs	11.7
	321683 Al471598	. Hs.197531 ESTs	3.8
	321758 U29112	Hs.196151 ESTs	4.4
	321811 D80630	gb:HUM091D02B Human fetal brain (TFujiwa	3.2
20	321828 R59890	Hs.83623 nuclear receptor subfamily 1, group I, m	3.1
	321910 H67065	Hs.271530 ESTs, Weakly similar to ALU7_HUMAN ALU S	4.7
	321937 AL049351	Hs.302058 Homo sapiens mRNA; cDNA DKFZp566C093	(fr 3.5
	321978 N77342	Hs.21851 Homo sapiens cDNA FLJ12900 fis, clone NT	5
	322035 AL137517	Hs.334473 hypothetical protein DKFZp564O1278	19
25	322136 AF075083	gb:Homo sapiens full length insert cDNA	3.6
	322258 BE265745	Hs.194359 ESTs, Weakly similar to ALUC_HUMAN !!!!	3 4.4
	322296 W76326	gb:zd60d04.r1 Soares_fetal_heart_NbHH19W	11.5
	322303 Al357412	Hs.157601 ESTs	3
20	322476 AW963372	Hs.46677 PRO2000 protein gb:yb35f05.r1 Stratagene fetal spleen (9	3
30	322520 T55958	gb:yb3303.11 Stratagene letal speem (5 gb:Homo sapiens full length insert cDNA	4.2
	322521 AF147347	Hs.256150 Homo sapiens, Similar to RIKEN cDNA 2810	4
•	322567 AF155108	Hs.118394 ESTs	5.4
	322595 W92147 322675 AA017656	gb:ze39h01.r1 Soares retina N2b4HR Homo	3.1
35	322766 AW068805	Hs.288467 Homo sapiens cDNA FLJ12280 fis, clone MA	5.2
22	322818 AW043782	Hs.293616 ESTs	7.6
	322882 AW248508	Hs.279727 Homo sapiens cDNA FLJ14035 fis, clone HE	5.9
	322975 C16391	gb:C16391 Clontech human aorta polyA mRN	16.5
*	323091 Al902456	Hs.210761 ESTs, Weakly similar to 138022 hypotheti	4
40	323131 AK002088	Hs.270124 Homo sapiens cDNA FLJ11226 fis, clone PL	3.3
	323168 AL120862	Hs.124165 programmed cell death 9 (PDCD9)	6.3
	323244 AW675572	Hs.193620 ESTs	4.6
	323262 AL133990	Hs.190642 ESTs	10.5
	323332 AI829520	gb:wl19c06.x1 NCI_CGAP_Ut1 Homo sapien	s 6.2
45	323333 AV651680	Hs.208558 ESTs	4.3
	323335 Al655499	Hs.161712 ESTs	9.2
	323645 AW445014	Hs.197746 ESTs	3.1 4
	323663 BE081058	Hs.243023 ESTs	3
<b>50</b>	323693 AA317962	Hs.249721 ESTs, Moderately similar to PC4259 fem	3.2
50	323782 AW961560	Hs.97600 ESTs	3.2 8.4
	323817 AA410943	BMP-R1B	3.3
	323930 AL043683	Hs.8173 hypothetical protein FLJ10803 Hs.211408 ESTs	4.5
	323974 AI825204	Hs.116298 ESTs	4.5
55	324001 AL044949 324036 Al472078	Hs.303662 ESTs	8.4
23	324261 BE069341	gb:QV3-BT0381-270100-073-c08 BT0381 Ho	
	324285 AA431159	Hs.122954 ESTs	3
	324296 AI524039	Hs.192524 ESTs	3
	324305 AA642007	Hs.116369 ESTs	3.3
60	324432 AA464510	Hs.152812 ESTs	16.5
00	324585 AI823969	Hs.132678 ESTs	3.3
	324598 AW972227	Hs.163986 Homo sapiens cDNA: FLJ22765 fis, clone K	5
	324603 AW993522	Hs.292934 ESTs	10.4
	324631 AA937116	Hs.293683 ESTs, Weakly similar to I54374 gene NF2	3.3
65	324716 BE169746	Hs.12504 likely ortholog of mouse Arkadia	3.2
_	324748 AW974941	Hs.292385 ESTs, Weakly similar to 178885 serine/th	3
	324771 AA631739	Hs.335440 EST	3
	•	•	

	324774 AI 324823 AI 324824 AI 324826 A	W516704 1826999	Hs.132586 Hs.208726 Hs.224624 Hs.143842	ESTs	4.2 3.4 3.1 4.4		
5	324961 AA 324987 AI	A613792	Hs.172634	gb:no97h03.s1 NCI_CGAP_Pr2 Homo sapiens	3.9 18.8		
	324994 AI		Hs.213897		3.3	•	
	325146 AI 325372	1004690	Hs.171176	Phase 2 & 3 Exons	4.2 4.4		
10	325544			Phase 2 & 3 Exons	5.7		
	327075	•		Phase 2 & 3 Exons	3.8		
	332798			C22000007:gi 12314195 emb CAB99338.1  (A	4.3		
	334223 334447			NM_005080*:Homo sapiens X-box binding pr NM_012429*:Homo sapiens SEC14 (S. cerevi	26.2 3.9		
15	335809			NM_014509*:Homo sapiens kraken-like (BK1	10.1		
	335824			ENSP00000249072*:DJ222E13.1 (N-TERMINAL	20		
	338255	04045		NM_014323*:Homo sapiens zinc finger prot	9		
	409430 R3 428046 AV			splicing factor, arginine/serine-rich 5	4 .		
20	432558 RS		Hs.177269	ESTs, Moderately similar to I38022 hypot	4.6 3.2		
	436808 A		Hs.120266		3.9		
	448569 B				4.1		
	453542 AV		Hs.339660	Homo sapiens mRNA expressed only in plac	3.7		
25		97935 97935		AFFX control: STAT1 AFFX control: STAT1	3.2 3		
23		55150		fumarylacetoacetate	3		
		13755		interferon stimulated protein; 15 kDa	4.5		
		052047		ESTs	6.7		
20		A252033		ESTs; Weakly similar to !!!! ALU SUBFAMILY J	3.2	•	
30		A401739 18459		ESTs hepatocellular carcinoma associated protein:	3.3 3		
		48744		ESTs	4.2		
	M	31682		inhibin; beta B (activin AB beta polypeptide)	3		
25		A416873		ESTs	3		
35		80240 49590		HUM5G11A Human fetal brain (TFujiwara) Homo ESTs	4		
	ν.	43330		CH22_FGENES.678_5	3.2 16.8		
				CH22_FGENES.619_7	12.9		
40				CH22_FGENES.619_12	11.3		
40				CH22_EM:AC005500.GENSCAN.127 9	9.2		
				CH22_EM:AC005500.GENSCAN.304 2 CH22_FGENES.271_8	8.5 8.4		
				CH22_FGENES.619_13	8		
4.5				CH22_FGENES.271_7	7.3		
45				CH22_FGENES.617_7	7.2		
				CH.07_hs gi 6004473 CH22_FGENES.264_1	7.1 6.8		
	X	03363		HER2 receptor tyrosine kinase (c erbB 2; ERBB2;		6.6	
<b>70</b>				CH22_FGENES.617_9	6.5		
50				CH.07_hs gi[5868264	5.8		
				CH.19_hs gi 5867439	5.7 5.2		
				CH22_FGENES.6 3 CH.17_hs qij5867230	5.3 5.1		
				CH.20_hs gi[6552458	5.1	•	
55				CH22_EM:AC005500.GENSCAN.148 22	4.7	1	
	Α.	A034918		CH22_FGENES.669_10	4.6		
	~	4034310		KIAA1028 protein CH22_FGENES.48_12	4.6 -4.5		
				CH22_FGENES.118_2	4.5		
60		F049569		ESTs	4.4		
	M	13955		multiple UniGene matches	4.3	•	
				CH22_FGENES.619_8 CH22_FGENES.13 7	4.3 4.3		
	н	G4126 HT439	96	OFFICE OCHEO. TO		nger Protein Hzf4	4.3
65				CH22_FGENES.360_3	.4.3		
				CH22_FGENES.706_9	4.3		
				CH.21_hs gi 6531965	4.2		

•		CH.17_hs gi 5867215 CH22_FGENES.669_8	4.1 4.1	
	HG2614 HT2710	01122_1 OLINES.009_0	Collagen, Type Viii, Alpha 1 4.1	
	11020111112110	CH22_FGENES.48_18	4.1	
5	X83535	matrix metalloproteinase 14 (membrane inserted)	4	
		CH22_FGENES.271_6	3.9	
		CH22_FGENES.617_3	3.9	
		CH22_FGENES.290_8	3.8	2.0
1.0	HG4716 HT5158	01100 5051/50 40 5	Guanosine 5' Monophosphate Synthase	3.8
10		CH22_FGENES.13 5	3.8 3.8	
		CH22_FGENES.13 2 CH.14_hs gi 6682474	3.8	
		CH. 14_115 gij0002474 CH.02_hs gij5867750	3.8	
		CH22_FGENES.617_8	3.7	
15	HG4677 HT5102	01.22_1 02.1120.011_0	Oncogene Ret/Ptc2, Fusion Activated	3.7
10		CH22_DJ32I10,GENSCAN.23 39	3.7	
		CH22_FGENES.543_20	3.7	
		CH22_EM:AC005500.GENSCAN.96 1	3.7	
		CH22_FGENES.204_2	3.5	
20		CH22_FGENES.619_4	3.5	
		CH.16_hs gi 5867087	3.5	
	AA714311	EST cluster (not in UniGene)	3.4	
		CH22_EM:AC005500.GENSCAN.149 9	3.4 3.4	
25		CH22_EM:AC005500.GENSCAN.421 5 CH22_FGENES.13 4	3.3	
25		CH22_FGENES. 13 4 CH.07_hs gij6004478	3.3	
		CH22_FGENES.360_1	3.3	
	HG2465 HT4871	01122_1 021120.000_1	Dna Binding Protein Ap 2, Alt. Splice 3	3.3
	11621661111611	CH22_FGENES.6_2	3.3	
30		CH22_C20H12.GENSCAN.16 2	3.2	
	•	CH22_C65E1.GENSCAN.8 1	3.2	
	AA707750	ESTs; Weakly similar to cis Golgi matrix	3.1	
		CH22_FGENES.307_4	3.1	
2.5		CH22_EM:AC005500.GENSCAN.248 14	3.1	
35		CH.06_hs gi 5902482	3.1	
		CH22_FGENES.669_5	3.1 3.1	
		CH22_DJ32I10.GENSCAN.19 8	3.1	
		CH22_FGENES.527_6 CH22_FGENES.330_10	3.1	
40		CH22_FGENES.14 2	3.1	
40	AA976074	ESTS	3	
	70.07.00.4	CH22_FGENES.226 7	3	
	•	CH22_FGENES.13 3	3	
	,	CH22_EM:AC005500.GENSCAN.209 12	3	
45		CH22_FGENES.271_3	3	

#### TABLE 17A

Table 17A shows the accession numbers for those pkeys lacking unigeneID's for Table 17. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number Accession: Genbank accession numbers

```
15
        Pkey
               CAT number Accession
        116845 393481 1
                            AA649530 AA659316 H64973
20
        103207 30635 -4
                            X72790
        126257 182217_1
                            N99638 AW973750 AA328271 H90994 AA558020 AA234435 N59599 R94815
        102791 37186_1
                            AF080229 AF080231 AF080230 AF080232 AF080233 AF080234 BE550633 Al636743 AW614951 BE467547 Al680833
                            Al633818 N29986 U87592 U87593 U87590 U87591 S46404 U87587 AA463992 AW206802 Al970376 Al583718 Al672574
                            N25695 AW665466 Al818326 AA126128 Al480345 AW013827 AA248638 Al214968 AA204735 AA207155 AA206262 AA204833
25
                            AW003247 AW496808 Al080480 Al631703 Al651023 Al867418 AW818140 AA502500 Al206199 Al671282 Al352545 BE501030
                            Al652535 BE465762 AA206331 AW451866 AA471088 AA206342 AA204834 AA206100 AW021661 AA332922 N66048
                            AA703396 H92278 AW139734 H92683 U87589 U87595 H69001 U87594 BE466420 Al624817 BE466611 Al206344 AA574397
                            AA348354 AI493192
        126872 142696_1
                            AW450979 AA136653 AA136656 AW419381 AA984358 AA492073 BE168945 AA809054 AW238038 BE011212 BE011359
30
                            BE011367 BE011368 BE011362 BE011215 BE011365 BE011363
        112631 1746257_1
                            R82040 R70934
        120742 176835_1
                            AA225084 AA302713
        106864 324239_1
                            Al311928 AA936030 T51931 AA609816 AA487195 AA664207
        109700 genbank_F09609
                                      F09609
35
        111532 genbank_R08440
                                      ROSAAO
        113938 genbank_W81598
                                      W81598
        113947 genbank_W84768
                                      W84768
        124357 genbank_N22401
                                      N22401
        108733 504187_1
                            AA121022 AA126422
40
        112303 genbank_R54797
                                      R54797
        322136 46802_1
                            AF075083 H52291 H52528
        322296 47334 1
                            W76326 AF086341 W72300
        321811 1527481_1
                            D80630 D80896 D80895
        314648 293660_1
                            AW979268 AA878419 AA431342 AA431628
45
        322520 38916_1
                            T55958 T57205 AF147346
        322521 38917_1
                            AF147347 T55426 T55503
        322675 86787_1
                            AA017656 AA017374 AA019761
        323332 179142_1
                            Al829520 Al791832 AA228414 Al791823 AA229211 AA229315
        316186 425440_1
                            Al433540 AA728984 AA804981
50
        322975 1510563_1
                            C16391 C16413
        324261 273265_1
                            BE069341 AW748403 AL044891 Al908240 AA393080
        323817 233566_1
                            AA410943 AW948953 AA334202 AA332882
        301976 128835 1
                            T97905 AA101672
                            AA613792 AW182329 T05304 AW858385
        324961 376239 1
55
        303642 284260_1
                            AW299459 AA417112
        303797 386364_1
                            AW629759 AW749955 AA633408 AI651005
        319551 357371_1
                            AA761668 AA573621 R92814 R09670
        311935 174129 1
                            AA216387 T63548 AA228676
        319834
               112523 1
                            AA071267 T65940 T64515 AA071334
60
        319977
               345248_1
                            AA534222 AA632632 T81234
        314138 179960_1
                            AA740616 AA654854 AA229923
        313591 103087_1
                            AA046309 AI263500 AA046397
```

308106 Al476803
338255 CH22\_6856FG\_\_LINK\_EM:AC00
335809 CH22\_3181FG\_617\_6\_LINK\_EM
335824 CH22\_3197FG\_619\_11\_LINK\_E

5 307010 Al140014
307041 Al144243
305913 AA876109
305917 AA876469
309574 AW168083

10 325372 C12\_hs
325544 C12\_hs
332798 CH22\_14FG\_6\_5\_LINK\_C4G1.G
334223 CH22\_1507FG\_360\_4\_LINK\_EM
327075 C21\_hs
15 334447 CH22\_1746FG\_387\_7\_LINK\_EM
304782 AA582081
313434 441798\_1 W92070 AW019952 W92053

# **TABLE 17B**

Table 17B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 17. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref: Strand:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Indicates DNA strand from which exons were predicted.
	Nt_position:	Indicates nucleotide positions of predicted exons.

15	Pkey	Ref	Strand	Nt_position
	334447	Dunham, I. et.al.	Plus	14308764-14308824
	335809	Dunham, I. et.al.	Plus	26310772-26310909
20	335824	Dunham, I. et al.	Plus	26376860-26376942
	332798	Dunham, I. et.al.	Minus	232147-231974
	334223	Dunham, I. et al.	Minus	12734365-12734269
	338255	Dunham, i. et.al.	Minus	15242294-15242231
25	325372	5866920	Minus	1117061-1117304
	325544	6682452	Plus	171228-171286
	327075	6531965	Plus	4041318-4041431

# TABLE 18: Table 2 from BRCA 014 P

Table 18 shows genes with atleast five times the expression in breast tumor tissue than is expressed in normal body tissues.

10	Pkey: ExAccn: UnigeneID: Unigene Title:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title
	R1:	Ratio of tumor to normal body tissue

				•	
15	Pkey	ExAccn	UnigenelD	Unigene Title	R1
	101378	BE563085	Hs.833	interferon-stimulated protein, 15 kDa	5.3
		M29874	Hs.1360	cytochrome P450, subfamily IIB (phenobar	9
		M81057	Hs.180884	carboxypeptidase B1 (tissue)	12
20	-	M97815	Hs.183650	cellular retinoic acid-binding protein 2	6.5
		X52509	Hs.161640	tyrosine aminotransferase	12.4
		AF183810		opposite strand to trichorhinophalangeal	7.6
		AA035613		ESTs	6.9
•			Hs.155223	stanniocalcin 2	5.3
25	108819	AA011449	Hs.271627	ESTs	6.1
	112287	AB033064	Hs.334806	KIAA1238 protein	7.3
	112561	AI791493	Hs.129873	ESTs, Weakly similar to A36036 cytochrom	8.2
	112637	R82331	Hs.164599	ESTs	5.4
	113206	BE262470	Hs.241471	RNB6	6.2
30	113970	W27249	Hs.8109	hypothetical protein FLJ21080	6.9
	114965	A1733881	Hs.72472	BMP-R1B	10.1
		N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A	19.7
	119905		Hs.119571	collagen, type III, alpha 1 (Ehlers-Danl	8.4
	121611		Hs.1735	inhibin, beta B (activin AB beta polypep	5.6
35		AF182277		cytochrome P450, subfamily IIB (phenobar	6.2
	133976	Al908165	Hs.169946	GATA-binding protein 3 (T-cell receptor	6.2
	134731	D89377	Hs.89404	msh (Drosophila) homeo box homolog 2	5.8
	300254	AW183618	Hs.55610	solute carrier family 30 (zinc transport	9.9
40			Hs.105445	GDNF family receptor alpha 1	5.7
40	302001	AB020711	Hs.278346	KIAA0904 protein	7.7
	302067	BE542706	Hs.222399	CEGP1 protein	7.3
	302276	AW05//36	Hs.323910	HER2 receptor tyrosine kinase (c-erb-b2,	5.4
			Hs.175563	Homo sapiens mRNA; cDNA DKFZp564N0763	6.7
15		AL117406		ATP-binding cassette transporter MRP8	13.8
45		AJ224172		lipophilin B (uteroglobin family member)	17.3
		A1951118		Homo sapiens breast cancer antigen NY-BR	57.6
•			Hs.326736	Homo sapiens breast cancer antigen NY-BR	10.2
		A1380797		ESTs .	10.2
50		6 Al821005 6 AA216387		ESTs gb:nc16b02.s1 NCI_CGAP_Pr1 Homo sapiens	5.2
50			Hs.118625	hexokinase 1	5.2
			1 Hs.105445	GDNF family receptor alpha 1	12.4
		C18863	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	26.3
•		AA648744		ESTs	6.6
55		AA740616		gb:ny97f11.s1 NCI_CGAP_GCB1 Homo sapien	
55			Hs.206868	Homo sapiens cDNA FLJ14056 fis, clone HE	8.5
		AI873274		ESTs .	27.4
			6 Hs.136319	ESTs	20.7
		AI538613	Hs.298241	Transmembrane protease, serine 3	10.9
60			Hs.312989	ESTs	5.3
			5 Hs.163484	ESTs	12.9
			Hs.189048	ESTs, Moderately similar to ALUC_HUMAN I	5.8
				•	

. 5

	315196	AI367347	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA sequ	8.2	
•	315530	AW015415	Hs.127780	ESTs	8.9	
	315634	AA837085	Hs.220585	ESTs	6.3	
	316012	AA764950	Hs.119898	ESTs	7	
5	316177	A1904982	Hs.293102	ESTs, Moderately similar to ALU1_HUMAN A	30.7	
	316580	AA938198	Hs.146123		9.4	
	317803	AW664964	Hs.128899	ESTs	6.1	
	317881	A1827248	Hs.224398	Homo sapiens cDNA FLJ11469 fis, clone HE	9.6	
	318740	NM_002543	3Hs.77729	oxidised low density lipoprotein (lectin	7.3	
10	318744	A1793124	Hs.144479	ESTs	17.8	
	320211	AL039402	Hs.125783	DEME-6 protein	9.2	
	321107	AI732643	Hs.144151	ESTs	12.3	
	321644	AW975944	Hs.237396	ESTs	11.7	
	321978	N77342	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	5	
· 15	322035	AL137517	Hs.334473	hypothetical protein DKFZp564O1278	19	
	322766	AW068805	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.2	
	322818	AW043782	Hs.293616	ESTs	7.6	
		C16391		gb:C16391 Clontech human aorta polyA mRN	16.5	
•	323262	AL133990	Hs.190642	ESTs	10.5	
20	323332	AI829520		gb:wl19c06.x1 NCI_CGAP_Ut1 Homo sapiens	6.2	
	323817	AA410943		BMP-R1B	8.4	
	324261	-BE069341	•	gb:QV3-BT0381-270100-073-c08 BT0381 Homo	49.4	
	324432	AA464510	Hs.152812	ESTs	16.5	
	324598	AW972227	Hs.163986	Homo sapiens cDNA: FLJ22765 fis, clone K	5	
25 .	324603	AW993522	Hs.292934	ESTs	10.4	
	324987	AI375572	Hs.172634	ESTs	18.8	
	325544			Phase 2 & 3 Exons	5.7	
	330388		Hs.46	HER2 receptor tyrosine kinase (c-erb-b2,	6.6	
	334223	•		NM_005080*:Homo sapiens X-box binding pr	26.2	
30	335809			NM_014509*:Homo sapiens kraken-like (BK1	10.1	
	335824			ENSP00000249072*:DJ222E13.1 (N-TERMINAL		20
		A1052047		ESTs; Weakly similar to CYTOCHROME P450	6.7	
		R72427		CH22_EM:AC005500.GENSCAN.127 9	5.5	
				CH22_FGENES.619_13	9.2	
35				CH22_FGENES.617_9	8	
				CH22_FGENES.271_7	6.5	
				CH22_FGENES.619_7	7.3	
				CH22_FGENES.271_8	12.9	
				CH22_FGENES.619_12	8.4	
40				CH22_EM:AC005500.GENSCAN.304 2	11.3	
				CH.07_hs gi 6004473	8.5	
				CH22_FGENES.617_7	7.1	
				CH22_FGENES.678_5	7.2	
				CH22_FGENES.678_5	16.8	

#### TABLE 18A

Table 18A shows the accession numbers for those pkeys lacking unigeneID's for Table 18. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

]	L	l	)	

5

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene cluster number

Accession:

Genbank accession numbers

15

	Pkey	CAT number	Accession
	323332	179142_1	AI829520 AI791832 AA228414 AI791823 AA229211 AA229315
20		1510563 1	C16391 C16413
		273265 1	BE069341 AW748403 AL044891 AI908240 AA393080
		233566 1	AA410943 AW948953 AA334202 AA332882
		174129_1	AA216387 T63548 AA228676
		179960 1	AA740616 AA654854 AA229923
25			617_6_LINK_EM
		CH22 3197FG	
		c12 hs	
			360 4 LINK FM

#### TABLE 18B

Table 18B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 18. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Sequen	ce source.	responding to an Eos probeset  The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication  DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
15	Strand: Nt_posi			of from which exons were predicted.  positions of predicted exons.
	Pkey	Ref	Strand	Nt_position .
20	335824 334223	Dunham, I. et.al. Dunham, I. et.al. Dunham, I. et.al. 6682452	Plus	26310772-26310909 26376860-26376942 12734365-12734269 171228-171286

PCT/US02/02242

# TABLE 19: 1045 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES

Table 19 shows 1045 genes up-regulated in breast cancer compared to normal adult tissues. These were selected from 59680 probesets on the Affymetrix/Eos-Hu03 GeneChip array such that the ratio of "average" breast cancer to "average" normal adult tissues was greater than or equal to 2.5. The "average" breast cancer level was set to the 90<sup>th</sup> percentile value. The "average" normal adult tissue level was set to the 90<sup>th</sup> percentile value amongst 144 non-malignant tissues. In order to remove gene-specific background levels of non-specific hybridization, the 15<sup>th</sup> percentile value amongst the 144 non-malignant tissues was subtracted from both the numerator and the denominator before the ratio was evaluated.

15	Pkey: ExAccn: UnigeneID: Unigene Title:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title
	•	
	R1:	Ratio of tumor to normal body tissue

20

	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
		AF015224	Hs.46452	····	137.6
25	406964			3-1, 1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	71.0
		AA401369	Hs.190721		68.4
		AW170035	Hs.326736		54.2
		Al668594	Hs.176588		46.4
20		BE069341		gb:QV3-BT0381-270100-073-c08 BT0381 Homo	44.8
30		AA250737	Hs.72472		37.4
	427585			collagen, type X, alpha 1 (Schmid metaph	32.9
		AW138959	Hs.245123		31.9
		AA195651	Hs.104106		30.4
2 -	407377			gb:C16391 Clontech human aorta polyA mRN	27.7
35	450705		Hs.25351	iroquois homeobox protein 5	24.8
		AA412108	Hs.269350		22.0
		NM_000230	Hs.194236	teptin (murine obesity homolog)	21.9
	404561			trichorhinophalangeal syndrome I (TRPS1)	21.8
40		AA046309	=====	gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	19.8
40		Al375572	Hs.172634		17.3
		AA009647	Hs.8850	a disintegrin and metalloproteinase doma	16.6
		S73265	Hs.1473	geerm toloromy popular	16.5
		AW840171	Hs.265398		16.0
. ~		AI263307		H2B histone family, member L	15.8
45		X51501	Hs.99949	prolactin-induced protein	15.8
		Al267700	Hs.317584		15.5
		AL120862	Hs.124165		14.8 14.5
		AI905687	Hs.2533	aldehyde dehydrogenase 9 family, member	
50		C18863		Homo sapiens cDNA FLJ11576 fis, clone HE	13.7
50		AJ224172		lipophilin B (uteroglobin family member)	13.6
		AL133990	Hs.190642		13.5 13.0
		AB014544	Hs.21572	KIAA0644 gene product	
		AA399272	Hs.144341		12.8
<i>5 5</i>	402578		404047	C1001134:gi 2117372 pir  165981 fatty ac	12.6
55		AA436989		H2A histone family, member A	12.2
	424634		HS.15140/	cartilage intermediate layer protein, nu	12.0
		AA193450	400007	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	11.9
		Al351010	Hs.102267		11.9
	459587	AA031956		gb:zk15e04.s1 Soares_pregnant_uterus_NbH	11.5

		AW291168	Hs.41295	ESTs, Weakly similar to MUC2_HUMAN MUCIN	
•		NM_001394	Hs.2359	dual specificity phosphatase 4	11.5
		Al951118		Homo sapiens breast cancer antigen NY-BR	11.4
_		AW137148		Homo sapiens cDNA FLJ11382 fis, clone HE	11.3
5		AL035414	Hs.21068	hypothetical protein	11.1
		NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro	11.0
		A1684808		programmed cell death 9 (PDCD9)	10.9
		N78223		transcription factor	10.7
10		AW873596	Hs.182278		10.6
10		H87879	Hs.102267	lysyl oxidase	10.5
	402606	4.4.5770070		NM_024626:Homo sapiens hypothetical prot	10.4
		AA576953	Hs.22972	hypothetical protein FLJ13352	10.4
		Al370413	Hs.36563	hypothetical protein FLJ22418	10.3
16		Al357412	Hs.157601		10.2
15		W72838	Hs.2533	aldehyde dehydrogenase 9 family, member	10.1
		NM_002497		NIMA (never in mitosis gene a)-related k	10.1
•		AW292425	Hs.163484		9.9
	_	A1873274	Hs.190721		9.9
20		H23789	Hs.144530		9.8
20		BE218705		metallothionein-like 5, testis-specific	9.7
		D90041		N-acetyltransferase 1 (arylamine N-acety	9.7
		W20027 AL360204	Hs.23439	ESTS	9.6
		AI624342	Hs.170042	Homo sapiens mRNA full length insert cDN	9.6
25		AI907673	rs.170042		9.5 9.3
23		Al267652	Hs.30504	gb:IL-BT152-080399-004 BT152 Homo sapien Homo sapiens mRNA; cDNA DKFZp434E082 (fr	
		AJ224741	Hs.278461		9.1
		AI127076		hypothetical protein DKFZp564O1278	9.1
		D60730	Hs.57471	ESTs	9.1
30		AA410943	113.07471	gb:zt32h03.r1 Soares ovary tumor NbHOT H	9.1
<b>J</b> 0	406348	701410040	•	Target Exon	9.0
		U31875	Hs.272499	short-chain alcohol dehydrogenase family	9.0
		U23752	Hs.32964	SRY (sex determining region Y)-box 11	9.0
		AF026944	Hs.293797		8.8
35	405654			C12001521:gi 7513934 pir  T31081 cca3 pr	8.8
		AA279490	Hs.86368	calmegin	8.8
		Al955040		ESTs, Weakly similar to transformation-r	8.7
	408771	AW732573	Hs.47584	potassium voltage-gated channel, delayed	8.5
	409041	AB033025	Hs.50081	KIAA1199 protein	8.4
40	442353	BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	8.3
	451561	N52812	Hs.177403	ESTs	8.2
	424001	W67883	Hs.137476	paternally expressed 10	8.2
	429859	NM_007050	Hs.225952	protein tyrosine phosphatase, receptor t	8.1
	423887	AL080207	Hs.134585	DKFZP434G232 protein	8.1
45	405095.	NA		Target Exon	8.1
	419296	AA236115	Hs.120785	ESTs	8.0
		AF026941	Hs.17518	Homo sapiens cig5 mRNA, partial sequence	8.0
		BE242870	Hs.75379	solute carrier family 1 (glial high affi	8.0
50		AW876523	Hs.15929	hypothetical protein FLJ12910	8.0
50		R17798	Hs.7535	COBW-like protein	7.9
		AI811202	Hs.325335	Homo sapiens cDNA: FLJ23523 fis, clone L	7.9
		AF044197	Hs.100431	small inducible cytokine B subfamily (Cy	7.9
		M31126	Hs.272620	matrix metalloproteinase 11 (MMP11; stro	7.8
55	400285			Eos Control	7.7
33		T27503	Hs.15929	hypothetical protein FLJ12910	7.6
		AW880562	Hs.114574		7.5
•	429004	AW976987		ESTs, Weakly similar to 2109260A B cell	7.5
	433420 411070	H69125 Al222020	Hs.133525	CocoaCrisp	7.5 7.4
60			HS. 102304	ESTs, Moderately similar to ALU7_HUMAN A	
00		H59846			7.4 7.3
		AJ380797 AA948033	Hs.158992 Hs.130853		7.3 7.2
		AW602166		CEGP1 protein	7.2
		AW368397		Homo sapiens cDNA FLJ14438 fis, clone HE	7.1
65		AW242243		peroxisomal famesylated protein	7.0
<b>-</b> -		AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	6.9
		AI734009		KIAA1603 protein	6.9
		. 41 0-1003			

PCT/US02/02242

	420422	A1070050	Ha 202676	synaptonemal complex protein 2	6.9
		A1678059	Hs.165028		6.9
		Al375672 Al732643	Hs.144151		6.9
			Hs.167771		6.8
5		AA808229 Al793124	Hs.144479		6.8
5		A1793124	NS. 144473		6.8
	404253	A1045504	Un 42400#		6.7
		AI015591			6.6
		AW963419			6.6
10		AA321649	Hs.2248		6.6
10		BE545072	HS. 122579	qb:CM1-ST0277-061299-059-b07 ST0277 Homo	
		AW818127	Hs.161160		6.6
		A1418055			6.6 .
		A1733682	Hs.130239		6.6
1.5		AI970394	Hs.197075		6.5
15	408000		Hs.620		6.5
		X78592	Hs.99915		
		BE041395			6.5
		X03635	Hs.1657		6.5
20		AW023482	Hs.97849		6.5
20		U79293			6.4
		W29092	Hs.7678		6.4
		NM_003866		inositol polyphosphate-4-phosphatase, ty	6.4
		AW004854		hypothetical protein FLJ23537	6.4
25		AL137517		hypothetical protein DKFZp564O1278	6.2
25		NM_014398	Hs.10887	similar to lysosome-associated membrane	6.1
		AA586894		S100 calcium-binding protein A7 (psorias ESTs	6.1
		A1240665	Hs.8895		6.1 6.0
		M13509	Hs.83169	matrix metalloproteinase 1 (MMP1; inters	6.0.
20		AA972965	Hs.135568 Hs.106604		6.0
30		R45154	Hs.152812		5.9
		AA464510			5.9
		AA310693	Hs.87329	HSPC072 protein	5.9
		AW975944	Hs.237396		5.9
35		H39960		Homo sapiens cDNA FLJ12280 fis, clone MA	5.9
33		AF115402	Hs.11713	E74-like factor 5 (ets domain transcript gb:IL2-UM0079-090300-050-D03 UM0079 Homo	
		AW803341	Un 150260	hypothetical protein similar to tenascin	5.9
		AL049689 X72755		monokine induced by gamma interferon	5.8
		R20991	Hs.77367	gb:yg06h01.r1 Soares infant brain 1NIB H	5.8
40		N28519	Un 125101		5.8
40		AL031224	Hs.33102	ESTs, Weakly similar to unnamed protein	5.8
		W52854	Hs.27099	transcription factor AP-2 beta (activati hypothetical protein FLJ23293 similar to	5.7
		AW162916		hypothetical protein PRO2577	5.7
		A1733881	Hs.72472	BMP-R1B	5.6
45		AW016531	Hs.122147		5.6
73		AW067903	Hs.82772	collagen, type XI, alpha 1	5.5
		AA463893	Hs.220933		5.5
		R41396		hypothetical protein FLJ23045	5.5
		AW299598	Hs.50895	homeo box C4	5.4
50		AW748078		ESTs, Weakly similar to MUC2_HUMAN MUCIN	
50		AI742605	Hs.193696		5.4
		AL121278	Hs.25144	ESTs	5.4
		BE246919	Hs.10290	U5 snRNP-specific 40 kDa protein (hPrp8-	5.4
		BE167434	Hs.98471	ESTs, Weakly similar to T18712 hypotheti	5.4
55		A1879148	Hs.26770	fatty acid binding protein 7, brain	5.4
00		AW067800	Hs.155223	,	5.3
		AA291553	Hs.190086		5.3
		AW970060	110.10000	gb:EST382140 MAGE resequences, MAGK Hon	
		AA421081	Hs.12388	ESTs	5.3
60		U65011	Hs.30743	preferentially expressed antigen in mela	5.3
00		AB028945	Hs.12696	cortactin SH3 domain-binding protein	5.3
•		X52509	Hs.161640		5.3
		L32137	Hs.1584	cartilage oligomeric matrix protein (COM	5.2
		R28363	Hs.24286	ESTs	5.2
65		AW207084		hypothetical protein MGC14801	5.2
		N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A	5.2
		U41060	Hs.79136	LIV-1 protein, estrogen regulated	5.2
	7102/	, טייודט ,	5 100	brownil acadam radamen	

	400300	V03363		HED? mountar tyroning kinges (a art h?	5.2
		X03363 U37519	Hs.87539	HER2 receptor tyrosine kinase (c-erb-b2, aldehyde dehydrogenase 3 family, member	5.2
		AW449211	He 105445	GDNF family receptor alpha 1	5.2
		AB028992		KIAA1069 protein	5.2
5		AW852530	113.133143	gb:PM1-CT0243-071099-001-g06 CT0243 Homo	
•		AW851980	Hs 262346	ESTs, Weakly similar to S72482 hypotheti	5.2
		AI916269		ESTs, Weakly similar to ALU5 HUMAN ALU S	5.1
		AA032279	Hs.61635		5.1
		Al283133	Hs.297420		5.1
10		Al791495		calmodulin-like skin protein	5.1
	427718	A1798680	Hs.25933	ESTs	5.1
	434531	AA642007	Hs.116369	ESTs	5.1
•	429220	AW207206	Hs.136319	ESTs	5.1
	405494	NA		C2001837*:gi[12697903]dbj[BAB21770.1] (A	5.1
15	452930	AW195285	Hs.194097	ESTs, Weakly similar to 138022 hypotheti	5.1
		Al201849		gb:qs76g04.x1 NCI_CGAP_Pr28 Homo sapiens	
		X70697	Hs.553	solute carrier family 6 (neurotransmitte	5.0
		BE387335		ESTs, Weakly similar to S64054 hypotheti	5.0
20		R43646	Hs.12422		5.0
20		W02414	Hs.38383		5.0
		AW665281	Hs.224625		5.0
		AA236776 AK000713		MAD2 (mitotic arrest deficient, yeast, h	5.0 5.0
		AW512260	Hs.87767	hypothetical protein FLJ20706 ESTs	4.9
25		X82125	Hs.25040	zinc finger protein 239	4.9
23		AJ003029	Hs.65792	syntrophin, gamma 2	4.9
		M30703		amphiregulin (schwannoma-derived growth	4.9
		AI655499	Hs.161712		4.8
		AI820662	Hs.129598		4.8
30		AF220050		uncharacterized hematopoietic stem/proge	4.8
	400286	NA		C16000922:gi[7499103[pir][T20903 hypothe	4.8
	407506	U71600		gb:Human zinc finger protein zfp31 (zf31 .	4.8
	420026	AI831190	Hs.166676	ESTs	4.8
0.5		BE218239	Hs.202656		4.8
35		Al217477	Hs.194591		4.8
		AW997556	Hs.78521		4.8
		BE440042	Hs.83326		4.7
		AI349764	Hs.217081		4.7
40		AA191493	Hs.48778	niban protein	4.7 4.7
40	400284	AW248508	He 270727	estrogen receptor 1 Homo sapiens cDNA FLJ14035 fis, clone HE	4.7
		R42185	Hs.274803		4.7
		BE062109		chloride channel, calcium activated, fam	4.7
		AW961489	Hs.154116		4.7
45		NM_003462	Hs.33846		4.7
	427427	AF077345	Hs.177936		4.6
	421751	AW813731	Hs.159153	ESTs, Moderately similar to S65657 alpha.	4.6
		R63503	Hs.28419	ESTs	4.6
	405718			C4000799*:gi 6330365 dbj BAA86508.1  (AB	4.6
50		AW207523	Hs.197628		4.6
		Z40313		Homo sapiens clone IMAGE:23371, mRNA seq	4.6
		M81057		carboxypeptidase B1 (tissue)	4.6
		Al199268		Homo sapiens, Similar to RIKEN cDNA 2010	4.6
55		AK000282	ns.239681	hypothetical protein FLJ20275	4.6
<i>.</i>		AW855717 AA242758	He 70126	gb:RC1-CT0279-081299-013-b01 CT0279 Homo LIV-1 protein, estrogen regulated	4.6
		AA808189	Hs.272151		4.6
		AW936273	113.212101	gb:QV0-DT0020-090200-107-g07 DT0020 Homo	
	_	AL036877	Hs.282878		4.6
60		AA514660	Hs.128443		4.6
		H15261	Hs.21948	ÉSTs	4.6
		AW246333	Hs.17901	Homo sapiens, clone IMAGE:3937015, mRNA,	4.6
	445537	AJ245671	Hs.12844	EGF-tike-domain, multiple 6 (EGFL6)	4.5
<i></i>		AW966399	Hs.46821	hypothetical protein FLJ20086	4.5
65		W68815	Hs.301885	Homo sapiens cDNA FLJ11346 fis, clone PL	4.5
		AW503329		gb:UI-HF-BN0-akx-e-02-0-UI.r1 NIH_MGC_50	4.5
	406747	AJ925153	Hs.217493	annexin A2	4.5

	412102	UEGA25		gb:yg98e09.r1 Soares fetal liver spleen	4.5
	431716			fatty-acid-Coenzyme A ligase, long-chain	4.5
		AW814902	. 10.200012	gb:MR1-ST0206-120400-022-f08 ST0206 Homo	
	401418			C14000338*:gi[7459502 pir  S74665 outer	4.5
5		AK001074		Homo sapiens cDNA FLJ10212 fis, clone HE	4.5
	436211	AK001581	Hs.334828	hypothetical protein FLJ10719; KIAA1794	4.4
	414080	AA135257	Hs.47783	B aggressive lymphoma gene	4.4
		AA335497		ESTs, Weakly similar to 138022 hypotheti	4.4
1.0		AW419196		hypothetical protein FLJ13782	4.4
10		AW664964	Hs.128899		4.4 4.4
		BE463857		hypothetical protein FLJ21062	4.4
	432731		ns.20/020	fibronectin 1 gb:QV0-NN1071-280400-207-g07 NN1071 Home	
	405196	AW905138		C2000662*:gij7512792 pir jT12482 hypothe	4.4
15		N47863	Hs.336901	ribosomal protein S24	4.4
13	401793	144.000	113.55550	C17001545:gi 5360127 gb AAD42882.1 AF155	4.4
		AA381209		gb:EST94257 Activated T-cells I Homo sap	4.4
		AB007975	Hs.131454	KIAA0506 protein	4.4
	400238	NA		C19000274*:gi]12741327]ref]XP_008833.2]	4.4
20	_	AF019612	Hs.297007	membrane-bound transcription factor prot	4.4
	400608			C10001899:gi 7508633 pir  T25392 hypothe	4.4
		AV657310	Hs.282898		4.3 4.3
		AL138272	Hs.62713	ESTs Tomat Even	4.3
25	405906 405925			Target Exon Target Exon	4.3
23		BE247684	Hs.103070		4.3
		H57646	Hs.42586	KIAA1560 protein	4.3
		N63855		zinc finger protein	4.3
•	419536	AA603305		gb:np12d11.s1 NCI_CGAP_Pr3 Homo sapiens	4.3
30		N71277		gb:za36e03.s1 Soares fetal liver spleen	4.3
		AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto	4.2
		A1266484	Hs.31570	ESTs, Weakly similar to KIAA1324 protein	4.2 4.2
		AA291377	Hs.50831	ESTs	4.2
35		AA033714 NM_001898	Hs.287629 Hs.123114		4.2
33		BE158766	115.125114	gb:IL2-HT0397-071299-024-F02 HT0397 Homo	
		BE144884		gb:CM0-HT0182-041099-065-e11.HT0182 Hom	04.2
		BE538082	Hs.8172	ESTs, Moderately similar to A46010 X-lin	4.2
	408380	AF123050	Hs.44532	diubiquitin	4.2
40		S82472		gb:beta -pol=DNA polymerase beta (exon a	4.2
	404285			C6001909:gij704441 dbj BAA18909.1  (D298	4.2
		NM_005940		matrix metalloproteinase 11 (MMP11; stro	4.2 4.2
		AW812795	Hs.155361 Hs.25252	ESTs, Moderately similar to I38022 hypot prolactin receptor	4.2
45		AA026880 AW592167	Hs.293299		4.2
73		AI908165		GATA-binding protein 3 (T-cell receptor	4.2
		AW821113	Hs.72402	ESTs	4.2
		AA024538	Hs.282990	Human DNA sequence from clone RP1-28H20	4.2
	452862	AW378065	Hs.8687	ESTs	4.2
50		AI085198	Hs.164226		4.2
		AB007948		KIAA0479 protein	4.1
		J05070	Hs.151736 Hs.22242	matrix metalloproteinase 9 (gelatinase B	4.1 4.1
		AA894564 AA634806	H3.22242	eSTs ab:ab28c02,r1 Stratagene lung (937210) H	4.1
55	454405	BE241831	Hs 172330	hypothetical protein MGC2705	4.1
55	450229	R18717	Hs.8929	hypothetical protein FLJ11362	4.1
	455700	BE068115		gb:CM1-BT0368-061299-060-g07 BT0368 Horn	10 4.1
		AK000850	Hs.272203	Homo sapiens cDNA FLJ20843 fis, clone AD	4.1
	438885	AI886558	Hs.184987	' ESTs	4.1
60	401451	l		NM_004496*:Homo sapiens hepatocyte nucle	4.1
		A1685464		gb:ttl88f04.x1 NC1_CGAP_Pr28 Homo sapiens	4.1
	409093	2 A1735283	Hs.172608		4.1 4.1
	429270	W60379	Hs.57773	ESTs	4.1
65		3 AI220547 2 AW057736	Hs.135223	HER2 receptor tyrosine kinase (c-erb-b2,	4.1
UJ	421 12	5 U85658	Hs.61796	transcription factor AP-2 gamma (activat	4.1
	43291	2 BE007371	Hs.20031		4.1
				•	

	403585			Target Exon	4.1
		Al394151	Hs.37932	ESTs	4.1
	420380	AA640891	Hs.102406	ESTs	4.1
_	431118	BE264901	Hs.250502	carbonic anhydrase VIII	4.1
5		NM_004354	Hs.79069	cyclin G2	4.1
		AA296520	Hs.89546	selectin E (endothelial adhesion molecul	4.1
	400555	110.4000		Target Exon	4.1
		U94362	Hs.58589	glycogenin 2	4.0
10		NM_003528 . AA448460	Hs.2178	H2B histone family, member Q	4.0
10		AL359055	Hs.67709	GE36 gene Homo sapiens mRNA full length insert cDN	4.0 4.0
		AL117406			4.0
		NM_002666	Hs.103253		4.0
		AA228776	Hs.191721	•	4.0
15	424188	AW954552		zinc finger protein	4.0
	455431	AW938484		gb:CM0-DT0057-290200-253-d06 DT0057 Homo	4.0
	404142	NA		Target Exon	4.0
		AI027604	Hs.159650		4.0
20		AI693927	Hs.265165		4.0
20		AA165232	Hs.222069		4.0
	452891		HS.2128/5	ESTs, Weakly similar to DYH9_HUMAN CILIA	4.0
		BE390440	U- 20702	gb:601283601F1 NIH_MGC_44 Homo sapiens c	
	452281	AA417383	Hs.28792 Hs.82582	Homo sapiens cDNA FLJ11041 fis, clone PL	4.0
25		A1281848		integrin, beta-like 1 (with EGF-like rep retinoic acid induced 3	4.0 4.0
	447377			transcription factor AP-2 alpha (activat	4.0
		AL119723	110.00	gb:DKFZp761A2124_r1 761 (synonym: hamy2)	4.0
		AA356170	Hs.26750	hypothetical protein FLJ21908	4.0
	452240	AI591147	Hs.61232	ESTs .	4.0
30	459574	Al741122	Hs.101810	Homo sapiens cDNA FLJ14232 fis, clone NT	4.0
		N99626		gb:za39d11.r1 Soares fetal liver spleen	4.0
		Al199738		ESTs, Weakly similar to ALUA_HUMAN !!!!	4.0
		AI948607	Hs.264680		4.0
35		AF153330	Hs.30246	solute carrier family 19 (thiamine trans	3.9
33		AA263143	Hs.24596	RAD51-interacting protein	3.9
	406554	AA573006	Hs.19173	Target Exon ESTs	3.9 3.9
	445813			alanine-glyoxylate aminotransferase 2-li	3.9
		AA442176	110.100070	gb:zw63b08.r1 Soares_total_fetus_Nb2HF8_	3.9
40·		M86153	Hs.75618	RAB11A, member RAS oncogene family	3.9
	401781			Target Exon	3.9
	415296	F05086	Hs.328142		3.9
	452564	AA026777		gb:ze93c11.r1 Soares_fetal_heart_NbHH19W	3.9
45		AI819068	Hs.209122		3.9
45	419759			actin related protein	3.9
		AI472106	Hs.49303	Homo sapiens cDNA FLJ11663 fis, clone HE	3.9
		AF086534		ESTs, Moderately similar to ALU1_HUMAN A	3.9
		AA419529 AB037791	Hs.76391 Hs.29716	myxovirus (influenza) resistance 1, homo hypothetical protein FLJ10980	3.9
50		BE537217	Hs.30343		3.9 3.9
50		BE568414		Homo sapiens cDNA: FLJ22097 fis, clone H	3.9
		Al073512	Hs.133916		3.9
		BE152428		gb:CM0-HT0323-151299-126-b04 HT0323 Homo	3.9
	401785				3.9
55	426427	M86699	Hs.169840	TTK protein kinase	3.9
••		A1989885	Hs.231926		3.9
	436033		Hs.255748		3.9
		BE172186	00074	gb:MR0-HT0559-110300-005-h11 HT0559 Homo	
60		AA236645	Hs.98274		3.8
UU		AI184268	Hs.339665		3.8
	403593	AA219691 NA	Hs.73625	RAB6 interacting, kinesin-like (rabkines Target Exon	3.8
		AW016669	Hs.29190	ESTs	3.8 3.8
		AW664873	Hs.87836		3.8
65		W02410	Hs.205555		3.8
		Al217928	Hs.144762		3.8
	409542	AA503020	Hs.36563		3.8
				•	

	443162	T49951	Hs.9029	DKFZP434G032 protein	3.8
		AW383618			3.8
		AL359938		Meis (mouse) homolog 3	3.8
		AA904244	Hs.153205	ESTs	3.8
5		Al476732	Hs.263912	ESTs	3.8
_	403426	•		Target Exon	3.8
	427821	AA470158	Hs.98202	ESTs	3.8
	454288	BE222648	Hs.279458	ESTs, Highly similar to c380A1.1b [H.sap	3.8
	443801	AW206942	Hs.253594	ESTs ·	3.8
10	410658	AW105231	Hs.192035	ESTs	3.8
	410672	AW794600		gb:RC6-UM0014-170300-022-C05 UM0014 Hom	
	428579	NM_005756	-	G protein-coupled receptor 64	3.8
	445495	BE622641	Hs.38489	ESTs, Weakly similar to I38022 hypotheti	3.8
		AI742618	Hs.181733	ESTs, Weakly similar to nitrilase homolo	3.7
15	401747			Homo sapiens keratin 17 (KRT17)	3.7
		NM_014581		odorant-binding protein 2A	3.7 3.7
		AP000692		chromosome 21 open reading frame 5	3.7
		AB029496 ·	Hs.59729		3.7
20		BE005346	Hs.116410	similar to SALL1 (sal (Drosophila)-like	3.7
20		AK001666 AA018534	Hs.103334		3.7
	402696		113.103334	C3002523:gi 6686211 sp Q27533 YH2M_CAEEL	
		AV660737	Hs.135100		3.7
	458154	AW816379	Hs.335018		3.7
25		U80736		trinucleotide repeat containing 9	3.7
		AB020689	Hs.90419	KIAA0882 protein	3.7
		AA312082	Hs.105445	GDNF family receptor alpha 1	3.7
	417283	N62840	Hs.48648	ESTs	3.7
_0_	401508			NM_024817:Homo sapiens hypothetical prot	3.7
30		AA324597	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	3.7
		U79734	Hs.97206		3.7
		Al021992	Hs.124244		3.7
		AA629065	Hs.116301		3.7 3.7
25		R55373	Hs.20864	ESTs gb:601441282F1 NIH_MGC_72 Homo sapiens of	
35		BE623004	Un 107072	hypothetical protein FLJ20761	3.7
		A1347502 T32982	Hs.102720		3.7
	405232		113.102120	NM_015832:Homo sapiens methyl-CpG bindin	3.7
		AL109791	Hs.241559	Homo sapiens mRNA full length insert cDN	3.7
40		BE011668		gb:CM3-BN0223-100500-177-a04 BN0223 Hom	03.7
.0		Al239923	Hs.30098	ESTs .	3.7
		A1970797	Hs.64859	ESTs	3.7
	436061	A1248584	Hs.190745	Homo sapiens cDNA: FLJ21326 fis, clone C	3.7
	401049	NA		Target Exon	3.6
45		D31771	Hs.89404	msh (Drosophila) homeo box homolog 2	3.6
		N74530	Hs.21168	ESTs ,	3.6
		AV658444		tankyrase, TRF1-interacting ankyrin-rela	3.6
		A1377755	Hs.120695	ESIS	3.6 3.6
50		M97815	HS.18365U	cellular retinoic acid-binding protein 2 gb:wd31f02.x1 Soares_NFL_T_GBC_S1 Homo	
30		! Al698839	Hs.301663		3.6
		2 AL120173 AW901456	115.501000	gb:RC0-NN1012-270300-031-c07 NN1012 Hom	103.6
		AA352111		gb:EST60061 Activated T-cells XX Homo sa	3.6
		AI142095	Hs.143273		3.6
55		BE164500		gb:RC4-HT0469-230300-014-e10 HT0469 Hom	o 3.6
	-	AA157291	Hs.21479	ubinudein 1	3.6
		AA062954	Hs.141883	3 ESTs	3.5
	407721	Y12735	Hs.38018	dual-specificity tyrosine-(Y)-phosphoryl	3.6
		5 AK000054	Hs.12347	hypothetical protein FLJ20047	3.5
60	404091			Target Exon	3.6
		AA125985	Hs.56145		3.6
	405153		11. 40-6	Target Exon	3.6
		3 AA380177	Hs.12584	5 ribulose-5-phosphate-3-epimerase ENSP00000233023*:CDNA FLJ12662 fis, clon	3.6 3.6
65	40363			C7001385:gi 12082809 gb AAG48618.1 AF315	
UJ	40436	2 AA766296	Hs.99200		3.6
		2 AA700230		9 VIA 00492 pmtein	3.6

	424202	BE350295	Hs.15032	RAN binding protein 17	3.6
	431750	AA514986	Hs.283705	ESTs	3.6
		AA853978	Hs.124577		3.6
5		AA441838	Hs.62905	. *	3.6
3	406446	AA315308	Uc 105970	_ ·	3.6 3.6
		AW015415	Hs.127780		3.6
		W87707	Hs.82065		3.6
	440132	Al697121			3.6
10	448706	AW291095	Hs.21814	interleukin 20 receptor, alpha	3.6
٠.		AW297920	Hs.130054		3.5
		AW860158	11. 00700	gb:RC0-CT0379-290100-032-b04 CT0379 Homo	
	402820	AW968226	Hs.60798	ESTS	3.5 3.5
15		AA191719	Hs.314714		3.5
		AW393080			3.5
		AI806335			3.5
	428062	AA420683	Hs.98321	hypothetical protein FLJ14103	3.5
20		NM_015368	Hs.30985	pannexin 1	3.5
20	400610		U= 00545		3.5
		W07361 . AW960146	Hs.22545	Homo sapiens cDNA FLJ12935 fis, clone NT hypothetical protein FLJ12888	3.5 3.5
		A1805416	Hs.213897		3.5
	443270	NM_004272		Homer, neuronal immediate early gene, 1B	3.5
25		AW392342		centrosomal P4.1-associated protein; unc	3.5
		AW448937	Hs.197030		3.5
		AW753967		gb:RC2-CT0304-080100-011-h12 CT0304 Homo	
		NM_000288	Hs.79993	peroxisomal biogenesis factor 7	3.5
30		R20893 AL043002		ESTs, Moderately similar to ALU5_HUMAN A ESTs, Moderately similar to unnamed prot	3.5 3.5
50		H84847	Hs.49391	hypothetical protein LOC54149	3.5
		AW316843	Hs.66309	hypothetical protein MGC11061	3.5
	416636	N32536	Hs.42645	solute carrier family 16 (monocarboxylic	3.5
2.5		AI917494	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	3.5
35		A1057094	Hs.96867	Homo sapiens cDNA: FLJ23155 fis, clone L	3.5
		A1370876	Hs.79090	exportin 1 (CRM1, yeast, homolog) gb:IL3-CT0219-271099-022-H12 CT0219 Homo	3.5
		AW850178 AA314337	He 301547	ribosomal protein S7	3.5
		AA877124	Hs.172844		3.5
40		N25521	Hs.25275	Kruppel-type zinc finger protein	3.5
	440623	Al935016	Hs.216639		3.5
		BE145808		gb:MR0-HT0208-101299-103-f11 HT0208 Homo	
		AW295151	Hs.163612		3.5
45	436550	AW167087	Hs.131562	ESTS, Weakly similar to MMHUB1 laminin b	3.5 3.5
73		AW474547	Hs.53565	Homo sapiens PIG-M mRNA for mannosyltran	3.5
•		BE614743		prostaglandin E synthase	3.5
		AW505021	Hs.88414	BTB and CNC homology 1, basic leucine zi	3.5
		AI908400	Hs.143789	ESTs	3.5
50		AF086224	Hs.55238	ESTs	3.5
	405917	NA AW993582	Hs.176220	C17000675:gi[7290703]gb]AAF46150.1] (AE0	3.5 3.5
		W47595		transforming growth factor, beta 2	3.4
/ ·		AA283185	Hs.19327	ESTs	3.4
55		AW904466		PDZ domain protein (Drosophila inaD-like	3.4
•		BE252383	Hs.184668	SBBI31 protein	3.4
		BE064962	11. 04044	gb:RC1-BT0313-130400-016-c02 BT0313 Homo	
		U92649	Hs.64311	a disintegrin and metalloproteinase doma	3.4
60		AW073310 AW749855	ns. 103333	Homo sapiens cDNA FLJ14142 fis, clone MA gb:QV4-BT0534-281299-053-c05 BT0534 Homo	3.4
50	404097			C5000242*:gi 9369379 qb AAF87128.1 AC006	3.4
		AF119861	Hs.283032	hypothetical protein PRO2015	3.4
	421072	Al215069	Hs.89113	ESTs	3.4
<i></i>	402421			C1001578*:gi[6759903]gb[AAF28099.1] (AF1	3.4
65	405248		Un 224402	Target Exon	3.4
		AJ404672 BE247275		hypothetical protein FLJ23571 U5 snRNP-specific protein, 116 kD	3.4 3.4
	403000	GEETIKIJ	113.131707	oo annaar-apeunic protein, 110 kb	J.4

	433393	AF038564	Hs.98074	itchy (mouse homolog) E3 ubiquitin prote	3.4
	432239		Hs.2936	matrix metalloproteinase 13 (collagenase	3.4 3.4
	458747 442082	BE618395		hypothetical protein DKFZp761J1523 ESTs: calsyntenin-2	3.4
5		AA210765	115.7415	gb:zr90c06.r1 NCI_CGAP_GCB1 Homo sapiens	
•		AI346468	Hs.145789	ESTs	3.4
		Al613276		guanine nucleotide binding protein (G pr	3.4
		A1247716	Hs.232168	ESTS	3.4 3.4
10		AA164366 AI971313		hypothetical protein FLJ23511 KIAA0551 protein	3.4
10		AF102546	Hs.63931	dachshund (Drosophila) homolog	3.3
	405460			Target Exon	3.3
		AW503603	Hs.129915	phosphotriesterase related	3.3
15		AL037925	Hs.301570	gb:DKFZp564M037_r1 564 (synonym: hfbr2)	3.3 3.3
15		AW885727 R81733	Hs.33106	ESTS	3.3
		AA814043	Hs.88045	ESTs	3.3
		U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	3.3
20		BE296227	Hs.250822	serine/threonine kinase 15	3.3 3.3
20		A1160386	Hs.125087 Hs.23838	calcium channel, voltage-dependent, L ty	3.3
		AF055575 NM_000685	Hs.89472	angiotensin receptor 1	3.3
		AA160079	Hs.172932	Homo sapiens mRNA for partial 3'UTR, seq	3.3
		AW503857	Hs.4007	Sarcolemmal-associated protein	3.3
25		NM_005982	Hs.54416	sine oculis homeobox (Drosophila) homolo	3.3 3.3
		AW138872	Hs.135288 Hs.57846	ESTs	3.3
		AA280627 AA296961	115.37040	gb:EST112514 Adrenal gland tumor Homo sa	3.3
		AI936450	Hs.147482		3.3
30	402892	NA		Target Exon	3.3
		AA994896	Hs.22514	ESTs	3.3 3.3
		AA741545 R21945	Hs.282832	ESTs, Weakly similar to T24961 hypotheti splicing factor, arginine/serine-rich 5	3.3
		A1954968 ·		matrix Gla protein	3.3
35		AV653771		gb:AV653771 GLC Homo sapiens cDNA clone	3.3
		AA121686	Hs.10592	ESTs	3.3 3.3
	406151		Hs.293261	Target Exon	3.3
		AW511956 AW820260	MS.29320 I	gb:QV2-ST0296-150200-040-c10 ST0296 Homo	
40		T16971	Hs.289014	ESTs, Weakly similar to A43932 mucin 2 p	3.3
	439310	AF086120	Hs.102793	· · · · · · · ·	3.3
	401575		11- 44000	Target Exon	3.3 3.3
		AL045633 Al344166	Hs.44269 Hs.155743	ESTs ESTs	3.3
45		AW369771		integrin, beta 8	3.3
,,,		AW204610	Hs.22270	•	3.3
		3 AA976718	Hs.202242		3.3
		3 AA206186	Hs.79889 Hs.130526	monocyte to macrophage differentiation-a	3.3 3.3
50		AW043921 T70874	Hs. 130526		3.2
50		T10213	Hs.159993	gycosyltransferase	3.2
	45392	1 A1824009	Hs.44577	ESTs	3.2
	42003	R60336	Hs.52792	Homo sapiens mRNA; cDNA DKFZp586l1823 (	
55		7 W88774 B BE336654	Hs.118370 Hs.70937	H3 histone family, member A	3.2 3.2
23		3 AA863360	Hs.26040	ESTs, Weakly similar to fatty acid omega	3.2
	41015	3 BE311926	Hs.15830	hypothetical protein FLJ12691	3.2
	40363	7 NA		C3001106*:gij10047201!dbjjBAB13394.1) (A	3.2
60	40554		LI= 40102°	NM_018833*:Homo sapiens transporter 2, A	3.2 3.2
60		8 C05766 1 Al821005	Hs. 10102	2 CGI-07 protein	3.2
		3 R10305	Hs.185683	3 ESTs	3.2
	41685	6 N27833	Hs.26902	B ESTs, Weakly similar to I38022 hypotheti	3.2
<i>C</i> <b>5</b>	44949	O A1652777	Hs.19706	9 ESTs	3.2
65	45050	6 NM_004460	Hs.418	fibroblast activation protein, alpha 6 ESTs, Highly similar to S21424 nestin [H	3.2 3.2
	44068 45005	4 Al253123 5 N23235	Hs.30567		3.2
	73303	- 1,20200		, , and to bo toot tipped to	

	452190	H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	3.2
	430965	AA489732	Hs.154918	ESTs	3.2
	405394			Target Exon	3.2
	424693	BE169810	Hs.47557		3.2
5		H03556		ESTs, Weakly similar to thyroid hormone	3.2
_		AA765917	Hs.122840		3.2
•		AK000684		hypothetical protein FLJ22104	3.2
				Trypodietical protein PED22 104	
		AL121282	Hs.257786		3.2
10		AW856552	==	gb:RC1-CT0294-080100-012-a04 CT0294 Homo	
10		NM_005429	Hs.79141	J	3.2
		AA758239	Hs.180330		3.2
		A1249368	Hs.98558	ESTs	3.2
	452042	H38857	Hs.243901		3.2
_	421477	Al904743	Hs.104650	hypothetical protein FLJ10292	3.2
15	438078	AI016377	Hs.131693		3.2
	448816	AB033052	Hs.22151	KIAA1226 protein	3.2
	419519	AI198719	Hs.176376		3.2
	404580			NM_014112*:Homo sapiens trichorhinophala	3.2
		AA326187	Hs.17170	G protein-coupled receptor 4	3.2
20		AW974903	Hs.291231		3.1
		AW904907	Hs.30732	hypothetical protein FLJ13409; KIAA1711	3.1
		Al204995	113.507 52	gb:an03c03.x1 Stratagene schizo brain S1	3,1
	400195				
			Un 225400	NM_007057*:Homo sapiens ZW10 interactor	3.1
25		AW408557		hypothetical protein FLJ14075	3.1
23		AW974175		ESTs, Weakly similar to MAPB_HUMAN MICRO	
		AA312735	Hs.30512	Homo sapiens mRNA for KIAA0556 protein,	3.1
		AA701327	Hs.17949	ESTs	3.1
		AA906366	Hs.190535		3.1
. 20		D38122	Hs.2007	tumor necrosis factor (ligand) superfami	3.1
30		AW891294		solute carrier family 4, sodium bicarbon	3.1
		R82331	Hs.164599		3.1
		AI638627	Hs.105685	KIAA1688 protein	3.1
		AA503653	Hs.156942	ESTs, Moderately similar to ALU2_HUMAN A	3.1
~ ~	417576	AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	3.1
35	430264	AA470519		gb:nc71f10.s1 NCI_CGAP_Pr1 Homo sapiens	3.1
	418827	BE327311	Hs.47166	HT021	3.1
	410835	AW806906		gb:QV4-ST0023-160400-172-d12 ST0023 Homo	3.1
		H15302	Hs.168950	Homo sapiens mRNA; cDNA DKFZp566A1046 (f	
	405336	NA		Target Exon	3.1
40	437783	AI683150	Hs.201550	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.1
		AI583052	Hs.270058		3.1
		BE160636 ·		gb:PM1-HT0422-291299-002-c08 HT0422 Homo	
		A1768801	He 180043	Homo sapiens cDNA FLJ13569 fis, clone PL	3.1
	405848		110.100010	Target Exon	3.1
45		BE066976		gb:PM0-BT0340-211299-003-c12 BT0340 Homo	
1.5		M29994		gb:Human alpha-I spectrin gene, exon 12.	3.1
•		W26713	Hs.256972		
		D45027		R3H domain (binds single-stranded nuclei	3.1
			-		3.1
50		AI065104		ESTs, Weakly similar to A46010 X-linked	3.1
50		BE165753		Homo sapiens, clone IMAGE:4098694, mRNA,	3.1
		AA706910	Hs.112742		3.1
		AL050027		gb:Homo sapiens mRNA; cDNA DKFZp566C032	
		AI541305	Hs.48778	niban protein	3.1
<i></i>		AW407181	Hs.218377	Homo sapiens cDNA FLJ11927 fis, clone HE	3.1
55		AF026942	•	gb:Homo sapiens cig33 mRNA, partial sequ	3.1
		AW807227		gb:MR4-ST0062-180200-001-e10 ST0062 Homo	3.1
	424085	NM_002914	Hs.139226	replication factor C (activator 1) 2 (40	3.1
	416790	R83066	Hs.7043	succinate-CoA ligase, GDP-forming, alpha	3.1
	420020	BE295866	Hs.94382	adenosine kinase	3.1
60	426119	W94997	Hs.189917		3.1
	426968	U07616	Hs.173034	amphiphysin (Stiff-Mann syndrome with br	3.1
		AL117431	Hs.112165	Homo sapiens cDNA FLJ12198 fis, clone MA	3.1
		BE466639	Hs.61779	Homo sapiens cDNA FLJ13591 fis, clone PL	3.1
		AW138413			3.1
65		AA382814		gb:EST96097 Testis I Homo sapiens cDNA 5	3.1
		AI248013	Hs.106532	ESTs, Weakly similar to 138588 reverse t	3.1
•		AW135274	Hs.12433	ESTs	3.1
	550				J. 1

				•	
	446466	H38026	Hs.308	arrestin 3, retinal (X-arrestin)	3.1
	457888	BE219794		ESTs	3.1
	420058	AK001423	Hs.94694	Homo sapiens cDNA FLJ10561 fis, clone NT	3.0
	409248	AB033035	Hs.51965	KIAA1209 protein	3.0
5	452747	BE153855	Hs.61460	lg superfamily receptor LNIR	3.0
	418926	AA232658	Hs.105794	UDP-glucose:glycoprotein glucosyltransfe	3.0
	419346	AI830417	Hs.44143	polybromo 1	3.0
	429826	N93266	Hs.40747	ESTs	3.0
	435147	AL133731	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C1712 (i	i 3.0
10	420139	NM_005357	Hs.95351	lipase, hormone-sensitive	3.0
	405609	NA		ENSP00000241065*:CDNA	3.0
	404274			NM_002944*:Homo sapiens v-ros avian UR2	3.0
	449777	AI971362	Hs.231945	ESTs	3.0
	415459	H07118	Hs.6099	ESTs	3.0
15	415245	N59650	Hs.27252	ESTs	3.0
	406291	NA		Target Exon	3.0
	414210	BE383592		gb:601297871F1 NIH_MGC_19 Homo sapiens of	3.0
	432055	AW972359	Hs.293334	ESTs	3.0
	442246	AI791988	Hs.129115	ESTs	3.0
20	451353	N21043	Hs.42932	ESTs	3.0
	451177	AI969716	Hs.13034	ESTs	3.0
	418026	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	3.0
	401326	NA .		C10000447*:gi[1168375]sp[P43467]AGA1_PED	
	409920	BE169746	Hs.12504	likely ortholog of mouse Arkadia	3.0
25	432887	A1926047	Hs.162859		3.0
	411789	AF245505	Hs.72157	DKFZP564I1922 protein	3.0
	401045			C11001883*:gi 6753278 ref NP_033938.1  c	3.0
	432162	AA584062	Hs.272798	hypothetical protein FLJ20413	3.0
	434627	A1221894	Hs.39311		3.0
30	442611	BE077155	Hs.177537	hypothetical protein DKFZp761B1514	3.0
		AW958879	Hs.270535		3.0
	457183	H91882		Dvl-binding protein IDAX (inhibition of	3.0
	433014	NM_014711	Hs.279912	KIAA0419 gene product	3.0
		R13474	Hs.290263	ESTs, Weakly similar to 138022 hypotheti	3.0
35		R52782		gb:yg99d09.r1 Soares infant brain 1NIB H	3.0
		AB014528	Hs.43133	KIAA0628 gene product	3.0
		AW004683	Hs.78934	mutS (E. coli) homolog 2 (colon cancer,	3.0
		AI754212	Hs.21951	Homo sapiens Xq pseudoautosomal region;	3.0
40		AW021173	Hs.18612		3.0
40		AW901879	Hs.314453		3.0
		D31118		hypothetical protein MGC10520	3.0
		AW294795	Hs.198529		3.0
		) AA878939	Hs.125406		3.0
		Al375957		F-box only protein 22	3.0
45		) AA281279	Hs.23317	hypothetical protein FLJ14681	3.0
		NM_014400	Hs.11950	GPI-anchored metastasis-associated prote	3.0
		3 AA701259	Hs.189299		3.0
		AI041793	Hs.42502	ESTS	3.0
50		2 BE175605		gb:RC5-HT0580-100500-022-H07 HT0580 Hon	
50		2 AW295923	Hs.2554/2	KIAA1843 protein	3.0 3.0
		1 M31659		solute carrier family 25 (mitochondrial	3.0
		2 AA397658	Hs.60257	Homo sapiens cDNA FLJ13598 fis, clone PL	2.9
		6 W01938	HS.337243	B ESTs, Weakly similar to ALU7_HUMAN ALU S	2.9
55		3 W57554		lymphoid nuclear protein (LAF-4) mRNA	2.9
55		2 U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	
		5 BE246743	HS.288525	hypothetical protein FLJ22635	2.9 2.9
	40367			C4001462:gij4887715jgbjAAA79329.2j (L088 gb:MR4-BT0358-090300-003-e01 BT0358 Hom	
		3 BE067650	11- 40004	gp:(vir.4-B10300-090300-003-e01 B10330 Noti	2.9
<b>C</b> 0		5 W87434	HS.105013	ESTs, Moderately similar to ALU1_HUMAN A	2.9
60		7 BE568102	HS.180312	2 mitochondrial ribosomal protein S16	2.9
		4 AI674818	MS.316433	Homo sapiens cDNA FLJ11375 fis, clone HE	
		5 AA179949		3 Homo sapiens mRNA; cDNA DKFZp564N0763	2.9
		4 AW365665	Hs.120388		2.9
65		0 Al633559	Hs.310359		2.9
65		2 N34128	Hs.14526	Target Exon	2.9
		9 NA 0 BEE01733	Me suess		2.9
•	42902	9 BE501732	Hs.30622	Home adhicits only the locity to the world lift	2.3

	442295	Al827248	Hs.224398	Homo sapiens cDNA FLJ11469 fis, clone HE	2.9
		AA249573	Hs.152618	ESTs, Moderately similar to ZN91_HUMAN Z	2.9
	404721	Al208121	He 1/7313	NM_005596*:Homo sapiens nuclear factor l ESTs, Weakly similar to I38022 hypotheti	2.9
5	401987	A1200121	113, 14/313	NM_002737*:Homo sapiens protein kinase C	2.9 2.9
-		AA481282	Hs.190149		2.9
	444517	Al939339	Hs.146883		2.9
		AW873606	Hs.149006		2.9
10		AW194426	Hs.20726		2.9
10	401458	AI868634	IIS.240300.	ESTs, Weakly similar to T32250 hypotheti Target Exon	2.9 2.9
		NM_003478	Hs.101299		2.9
		BE514127	7,0,10,1200	gb:601315974F1 NIH_MGC_8 Homo sapiens cD	
		NM_012288	Hs.153954	TRAM-like protein	2.9
15		BE003760	Hs.55209		
		D45371	Hs.80485	adipose most abundant gene transcript 1	2.9
		BE161151	Ha EC140	gb:PM0-HT0425-141299-001-F08 HT0425 Homo	
		NM_016122 AA743991	Hs.56148	NY-REN-58 antigen gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens	2.9
20		AI193043	Hs.128685	ESTs, Weakly similar to T17226 hypotheti	2.9
		Z45439	Hs.270425		2.9
	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	2.9
		AF015592	Hs.28853	CDC7 (cell division cycle 7, S. cerevisi	2.9
25 .		AW452648		activation-induced cytidine deaminase	2.9
25 -		AW961400 AA057264		HER2 receptor tyrosine kinase (c-erb-b2, ESTs, Weakly similar to (defline not ava	2.9 2.9
	401093	AAG31204	113,230330	C12000586*:qi[6330167]dbi[BAA86477.1] (A	2.9
		AI651474	Hs.163944		2.9
	447985	AI681475	Hs.200949		2.9
30		AW235786		hypothetical protein MGC10954	2.9
		A1472078	Hs.303662		2.9
	405953	BE265067		gb:601193893F1 NIH_MGC_7 Homo sapiens cD Target Exon	2.8
		AW296927		gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	2.8
35		AA846811	Hs.130554	Homo sapiens cDNA: FLJ23089 fis, clone L	2.8
	428365	AA295331		Homo sapiens cDNA FLJ20042 fis, clone CO	2.8
		AA243837	Hs.57787	ESTs	2.8
		AW206453	Hs.3782	ESTs	2.8
40		AW452434 BE176480	Hs.58006	ESTs, Weakly similar to ALU5_HUMAN ALU S gb:RC3-HT0585-160300-022-c02 HT0585 Homo	2.8
40		AL039852	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	2.8
		A1038997	Hs.132921		2.8
	409038	T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.8
15		AW806899		gb:QV4-ST0023-160400-172-c12 ST0023 Homo	
45		Al910896	Hs.132413		2.8
		Y00272 AL035588		cell division cycle 2, G1 to S and G2 to MyoD family inhibitor	2.8 2.8
		BE070800	113.133203	gb:RC3-BT0502-251199-011-c07 BT0502 Homo	
· .	400250			Eos Control	2.8
50	449168	NM_016206	Hs.23142	colon carcinoma related protein	2.8
		AA485224		gb:aa41b12.s1 NCI_CGAP_GCB1 Homo sapiens	
		AA502490	Hs.336695	polymerase (DNA directed) iota	2.8
	405873	AA383550 NA	ns.21 1099	Target Exon	2.8 2.8
55		AA994364	Hs.125594	ESTs. Weakly similar to T25472 hypotheti	2.8
		AI075375		ESTs, Weakly similar to IRX2_HUMAN IROQU	2.8
	413708	BE158791		gb:IL2-HT0397-091299-025-D02 HT0397 Homo	2.8
•		AA398155	Hs.97600		2.8
60		Al754813		collagen, type V, alpha 1	2.8
00	_	AW294631 AA298758	Hs.11325 He 183747	ESTs ESTs, Moderately similar to CALB HUMAN C	2.8 2.8
		R64719	, 13. 1301 71	gb:EST22d11 WATM1 Homo sapiens cDNA clon	
	402765			C1003621*:gi 12407405 gb AAG53491.1 AF22	2.8
65		R41339	Hs.12569	ESTs	2.8
65		AW338625	Hs.22120	ESTs Town to Even	2.8
	401497 402376			Target Exon C19000763*:gi[1363912[pir] JC4296 ring f	2.8 2.8
	4023/0			This desponding is considered.	۷.0

PCT/US02/02242

	405041	NA		C3001706*:gi[1345652[sp]P15989[CA36_CHIC	2.8
		NM_003686	Hs.47504	exonuclease 1	2.8
	431917		Hs.2868	peripheral myelin protein 2	2.8
_		AA761190	Hs.244627		2.8
5		AA744862	Hs.194293	ESTs, Weakly similar to I54374 gene NF2	2.8
		AF086325		gb:Homo sapiens full length insert cDNA	2.8
	401283			Target Exon gb:IL2-UM0077-070500-080-E06 UM0077 Homo	2.8
		AW803201	Nº 83303		2.8
10		NM_014735	Hs.82292 Hs.337534	KIAA0215 gene product	2.8
10		AW994005 AW291488		Homo sapiens, clone IMAGE:3682908, mRNA	2.8
		AW815098	113.111.303	gb:QV4-ST0212-091199-023-f10 ST0212 Homo	
		BE247550	Hs.86859	growth factor receptor-bound protein 7	2.8
		Al651930	Hs.135684	• • • • • • • • • • • • • • • • • • • •	2.8
15		AK000375	Hs.88820	HDCMC28P protein	2.8
	414661		Hs.21929	ESTs	2.8
		A1650633	Hs.143688	Homo sapiens cDNA: FLJ23031 fis, clone L	2.8
	429638	Al916662	Hs.211577	kinectin 1 (kinesin receptor)	2.7
	428824	W23624	Hs.173059	ESTs	2.7
20	421566	NM_000399	Hs.1395	early growth response 2 (Krox-20 (Drosop	2.7
		BE386870		gb:601275271F1 NIH_MGC_20 Homo sapiens of	
		R79707		ESTs, Moderately similar to 138022 hypot	2.7
		BE247449	Hs.31082	hypothetical protein FLJ10525	2.7
25		AV646449	Hs.282872		2.7
25		A1378562	Hs.159585		2.7 2.7
		AW371048	Hs.93758	H4 histone family, member H C5000558:qi 4504675 ref NP_002175.1  int	2.7
	406504	NA AW959861	Hs.290943		2.7
		NM 004525		low density lipoprotein-related protein	2.7
30		H87648	Hs.33922	Homo sapiens, clone MGC:9084, mRNA, comp	2.7
50		D13666		osteoblast specific factor 2.(fasciclin	2.7
		N34524	110.1000.0	gb:yy56d10.s1 Soares_multiple_sclerosis_	2.7
		BE314524	Hs.78776	putative transmembrane protein	2.7
		NM_005014	Hs.94070	osteomodulin	2.7
35	406182			Target Exon	2.7
	416495	X69970	Hs.79350	RYK receptor-like tyrosine kinase	2.7
	444701	Al916512	Hs.198394	ESTs	2.7
	408171	AA301228	Hs.43299	hypothetical protein FLJ12890	2.7
	430153	AW968128	Hs.336679		2.7
40		AA128978		hypothetical protein FLJ14917	2.7
		M31158	Hs.77439	protein kinase, cAMP-dependent, regulato	2.7
		BE563085	Hs.833	interferon-stimulated protein, 15 kDa	2.7 2.7
		AB026264		hypothetical protein IMPACT	2.7
45		AA742577	Hs.303781	gb:Homo sapiens full length insert cDNA	2.7
43		AF075079 W74653	Un 271502	ESTs, Moderately similar to A47582 B-cel	2.7
	406153		115.27 1333	Target Exon	2.7
		Y13647	Hs.119597	stearoyl-CoA desaturase (delta-9-desatur	2.7
		AI188139	Hs.147050		2.7
50		AI572739	Hs.195471	6-phosphofructo-2-kinase/fructose-2,6-bi	2.7
		H09604	Hs.13268	ESTs	2.7
		AA255920	Hs.88095	ESTs	2.7
	431207	AA495925	Hs.9394	ESTs	2.7
		BE379623	Hs.27693		2.7
55		A1050073	Hs.135338	B ESTs	2.7
	427660	Al741320		Homo sapiens cDNA: FLJ23228 fis, clone C	2.7
		AA054726	Hs.285574	ESTs	2.7
	416515	N91716	Hs.194140	ESTs, Weakly similar to 138022 hypotheti	2.7
60	429922	Z97630		7 H1 histone family, member 0	2.7 2.7
60		X54942	Hs.83758	· · · · ·	2.7
		AF086332	Hs.58314	ESTs ENSP00000245238*:CDNA FLJ10922 fis, clon	2.7
	402184	NA S AW449251	Hs.25713		2.7
	450490	A1825440	Hs.224952		2.7
65	457029	AI373638	Hs.133900		2.7
03	44154	AA938663	Hs.19982		2.7
	44111	AI806867	Hs.12659		2.7

	402000	4.4.000000	11- 4000		
		AA383092	Hs.1608		2.7
		AV653485		Homo sapiens clone FLB3344 PRO0845 mRNA, 2	
		AW293165	Hs.143134		2.7
_	410889	X91662	Hs.66744	twist (Drosophila) homolog (acrocephalos 2	2.7
5	445234	AW137636	Hs.146059	ESTs 2	2.7
	413903	AA496493	Hs.23136	ESTs 2	2.7
	406069	NA		Target Exon	2.7
	447410	A1470235	Hs.172698	EST	2.7
	401256	NA		NM_024089*:Homo sapiens hypothetical pro	2.7
10	415139	AW975942	Hs.48524		2.7
		AW958037	Hs.286		2.7
		BE144762	. 10.200	gb:CM0-HT0180-041099-065-b04 HT0180 Homo	
		BE327427	Hs.79953		2.6
		AA045857	Hs.54943		2.6
15					
IJ		AL121053	Hs.5534		2.6
		AF160477	Hs.61460		2.6
		AK001122	Hs.105859	••	2.6
		AW893940	Hs.59698		2.6
20	430785			•	2.6
20		D38299			2.6
	433068	NM_006456	Hs.288215	•	2.6
	421952	AA300900	Hs.98849	ESTs, Moderately similar to AF161511 1 H	2.6
	429208	AA447990	Hs.190478	ESTs	2.6
	430733	AW975920	Hs.283361	ESTs	2.6
25	441720	A1346487	Hs.28739	ESTs	2.6
	418986	Al123555	Hs.81796	ESTs	2.6
	432481	AW451645	Hs.151504		2.6
•	434338	AW754311		gb:CM1-CT0337-141299-068-f07 CT0337 Homo :	2.6
	417061	AI675944	Hs.188691		2.6
30		M25809	Hs.64173	•	2.6
		AK002016			2.6
•		NM_013989			2.6
		AW292286	Hs.255058		2.6
		AA018311	Hs.114762		2.6
35	405822	707010311	113.114702		2.6
55		AW976201	Hs.53913	3	2.6
				••	2.6 2.6
		A1080042			
					2.6
40		AW205878	Hs.29643		2.6
40	405638			Target Exon	2.6
		AW812256		gb:RC0-ST0174-191099-031-a07 ST0174 Homo	
	403943				2.6
		Z25884	Hs.121483		2.6
4.5	402800				2.6
45		A1989503	Hs.233405		2.6
	454934	AW846080	Hs.314324	ESTs	2.6
	424717	H03754	Hs.152213	wingless-type MMTV integration site fami	2.6
	428303	AW974476	Hs.183601	regulator of G-protein signalling 16	2.6
	427970	AA418187	Hs.330515	ESTs	2.6
50	450638	AK001826	Hs.25245	hypothetical protein FLJ11269	2.6
	453034	BE246010	Hs.271468		2.6
		AW855802		gb:RC1-CT0279-170200-023-d08 CT0279 Homo	
		AB028955	Hs.175780		2.6
		NM_015434	Hs.48604		2.6
55		Z47542			2.6
		NM 000163			2.6
	406271	1411_000100	113.123100		2.6
		BE566962	Hs.7063		2.6
		AW016892	Hs.100855		2.6
60					
00		AI928513	Hs.59203		2.6
		AA121098	Hs.3838		2.6
		BE069326	11- 400041	gb:QV3-BT0381-170100-060-g03 BT0381 Homo	2.6
		W24320	HS.702941	Homo sapiens cDNA: FLJ21531 fis, clone C	2.6
<i>( 5</i>		X64984			2.6
65		AA830431	Hs.180811		2.6
		AA668763	Hs.291939		2.6
	409139	Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU	2.6

		·			26 .
		BE160198		gb:QV1-HT0413-010200-059-h03 HT0413 Homo	2.6 2.6
		BE274552	Hs.76578 Hs.190489	proton in incident of decire of the contract o	2.6 2.6
		A1732892		20.0	2.6
5		AA831267 AA825686	Hs 321176	ESTs, Weakly similar to S65824 reverse t	2.6
,	404440		110.021110	NM_021048:Homo sapiens melanoma antigen,	2.6
	403388	NA ·		C3001398*:gij12248917 dbjjBAB20375.1  (A	2.6
	403775	NA		Target Exon	2.6
	405037	NA		NM_021628*:Homo sapiens arachidonate lip	2.6
10		AF290544		gb:Homo sapiens aminopeptidase mRNA, par	2.6
		AA282067	Hs.88972	ESTs, Moderately similar to A46010 X-lin	2.6
		AI872932	11- 405200	gb:wm72e03.x1 NCI_CGAP_Ut2 Homo sapiens	2.6 2.6
		AW516211		ring finger protein 21, interferon-respo	2.6
15		AI702885 BE391727	Hs.145568	general transcription factor IIH, polype	2.6
15	421247			KIAA1204 protein	2.6
		AW085961	Hs.130093	· · · · · · · · · · · · · · · · · · ·	2.6
	424676			UDP-N-acetyl-alpha-D-galactosamine:polyp	2.6
	404443			C8001428*:gi 6572242 emb CAB62951.1  (Z9	2.6
20	452268	NM_003512	Hs.28777	H2A histone family, member L	2.6
	430832	AI073913		ESTs, Weakly similar to JE0350 Anterior	2.6
		Al192105	Hs.147170		2.6
		AW963372	Hs.46677	PRO2000 protein	2.6
25	459089		Hs.27373	Homo sapiens mRNA; cDNA DKFZp564O1763 ( qb:yh88b01.s1 Soares placenta Nb2HP Homo	2.6
25		R36075 AW081681	Me 360064	ESTs. Weakly similar to T42689 hypotheti	2.6
		NM_000169	Hs.69089	galactosidase, alpha	2.6
		S70284	113,03005	gb:stearoyl-CoA desaturase [human, adipo	2.6
		H62943	Hs.154188	ESTs	2.6
30		BE065837		ab:RC2-BT0318-110100-012-g12 BT0318 Home	2.6
	423123	NM_012247		SELENOPHOSPHATE SYNTHETASE; Human	
		AI538613		Transmembrane protease, serine 3	2.5
		AF012023		integrin cytoplasmic domain-associated p	2.5
2.5		AK001058	Hs.12680	Homo sapiens cDNA FLJ10196 fis, clone HE	2.5 - 2.5
35		BE245652 L22524	Hs.2256	zinc finger protein 266 matrix metalloproteinase 7 (MMP7; uterin	2.5
		AB020641	Hs.57856	PFTAIRE protein kinase 1	2.5
		NM_000909		neuropeptide Y receptor Y1	2.5
		AW973708	Hs.201925	Homo sapiens cDNA FLJ13446 fis, clone PL	2.5
40		AA767881	Hs.122897		2.5
	442818	AK001741	Hs.8739	hypothetical protein FLJ10879	2.5
		AL042306	Hs.97689	VASA protein	2.5
		AW628666	Hs.98440	ESTs, Weakly similar to 138022 hypotheti	2.5 2.5
15		AK002032	MS.2/2245	Homo sapiens cDNA FLJ1170 fis, clone PL gb:QV1-BT0631-280200-084-h07 BT0631 Hom	
45		BE080908 Al362790	He 278630	KIAA1684 protein; likely homolog of mous	2.5
		BE394723		S100 calcium-binding protein A6 (calcycl	2.5
		NM_002318	Hs.83354	lysyl oxidase-like 2	2.5
		AW375610	Hs.117102	hypothetical protein FLJ13046 similar to	2.5
50	458012	AI424899	Hs.188211	ESTs	2.5
		BE091089		gb:PM4-BT0724-130400-006-c07 BT0724 Hom	
		U64820	Hs.66521	Machado-Joseph disease (spinocerebellar	2.5
		AW972565	Hs.32399	ESTs, Weakly similar to S51797 vasodilat	2.5 2.5
55		AW089705	Hs.293711 Hs.197531	•	2.5
33		A1471598 AA065081	115.19733	gb:zm13a03.s1 Stratagene pancreas (93720	2.5
	431385	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	2.5
	414569	AF109298	Hs.11825		2.5
	439963	AW247529	Hs.6793	platelet-activating factor acetylhydrola	2.5
60	455935	BE158687		gb:CM0-HT0395-280100-169-b09 HT0395 Hon	no 2.5
	425025	5 AW953168	Hs.12407	ESTs	2.5
		AA652687	Hs.96151	Human DNA sequence from clone RP5-1103G	7 2.5
	404826		Hs.1594	Target Exon-	2.5 2.5
65	422938	3 NM_001809 1 NM_014918		centromere protein A (17kD) 8 KIAA0990 protein	2.5
05	42199	NM_007350	Hs.82101		2.5
	448516	AW898595		gb:RC1-NN0073-260400-011-g09 NN0073 Hot	

	403356	NA		ENSP00000251525*:Hypothetical protein KI	2.5
	404983			ENSP00000252242*:Keratin, type II cytosk	2.5
	418282	AA215535	Hs.98133	ESTs	2.5
	427409	AW467143	Hs.135411	actin related protein	2.5
5	431806	AF186114		tumor necrosis factor (ligand) superfami	2.5
	443367	AW071349	Hs.215937		2.5
	421246	AW582962		CGI-47 protein	2.5
		AF086041	Hs.42975	ESTs	2.5
• •	400925			Target Exon	2.5
10	404552			ENSP00000220888*:ZINC FINGER TRANSCRIP	7T12.5
		AL133117	Hs.81376	Homo sapiens mRNA; cDNA DKFZp586L1121 (f	
		NM_002332	Hs.89137	tow density lipoprotein-related protein	2.5 .
		· U32974		baculoviral IAP repeat-containing 4	2.5
		NM_000318		peroxisomal membrane protein 3 (35kD, Ze	2.5
15		AA501760	Hs.15806	Homo sapiens mRNA; cDNA DKFZp434H2019 (	
		AI271898	Hs.164866	cyclin K	2.5
		AW813428		gb:MR3-ST0192-010200-210-c05 ST0192 Homo	
		AA641876	Hs.191840		2.5
	402077		u- 00cà :	Target Exon	2.5
20		X07820	Hs.2258	matrix metalloproteinase 10 (MMP10; str	2.5 2.5
		AW885757	Hs.257862		2.5
		T27308 .	Hs.16986	hypothetical protein FLJ11046 Homo sapiens mRNA; cDNA DKFZp564B176 (fr	
		A1807894	Hs.47274		2.5
25		A1024353		hypothetical protein FLJ14298 ESTs	2.5
23		AA059013 AA122393	Hs.22607 Hs.70811	hypothetical protein FLJ20516	2.5
		AW162919		RAB2, member RAS oncogene family-like	2.5
		A1126772	Hs.40479	ESTs	2.5
		AI580090	Hs.48295	RNA helicase family	2.5
30		N80077	Hs.24792	chromosome 12 open reading frame 5	2.5
-		AA449644		Homo sapiens cDNA FLJ14201 fis, clone NT	2.5
		AW297921	Hs.255703	· · · · · · · · · · · · · · · · · · ·	2.5
		AA256769	Hs.94949		2.5
		AW086180	Hs.37636		2.5
35		U29344	Hs.83190	fatty acid synthase	2.5
		AA356923		nuclear cap binding protein subunit 2, 2	2.5
	423242	AL039402	Hs.125783	DEME-6 protein	2.5
	416241	N52639	Hs.32683	ESTs	2.5
	440244	A1743977	Hs.205144	ESTs	2.5
40	409239	AA740875	Hs.44307	ESTs, Moderately similar to 138022 hypot	2.5
	452464	AW500507		KIAA1600 protein	2.5
		AI920783	Hs.191435		2.5
		AA479033		ESTs, Weakly similar to A47582 B-cell gr	2.5
4 &		A1446747		olfactory receptor, family 7, subfamily	2.5
45		AA116021	Hs.38260		2.5
		NM_007069	Hs.37189	similar to rat HREV107	2.5
		H00820	Hs.30977		2.5 2.5
		AA236255 H20669	Hs.298419 Hs.35406	ESTs, Highly similar to unnamed protein	2.5
50		AL046412	Hs.202151		2.5
50		A1640355	Hs.312691		2.5
		AW298631	Hs.27721	Wolf-Hirschhom syndrome candidate 1-lik	2.5
•		A1937547		hypothetical protein MGC2601	2.5
		AW837349	113.124310	gb:QV2-LT0038-270300-108-d12 LT0038 Homo	
55		AA843719	Hs.122341		2.5
•	406414		, , , , , , , , , , , , , , , , , , , ,	C5000506*:gi[124941]sp[P18614][TA1_RAT I	2.5
		AB033043	Hs.149377	hypothetical protein DKFZp761L0424	2.5
		BE548446	Hs.5167	Homo sapiens mRNA; cDNA DKFZp434F152 (fi	r 2.5
		AA347746	Hs.9521	ESTs, Weakly similar to ZN43_HUMAN ZINC	2.5
60	440304	BE159984	Hs.125395	S ESTs	2.5
		AA635062	Hs.50094	Homo sapiens mRNA; cDNA DKFZp434O0515	(f 2.5
		D86983	Hs.118893	Melanoma associated gene	2.5
	428819	AL135623		KIAA0575 gene product	2.5
		AA442324	Hs.795	H2A histone family, member O	2.5
65		D13752	Hs.184927	cytochrome P450, subfamily XIB (steroid	2.5
		AA081395	Hs.42173	Homo sapiens cDNA FLJ10366 fis, clone NT	2.5
	403133	1		Target Exon	2.5

41318	9 BE070231		gb:QV4-BT0407-260100-087-f12 BT0407 Homo	2.5
40034	6- AB041269	Hs.272263	Homo sapiens mRNA for keratin 19, partia	2.5
43550	9 Al458679	Hs.181915	ESTs	2.5
45814	5 A1239457	Hs.130794	ESTs	2.5

#### TABLE 19A

Table 19A shows the accession numbers for those pkeys lacking unigeneID's for Table 19. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

$\sim$
11
.,

5

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene cluster number

Genbank accession numbers

15

Accession:

	Pkey	ÇAT number	Accessions
20	407647 407980 408254	1007366_1 103087_1 1049346_1	AW860158 AW862385 AW860159 AW862386 AW862341 AW821869 AW821893 AW062660 AW062656 AA046309 Al263500 AA046397 AW807227 AW807576 AW807137 AW807157 AW807495 AW807494 AW807417 AW807083 AW845786 AW845801
25			AW807130 AW807335 AW807081 AW807349 AW807339 AW807164 AW807341 AW807224 AW845903 AW177424 AW807159 AW807123 BE141576 AW807340 AW807334 AW807520 AW807205 AW807505 BE141574 AW807390 AW807395 AW845789 AW807101 AW807089 AW807519 AW807239 AW807509 AW807356 AW807526 AW807098 AW807307 AW807153 AW807295 AW807313 AW807322 AW807265 AW807513 AW807516 AW807166 AW807501 AW807120 AW807168 AW807121 AW807527 AW807121 AW807527 AW807120 AW807489 AW807511 AW807158 AW845800
30			AW807507 AW845793 AW845796 AW807296 AW845781 AW807444 AW845871 AW807512 AW807242 AW807141 AW807522 AW807487 AW807514 AW807142 AW807232 AW807379 AW807114 AW807518 AW807199 AW807211 AW807498 AW807086 AW807492 AW807218 AW807082 AW807525 AW807493 AW807523 AW807087 AW845784 AW807037 AW807128 AW807080 AW807118 AW845807 AW807524 AW845803 AW807249 AW845795 AW807160
50			AW807343 AW807515 AW807233 AW807289 AW177102 AW807352 AW807394 AW177105 AW807176 AW177103 AW845870 AW177099 AW177101 AW807528 AW807336 AW807038 AW177100 AW807411 AW807088 AW845865 AW807226 AW807517 AW807397 AW807303 AW807177 AW807154 AW807136 AW807146 AW807085 AW807521
35	409163 <sup>-</sup>	110418_1	AW807488 AW807385 AW807355 AW807223 AW807155  AA065081 AA075017 AA084791 AA071015 AA081560 AA071459 AA545727 AA083100 AA085366 AA115845 AA075457  AA064704 AA082878 AA075742 AA069162
	409695	114876 1	AA296961 AA296889 AA076945 AA077528 AA077497
	410534	1207247_1	AW905138 AW753008 R13818 Z43519
	410672	1214882_1	AW794600 AW794730
40	410784	1221005 1	AW803201 BE079700 BE062940
	410785	1221055_1	AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355
	410835	1223785_1	AW806906 AW806915 AW866460 AW866475 AW866462 AW866448 AW866372 AW866604
	411050	1230330_1	AW814902 BE156656 BE156667 BE156590 BE156441 BE156447
	411086	1231500_1	BE070800 AW875226 BE149115
45	411093	1231970_1	BE067650 AW817053
	411111	1232669_1	AW818127 AW818161 R09719
	411171	1234393_1	AW820260 AW820332 R94406
	411337	1239217_1	AW837349 AW837355 AW882717
~~	411514	1248638_1	AW850178 AW850233 AW850445 AW850446
50	411670	1253680_1	AW856552 AW861101 AW856574 AW861099 AW861100 AW856573 AW856576 AW856562
	411905	1265181_1	BE265067 BE264978 AW875420
	412102	1277395_1	H56435 H56572 AW892929
	412209	1283610_1	AW901456 AW901450 AW901441
66	412248	1285000_1	BE176480 AW903298 AW903313
55	413043	1346556_1	BE158766 BE061699 BE147360 BE147362 BE061666 BE061697 BE061647 BE061678
	413111	1349546_1	BE065837 BE065805 BE065799 BE065818 BE065839 BE065831 BE065894 BE065789 BE065792
	413189	1352723_1	BE070221 BE070229 BE070255
•	413221	1353887_1	BE161151 BE162495 BE161002 BE072205 BE160989 BE162482
60	413499	1373910_1	BE144884 H97942
60	413708	1384140_1	BE158791 BE158806 BE158748 BE158744 BE158740 BE158739 BE158811 BE158700 BE158741 BE158683 BE158685
	414210	1426051_1	BE383592 BE261671
	414596	1465004_1	BE386870 Z41986 H08501

```
414605
                  1465790_-1
                              BE390440
                  155189_1
                              AA381209 AA381245 AA167683
        415747
                  1574973_1
        416173
                              R52782 R17313 H24192 R19876
                  1696282_1
        417742
                              R64719 Z44680 R12451
 5
                  171237_1
177402_1
        417974
                              AA210765 T95700 H94407
                              AW749855 AA225995 AW750208 AW750206
        418636
                  185688_1
                              AA603305 AA244095 AA244183
        419536
        420854
                  197072_1
                              AW296927 AI684514 AI263168 AA281079
                              N34524 AA305071 AW954803 AA502335 Al433430 Al203597 AW026670 AW265323 AW850787 AA317554 AW993643
        422156
                  212379_1
                              AW835572 AW385512 Al334966 W32951 H62656 H53902 R88904 AW835732
10
        422996
                  223666_1
                              BE091089 BE091123 AA319959
        423833
                              AW503329 N46610 AA331571
                  232451_1
                  232507_1
                              AW753967 AA370795 AA331630 AW962550
        423841
                               AA410943 AW948953 AA334202 AA332882
        423945
                  233566_1
15
        425201
                               AA352111 AW962247 AA429695
                  247933_1
        426650
                              AA382814 AA402411 AA412355
                  270283_1
        426878
                              BE069341 AW748403 AL044891 Al908240 AA393080
                  273265_1
                               AA470519 BE303010 BE302954 BE384120
        430264
                  315008_1
        430785
                               Z30201 AA486132 T72025
                  323486_1
20
        431676
                  336411_1
                              Al685464 AW971336 AA513587 AA525142
                               AA743991 AA604852 AW272737
                  373061_1
        433687
        434338
                  383982_1
                               AW754311 AA630185 AW803285
        434469
                               AA634806 C18732 AA729161 AA729860
                  387447_1
        435447
                               Al872932 AA682306 BE220163 W88695 T81307 H91447
                  406400_1
25
        437152
                  43386_1
                               AL050027 BE089051
        437854
                  44418_1
                               AL119723 AL119874 Al909018 U50537
                  46798_1
        439031
                               AF075079 H48601 H48795
                  470321_1
        439255
                               BE164500 AA832198 BE164502
        444910
                  624951_1
                               Al201849 BE069007 AW946544
30
        445432
                  63943_1
                               AV653771 BE089370
        446922
                  69865_1
                               BE175605 Z43529 F06610 BE175602 AV661027
                  711623_1
                               R36075 Al366546 R36167
        447197
        448420
                  76273_1
                               BE623004 AA380669 BE263627 BE246433
        448516
                  766241 1
                               AW898595 AW898588 AW898590 AW898663 AW898592 AI525093
35
                               Al698839 Al909260 Al909259
        450522
                  837264_1
        450736
                  844652_1
                               AW970060 AI732366 AI792313 AW839644
        451024
                  85565_1
                               AA442176 AA259181
                  85759_1
        451067
                               BE172186 AA059279 AA020815 AA013437
        451340
                  86640_1
                               AW936273 AW340350 AA017208
40
        452542
                  921410_1
                               AW812256 AW812257 AI906423 AI906422
        452564
                  92227_1
                               AA026777 N50065 R09961 N54721
                               AL037925 AL037931 AL037957
        453472
                  968371_1
                  1106070_1
        454307
                               AW855717 AW362452 AW362443
                  1130674_1
                               N71277 AW390764
        454359
45
        454545
                  1223779_1
                               AW806899 AW866451 AW866393 AW866297 AW817869
        454693
                  1229132_1
                               AW813428 AW813444 AW813367 AW813368 AW813429 AW813424
        454714
                   1230493_1
                               AW815098 BE154843 BE154831
                               AW852530 AW852527 AW852526
        455047
                  1250536_1
                  1252971_1
                               BE152428 AW855572 AW855607
        455092
50
                               AW855802 AW855794 AW855797 AW855806 AW855796 AW855808 AW855793 AW855807
        455097
                   1253130_1
                   1253334_1
                               BE160198 AW935898 T11520 AW935930 AW856073 AW861034
        455100
                   1289854_1
                               AW938484 BE001245 BE001190
        455431
                               BE144762 AW979091
        455511
                   1321229_1
                               BE011668 BE011689 BE011627 BE011679 BE011699 BE011678 BE011696 BE011675 BE011622 BE011635
        455609
                   1337548_1
55
                               BE064962 BE064979 BE064853 BE064857 BE064856 BE064977 BE064960 BE064860 BE064815 BE064957 BE064804
        455651
                   1348732_1
                               BE064816 BE064850 BE064806 BE064796 BE064818 BE064975 BE064819 BE064810 BE064668 BE065059
                               BE066976 BE066928 BE066927
        455685
                   1350393_1
        455700
                   1351264_1
                               BE068115 BE068104 BE068102 BE068096 BE068103 BE068154 BE068198
        455708
                   1352232_1
                               BE069326 BE069290 BE069352
                               BE080908 BE072258 BE072190 BE072236
60
                   1353874_1
        455732
        455838
                   1374605_1
                               BE145808 BE145807 BE181883
         455935
                   1384144_1
                               BE158687 BE158688
        455945
                   1385588_1
                               BE160636 BE160606 BE160703
         456207
                   165078_-1
                               AA193450
                               AA485224 AA287308 AA258121
65
         456482
                   192289_1
         458094
                   47311_1
                               AF086325 W72956 W73221 AA219112
         458673
                   679507_1
                               N99626 Al302701
```

#### TABLE 19B

Table 19B shows the genomic positioning for those pkeys lacking unigene ID's and 5 accession numbers in Table 19. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Sequence s	e number corresponding to an Eos probeset ource. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication
	Strand:	entitle	d "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. tes DNA strand from which exons were predicted.
	Nt_position:		ites nucleotide positions of predicted exons.
15	Сробиен		
;	Pkey Ref	Strand	Nt_position
20	400555 9801191		134694-134817
20	400608 9887666		96756-97558
	400610 9887671		117605-117928,124040-124147
•	400925 7651921		38183-38391,43900-44086
	401045 8117619		90044-90184,91111-91345
25	401049 7232177 401093 8516137		149157-150692 22335-23166
23	401093 8518137		45482-45620
	401283 9800093		47256-47456
	401326 9212516		226246-227505
	401418 7452889		124865-125075
30	401451 6634068		119926-121272
50	401458 9187886		76485-77597
	401497 7381770		92607-92813
	401508 7534110		110779-110983
	401575 7229804		76253-76364
35	401747 9789672		118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-
			131258,131866-131932,132451-132575,133580-134011
	401781 7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
	401785 7249190	Minus	165776-165996,166189-166314,166408-166569,167112-167268,167387-167469,168634-168942
	401793 7263888		102945-103083
40	401987 4406829	Minus	72893-73021,76938-77049
	402077 8117414	Plus	65014-65195
	402109 8131678		171722-171859,173197-173303
	402184 8576001		112844-112986,113505-113636
4.5	402376 9625329		21753-22385
45	402421 9796341		46609-46662,46758-46811,86293-86346,89776-89829,90048-90101,102817-102924
	402578 9884928		66350-66496
	402606 9909429		81747-82094
	402696 7328818		23600-23731
50	402765 9367757		109588-109726
. 50	402800 6010175		43921-44049,46181-46273
	402820 6456853 402892 8086844		82274-82443
	403133 7331427		38314-38634
	403356 8569930		92839-93036
55	403388 9438331		112733-113001,114599-114735
55	403426 9719529		157156-158183
	403585 8101208		131266-131769
	403593 6862650		62554-62712,69449-69602
	403637 8671936		142647-142771,145531-145762
60	403639 8671948		113234-113326,115186-115287,119649-119786
•	403677 7331517		55008-55083,62860-63051
	403775 7770580		. 102247-102326,103095-103148
	403943 7711864		100742-100904,101322-101503
	.30=.0		• • • • • • • • • • • • • • • • • • • •

```
404091 7684554
                                     82121-83229
                          Minus
                                     55512-55781
        404097 7770701
                          Plus
        404142 9856692
                           Minus
                                     80316-80459
                                     55675-56055
        404253 9367202
                          Minus
 5
                                     104127-104318
        404274 9885189
                          Plus
        404285 2326514
                          Plus
                                     32282-32416
        404360 9858450
                                     122873-122966,151324-151469,153093-153253
                          Minus
                                     80430-81581
        404440 7528051
                           Plus
        404443 7579073
                           Minus
                                     87198-87441
10
        404552 7243881
                                     19854-20010
                           Plus
                                     69039-70100
        404561 9795980
                           Minus
                                     240588-241589
        404580 6539738
                           Minus
        404721 9856648
                           Minus
                                     173763-174294
        404826 6572184
404983 4432779
                                     47726-48046
                           Plus
15
                                     51178-51374,52000-52173
                           Minus
                                     127374-127578
        405037 7543748
                           Minus
        405041 7547195
                                     121230-121714
                           Plus
                                     138877-139066
        405095 8072599
                           Plus
        405153 9965565
                                     175317-175500
                           Minus
20
        405196 7230083
                           Minus
                                     135716-135851
        405232 7249042
                                     125904-126063
                           Plus
         405248 7259728
                           Plus
                                     637-777
                                     33267-33563
         405336 6094635
                           Plus
                                     31900-32373
         405394 6624123
                           Minus
                                     52223-52389
25
         405460 7684569
                           Minus
                                     70284-70518
         405494 8050952
                           Minus
         405547 1054740
                           Plus
                                      124361-124520,124914-125050
                                      42814-43010,43583-43783,44863-45033,46429-46554,47815-48018,49961-50153,51624-51727,51823-51959,52702-
         405609 5757553
                           Minus
                                     52918,55469-55601,57111-57307,58169-58296,60215-60332,61482-61727
                                      199260-199372,199826-199929
30
         405638 6289229
                           Plus
         405654 4895155
                                     53624-53759
                           Minus
         405718 9795467
                                      113080-113266
                           Plus
                                     154660-154974,155203-155379
28135-28244
         405822 6273498
                           Minus
         405848 7651809
                           Minus
35
         405873 6758747
                           Minus
                                      32129-32764
         405906 7705124
405917 7712162
                           Minus
                                      10835-11059
                                      106829-107213
                           Minus
                                      129935-130282
         405925 6758795
                           Plus
         405953 7960374
                                      65101-65574
                           Minus
                                      68880-69374
 40
         406069 9117732
                           Plus
                                      94087-94285
         406151 7144806
                           Minus
         406153 9929734
                                      12902-13069
                           Minus
         406182 5923650
                           Minus
                                      28256-28935
                                      36179-36692
         406271 7534217
                           Plus
 45
         406291 5686274
                           Plus
                                      9562-9867
         406348 9255985
                                      71754-71944
                           Minus
                                      49593-49850
         406414 9256407
                           Plus
                                      116424-116527,118721-118859,121187-121364
          406446 9454509
                           Minus
                                      107068-107277
          406504 7711360
                           Minus -
 50
                                      106956-107121
          406554 7711566
                           Plus
```

### TABLE 20: 544 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EXTRACELLULAR OR CELL-SURFACE PROTEINS

Table 20 shows 544 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode extracellular or cell-surface proteins. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85th percentile value amongst 144 non-malignant tissues, and the 96<sup>th</sup> percentile value amongst the 73 breast cancer specimens was greater than or equal 100 units, and the predicted protein contained a structural domain that is indicative of extracellular localization (e.g. ig, fn3, egf, 7tm domains, signal sequences, transmembrane domains). The predicted protein domains are noted.

15

20

10

5

Pkey:

Unique Eos probeset identifier number

ExAccn:

Exemplar Accession number, Genbank accession number

UnigenelD:

Unigene number Predicted Protein Domains Pred.Prot.Domains:

Unigene Title:

Unigene gene title

Ratio of 93rd percentile of tumor to 85th percentile of normal body tissue

25	Pkey	ExAccn	UnigenelD	Pred.Prot.Domains	UnigeneTitle	R1
	408591	AF015224	Hs.46452	SS,Uteroglobin,SS,Uteroglobin	mammaglobin 1	168.6
	400291	AA401369	Hs.190721	TM	ESTs	73.2
	449746	AI668594	Hs.176588	,SS,p450	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	65.7
30	407277	AW170035	Hs.326736	TM	Homo sapiens breast cancer antigen NY-BR	57.6
	400292	AA250737	Hs.72472	death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	55.9
		U31875	Hs.272499	,SS,TM	short-chain alcohol dehydrogenase family	53.8
		BE069341		TM	gb:QV3-BT0381-270100-073-c08 BT0381 Homo	50.3
	428848	NM_00023	0Hs.194236	SS,Leptin,SS,Leptin,	leptin (murine obesity homolog)	40.8
35			Hs.104106	,SS,Dihydroorotase,	ESTs	39.3
		L11690	Hs.620	Plectin_repeat,SH3,spectrin,SS,Plectin_r	bullous pemphigoid antigen 1 (230/240kD)	37.3
		D31152	Hs.179729	SS,C1q,Collagen,SS,C1q,Collagen,	collagen, type X, alpha 1 (Schmid metaph	35.2
		AJ224172		,SS,Uteroglobin,	lipophilin B (uteroglobin family member)	30.0
		AA009647		,SS,TM,disintegrin,Pep_M12B_propep,Repro		25.7
40			Hs.100431	SS,IL8,SS	small inducible cytokine B subfamily (Cy	25.2
		S73265	Hs.1473	SS,Bombesin,SS	gastrin-releasing peptide	24.8
		A1624342	Hs.170042	,SS,TM,Cation_efflux	ESTs	24.1
		A1955040	Hs.265398	SS	ESTs, Weakly similar to transformation-r	24.0
4.5		Al127076	Hs.334473		hypothetical protein DKFZp564O1278	23.8
45		X51501	Hs.99949	SS,SS	prolactin-induced protein	22.8
		A1267652	Hs.30504	,SS,TM,GNS1_SUR4,cNMP_binding,Rlla	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	22.6
			3Hs.151407	ig,tsp_1,SS,AAA	cartilage intermediate layer protein, nu	21.7
		X78592	Hs.99915	hormone_rec,Androgen_recep,zf-C4,	androgen receptor (dihydrotestosterone r	21.7
50		AI905687		SS	aldehyde dehydrogenase 9 family, member	20.3
50		Al375572	Hs.172634	,pkinase,	ESTs	19.2
		AA193450		,SS,TM,p450,p450	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	18.3
		AL137517		TM	hypothetical protein DKFZp564O1278	18.2
			Hs.144341	SS	ESTs	18.2
<i>E E</i>		X52509	Hs.161640	,SS,TM,aminotran_1_2,Cadherin_C_term,cad		18.1
55		AW8401/1	Hs.265398	SS	ESTs, Weakly similar to transformation-r	17.9
	402578	******		SS,p450,SS,TM,p450	C1001134:gi 2117372 pir  165981 fatty ac	17.8
		A1263307	Hs.239884	SS	H2B histone family, member L	17.8
		_	Hs.124165	SS	programmed cell death 9 (PDCD9)	17.7
	444342	NM_01439	8Hs.10887	Lamp,SS,TM,Lamp,	similar to lysosome-associated membrane	17.5
		-		204		

	449765		Hs.206832		ESTs, Moderately similar to ALU8_HUMAN A	17.3
		AA321649 I	Hs.2248		small inducible cytokine subfamily B (CX .	17.0
	425692		Hs.155956		N-acetyltransferase 1 (arylamine N-acety	16.7
_	424001	W67883	Hs.137476		paternally expressed 10	16.5
5		AB014544		LRRCT,LRR,SS,LRRCT,serine_carbpept	KIAA0644 gene product	16.3
	449448		Hs.57471	SS	ESTs	16.2
	418007		Hs.83169	SS,hemopexin,Peptidase_M10,SS,Peptidase_		15.7
		AA296520		SS,lectin_c,sushi,EGF,SS,EGF,lectin_c,su	selectin E (endothelial adhesion molecul	15.5
		AA441838			hypothetical protein FLJ14834	15.5
10		NM_007115		,SS,CUB,Xlink,	tumor necrosis factor, alpha-induced pro	15.0
	446591		Hs.15456	PDZ,SS	PDZ domain containing 1	14.9
		AA236115			ESTs	. 14.8
	452838		Hs.30743	•	preferentially expressed antigen in mela	14.7
		AA436989			H2A histone family, member A	14.3
15		AL035414		SS	hypothetical protein	14.2
		AI199268			Homo sapiens, Similar to RIKEN cDNA 2010	14.2
			Hs.23439	,SS,Peptidase_M1,	ESTs	13.9
		AI082692	Hs.134662	,SS,TM,SNF	ESTs	13.7
••		AA031956			gb:zk15e04.s1 Soares_pregnant_uterus_NbH	13.7
20		AI733682		SS	ESTs	13.5
	400289		Hs.2258	hemopexin,Peptidase_M10,SS,Peptidase_M1	Omatrix metalloproteinase 10 (MMP10; str	13.5
		BE336654			H3 histone family, member A	13.3
		AA948033		,SS,histone,histone,linker_histone	ESTs	13.2
0.5		AA706910		,SS,Ribosomal_L7Ae,	ESTs	13.1
25		AI951118		TM	Homo sapiens breast cancer antigen NY-BR	13.1
		AW873596		,SS,DENN	calmodulin 2 (phosphorylase kinase, delt	13.0
		A1684808		SS	programmed cell death 9 (PDCD9)	12.9
		Al351010		,SS,Lysyl_oxidase	lysyl oxidase	12.8
20			Hs.2533	SS	aldehyde dehydrogenase 9 family, member	12.7 12.5
30			Hs.108106	,SS,G9a,PHD,	transcription factor	12.4
		AI873274		TM	ESTs	12.3
		AF026944		,SS,TPR	ESTs	12.0
		AA576953		SS,TM,UPF0016,SS,TM,UPF0016	hypothetical protein FLJ13352	11.9
25		AJ224741		SS,EGF,vwa,SS,TM,vwa,	matrilin 3	11.9
35		AW732573		TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t	potassium voltage-gated channel, delayed	11.9
		BE007371		,SS,TM,Folate_carrier	ESTs	11.8
		Al357412		SS	ESTs	11.8
		H87879	Hs.102267	SS,Lysy:_oxidase,Aldose_epim,Epimerase,S	NIMA (nouns in mitorin gone a) related k	11.7
40		NM_002497		pkinase,SS,TM,pkinase,polyprenyl_synt,	NIMA (never in mitosis gene a)-related k	11.6
40		AL049689		SS	hypothetical protein similar to tenascin	11.5
		R28363	Hs.24286	,SS,TM,7tm_1,p450,rrm	ESTs gb:IL-BT152-080399-004 BT152 Homo sapien	11.5
		AI907673		,pkinase,	gb:zt32h03.r1 Soares ovary tumor NbHOT H	11.4
		AA410943	11- 000050	death,ZU5,TM,Activin_recp,pkinase,		11.4
15		AL360204	HS.283853	SS	Homo sapiens mRNA full length insert cDN NM_024626:Homo sapiens hypothetical prot	11.3
45	402606	1157646	11- 40500	SS A military of a man	KIAA1560 protein	11.2
		H57646	Hs.42586	,SS,Acyltransferase, ,SS,RNA_pol_A,RNA_pol_A2,Ribosomal_S2		11.1
		N47863	Hs.336901		Homo sapiens cig5 mRNA, partial sequence	11.1
		AF026941		,TM,IBR	membrane-spanning 4-domains, subfamily A	11.1
50		BE178536		,SS,TM	DKFZP434G232 protein	10.9
50		AL080207		,SS,TM,BRCT,ank,ABC_tran,ABC_tran	COBW-like protein	10.9
		R17798	Hs.7535	,SS,Fork_head,	Human clone 23948 mRNA sequence	10.7
		U79293	Hs:159264	SS TMV chambalana MAM (n2	protein tyrosine phosphatase, receptor t	10.4
			0Hs.225952	,SS,TM,Y_phosphatase,MAM,fn3,		10.3
55		AB007948		,SS,laminin_B,laminin_EGF,laminin_Nterm SS,Peptidase_M10,hemopexin,SS,Peptidase	KIAA0479 protein	10.3
55		BE440042			angiotensin receptor 1	10.3
		NM_00068		SS,TM,7tm_1,SS,TM,7tm_1,	•	10.3
		U80736	Hs.110826	SS 00 - No.	trinucleotide repeat containing 9	10.3
			Hs.301663	,SS,pkinase,	ESTs	10.2
60			Hs.122147	,SS,ArfGap,	ESTs C10001899:gi[7508633 pir  T25392 hypothe	10.2
60	400608		11. 75070	SS,TM,SS,TM		10.0
		BE242870		SS	solute carrier family 1 (glial high affi	9.9
		W68815	Hs.301885	SS	Homo sapiens cDNA FLJ11346 fis, clone PL	9.9 9.8
	402408			,SS,carb_anhydrase	NM_030920*:Homo saplens hypothetical pro	9.6 9.7
CE		AJ245671	Hs.12844	,SS,TM,ras	EGF-like-domain, multiple 6 (EGFL6)	9.7 9.6
65		Al879148	Hs.26770	SS,lipocalin,lipocalin,	fatty acid binding protein 7, brain	9.6
	405654			BTB,SS	C12001521:gi[7513934 pir[]T31081 cca3 pr	9.6
	434988	Al418055	Hs.161160	SS .	ESTs	3.0

	416220		Hs.170994	,SS,TM	hypothetical protein MGC10946	9.5
·	431808	M30703	Hs.270833	SS,TM,EGF,SS	amphiregulin (schwannoma-derived growth	9.5
	414142	AW368397	Hs.150042	,SS,UDPGT	Homo sapiens cDNA FLJ14438 fis, clone HE	9.4
	400298	AA032279	Hs.61635	TM	six transmembrane epithelial antigen of	9.4
5	418601	AA279490	Hs.86368	SS,TM,calreticulin,SS,TM,calreticulin,	calmegin	9.4
•			Hs.72472	death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B .	9.4
		AA291377		TM	ESTs	9.3
	423432	A1678059	HS.202070	SS	synaptonemal complex protein 2	9.3
1.0		A1820662		SS	ESTs	9.1
10		X73114	Hs.169849	,SS,TM,fn3,ig,	myosin-binding protein C, slow-type	9.1
	406687	M31126	Hs.272620	SS,Peptidase_M10,hemopexin,SS,Peptidase	_matrix metalloproteinase 11 (MMP11; stro	9.1
	448693	AW004854	Hs.228320	SS	hypothetical protein FLJ23537	9.1
	419948	AB041035	Hs.93847	Ferric_reduct,TM,Ferric_reduct,	NM_016931:Homo sapiens NADPH oxidase 4 (	9.1
	426214		Hs.128355	SS	ESTs, Moderately similar to ALU7_HUMAN A	9.0
15			Hs.25933	,SS,TM,histone,Sec1,histone,sugar_tr	ESTs	8.9
13		X72755	Hs.77367		monokine induced by gamma interferon	8.8
			HS.11301	SS,IL8,SS,IL8		
	400285		11. 446000	,TM,ABC_tran,ABC_membrane,	Eos Control	8.8
	422330	D30783	Hs.115263	SS,TM,EGF,SS,TM	epiregulin	8.8
20		NM_004354		cyclin,SS	cyclin G2	8.8
20	420077	AW512260	Hs.87767	SS	ESTs	8.7
	452281	T93500	Hs.28792	,SS,TGF-beta,TGFb_propeptide,	Homo sapiens cDNA FLJ11041 fis, clone PL	8.7
	434531	AA642007	Hs.116369	SS	ESTs	8.6
		AF123050		,SS,TM,ubiquitin,7tm_3,ANF_receptor,sush	diubiquitin	8.6
		AI732643		TM	ESTs	8.6
25 -		A1222020		SS,SS	CocoaCrisp	8.5
23		BE622641				
					mis_reESTs, Weakly similar to 138022 hypotheti	8.5
		H69125	Hs.133525	,SS,TM	ESTs	8.5
		NM_004525		SS,EGF,ldl_recept_a,ldl_recept_b,SS,TM,E	low density lipoprotein-related protein	8.4
		AW963419		SS	stanniocalcin 2	8.4
30	409045	AA635062	Hs.50094	TM	Homo sapiens mRNA; cDNA DKFZp434O0515 (f	8.4
	435525	AI831297	Hs.123310	TM .	ESTs	8.3
		AA780473		SS,p450,SS,p450	cytochrome P450, subfamily IVB, polypept	8.3
		NM_003866		SS,SS	inositol polyphosphate-4-phosphatase, ty	8.3
		X65724	Hs.2839	SS,Cys_knot,SS	Norrie disease (pseudoglioma)	8.3
35		R45154				8.3
33			Hs.106604	,death,ZU5,pkinase,Activin_recp,	ESTs	
		AW449211		SS	GDNF family receptor alpha 1	8.2
		M81057	Hs.180884	SS,Zn_carbOpept,Propep_M14,SS,Propep_N		8.2
		AA280627	Hs.57846	SS,cpn10	ESTs .	8.2
	426320	W47595	Hs.169300	SS,TGF-beta,TGFb_propeptide,SS	transforming growth factor, beta 2	8.2
40		AW885727		,SS,kazal,	ESTs	8.1
	415786	AW419196	Hs.257924	SS	hypothetical protein FLJ13782	8.1
		AW248508		SS	Homo sapiens cDNA FLJ14035 fis, clone HE	8.0
	404347			SS	Target Exon	8.0
		AA743991		TM		8.0
45			Un 407774		gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens	
43		AA808229		,SS,IMPDH_C,IMPDH_N,CBS	ESTs.	8.0
		NM_016010		SS	CGI-62 protein	7.9
		X70697		TM,SNF,SS,TM,SNF,	solute carrier family 6 (neurotransmitte	7.9
		N39015	Hs.190368	,SS,TM	ESTs	7.8
	407771	AL138272	Hs.62713	,TM,cpn60_TCP1,Sema,	ESTs	7.8
50	443646	Al085198	Hs.164226	,TSPN,vwc,tsp_1,EGF,thiored,	ESTs	7.8
				,TM,cadherin,Cadherin_C_term,	ESTs	7.7
		AW207523		,SS,rm,	ESTs	7.6
		AL133731		,TM,SDF,UPAR_LY6,	Homo sapiens mRNA; cDNA DKFZp761C1712 (f	7.6
	420420	A1742605			ESTs	7.6
55				TM		
55		AW207206		SS	ESTs	7.6
	428804	AK000713	Hs.193736	,SS,UDPGT	hypothetical protein FLJ20706	7.5
	453511	AL031224	Hs.33102	SS,SS	transcription factor AP-2 beta (activati	7.5
		R41396	Hs.101774	SS	hypothetical protein FLJ23045	7.5
	414869	AA157291	Hs.21479	SS	ubinuclein 1	7.5
60		U41060	Hs.79136	SS,TM,TM	LIV-1 protein, estrogen regulated	7.5
	452862	AW378065	Hs 8687	,SS,Pep_M12B_propep,Reprolysin,tsp_1,	ESTs	7.4
		AI742170			duodenal cytochrome b	7.4
•			Hs.31297	,SS,TM		
		AI240665	Hs.8895	,SS,TM,disintegrin,Pep_M12B_propep,Repro		7.3
65		U22376	Hs.1334	SS,NA,myb_DNA-binding	v-myb avian myeloblastosis viral oncogen	7.3
65		R43646	Hs.12422	SS	ESTs	7.2
		L32137	Hs.1584	SS,EGF,tsp_3,SS,E2F_TDP,	cartilage oligomeric matrix protein (COM	7.2
	418004	U37519	Hs.87539	SS,aldedh,SS,aldedh,	aldehyde dehydrogenase 3 family, member	7.2
		-				

	426451	AI908165	Hs.169946 .	SS,GATA,	GATA-binding protein 3 (T-cell receptor	7.1
		H39960	Hs.288467	,SS,LRR	Homo sapiens cDNA FLJ12280 fis, clone MA	7.1
				· •	ESTs .	7.1
		AI198719				
	410555	U92649	Hs.64311	,TM,disintegrin,Reprolysin,	a disintegrin and metalloproteinase doma	7.1
5	433138	AB029496	Hs.59729	SS,ig,Sema,SS,Sema,efhand	semaphorin sem2	7.0
•		AA102670			gamma-aminobutyric acid (GABA) A recepto	7.0
•			115.70725	TM 6-2	interleukin 6 signal transducer (gp130,	7.0
		W87707	Hs.82065			
	417275	X63578	Hs.295449	SS,efhand,SS,efhand,ras	parvalbumin .	7.0
	432731	R31178	Hs.287820	,SS,(n3,fn1,fn2,fn2,fn1	fibronectin 1	6.9
10		AK001741			hypothetical protein FLJ10879	6.9
10			113.07.33		gb:Homo sapiens cig33 mRNA, partial sequ	6.8
		AF026942				
	427427	AF077345	Hs.177936	SS,lectin_c,SS	ESTs	<b>6.8</b> ·
	410785	AW803341		SS	gb:IL2-UM0079-090300-050-D03 UM0079 Homo	6.7
	401045			ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE_		
15	401043	044004000	*::C7E22701	(ND 022020 4) *	6.7	
13				f NP_033938.1  c		6.7
	418986	Al123555	Hs.81796	,SS,Reprolysin,tsp_1,	ESTs	6.7
	442082	R41823	Hs.7413	,TM,EPH_lbd,pkinase,SAM,fn3,	ESTs; calsyntenin-2	6.7
		AA243837		SS	ESTs	6.6
				,TM,Activin_recp,pkinase,death,ZU5,	ESTs	6.6
20			Hs.161712			
20	422060	R20893	Hs.325823	,SS,TM,CD36	ESTs, Moderately similar to ALU5_HUMAN A	6.6
	444381	BE387335	Hs.283713	,SS,mito_carr	ESTs, Weakly similar to S64054 hypotheti	6.6
	404091			,TM,7tm_3,ANF_receptor,	Target Exon	6.6
			Un 00770	SS,Collagen,COLFI,TSPN,SS,TSPN	collagen, type XI, alpha 1	6.6
		AW067903				
	428819	AL135623	Hs.193914	SS,SS	KIAA0575 gene product	6.5
25	410275	U85658	Hs.61796	,SS,Ribosomal_S4e	transcription factor AP-2 gamma (activat	6.4
	425236	AW067800	Hs.155223	SS .	stanniocalcin 2	6.2
		NM_00502		,SS,serpin,	serine (or cysteine) proteinase inhibito	6.2
				00 714	CD02 antinen (antineted Discontinuity)	6.2
		A1815601		SS,TM,ig,SS,TM	CD83 antigen (activated B lymphocytes, i	
	412140	AA219691	Hs.73625	,SS,kinesin,	RAB6 interacting, kinesin-like (rabkines	6.2
30	442942	AW167087	Hs.131562	.SS.ig.Sema.pkinase.	ESTs	6.2
50		AA026880		SS, IM.Ig.SS, IM "SS, kinesin "SS, ig.Sema, pkinase, "SS, TM, fn3,	prolactin receptor	6.1
					DKFZP434G032 protein	6.1
		T49951	Hs.9029	filament,SS,filament,filament	· ·	
	409602	W26713	Hs.256972	,SS,TM,DAGKa,DAGKc,	ESTs	6.1
	428479	Y00272	Hs.184572	.SS.pkinase.pkinase	cell division cycle 2, G1 to S and G2 to	6.1
35		X03363		,SS,TM,pkinase,Recep_L_domain,SH2,PH,Ft	rHER2 recentor tyrosine kinase (c-erb-b2.	6.1
55			11- 400700		ESTs	6.1
		T32982	Hs.102720	SS		
	410079	U94362	Hs.58589	Glyco_transf_8,SS	glycogenin 2	6.1
•	401781			,SS,filament,Pribosyltran,filament,Armad	Target Exon	6.1
		NM_01209	18268	SS adenylatekinase,	adenylate kinase 5	6.1
40		—	3113.10200	· ·		6.1
40	402230			,SS,TM,p450,	Target Exon	
	427674	NM_00352	28Hs.2178	histone, SS, histone,	H2B histone family, member Q	6.1
	428398	A1249368	Hs.98558	,SS,TM	ESTs ·	6.0
		BE550224		SS	metallothionein 1E (functional)	6.0
					interleukin 6 (interferon, beta 2)	6.0
4 ~		X04430	Hs.93913	SS,IL6,IL6,	inteneuxin 6 (inteneron, beta 2)	
45	416636	N32536	Hs.42645	,SS,TM	solute carrier family 16 (monocarboxylic	6.0
	419703	AI793257	Hs.128151	,SS, <del>zf-</del> C2H2,	ESTs	5.8
		J05070	Hs.151738	SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe	enmatrix metalloproteinase 9 (gelatinase B	5.8
					tolloid-like 1	5.8
			Hs.129700	SS		
	421296	NM_00266	66Hs.103253	SS ·	perilipin	5.8
50	442117	AW664964	4 Hs.128899	,SS,TM	ESTs	5.7
- 0		AA242758		,SS,TM	LIV-1 protein, estrogen regulated	5.7
						5.7
		AB020689		SS	KIAA0882 protein	
		AI199738		SS	ESTs, Weakly similar to ALUA_HUMAN !!!!	5.7
_	432239	X81334	Hs.2936	SS,Peptidase_M10,hemopexin,SS,Peptidase	e_matrix metalloproteinase 13 (collagenase	5.6
55	440705	AA904244	Hs.153205	TM	ESTs	5.6
55				SS,TM,ABC_tran,ABC_membrane,SS	C16000922:gi[7499103 piri[T20903 hypothe	5.6
	400286	117.	11-000			
		H38026	Hs.308	arrestin,SS	arrestin 3, retinal (X-arrestin)	5,5
	423201	NM_0001	63Hs.125180	SS,TM,fn3,SS	growth hormone receptor	5.5
		W57554	Hs.125019	SS	lymphoid nuclear protein (LAF-4) mRNA	5.5
60			Hs.58314	,SS,TM,Syntaxin	ESTs '	5.4
00						5.4
			40Hs.155324	SS,Peptidase_M10,hemopexin,SS	matrix metalloproteinase 11 (MMP11; stro	
			98Hs.123114	,SS,cystatin,	cystatin SN	5.4
	425292	NM 0058	24Hs.155545	SS	37 kDa leucine-rich repeat (LRR) protein	5.4
			Hs.20166	,SS,TM	prostate stem cell antigen	5.4
65						5.3
65			) Hs.30246	,SS,TM	solute carrier family 19 (thiamine trans	
			Hs.28555	SS .	programmed cell death 9	5.3
	439310	AF086120	Hs.102793	,SS,TM,UDPGT,casein_kappa	ESTs	5.2
				· · · · · · · · · · · · · · · · · · ·		

	441111	A1806867	Hs.126594	,SS,TM,Phosphodiest,	ESTs	E 2
	452355		Hs.29202	TM,7tm_1,TM	G protein-coupled receptor 34	5.2
		M31659	Hs.180408		solute carrier family 25 (mitochondrial	5.2 5.2
		AW749855			gb:QV4-BT0534-281299-053-c05 BT0534 Homo	5.2 5.2
5		AL117406			ATP-binding cassette transporter MRP8	5.2 5.1
,	441690		Hs.33106	,SS,HECT,zf-UBR1,PABP,14-3-3,	ESTs	5.1
		W17064		SS	SWI/SNF related, matrix associated, acti	5.1
		A1685086			ESTs, Weakly similar to S21348 probable	5.1
		X52730	Hs.1892	SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_T		5.1
10			nolamine N-metl	hyltransferase	5.1	•
10	423600	AI633559	Hs.310359	SS	ESTs	5.1
		AI160386		SS	ESTs	5.1
	403593		110.12.0001	,CIDE-N,pkinase	Target Exon	5.1
	407758		Hs.38365		KIAA0125 gene product	5.0
15		AW137636		,SS,TM	ESTs	5.0
13		NM_00016		SS,Melibiase,BTK,PH,pkinase,SH2,SH3,Ribo		
		NM_01458		SS,lipocalin,SS,lipocalin	odorant-binding protein 2A	. 4.9 4.9
		W88559	Hs.1787	,TM,ion_trans,K_tetra,	proteolipid protein 1 (Pelizaeus-Merzbac	4.9
•		AA206186		SS,TM,TM	monocyte to macrophage differentiation-a	4.9 4.9
20	401093	AA200 100	1 13.7 3003	TM,LRRCT,TM,LRRCT,	C12000586*:gij6330167 dbj BAA86477.1  (A	4.9
20	411096	1180034	Hs.68583	Peptidase_M3,	mitochondrial intermediate peptidase	
		AW085961		SS	ESTs	4.9
		Al247716		,SS,adh_zinc,	ESTS	4.9
		NM_004460				4.9
25		AA641836		SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV_		4.9
23				,SS,trypsin SS	hypothetical protein FLJ23186	4.9
• •		AI215069 AF012023			ESTs	4.8
		M73700	Hs.105938		integrin cytoplasmic domain-associated p lactotransferrin	4.8
	403199		ns. 103936	SS,transferrin,7tm_1,transferrin,		4.8
30			Un 222010	SS,TM,Folate_carrier,SS,TM,Folate_carrie	NM_025243*:Homo sapiens solute carrier f	4.8
50		AW057736 AF070526		,SS,TM,pkinase,Recep_L_domain,SH2,PH,Ft		4.8
		M93221	Hs.75182	,SS,Ca_channel_B, SS,TM,lectin_c,fn2,Ricin_B_lectin,SS,TM	Homo sapiens clone 24787 mRNA sequence	4.7
		AA526235			mannose receptor, C type 1	4.7
		BE093589		SS . SS	Homo sapiens cDNA FLJ11983 fis, clone HE	4.7
35		AA447453			hypothetical protein FLJ23468	4.6
55		AW016669		,SS,TM,7tm_1,	Homo sapiens mRNA; cDNA DKFZp586M0723 (f	4.6
•		AI668605		,SS,TM,CBS,voltage_CLC	ESTS Madamtah aimilar ta ALLIG HUMAN A	4.6
		AA687376		,TM,Glyco_hydro_1	ESTs, Moderately similar to ALU6_HUMAN A	4.6
		AA339449		,SS,pkinase,RhoGEF,ig,PH,SH3, AIRS,formyl_transf,GARS,SS,GARS,AIRS,for	ESTS	4.6
40		AI860021				4.6
+0			Hs.12677	,pkinase	ESTs, Moderately similar to A47582 B-cel	4.6
				SS,UPF0099,SS,UPF0099,	CGI-147 protein	4.6
		BE614743		,SS,TM,MAPEG,	prostaglandin E synthase	4.5
		Al493046		,SS,TM,UDPGT	ESTS	4.5
45		H26735 AA831879	Hs.91668		Homo sapiens clone PP1498 unknown mRNA	4.5
43				,SS,Hist_deacetyl,	ESTs	4.5
•	419900	Al345455 Al910275	HS.76910	pkinase,OPR,	GA-binding protein transcription factor,	4.5
	421002	BE391804	TIS. 1400	SS,trefoil,SS,TM,IdI_recept_a,SRCR,tryps	trefoil factor 1 (pS2)	4.5
				SS,TM,GBP,TM,GBP	guanylate binding protein 1, interferon-	4.5
50		W03242	Hs.44898	SS	Homo sapiens clone TCCCTA00151 mRNA sequ	4.5
50		M97711	11- 405005	SS,SS,ig,	gb:Human T-cell receptor (V beta 18.1, J	4.5
	402004	A1638627	HS.105085	,SS,DEAD,Fork_head	KIAA1688 protein	4.5
		AA179949		SS	Homo sapiens mRNA; cDNA DKFZp564N0763 (f	4.4
		AA863360		,SS,TM,p450,	ESTs, Weakly similar to fatty acid omega	4.4
55		AA976718		,ig,Sema,	ESTs	4.4
55		AA312082		SS .	GDNF family receptor alpha 1	4.4
		AW294092		,SS,ras,Y_phosphatase,ras	hypothetical protein MGC15754	4.4
		BE466639		,SS,HMG_box,filament,	Homo sapiens cDNA FLJ13591 fis, clone PL	4.4
		AK000136		SS,LRR,SS	asporin (LRR class 1)	4.4
60	453619		Hs.33922	SS	Homo sapiens, clone MGC:9084, mRNA, comp	4.3
60		NM_00024		SS,LRR,	MHC class II transactivator	4.3
		A1472078		,SS,ArfGap,	ESTs	4.3
		AW935490		,SS,BIR	Human chromosome 5q13.1 clone 5G8 mRNA	4.3
		D45371	Hs.80485	SS,C1q,Collagen,SS,C1q,	adipose most abundant gene transcript 1	4.3
65		AW296927		,SS,TM,Peptidase_M1,	gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	4.3
65	418867		Hs.89404	SS,homeobox,homeobox,	msh (Drosophila) homeo box homolog 2	4.3
		BE464288		,SS,TM,MIP,	ESTs	4.3
	447499	AW262580	Hs.147674	,SS,TM,cadherin,cadherin	protocadherin beta 16	4.3

	AA1ECO	E4220C	U= 7000	alimena	Name against slave 22726 -TNM aggrees	4.2
	441560		Hs.7888	pkinase,	Homo sapiens clone 23736 mRNA sequence	4.3
		H25642	Hs.141883	,SS,CUB,	ESTs ESTs	4.3 4.3
		W31790	Hs.133471	,SS,TM,FMO-like		
5			Hs.194293 Hs.122589	,SS,TM	ESTs, Weakly similar to I54374 gene NF2	4.3 4.3
5	401747	Also4311	NS. 122309	.TM SS filament filament	ESTS Home canions keratio 17 (KPT17)	4.3
		NIM D1225	74. 270606	,SS,filament,filament	Homo sapiens keratin 17 (KRT17)	4.3 4.2
			7Hs.279696	pkinase_pkinase_C,	serum/glucocorticoid regulated kinase-li ESTs	4.2 4.2 ·
			Hs.133022 Hs.163533	,SS,TM	Homo sapiens cDNA FLJ14142 fis, clone MA	4.2
10			Hs.279009	,pkinase, ,SS,TM	matrix Gla protein	4.2
10			Hs.118599	,SS,GDNF,	ESTs	4.2
		AW972565		WH1,WH1	ESTs, Weakly similar to S51797 vasodilat	4.2
•		NM_00039		zf-C2H2,SS	early growth response 2 (Krox-20 (Drosop	4.2
			Hs.105448		ESTs, Weakly similar to B34087 hypotheti	4.1
15			Hs.332053	,SS,SAA_proteins,ABC_membrane,ABC_tran		4.1
15			Hs.147170	SS	ESTs	4.1
			Hs.224398	,COLFI,vwc,Collagen,	Homo sapiens cDNA FLJ11469 fis, clone HE	4.1
			Hs.152213	wnt.	wingless-type MMTV integration site fami	4.1
			Hs.90756	,TM,Glyco_hydro_1	ESTs	4.1
20		NM_00180		,SS,TM,thiolase,	centromere protein A (17kD)	4.1
20		S70284		·SS,TM,Desaturase,SS	gb:stearoyl-CoA desaturase [human, adipo	4.1
			Hs.172572	,SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	4.1
			Hs.153203	HLH,SS	MyoD family inhibitor	4.1
		Z97630	Hs.226117	,SS,TM,linker_histone,7tm_1	H1 histone family, member 0	4.1
<b>25</b> .			Hs.192417	,SS,TM,IIII.KEI_IIISIONE,7 UII_I	ESTs	4.0
23 .		T97490	Hs.50002	SS,IL8,SS,IL8	small inducible cytokine subfamily A (Cy	4.0
				,SS,HLH	Ig superfamily receptor LNIR	4.0
•			7Hs.95351	,SS,TM,p450,	lipase, hormone-sensitive	4.0
			Hs.130315	,SS,TM	ESTs, Weakly similar to A47582 B-cell gr	4.0
30	403329		113.100010	SS,SS	Target Exon	4.0
50			Hs.137007	SS	ESTs	4.0
			Hs.100686	SS	ESTs, Weakly similar to JE0350 Anterior	4.0
			Hs.151504	,SS,Collagen,COLFI,TSPN,	Homo sapiens cDNA FLJ11973 fis, clone HE	4.0
			Hs.29383	,SS,TM,ras	Homo sapiens mRNA; cDNA DKFZp434E2321 (f	4.0
35		NM_00194		SS	E2F transcription factor 3	4.0
55		X63629	Hs.2877	SS,TM,Cadherin_C_term,cadherin,SS,TM,cad		4.0
			9Hs.154424	SS,T4_deiodinase,T4_deiodinase,	deiodinase, iodothyronine, type II	4.0
		R36075	31 13. 134424	,TM,SDF,	gb:yh88b01.s1 Soares placenta Nb2HP Homo	4.0
		U76456	Hs.190787	,SS,TIMP,	tissue inhibitor of metalloproteinase 4	3.9
40		L22524	Hs.2256	SS,Peptidase_M10,SS,Peptidase_M10,hemo		3.9
:10			Hs.125783	SS	DEME-6 protein	3.9
•		Z45051	Hs.22920	SS.SS.TM	similar to S68401 (cattle) glucose induc	3.9
		M31158	Hs.77439	,SS,cNMP_binding,RIIa,HMG_box	protein kinase, cAMP-dependent, regulato	3.9
			Hs.313803	,SS,abhydrolase	ESTs, Highly similar to AF157833 1 noncl	3.8
45		NM_01543		SS	DKFZP434B168 protein	3.8
			Hs.86859	SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas		3.8
			Hs.25475	SS,TM,MIP,SS,TM,MIP,	aquaporin 7	3.8
•		N72264	Hs.300670	SS	KIAA1204 protein	3.8
			Hs.26289	SS	ESTs	3.8
50			9Hs.37189	TM,TM	similar to rat HREV107	3.8
50			Hs.125056	,SS,DENN	ESTs	3.8
		BE170651		,SS,START,	deleted in liver cancer 1	3.8
			Hs.143134	SS	ESTs	3.8
			Hs.149006	,SS,WH1,WH1	ESTs	3.8
55	403943		7 115.140000	p450,SS,p450	C5000355:gi[4503225[ref]NP_000765.1] cyt	3.8
55		AA057264	Hs.238936	,SS,TM,7tm_1,	ESTs, Weakly similar to (defline not ava	3.8
			Hs.290943	SS	ESTs	· 3.8
			715.250543 7Hs.97644	,SS,SRCR,Uteroglobin	mammaglobin 2 (MGB2; mammaglobin B; lip	3.8
			Hs.147313	,SS,TM	ESTs, Weakly similar to 138022 hypotheti	3.7
60			Hs. 183601	SS,RGS,RGS,RGS	regulator of G-protein signalling 16	3.7
00		BE160198		TM	gb:QV1-HT0413-010200-059-h03 HT0413 Homo	3.7
		M26380	Hs.180878	,SS,lipase,PLAT,Sec7,PH,		3.7
			Hs.83758	CKS SS CKS	lipoprotein lipase	3.7 3.7
		X54942	Hs.63736 3 Hs.12532	CKS,SS,CKS, SS	CDC28 protein kinase 2	3.7
65			Hs.12532	SS	chromosome 1 open reading frame 21 cysteine and glycine-rich protein 2	3.7 3.7
05		AW373784			alpha-2-glycoprotein 1, zinc	3.7
			Hs.211577	SS,ig,MHC_I,connexin,SCAN,SS,TM SS,TM,SS	kinectin 1 (kinesin receptor)	3.7
	723030	A19 1000Z	113.2 1 13/1	00,114,00	writemus (unemuserchar)	J.,

				·	
	454071	Al041793 Hs.42502	,TM,7tm_1,	ESTs	3.7
	451859	H44491 Hs.252938	,SS,TM,EGF,IdI_recept_a,IdI_recept_b,EGF	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.7
	420281	Al623693 Hs.191533	,SS,AAA,	ESTs	3.7
		AW194426 Hs.20726	,SS,Glycos_transf_2,	ESTs	3.7
5		W23624 Hs.173059	SS	ESTs	3.7
J					
			Glycos_transf_2,Ricin_B_lectin,SS,Glycos	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.7
		BE379727 Hs.83213	lipocalin, SS, lipocalin, lipocalin, ferriti	fatty acid binding protein 4, adipocyte	3.7
		AW301344 Hs.122908	,SS,Pribosyltran,Sulfatase	DNA replication factor	3.7
	417601	NM_014735Hs.82292	PHD,pkinase,SS	KIAA0215 gene product	3.7
10	407999	Al126271 Hs.49433	SS	ESTs, Weakly similar to YZ28_HUMAN HYPOT	3.7
	425548	AA890023 Hs.1906	SS,TM,fn3,SS,TM,fn3,	prolactin receptor	3.7
		AU076643 Hs.313	,SS,TM,efhand,ion_trans	secreted phosphoprotein 1 (osteopontin,	3.7
		AA676939 Hs.69285	SS,TM,CUB,F5_F8_type_C,MAM,SS,TM,CU		3.6
1.5		Y13647 Hs.119597	SS,TM,Desaturase,SS	stearoyl-CoA desaturase (delta-9-desatur	3.6
15		AL049176 Hs.82223	SS	chordin-like	3.6
	428769	AW207175 Hs.106771	,SS,7tm_1,SPRY,	ESTs	3.6
	407137	T97307	,SS,TM,GDA1_CD39	gb:ye53h05.s1 Soares fetal liver spleen	3.6
	401866		,SS,filament,	Target Exon	3.6
		U10492 Hs.438	SS,homeobox,Ets,SS,homeobox,	mesenchyme homeo box 1	3.6
20		AA502490 Hs.336695	SS.	ESTs	3.6
20					
		NM_000909Hs.169266	SS,TM,7tm_1,	neuropeptide Y receptor Y1	- 3.6
		AW089705 Hs.293711	SS	ESTs, Weakly similar to S64329 probable	3.6
		AA284775 Hs.43148	,SS,TM,PMP22_Claudin,	ESTs	3.6
	431830	Y16645 Hs.271387	,SS,TM,IL8	small inducible cytokine subfamily A (Cy	3.6
25	444781	NM_014400Hs.11950	,SS,PH,lactamase_B	GPI-anchored metastasis-associated prote	3.6
		AI791493 Hs.129873	,SS,p450,p450	ESTs, Weakly similar to A36036 cytochrom	3.6
		-Al308876 Hs.103849	,TM,hemopexin,Peptidase_M10,hemopexin,f	Schundhetical protein DVEZnZ61D112	3.6
		AF245505 Hs.72157	ig,LRRCT,	DKFZP564I1922 protein	3.6
20		Al417828 Hs.192435	,SS,TM	ESTs	3.5
30		AA847843 Hs.62711	,SS,HMG_box,	Homo sapiens, clone IMAGE:3351295, mRNA	3.5
		S57296 Hs.323910	,SS,TM,SH2,PH,pkinase,Recep_L_domain,F	urv-erb-b2 avian erythroblastic leukemia v	3.5
	449051	AW961400 Hs.333526	SS	HER2 receptor tyrosine kinase (c-erb-b2,	3.5
		AA121098 Hs.3838	pkinase,POLO_box,SS,pkinase,POLO_box,		. 3.5
	454042	H22570 Hs.172572	,SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	3.5
35		AA808940 Hs.274450	,SS,TM,KRAB,SCAN,zf-C2H2,ig	EST	3.5
55					
		NM_002543Hs.77729	,SS,TM	oxidised low density lipoprotein (lectin	3.5
		AA116021 Hs.38260	SS,UCH-1,UCH-2,SS,TM,G_glu_transpept	ubiquitin specific protease 18	3.5
	442101	Al651930 Hs.135684	SS	ESTs	3.5
	449722	BE280074 Hs.23960	cyclin,SS,TM,cyclin,	cyclin B1	3.5
40	452554	AW452434 Hs.58006	SS	ESTs, Weakly similar to ALU5_HUMAN ALU S	3.5
		NM_014918Hs.110488	SS	KIAA0990 protein	3.4
		AK001423 Hs.94694	SS ·		3.4
			SS,TM,7tm_2,SS,TM,7tm_2	parathyroid hormone receptor 2	3.4
15		AA426202 Hs.40403	,TM,ABC_membrane,ABC_tran,Ribosomal_S	S4eCop/p300-interacting transactivator, wit	3.4
45		L34041 Hs.9739	,SS,TM,transport_prot,SWIB,RhoGAP,DAG_	PEglycerol-3-phosphate dehydrogenase 1 (so	3.4
	445873	AA250970 Hs.251946	,SS,rm,PABP,pkinase,14-3-3,rrm	poly(A)-binding protein, cytoplasmic 1-I	3.4
	418054	NM_002318Hs.83354	,SS,rm,PABP,pkinase,14-3-3,rrm ,SS,TM,mito_carr,Lysyl_oxidase	lysyl oxidase-like 2	3.4
	414921	BE390551 Hs.77628	SS,START,SS,START,NNMT_PNMT_TEMT		3.4
		NM_003512Hs.28777	SS,histone,Calc_CGRP_IAPP,ig,MHC_I,SPF		3.4
50		NM_000346Hs.2316	SS,HMG_box,	SRY (sex determining region Y)-box 9 (ca	3.4
50		AA442324 Hs.795	histone,SS,histone,BolA		
				H2A histone family, member O	3.4
		M25809 Hs.64173	ATP-synt_ab,SS,7tm_1,ATP-synt_ab	ATPase, H transporting, lysosomal (vacuo	3.4
	401780		filament, SS, filament, filament	NM_005557*:Homo sapiens keratin 16 (foca	3.4
	447131	NM_004585Hs.17466	TM	retinoic acid receptor responder (tazaro	3.4
55	418334	AA319233 Hs.5521	,SS,TM,Ribosomal_L27e,	ESTs	3.4
	415138	C18356 Hs.295944	,Kunitz_BPTI,	tissue factor pathway inhibitor 2	3.4
		AF182277 Hs.330780	SS,p450,SS	cytochrome P450, subfamily IIB (phenobar	3.4
		AA825686 Hs.321176	SS	ESTs, Weakly similar to S65824 reverse t	
					3.4
60		Y15221 Hs.103982	SS,IL8,	small inducible cytokine subfamily B (Cy	3.4
60		NM_005419Hs.72988	SH2,STAT,SS,STAT	signal transducer and activator of trans	3.4
		AW968504 Hs.123073	,pkinase,	CDC2-related protein kinase 7	3.4
	405366		RhoGEF,PH,SS,RhoGEF,PH,	NM_003371*:Homo sapiens vav 2 oncogene (	3.4
		BE274552 Hs.76578	SAP,SS,FG-GAP,vwa	protein inhibitor of activated STAT3	3.4
		AW797437 Hs.69771	SS,sushi,trypsin,vwa,rrm,fibrinogen_C,fn	B-factor, properdin	3.3
65		H73505 Hs.117874	,SS,Peptidase_S8,P,Peptidase_S8,P	ESTs	3.3
00				lipoma HMGIC fusion partner-like 2	
			,SS,TM	• • • • • • • • • • • • • • • • • • • •	. 3.3
	433008	NM_006456Hs.288215	,SS,Pribosyltran,	sialyltransferase	3.3

	445462 AA378776 Hs.288	1649 SS,SS		hypothetical protein MGC3077	3.3
	439452 AA918317 Hs.579			B-cell CLL/lymphoma 11B (zinc finger pro	3.3
	452017 AF109302 Hs.274	195 SS		prostate cancer associated protein 7	3.3
	409099 AK000725 Hs.505		•	hypothetical protein FLJ20718	3.3
5	452106 Al141031 Hs.213			ESTs	3.3
-	447519 U46258 Hs.339			ESTs	3.3
	426928 AF037062 Hs.172			retinol dehydrogenase 5 (11-cis and 9-cl	3.3
	438825 BE327427 Hs.799			ESTs	3.3
•	414575 H11257 Hs.229			Homo sapiens clone IMAGE:451939, mRNA se	3.3
10	417837 AL079905 Hs.110			transforming growth factor, beta 1	3.3
.10	422128 AW881145	SS .	2001.01 2012.22	gb:QV0-OT0033-010400-182-a07 OT0033 Homo	3.3
	445941 Al267371 Hs.172			ESTs	3.3
	429973 Al423317 Hs.164			ESTs	3.3
	444542 AI161293 Hs.280	1380 SS SS Pentidase	•	aminopeptidase	3.3
15	459561 Aİ547306 Hs.134		_mma_or halloom_colorom	ESTs	3.3
13	425741 AF052152 Hs.159		•	Homo sapiens clone 24628 mRNA sequence	3.3
	426501 AW043782 Hs.293			ESTs	3.3
	456508 AA502764 Hs.123			ESTs, Weakly similar to AF208855 1 BM-01	3.3
	434228 Z42047 Hs.283			Homo sapiens PRO2751 mRNA, complete cds	3.3
20	415752 BE314524 Hs.787		•	putative transmembrane protein	3.3
20			1	Target	3.3
	400419 AF084545	SS,Peptidase_M, TM,integrin_B,Ri,	oin Plactin em	Homo sapiens mRNA full length insert cDN	3.3
	439750 AL359053 Hs.576	004 , IW,INLEGIII_D,RI	CIII_B_JeCuii,fiffi	Homo sapiens mRNA; cDNA DKFZp434B0650 (f	3.3
	423858 AL137326 Hs.133		T DAME TOME	ESTs	3.3
25	428514 AW236861 Hs.193		I_PNWI_IEWII,		3.3
25	428698 AA852773 Hs.334		•	KIAA1866 protein gamma-aminobutyric acid (GABA) A recepto	3.3
	448988 Y09763 Hs.22		•		3.3
	432072 N62937 Hs.269	· · · · · · · · · · · · · · · · · · ·		ESTs	3.3
	417433 BE270266 Hs.82		RRNT,LRR,TM,LRRCT,	5T4 oncofetal trophoblast glycoprotein	3.2
20	452194 Al694413 Hs.33		Nr_receptor,susni	olfactory receptor, family 2, subfamily	3.2
30	444051 N48373 Hs.103	* * <del>*</del>		activated leucocyte cell adhesion molecu	3.2
	420042 AW015140 Hs.16			ESTs	3.2
	457292 Al921270 Hs.33		-patch	hypothetical protein FLJ14251	3.2 3.2
	421458 NM_003654Hs.10			carbohydrate (keratan sulfate Gal-6) sul	3.2
2.5	431104 AW970859 Hs.31			ESTs	
35	443767 BE562136 Hs.97		,hormone_rec,zf-C4,	proteasome (prosome, macropain) 26S subu	3.2
	419589 AW973708 Hs.20			Homo sapiens cDNA FLJ13446 fis, clone PL	3.2
	415447 Z97171 Hs.78			myocilin, trabecular meshwork inducible	3.2
	443464 BE548446 Hs.51		M -	Homo sapiens mRNA; cDNA DKFZp434F152 (fr	3.2
4.0	423431 AA326062	,SS,p450,p450		gb:EST29171 Cerebellum II Homo sapiens c	3.2
40	413278 BE563085 Hs.83		laminin_G,laminin_EGF,k	interferon-stimulated protein, 15 kDa	3.2
	458451 AW297181 Hs.19		.14	ESTs	3.2
	440449 AA885430 Hs.20			Homo sapiens cDNA FLJ13446 fis, clone PL	3.2
	413753 U17760 Hs:75		,taminin_Nterm,adh_short,S	laminin, beta 3 (nicein (125kD), kalinin	3.2
	434876 AF160477 Hs.61		• •	Ig superfamily receptor LNIR	3.2
45	435575 AF213457 Hs.44			triggering receptor expressed on myeloid	3.2
	415773 R21651 Hs.32		al_S3Ae,G-gamma	ESTs, Moderately similar to A47582 B-cel	3.2
	446440 AV658411 Hs.42	2656 SS		KIAA1681 protein	3.2
	450847 NM_003155Hs.25	i590 ,SS,homeobox,		stanniocalcin 1	3.2
	426075 AW513691 Hs.27	'0149 ,SS,fn3,		ESTs, Weakly similar to 2109260A B cell	3.2
50	452110 T47667 Hs.28		ecp,pkinase	Homo sapiens cDNA FLJ11309 fis, clone PL	3.2
•	439963 AW247529 Hs.67	'93 ,TM,p450,Ets		platelet-activating factor acetylhydrola	3.2
	402837 NA	SS	•	ENSP00000241312*:DJ947L8.1.8 (novel Sush	3.2
	439451 AF086270 Hs.27	8554 ,SS,Chromo_sh	idow,chromo,	heterochromatin-like protein 1	3.1
	406664 L34041 Hs.97	739 ,SS,TM,transpor	t_prot,SWIB,RhoGAP,DAG_	PEglycerol-3-phosphate dehydrogenase 1 (so	3.1
55	417315 Al080042 Hs.33	36901 ,SS,RNA_pol_A,	RNA_pol_A2,Ribosomal_S2	4e,ribosomal protein S24	3.1
	413011 AW068115 Hs.82	21 SS,LRR,LRRNT	SS,LRRNT,LRR,	biglycan	3.1
	414987 AA524394 Hs.29	94022 ,SS,connexin,ho	rmone_rec,zf-C4,connexin	hypothetical protein FLJ14950	3.1
	429197 H24471 Hs.26			ESTs, Weakly similar to T20272 hypotheti	3.1
		25960 ,SS,TM	•	membrane-spanning 4-domains, subfamily A	3.1
60	407604 AW191962 Hs.24			collagen, type VIII, alpha 2	3.1
	419092 J05581 Hs.89			mucin 1, transmembrane	3.1
	456672 AK002016 Hs.11			Homo sapiens, clone MGC:16327, mRNA, com	3.1
	443171 BE281128 Hs.90		n,SS	TONDU	-3.1
	452256 AK000933 Hs.28		•	Homo sapiens cDNA FLJ10071 fis, clone HE	3.1
65	432201 Al538613 Hs.29		S,TM,trefoll,trypsin,tref	Transmembrane protease, serine 3	3.1
	406642 AJ245210	SS		gb:Homo sapiens mRNA for immunoglobulin	3.1
	400903 NA	SS		Target Exon	3.1
				•	

	434408	A1031777	HS.132586	,55,Glyco_nyaro_2	ES15	3.1
	452994	AW962597	Hs.31305	SS,WD40,SS,WD40,	KIAA1547 protein	3.1
	445903	A1347487	Hs.132781	fn3,SS,TM,EF1BD	class I cytokine receptor	3.1
	424364	AW383226	Hs.201189	SS	ESTs, Weakly similar to G01763 atrophin-	3.1
5	410196	AI936442	Hs.59838	UBACT_repeat, SS, UBACT_repeat, ThiF_fami	lyhypothetical protein FLJ10808	3.1
	419150	T29618	Hs.89640	,TM,pkinase,fn3,	TEK tyrosine kinase, endothelial (venous	3.1
	433417	AA587773	Hs.8859	,SS,SRCR,	Homo sapiens, Similar to RIKEN cDNA 5830	3.1
	418624	A1734080	Hs.104211	.Sema,ig,	ESTs	3.1
	436291	BE568452	Hs.5101	SS,abhydrolase,	protein regulator of cytokinesis 1	3.1
10		N40449	Hs.201619	SS	ESTs, Weakly similar to S38383 SEB4B pro	3.1
	412519	AA196241	Hs.73980	SS,Troponin,Hemagglutinin,SS,TM,C2,Tropo		3.1
	450223	AA418204	Hs.241493	,SS,pro_isomerase,	natural killer-tumor recognition sequenc	3.1
		AA809875		,TM,histone,Sec1,histone,sugar_tr	ESTs	3.1
		AW137691		,SS,TM,7tm_2,GPS	ESTs	3.1
15		AJ278120		.SS.WD40	putative ankyrin-repeat containing prote	3.1
		AW630534		,SS,TM,rrm,oxidored_q6,oxidored_q6	Homo sapiens, clone MGC:9381, mRNA, comp	3.1
		R00866		SS	gb:ye79c02.s1 Soares fetal liver spleen	3.0
			Hs.298241	,SS,TM,trefoil,trypsin,trefoil	Transmembrane protease, serine 3	3.0
			Hs.126730	,TM,PH,	ESTs, Weakly similar to KIAA1214 protein	3.0
20			Hs.325823	,SS,TM,CD36	ESTs, Moderately similar to ALU5_HUMAN A	3.0
		R91600		,SS,Ran_BP1,LIM,Ran_BP1,GRIP,TPR,LIM		3.0
•			Hs.162209	SS,TM,SS,TM,PMP22_Claudin,PMP22_Clau		3.0
		H58373	Hs.332938	,SS,TM	hypothetical protein MGC5370	3.0
	401197			arf,arf,	ENSP00000229263*:HSPC213.	3.0
25		AW204256	Hs.291887	,wnt,	ESTs	3.0
			Hs.336432	,SS,rm,zf-RanBP,pkinase,C2,pkinase_C,DA	ESTs	3.0
		AA381807		SS,SS	hypoxia-inducible protein 2	3.0
		W27249	Hs.8109	SS	hypothetical protein FLJ21080	3.0
	404826			,SS,TM	Target Exon	3.0
30	458389	H70284	Hs.160152	.SS.RA	ESTs, Weakly similar to FPHU alpha-fetop	3.0
		AL034548		HMG_box,pkinase,zf-CCHC,SS,TM,HMG_bo		3.0
		AW977653		,SS,ribonuc_red_sm,	ribonucleotide reductase M2 polypeptide	3.0
	418848	AI820961	Hs.193465	,death,ZU5,pkinase,Activin_recp,	ESTs	3.0
	422095	AI868872	Hs.282804	SS,Cu-oxidase,SS,Cu-oxidase,Cu-oxidase	hypothetical protein FLJ22704	3.0
35	415992	C05837	Hs.145807	,SS,TM	hypothetical protein FLJ13593	3.0
	424631	AA688021	Hs.179808	SS	ESTs	3.0
	409956	AW103364	Hs.727	SS,TGF-beta,TGFb_propeptide,SS,TGF-beta	i, inhibin, beta A (activin A, activin AB a	3.0
	419667	AU077005	Hs.92208	SS,disintegrin,Reprolysin,Pep_M12B_prope		3.0
	450946	AA374569	Hs.127698	SS	ESTs, Moderately similar to 2109260A B c	3.0
40		AB032417		Frizzled,Fz,SS,TM,Frizzled,Fz,	frizzled (Drosophila) homolog 4	3.0
-		U20325	Hs.1707	SS,SS	cocaine- and amphetamine-regulated trans	3.0
		AW385224		,SS,TM,Phosphodiest,	ectonucleotide pyrophosphatase/phosphodi	3.0
			Hs.131257	,SS,TM,G-gamma	ESTs	3.0
			Hs.105822	.SS.TM.pkinase.	ESTs	3.0

#### TABLE 20A

Table 20A shows the accession numbers for those pkeys lacking unigeneID's for Table 20. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

•	$\sim$
L	11
ı	1)

5

Pkey:	Unique Eos probeset identifier number
CAT number	Gene cluster number

\_ Accession:

Genbank accession numbers

	Pkey	CAT number	Accessions
20	410785 411667	1221055_1 1253334_1	AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355 BE160198 AW935898 T11520 AW935930 AW856073 AW861034
	418636	177402_1	AW749855 AA225995 AW750208 AW750206
	420854	197072_1	AW296927 Al684514 Al263168 AA281079
	422128	211994_1	AW881145 AA490718 M85637 AA304575 T06067 AA331991
	423431	228162_1	AA326062 AA325758 AW962182
-25	423945	233566_1	AA410943 AW948953 AA334202 AA332882
	426878	273265_1	BE069341 AW748403 AL044891 Al908240 AA393080
	433687	373061_1	AA743991 AA604852 AW272737
	447197	711623_1	R36075 Al366546 R36167
20	451631	878098_1	R00866 R01523 Al806815
30 -	456207	1650781	AA193450
	456592	202684_1	R91600 T87079 AA291455

#### TABLE 20B

Table 20B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 20. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the public entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.	ation
		Indicates DNA strand from which exons were predicted.	
	Nt_position:	Indicates nucleotide positions of predicted exons.	

15				
	Pkey	Ref	Strand	Nt_position .
	400608	9887666	Minus	96756-97558
	400903	2911732	Plus	59112-59228
20	401045	8117619	Plus	90044-90184,91111-91345
	401093	8516137	Minus	22335-23166
	401197	9719705	Plus	176341-176452
	401747	9789672	Minus	118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-131258,131866-
				131932,132451-132575,133580-134011
25	401780	7249190	Minus	28397-28617,28920-29045,29135-29296,29411-29567,29705-29787,30224-30573
	401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
	401866	8018106	Plus	73126-73623
	402230	9966312	Minus	29782-29932
	402408	9796239	Minus	110326-110491
30	402578	9884928	Plus	66350-66496
	402606	9909429	Minus	81747-82094
	402837	. 9369121	Minus	2013-2186,9570-9758,11136-11309,19429-19677,21210-21455,23368-23562,24342-24527,29132-29320
	403199	9958183	Minus	58895-59036,66618-66789
	403329	8516120	Plus	96450-96598
35	403593	6862650	Minus	62554-62712,69449-69602
	403943	7711864	Plus	100742-100904,101322-101503
	404091	7684554	Minus	82121-83229
	404347	9838195	Plus	74493-74829
	404826	6572184	Plus	47726-48046
40	405366	2182280	Plus	22478-22632
	405654	4895155	Minus	53624-53759

PCT/US02/02242 WO 02/059377

## TABLE 21: 210 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EITHER ENZYMES OR PROTEINS AMENABLE TO MODULATION BY SMALL MOLECULES

Table 21 shows 210 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode either enzymes or proteins amenable to modulation by small molecules. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85<sup>th</sup> percentile value amongst 144 non-malignant tissues, and the 96<sup>th</sup> percentile value amongst 73 breast cancers was greater than or equal 80 units, and the predicted protein contained a structural domain that is indicative of enzymatic function or of being modulatable by small molecules (e.g. pkinase, peptidase, phosphatase, ATPase, or ion\_transporter domains). The predicted protein domains are noted.

	Pkey:	Unique
20	ExAccn:	Exemple

5.

10

15

Eos probeset identifier number lar Accession number, Genbank accession number

UnigenelD:

Unigene number

Unigene Title: Unigene gene title

Ratio of 93rd percentile tumor to 85th percentile of normal body tissue R1:

	25					•	
4		Pkey	ЕхАссп	UnigenelD	Predicted Protein Domains	UnigeneTitle	R1
		449746	AI668594	Hs.176588	SS,p450	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	65.7
		400292	AA250737		death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	55.9
	30	424735	U31875	Hs.272499	ŞS,TM	short-chain alcohol dehydrogenase family	53.8
		407178	AA195651	Hs.104106	SS,Dihydroorotase,	ESTs	39.3
		408045	AW138959	Hs.245123	Phosphodiest,Somatomedin_B,	ESTs	34.9
		450375	AA009647	Hs.8850	SS,TM,disintegrin,Pep_M12B_propep,Reprol	a disintegrin and metalloproteinase doma	25.7
		429170	NM_001394	4Hs.2359	DSPc,Rhodanese,	dual specificity phosphatase 4	24.9
	35 -	445730	AI624342	Hs.170042	SS,TM,Cation_efflux	ESTs	24.1
		424634	NM_00361	3Hs.151407	ig,tsp_1,SS,AAA	cartilage intermediate layer protein, nu	21.7
		420757	X78592	Hs.99915	hormone_rec,Androgen_recep,zf-C4,	androgen receptor (dihydrotestosterone r	21.7
		424399	AI905687	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	20.3
		447350	Al375572	Hs.172634	pkinase,	ESTs	19.2
4	40		AA193450		SS,TM,p450,p450	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	18.3
		456938	X52509	Hs.161640	SS,TM,aminotran_1_2,Cadherin_C_term,cadl	htyrosine aminotransferase	18.1
		402578			SS,p450,SS,TM,p450	C1001134:gi 2117372 pir   65981 fatty ac	17.8
		425692	D90041	Hs.155956	SS,Acetyltransf2,	N-acetyltransferase 1 (arylamine N-acety	16.7
		424001	W67883	Hs.137476	pkinase,	paternally expressed 10	16.5
	45		M13509	Hs.83169	SS,hemopexin,Peptidase_M10,SS,Peptidase		15.7
		421727		Hs.107318		kynurenine 3-monooxygenase (kynurenine 3	15.3
		411869	W20027	Hs.23439	SS,Peptidase_M1,	ESTs	13.9
		400289	X07820	Hs.2258	hemopexin,Peptidase_M10,SS,Peptidase_M1	I0matrix metalloproteinase 10 (MMP10; str	13.5
		443348	AW873596	Hs.182278	SS,DENN	calmodulin 2 (phosphorylase kinase, delt	13.0
	50	424086	AI351010	Hs.102267	SS,Lysyl_oxidase	lysyl oxidase	12.8
		400295	W72838	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	12.7
		408771	AW732573	Hs.47584	TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t	potassium voltage-gated channel, delayed	11.9
		421155	H87879	Hs.102267	SS,Lysyl_oxidase,Aldose_epim,Epimerase,S		11.8
		424905	NM_00249	7Hs.153704	pkinase,SS,TM,pkinase,polyprenyl_synt,	NIMA (never in mitosis gene a)-related k	11.7
	55	438167	R28363	Hs.24286	SS,TM,7tm_1,p450,rrm	ESTs	11.5
		459583	AI907673		pkinase,	gb:IL-BT152-080399-004 BT152 Homo sapien	11.5
			AA410943		death,ZU5,TM,Activin_recp,pkinase,	gb:zt32h03.r1 Soares ovary tumor NbHOT H	11.4
		445263	H57646	Hs.42586	SS,Acyltransferase,	KIAA1560 protein	11.2

			11. 404505	00740007 44004 4004	DI/HED 10 10 000 1 1	400
		AL080207		SS,TM,BRCT,ank,ABC_tran,ABC_tran	DKFZP434G232 protein	10.9
	429859	NM_007050	DHs.225952	SS,TM,Y_phosphatase,MAM,fn3,	protein tyrosine phosphatase, receptor t	10.4
		BE440042		SS,Peptidase_M10,hemopexin,SS,Peptidase_		10.3
_	418912	NM_000685	5Hs.89472	SS,TM,7tm_1,SS,TM,7tm_1,	angiotensin receptor 1	10.3
5	451952	AL120173	Hs.301663	SS,pkinase,	ESTs	10.3
	402408			SS,carb_anhydrase	NM_030920*:Homo sapiens hypothetical pro	9.8
		AI733881	Hs.72472	death,ZU5,TM,Activin_reco,pkinase,	BMP-R1B	9.4
		M31126	Hs.272620	SS,Peptidase_M10,hemopexin,SS,Peptidase_		9.1
10		AB041035	MS.93847	Ferric_reduct, TM, Ferric_reduct,	NM_016931:Homo sapiens NADPH oxidase 4 (	9.1
10	400285			TM,ABC_tran,ABC_membrane,	Eos Control	8.8
	408380	AF123050	Hs.44532	SS,TM,ubiquitin,7tm_3,ANF_receptor,sushi	diubiquitin .	8.6
	409203	AA780473	Hs.687	SS,p450,SS,p450	cytochrome P450, subfamily IVB, polypept	8.3
		NM_003866		SS,SS	inositol polyphosphate-4-phosphatase, ty	8.3
		X65724	Hs.2839	SS,Cys_knot,SS	Norrie disease (pseudoglioma)	8.3
15		R45154	Hs.106604	death,ZU5,pkinase,Activin_recp.	ESTs	8.3
13						
		M81057	Hs.180884	SS,Zn_carbOpept,Propep_M14,SS,Propep_N		8.2
		M90516	Hs.1674	GATase_2,SIS,	glutamine-fructose-6-phosphate transamin	8.1
		AW242243		SS,TM,WD40,ubiquitin,E1-E2_ATPase,Cation	peroxisomal famesylated protein	7.8
	413374	NM_001034	4Hs.75319	SS	ribonucleotide reductase M2 polypeptide	7.6
20	432677	NM_004483	2Hs.278611	SS,TM,Glycos_transf_2,Ricin_B_lectin,DPP	UDP-N-acetyl-alpha-D-galactosamine:polyp	7.6
		D38299	Hs.170917	SS,TM,7tm_1,	prostaglandin E receptor 3 (subtype EP3)	7.5
		A1240665		SS,TM,disintegrin,Pep_M12B_propep,Reprol		7.3
		Y12735	Hs.38018	pkinase,	dual-specificity tyrosine-(Y)-phosphoryl	7.2
0.5		U37519	Hs.87539	SS,aldedh,SS,aldedh,	aldehyde dehydrogenase 3 family, member	7.2
25 ·	410555	·U92649	Hs.64311	TM, disintegrin, Reprolysin,	a disintegrin and metalloproteinase doma	. 7.1
	443695	AW204099	Hs.337720		ESTs, Weakly similar to AF126780 1 retin	6.9
-		AP000692		GAF,PDEase .	chromosome 21 open reading frame 5	6.8
	401045			ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE_		
	401045	C11001883	*:aii67532781ra	f[NP_033938.1] c	-P 6.7	
30	440000					C 7
30		R41823	Hs.7413	TM,EPH_lbd,pkinase,SAM,fn3,	ESTs; calsyntenin-2	6.7
		A1655499	Hs.161712	TM,Activin_recp,pkinase,death,ZU5,	ESTs	6.6
	404091			TM,7tm_3,ANF_receptor,	Target Exon	6.6
	450865	A1248013	Hs.106532	zf-C2H2	ESTs, Weakly similar to 138588 reverse t	6.5
	424085	NM_002914	4Hs.139226	SS,AAA,Viral_helicase1,rrm,	replication factor C (activator 1) 2 (40	6.5
35		AF055575		TM,ion_trans,SS,TM,ion_trans,	calcium channel, voltage-dependent, L ty	6.4
-		AA932186		TM,7tm_1,	ESTs	6.2
		NM_00502			serine (or cysteine) proteinase inhibito	6.2
				SS, serpin,		
		AW167087		SS,ig,Sema,pkinase,	ESTs	6.2
40		R45503	Hs.97469	SS,TM	ESTs, Highly similar to A39769 N-acetyll	6.1
. 40		Y00272	Hs.184572	SS,pkinase,pkinase	cell division cycle 2, G1 to S and G2 to	6.1
	400300	X03363		SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu	riHER2 receptor tyrosine kinase (c-erb-b2,	6.1
		NM_01209	3Hs.18268	SS,adenylatekinase,	adenylate kinase 5	6.1
	402230			SS,TM,p450,	Target Exon	6.1
•		J05070	Hs.151738	SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe		5.8
45						
43		Al572739	Hs.195471	6PF2K,PGAM,	6-phosphofructo-2-kinase/fructose-2,6-bi	5.8
		X81334	Hs.2936	SS,Peptidase_M10,hemopexin,SS,Peptidase		5.6
	400286	NA		SS,TM,ABC_tran,ABC_membrane,SS	C16000922:gi 7499103 pir  T20903 hypothe	5.6
	425247	NM_00594	0Hs.155324	SS,Peptidase_M10,hemopexin,SS	matrix metalloproteinase 11 (MMP11; stro	5.4
	434737	AA828246	Hs.291884	UCH-1,pkinase,OPR,Rhodanese,AMP-binding	g,ESTs	5.4
50	439310	AF086120	Hs.102793	SS,TM,UDPGT,casein_kappa	ESTs	5.2
		AI806867		SS,TM,Phosphodiest,	ESTs	5.2
	452355	N54926	Hs.29202	TM,7tm_1,TM	G protein-coupled receptor 34	5.2
			Hs.180408			
		M31659		SS	solute carrier family 25 (mitochondrial	5.2
~ ~			Hs.200102	SS,TM,ABC_tran,ABC_membrane,	ATP-binding cassette transporter MRP8	5.1
55	425325	X52730	Hs.1892 *	SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_	TEMT,STAR	
		phenyletha	nolamine N-me	thyltransferase	5.1	
	448706	AW291095	Hs.21814	SS,TM,pkinase,	interleukin 20 receptor, alpha	5.1
	403593			CIDE-N,pkinase	Target Exon	5.1
		AA564991	He 260/77	alpha-amylase,		5.0
60					ESTs	
60		AI281848		SS,TM,7tm_3,Ribosomal_L13	retinoic acid induced 3	4.9
		NM_00016		SS,Melibiase,BTK,PH,pkinase,SH2,SH3,Ribo		4.9
		W88559	Hs.1787	TM,ion_trans,K_tetra,	proteolipid protein 1 (Pelizaeus-Merzbac	4.9
	411096	U80034	Hs.68583	Peptidase_M3.	mitochondrial intermediate peptidase	4.9
	450506	NM_00446	0Hs.418	SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV_		4.9
65		AA641836		SS,trypsin	hypothetical protein FLJ23186	4.9
		M73700	Hs.105938	SS,transferrin,7tm_1,transferrin.	lactotransferrin	4.8
	#27422	VIVIUE2238	Hs.323910	SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu		4.8
	421 122	WAAAAA LOO	113.020310		IIII IERZ IEGEPTOI TATOSIIIE WIROSE (C-EIG-02,	7.0

			`	•		
	400181	NA	•	SS,TM,3Beta_HSD,	ENSP00000171555:CDNA FLJ10727 fis, clone	4.6
	452093	AA447453 I	Hs 27860	SS,TM,7tm_1,	Homo sapiens mRNA; cDNA DKFZp586M0723 (f	4.6
•		AA687376			ESTs	4.6
			N5.205333	ASPANIASE, THOUSE IN INC.		
_		AA339449 I		AIRS,formyl_transf,GARS,SS,GARS,AIRS,for	phosphonbosyigiychamide tormyttransier	4.6
. 5	446089	A1860021 I	Hs.270651		ESTs, Moderately similar to A47582 B-cel	4.6
	424420	BE614743	Hs 146688	SS,TM,MAPEG,	prostaglandin E synthase	4.5
	452190		Hs.91668		Homo sapiens clone PP1498 unknown mRNA	4.5
						4.5
		Al345455			GA-binding protein transcription factor,	
	421582	AI910275	Hs.1406	SS,trefoil,SS,TM,ldI_recept_a,SRCR,tryps	trefoil factor 1 (pS2)	4.5
10		AA863360		SS,TM,p450,	ESTs, Weakly similar to fatty acid omega	4.4
10		AW294092		SS,ras,Y_phosphatase,ras	hypothetical protein MGC15754	4.4
•			115.2 1334			4.4
	400205				NM_006265*:Homo sapiens RAD21 (S. pombe)	
	420854	AW296927			gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	4.3
	432690	AF181490	Hs 278627	SS,pyr_redox,SS,Ribosomal_L39	prenylcysteine lyase	4.3
15	441560		Hs.7888	pkinase,	Homo sapiens clone 23736 mRNA sequence	4.3
13						4.3
		AL043004		SS,pkinase,	KIAA0135 protein	
	439024	R96696	Hs.35598	SS,TM,trypsin,vwd,ig	ESTs	4.3
	432882	NM_013257	Hs.279696	pkinase,pkinase_C,	serum/glucocorticoid regulated kinase-li	4.2
		AW073310		pkinase,	Homo sapiens cDNA FLJ14142 fis, clone MA	4.2
20				PRINCIPLE DIA LISSES DIGITALINA DIGITALINA		4.2
20	453775	NM_002916	HS.35120	SS,AAA,PI3_PI4_kinase,PI3Ka,PI3K_rbd,PI3		
	431657	Al345227	Hs.105448	SS,TM,pkinase	ESTs, Weakly similar to B34087 hypotheti	4.1
	427899	AA829286	Hs.332053	SS,SAA_proteins,ABC_membrane,ABC_tran,	serum amyloid A1	4.1
		NM_001809		SS,TM,thiolase,	centromere protein A (17kD)	4.1
						4.1
0.5			Hs.1174	ank,ank	cyclin-dependent kinase inhibitor 2A (me	
25	406922	S70284		SS,TM,Desaturase,SS	gb:stearoyl-CoA desaturase [human, adipo	4.1
	439285	AL133916	Hs.172572	SS, ig, pkinase, LRRNT, LRRCT,	hypothetical protein FLJ20093	4.1
			Hs.226117	SS,TM,linker_histone,7tm_1	H1 histone family, member 0	4.1
						4.0
		NM_005357		SS,TM,p450,	lipase, hormone-sensitive	
	425071	NM_013989	Hs.154424	SS,T4_deiodinase,T4_deiodinase,	deiodinase, iodothyronine, type II	4.0
30	424511	BE300512	Hs.193557	SS,Y_phosphatase,Band_41	ESTs, Moderately similar to ALU7_HUMAN A	4.0
50			Hs.190787	SS,TIMP,	tissue inhibitor of metalloproteinase 4	3.9
				SS,Peptidase_M10,SS,Peptidase_M10,hemo		3.9
			Hs.2256		pernatrix metalloproteinase / (www.r., demi	
	414831	M31158	Hs.77439	SS,cNMP_binding,RIIa,HMG_box	protein kinase, cAMP-dependent, regulato	3.9
	413589	AW452631	Hs.313803	SS,abhydrolase	ESTs, Highly similar to AF157833 1 noncl	3.8
35		BE247550		SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas	growth factor receptor-bound protein 7	3.8
22					ESTs	3.8
		AA129640	MS. 120000	SS,Peptidase_C1,gpdh		
	403943			p450,SS,p450	C5000355:gi]4503225 ref NP_000765.1  cyt	3.8
	444618	AV653785	Hs.173334		ELL-RELATED RNA POLYMERASE II, ELONGATIO	3.8
		AA057264		SS,TM,7tm_1,	ESTs, Weakly similar to (defline not ava	3.8
40				SS,lipase,PLAT,Sec7,PH,	lipoprotein lipase	3.7
40			Hs.180878			
			Hs.83758	CKS,SS,CKS,	CDC28 protein kinase 2	3.7
	454071	AI041793	Hs.42502	TM,7tm_1,	ESTs	3.7
		Y08565	Hs.151678	Glycos_transf_2,Ricin_B_lectin,SS,Glycos	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.7
					DNA replication factor	3.7
45		AW301344		SS,Pribosyltran,Sulfatase		3.7
45	417601	NM_014735	HS.82292	PHD,pkinase,SS	KIAA0215 gene product	
	446619	AU076643	Hs.313	SS,TM,efhand,ion_trans	secreted phosphoprotein 1 (osteopontin,	3.7
		Y13647	Hs.119597	SS,TM,Desaturase,SS	stearoyl-CoA desaturase (delta-9-desatur	3.6
		AW207175		SS,7tm_1,SPRY,	ESTs	3.6
						3.6
	426310	NM_000909	3HS.169266	SS,TM,7tm_1,	neuropeptide Y receptor Y1	
50	417531	NM_003157	7Hs.1087	SS,pkinase,vwa,vwa,Glyco_transf_8	serine/threonine kinase 2	3.6
		NM_014400		SS,PH,lactamase_B	GPI-anchored metastasis-associated prote	3.6
	424402	Al791493	Un 120072	SS,p450,p450	ESTs, Weakly similar to A36036 cytochrom	3.6
	451493	A1791493	NS. 123073	99'h430'h430		
	428966	AF059214	HS.19468/		cholesterol 25-hydroxylase	3.6
	414175	Al308876	Hs.103849	TM,hemopexin,Peptidase_M10,hemopexin,P	ephypothetical protein DKFZp761D112	3.6
55	455325	AW895719		TM,ion_trans,K_tetra,	gb:QV4-NN0039-290300-154-f06 NN0039 Homo	3.6
55	42050	NM_00381	CNV 2443	triller-Taguel, Creati	a disintegrin and metalloproteinase doma	3.6
	429597	14141_003611				
		U29344	Hs.83190	Acyl_transf,adh_zinc,ketoacyl-synt,pp-bi	fatty acid synthase	3.5
	431854	AA383550	Hs.271699	IMS,SS	polymerase (DNA directed) iota	3.5
		S57296	Hs.323910	SS,TM,SH2,PH,pkinase,Recep_L_domain,Fi	uriv-erb-b2 avian erythroblastic teukemia v	3.5
60		AW961400		SS	HER2 receptor tyrosine kinase (c-erb-b2,	3.5
UU						
		AA121098		pkinase,POLO_box,SS,pkinase,POLO_box,	serum-inducible kinase	3.5
	454042	H22570	Hs.172572	SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	3.5
		AA116021		SS,UCH-1,UCH-2,SS,TM,G_glu_transpept	ubiquitin specific protease 18	3.5
	404404	AE020244	Hc 0020	Peptidase_M24,	histone deacetylase 5	3.5
65	401464	AF039241	H5.5020			3.5
65			Hs.177534	DSPc,Myosin_tail,	dual specificity phosphatase 10	
	412049	N53437	Hs.18268 -	SS,adenylatekinase,	adenylate kinase 5	3.5
		U25128	Hs.159499	SS,TM,7tm_2,SS,TM,7tm_2	parathyroid hormone receptor 2	3.4
		. 020120		and the second and an experience of the second and an experien		

•	407846 AA426202 Hs.40403	TM,ABC_membrane,ABC_tran,Ribosomal_S	4eCbp/p300-interacting transactivator, wit	3.4
•	406925 L34041 Hs.9739	SS,TM,transport_prot,SWIB,RhoGAP,DAG_F	E-glycerol-3-phosphate dehydrogenase 1 (so	3.4
	445873 AA250970 Hs.251946	SS,rm,PABP,pkinase,14-3-3,rm	poly(A)-binding protein, cytoplasmic 1-l	3.4
	418054 NM_002318Hs.83354	SS,TM,mito_carr,Lysyl_oxidase	tysyl oxidase-like 2	. 3.4
5	406815 AA833930 Hs.288036	SS,IPPT,	tRNA isopentenylpyrophosphate transferas	3.4
	410530 M25809 Hs.64173	ATP-synt_ab,SS,7tm_1,ATP-synt_ab	ATPase, H transporting, lysosomal (vacuo	3.4
	407021 U52077	, , , , , , , , , , , , , , , , , , , ,	gb:Human mariner1 transposase gene, comp	3.4
	421168 AF182277 Hs.330780	SS,p450,SS	cytochrome P450, subfamily IIB (phenobar	3.4
	431473 AA825686 Hs.321176	SS	ESTs, Weakly similar to S65824 reverse t	3.4
10	408101 AW968504 Hs.123073	pkinase.	CDC2-related protein kinase 7	3.4
10	422083 NM_001141Hs.111256	lipoxygenase,PLAT,	arachidonate 15-lipoxygenase, second typ	3.3
	411393 AW797437 Hs.69771	SS,sushi,trypsin,vwa,rm,fibrinogen_C,fn	B-factor, properdin	3.3
	435767 H73505 Hs.117874	SS,Peptidase_S8,P,Peptidase_S8,P	ESTs	3.3
	433068 NM_006456Hs.288215	SS.Pribosyltran.	sialyltransferase .	3.3
15	426928 AF037062 Hs.172914	SS,adh_short,TGF-beta,TGFb_propeptide	retinol dehydrogenase 5 (11-cis and 9-ci	3.3
13	414575 H11257 Hs.22968	SS,pkinase,ig,	Homo sapiens clone IMAGE:451939, mRNA se	3.3
		SS, pkillase, ig,	ESTs	3.3
	445941. Al267371 Hs.172636	SS,SS,lipoxygenase,PLAT		3.3 3.3
	444542 AI161293 Hs.280380	SS,SS,Peptidase_M1,EGF,ig,lectin_c,sushi	aminopeptidase	3.3 3.3
20	425741 AF052152 Hs.159412	pkinase,	Homo sapiens clone 24628 mRNA sequence	
20	434228 Z42047 Hs.283978	SS,TM,7tm_1	Homo sapiens PRO2751 mRNA, complete cds	3.3
	433264 D85782 Hs.3229	00.0	cysteine dioxygenase, type I	3.3
	400419 AF084545	SS,Peptidase_M1,	Target	3.3
	439750 AL359053 Hs.57664	TM,integrin_B,Ricin_B_lectin,rrm	Homo sapiens mRNA full length insert cDN	3.3
0.5	417757 R19897 Hs.106604	death,ZU5,pkinase,Activin_recp,	ESTs	3:3
<b>25</b> .	452194 Al694413 Hs.332649	SS,TM,7tm_3,ANF_receptor,sushi	olfactory receptor, family 2, subfamily	3.2
	421458 NM_003654Hs.104576	SS	carbohydrate (keratan sulfate Gal-6) sul	3.2
	443767 BE562136 Hs.9736	SS,PCI,RasGEF,hormone_rec,zf-C4,	proteasome (prosome, macropain) 26S subu	3.2
	422648 D86983 Hs.118893	peroxidase,LRRCT,	Melanoma associated gene	3.2
	423431 AA326062 .	SS,p450,p450	gb:EST29171 Cerebellum II Homo sapiens c	3.2
30	451264 AI768235	SS,Trehalase	gb:wg82g08.x1 Soares_NSF_F8_9W_OT_PA_P_S	3.2
	452110 T47667 Hs.28005	SS,TM,Activin_recp,pkinase	Homo sapiens cDNA FLJ11309 fis, clone PL	3.2
	439963 AW247529 Hs.6793	TM,p450,Ets	platelet-activating factor acetylhydrola	3.2
	453941 U39817 Hs.36820	SS,DEAD,HRDC,helicase_C,	Bloom syndrome	3.1
	406664 L34041 Hs.9739	SS,TM,transport_prot,SWIB,RhoGAP,DAG_	PE-	glycerol-3-
35	phosphate dehydrogenase 1 (so	3.1	•	
	453487 R31770 Hs.23540	TM,7tm_1,	ESTs	3.1
	420911 U77413 Hs.100293		O-linked N-acetylglucosamine (GlcNAc) tr	3.1
	443171 BE281128 Hs.9030	SS,TM,7tm_1,rrm,SS	TONDU	3.1
	452256 AK000933 Hs.28661	TM,GDI,7tm_1,	Homo sapiens cDNA FLJ10071 fis, clone HE	3.1
40	432201 Al538613 Hs.298241	SS,TM,trypsin,SS,TM,trefoil,trypsin,tref	Transmembrane protease, serine 3	3.1
	419150 T29618 Hs.89640	TM,pkinase,fn3,	TEK tyrosine kinase, endothelial (venous	3.1
	444443 Al149286 Hs.55099	SS	rab6 GTPase activating protein (GAP and	3.1
	426283 NM_003937Hs.169139	.00	kynureninase (L-kynurenine hydrolase)	3.1
	436291 BE568452 Hs.5101	SS.abhydrolase.	protein regulator of cytokinesis 1	3.1
45	450223 AA418204 Hs.241493	SS,abilydrolase, SS,pro_isomerase,	natural killer-tumor recognition sequenc	3.1
73 .	424269 AW137691 Hs.199754	SS,TM,7tm_2,GPS	ESTs	3.1
	448105 AW591433 Hs.298241	SS,TM,trefoil,trypsin,trefoil	Transmembrane protease, serine 3	3.0
	452560 BE077084 Hs.336432	SS,rm,zf-RanBP,pkinase,C2,pkinase_C,DA		3.0
	402000 DEV//004 FIS.330432	55,HH,ZrRahbr,pkillase,OZ,pkillase_O,DA		3.0

#### TABLE 21A

Table 21 A shows the accession numbers for those pkeys lacking unigeneID's for Table 21. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	Λ
ı	υ

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene cluster number
Accession:	Genbank accession numbers

	Pkey	CAT number	Accessions
20	420854	197072_1	AW296927 AI684514 AI263168 AA281079
	423431	228162_1	AA326062 AA325758 AW962182
	423945	233566_1	AA410943 AW948953 AA334202 AA332882
	451264	863988_1	AI768235 R31400 H29082 H23107
	455325	1279475_1	AW895719 N31451 N41451
	456207	1650781	AA193450

#### TABLE 21B

Table 21B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 21. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset  Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

1 ~				
15	Pkey	Ref	Strand	Nt_position
	401045	8117619	Plus	90044-90184,91111-91345
	402230	9966312	Minus	29782-29932
20	402408	9796239	Minus	110326-110491
	402578	9884928	Plus	66350-66496
	403593	6862650	Minus	62554-62712,69449-69602
	403943	7711864	Plus	100742-100904.101322-101503
	404091	7684554	Minus	82121-83229

# TABLE 22: 739 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

Table 22 shows 739 genes up-regulated in breast cancer compared to normal adult breast. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the denominator was the 85<sup>th</sup> percentile value for 12 non-malignant breast specimens, and the 96<sup>th</sup> percentile value amongst the 73 breast cancers was greater than or equal 100 units.

10

15

Pkey:	Unique Eos probeset identifier number
ExAccn:	Exemplar Accession number, Genbank accession number
UnigeneID:	Unigene number
Unigene Title:	Unigene gene title
R1:	Ratio of 90th percentile tumor to 85th percentile normal breast tissue

20 ·	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
20	400292	AA250737	Hs.72472	BMP-R1B	51.5
	424735		Hs.272499	short-chain alcohol dehydrogenase family	38.3
		Al127076	Hs.334473	hypothetical protein DKFZp564O1278	29.9
		AL137517	Hs.334473	hypothetical protein DKFZp564O1278	26.9
25		AL137317 Al955040	Hs.265398	ESTs, Weakly similar to transformation-r	25.8
23	431211		Hs.323733	gap junction protein, beta 2, 26kD (conn	23.2
		X54942	Hs.83758	CDC28 protein kinase 2	22.6
		AA046309	NS.03130	gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	19.8
		AA353776	Hs.901	CD48 antigen (B-cell membrane protein)	18.9
30	446921		Hs.16530	small inducible cytokine subfamily A (Cy	18.0
50	409041		Hs.50081	KIAA1199 protein	17.6
		AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	17.6
	407824		Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	17.1
		A1263307	Hs.239884		17.0
35	407137		113.200007	gb:ye53h05.s1 Soares fetal liver spleen	16.1
33		D90041	Hs 155956	N-acetyltransferase 1 (arylamine N-acety	16.1
		A1440266	Hs.170673		16.0
		AA321649	Hs.2248	small inducible cytokine subfamily B (CX	15.5
		NM_01439		similar to lysosome-associated membrane	15.1
40		AL120862	Hs.124165	programmed cell death 9 (PDCD9)	14.9
.0		AA746503	Hs.283313		14.7
		H60720	Hs.81892	KIAA0101 gene product	14.4
		AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082	
		AI768015	Hs.92127	ESTs	14.2
45		A1733881	Hs.72472	BMP-R1B	14.1
		AW840171			13.8
		AL120659	Hs.6111	aryl-hydrocarbon receptor nuclear transl	13.8
	400205			NM_006265*:Homo sapiens RAD21 (S. pomb	e)13.5
		AA489732	Hs.154918		13.4
50		AA948033	Hs.130853	ESTs	13.3
	451952	AL120173	Hs.301663		13.2
		BE280074	Hs.23960	cyclin B1	13.2
	406685			qb:Human nonspecific crossreacting antig	13.0
	406690	M29540	Hs.220529	carcinoembryonic antigen-related cell ad	12.8
55	429925	NM_00078	6Hs.226213		12.8
	416498	U33632	Hs.79351	potassium channel, subfamily K, member 1	12.7
	432378		Hs.146133	ESTs	12.5
	441377	BE218239	Hs.202656	ESTs	12.5
		AA193450		gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sa	pi12.4
60		AA436989	Hs.121017	H2A histone family, member A	12.2
	407811	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon	12.2
	407178	AA195651	Hs.104106	ESTs	12.2

	420024	A FO44407	Un 400424	amall to describe a state of Double of the 10.	40.4
		AF044197	HS. 100431		12.1
	421727				12.0
			Hs.132586		12.0
_		H44186	Hs.15456	PDZ domain containing 1	11.9
5		BE178536			11.8
				calmodulin 2 (phosphorylase kinase, delt	11.7
	416602	NM_006159	3Hs.79389	nel (chicken)-like 2	11.7
	433365	AF026944	Hs.293797	ESTs	11.6
	437866	AA156781	Hs.74170	metallothionein 1E (functional)	11.5
10	412472	AW975398	Hs.293836		11.4
	416030		Hs.21948	ESTs	11.3
		AW600291		hypothetical protein FLJ10430	11.3
	420757		Hs.99915	androgen receptor (dihydrotestosterone r	11.3
		BE336654		H3 histone family, member A	11.2
15		AI633559	Hs.310359		11.2
13					
•		AA765694			11.0
		AI684808		programmed cell death 9 (PDCD9)	10.9
		N78223		transcription factor	10.7
20		AA576953		hypothetical protein FLJ13352	10.6
20		AW965339			10.6
	447268	Al370413	Hs.36563	hypothetical protein FLJ22418	10.4
	424001 -	W67883	Hs.137476	paternally expressed 10	10.4
	447342	Al199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	10.4
	424905	NM_002497	7Hs.153704	NIMA (never in mitosis gene a)-related k	10.1
25		H87648	Hs.33922	Homo sapiens, clone MGC:9084, mRNA, com	p10:1
		AW167087	Hs.131562		10.1
				Homo sapiens cDNA FLJ11382 fis, clone HE	
		AA399272			10.1
		AI624342			10.0
30		A1926047	Hs.162859		10.0
50		AL355715		programmed cell death 9	9.9
		AW966399			9.9
			Hs.2910	hypothetical protein FLJ20086	
		Y00971		phosphoribosyl pyrophosphate synthetase	9.9
35		H23789	Hs.144530		9.9
33		A1655499	Hs.161712		9.8
		AV660345		CGI-49 protein	9.8
		BE613126	HS.4//83	B aggressive lymphoma gene	9.7
		C16391		gb:C16391 Clontech human aorta polyA mRN	
40		AA151342		CGI-147 protein	9.7
40	443462	AI064690	Hs.171176	ESTs	9.7
	442145	AI022650	Hs.8117	erbb2-interacting protein ERBIN	9.7
	435570	AF212222	Hs.177812	uncharacterized bone marrow protein BM04	9.7
	439820	AL360204	Hs.283853	Homo sapiens mRNA full length insert cDN	9.6
	428966	AF059214	Hs.194687	cholesterol 25-hydroxylase	9.6
45	449448	D60730	Hs.57471	ESTs	9.6
	433929	Al375499	Hs.27379	ESTs ·	9.5
	432731	R31178	Hs.287820	fibronectin 1	9.3
		AA156679	Hs.125790	leucine-rich repeat-containing 2	9.3
		R17798	Hs.7535	COBW-like protein	9.3
50		U80736		trinucleotide repeat containing 9	9.2
-		AJ224741	Hs.278461		9.2
		AF086270		heterochromatin-like protein 1	9.2
		AA410943	113.270334	gb:zt32h03.r1 Soares ovary tumor NbHOT H	
•		BE093589	He 20170	hypothetical protein FLJ23468	9.1
55	_				
55		AI337735		ESTs, Moderately similar to ZN91_HUMAN Z	
		AW732573		potassium voltage-gated channel, delayed	9.0
		AI076089	Hs.292239		9.0
		Y00272		cell division cycle 2, G1 to S and G2 to	8.9
<b>C</b> O		AI767756	Hs.82302	Homo sapiens cDNA FLJ14814 fis, clone NT	
60	402408			NM_030920*:Homo sapiens hypothetical pro	
		AA279490	Hs.86368	calmegin	8.8
		W03242	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA s	
		Al198719	Hs.176376		8.8
		AW296024	Hs.150434	ESTs	8.8
65	446142	AI754693	Hs.145968	ESTs	8.8
		A1745649	Hs.26549	KIAA1708 protein	8.7
	447178	AW594641			8.7

PCT/US02/02242

	427585	D31152	Hs 179729	collagen, type X, alpha 1 (Schmid metaph	8.6
	415857	AA866115	Hs.127797	Homo sapiens cDNA FLJ11381 fis, clone HE	
			Hs.163944		8.6
					8.4
5	417866	AW067903	Hs.82772	collagen, type XI, alpha 1	8.4
	437211	AA382207	Hs.5509	ecotropic viral integration site 2B	8.3
		AA767373		ESTs, Moderately similar to ALU1_HUMAN A	
				DKFZP434G232 protein	8.2
10	440941	BE268362	HS.7535		8.2
10				protein tyrosine phosphatase, receptor t zinc finger protein 281	8.2 8.2
	431725	AJ132592		Norrie disease (pseudoglioma)	8.1
		AI283476	Hs.263478		8.1
		AW876523		hypothetical protein FLJ12910	8.1 .
15		AI811202		Homo sapiens cDNA: FLJ23523 fis, clone L	8.1
	421650	AA781795	Hs.122587	ESTs	8.0
	429534	AW976987	Hs.163327	ESTs, Weakly similar to 2109260A B cell	8.0
				DNA replication factor	8.0
•			Hs.143134		8.0
20		AA379597		HSPC150 protein similar to ubiquitin-con	8.0
				AF15q14 protein adenosine monophosphate deaminase (isofo	8.0
	418250	U29926	Hs.83918	Eos Control	7. <del>9</del> 7.9
		AF039241	Hs.9028	histone deacetylase 5	7.9
25		M18728	7.0.0020	gb:Human nonspecific crossreacting antig	7.8
		D43945	Hs.113274	transcription factor EC	7.8
		AA993527	Hs.293907	hypothetical protein FLJ23403	7.8
	444542	AI161293		aminopeptidase	7.8
• •		A1683487		wingless-type MMTV integration site fami	7.7
30		AL110216	Hs.12285	ESTs, Weakly similar to I55214 salivary	7.6
		H69912	Hs.48269	vaccinia related kinase 1	7.6 7.6
		T27503	Hs.15929	hypothetical protein FLJ12910 hypothetical protein FLJ10879	7.6 7.6
		AK001741		kynureninase (L-kynurenine hydrolase)	7,5
35		J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	7.5
55		NM_01629		bridging integrator 2	7.5
		H69125	Hs.133525		7.5
	406639	M97711		gb:Human T-cell receptor (V beta 18.1, J	7.5
40		AW512260		ESTs .	7.4
40				kinesin protein 9 gene	7.4
		NM_00180		centromere protein A (17kD)	7.4 m7.4
•	44/555	A1391662	MS. 160963	Homo sapiens, clone MGC:12318, mRNA, co ELL-RELATED RNA POLYMERASE II, ELON	HII7.4 JGATIO7 3
		BE391804		guanylate binding protein 1, interferon-	7.3
45	400268		113.02001	NM_003292:Homo sapiens translocated pron	
		AF086332	Hs.58314	ESTs	7.3
	407771	AL138272	Hs.62713	ESTs	7.3
		N58172	Hs.109370		7.3
50				carboxylesterase 2 (intestine, liver)	7.2
50		AF129535		F-box only protein 5	7.1 7.1
		A1073913		ESTs, Weakly similar to JE0350 Anterior	VET O
		AA398155		ESTs, Weakly similar to LEU5_HUMAN LEU!	7.0
		A1475858		gb:tc87d07.x1 NCI_CGAP_CLL1 Homo sapid	
55			Hs.326736	Homo sapiens breast cancer antigen NY-BR	7.0 ·
		BE062906		KIAA1546 protein	7.0
		AK001468		anillin (Drosophila Scraps homolog), act	7.0
			Hs.167771		6.9
60			1 Hs.301927		6.9
60		AI263293		cytochrome P450, subfamily IIJ (arachido serine/threonine protein kinase MASK	6.8 6.8
		AW50010		GDNF family receptor alpha 1	6.8
	414080	AA135257	Hs.47783	B aggressive lymphoma gene	6.8
	441243		Hs.193002		6.7
65	408380	AF123050	Hs.44532	diubiquitin	6.7
•	422956	BE545072	Hs.122579	hypothetical protein FLJ10461	6.7
	446651	AA393907	Hs.97179	ESTs	6.7
					-

				•	
	419839	U24577	Hs.93304 -	phospholipase A2, group VII (platelet-ac	6.7
	437740	AA810265	Hs.122915		6.7
	421582	Al910275	Hs.1406	trefoil factor 1 (pS2)	6.7
_	427356	AW023482	Hs.97849	ESTs	6.6
5	429597	NM_003816	Hs.2442	a disintegrin and metalloproteinase doma	6.6
	422634	NM_016010	Hs.118821	CGI-62 protein	6.6
	421072	Al215069	Hs.89113	ESTs	6.5
	427718	A1798680	Hs.25933	ESTs	6.5
	411000	N40449	Hs.201619	ESTs, Weakly similar to S38383 SEB4B pro	6.5
10		Al151418	Hs.272458	protein phosphatase 3 (formerly 2B), cat	6.4
	409757	NM_001898	Hs.123114	cystatin SN	6.4
			Hs.17518	Homo sapiens cig5 mRNA, partial sequence	6.4
	456938	X52509	Hs.161640	tyrosine aminotransferase	6.4
	418848	AI820961	Hs.193465		6.4
15	424902	NM_003866	Hs.153687	inositol polyphosphate-4-phosphatase, ty	6.4
	452838		Hs.30743	preferentially expressed antigen in mela	6.4
	439452	AA918317	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro	6.4
	407266	AJ235664		gb:Homo sapiens mRNA for immunoglobulin	6.3
	411078	AI222020	Hs.182364	CocoaCrisp	6.3
20	433001	AF217513	Hs.279905	clone HQ0310 PRO0310p1	6.3
	434340	Al193043		ESTs, Weakly similar to T17226 hypotheti .	6.2
	429503	AA394183	Hs.26873	ESTs	6.2
	402578			C1001134:gi 2117372 pir  165981 fatty ac	6.2
	409646	AW161391	Hs.709	deoxycytidine kinase	6.1
25	430447	W17064	Hs.332848		6.1
	432415	T16971	Hs.289014		6.1
	443709	Al082692	Hs.134662	ESTs	6.1
	420929	Al694143	Hs.296251	programmed cell death 4	6.1
	428368	BE440042	Hs.83326	matrix metalloproteinase 3 (stromelysin	6.1
30	428248	Al126772	Hs.40479	ESTs	6.0
		BE463721	Hs.97101	putative G protein-coupled receptor	6.0
		U23752	Hs.32964	SRY (sex determining region Y)-box 11	6.0
	425397			topoisomerase (DNA) II alpha (170kD)	6.0
25	418007		Hs.83169	matrix metalloproteinase 1 (MMP1; inters	6.0
35		AB007863		KIAA0403 protein	6.0
		AA761605		ESTs, Weakly similar to ALU1_HUMAN ALU	
		AA583206		RAR-related orphan receptor A	6.0
		M31126		matrix metalloproteinase 11 (MMP11; stro	6.0
40		R45154	Hs.106604		6.0
40				ESTs, Weakly similar to Con1 [H.sapiens]	6.0
		AA972965 X81334			6.0
		AA100847	Hs.2936	matrix metalloproteinase 13 (collagenase	6.0
		AI831297		ESTs, Highly similar to AF174600 1 F-box	5.9
45		AW972512	Hs.123310	sin3-associated polypeptide, 30kD	5.9 5.9
73		AW803341	113.20303	gb:IL2-UM0079-090300-050-D03 UM0079 Ho	
		BE548555	He 118554	CGI-83 protein	5.9
	_	AI793124	Hs.144479		5.9
•	441881			hypothetical protein FLJ22624	5.8
50		AI005043	Hs.24143	Wiskott-Aldrich syndrome protein interac	5.8
•		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	5.8
		A1375572	Hs.172634	• •	5.8
		AA305599		hypothetical protein PRO2013	5.8
		AA306105		SEC22, vesicle trafficking protein (S. c	5.8
55		AI571940	Hs.7549	ESTs	5.8
		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	5.8
		Al299139	Hs.17517	ESTs	5.8
		A1033965		sterol-C4-methyl oxidase-like	5.8
		X07820	Hs.2258	matrix metalloproteinase 10 (MMP10; str	5.7
60		AV657117		ESTs, Moderately similar to S65657 alpha	5.7
		AA831879			5.7
•		W47595		transforming growth factor, beta 2	5.7
	452401	NM_007115	5Hs.29352	tumor necrosis factor, alpha-induced pro	5.7
	448663	BE614599	Hs.106823	hypothetical protein MGC14797	5.7
65	438199	AW016531	Hs.122147	ESTs	5.7
	446203	Z47553	Hs.14286	flavin containing monooxygenase 5	5.7
	428336	AA503115	Hs.183752	microseminoprotein, beta-	5.6

	430379	AF134149	Hs.240395	potassium channel, subfamily K, member 6	5.6
		BE218705	Hs.121378		5.6
		AL044878	Hs.11899	3-hydroxy-3-methylglutaryl-Coenzyme A re	5.6
		AF098158	Hs.9329	chromosome 20 open reading frame 1	5.6
5	400301		Hs.1657	estrogen receptor 1	5.6
5		AW885727			
					5.6
		AL157504		Homo sapiens mRNA; cDNA DKFZp586O072	
		AA906288			5.5
10	439809			hypothetical protein FLJ23045	5.5
10		AW419196		••	5.5
•		BE247706	Hs.89751	membrane-spanning 4-domains, subfamily A	
	401645			C16001440*:giJ12330704JgbJAAG52890.1JAF	
		BE277414		mel transforming oncogene (derived from	5.5
1.5		AI734009		KIAA1603 protein	5.4
15		A1742605	Hs.193696		5.4
		NM_015986		cytokine receptor-like molecule 9	5.4
	437536		Hs.144465		5.4
		R28363	Hs.24286	ESTs	5.4
	452741	BE392914	Hs.30503	Homo sapiens cDNA FLJ11344 fis, clone PL	5.4
20	426214	H59846	Hs.128355	ESTs, Moderately similar to ALU7_HUMAN A	5.4
	413554	AA319146	Hs.75426	secretogranin II (chromogranin C)	5.4
	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (COM	5.4
	434263	N34895	Hs.44648	ESTs	5.4
	446382	AW205168	Hs.150823	ESTs	5.4
25	422406	AF025441	Hs.116206	Opa-interacting protein 5	5.3
	438321	AA576635	Hs.6153	CGI-48 protein	5.3
	418310	AA814100	Hs.86693	ESTs	5.3
	419625	U91616	Hs.91640	non-, r factor of kappa light polypeptid	5.3
	450701	H39960	Hs.288467	Harmaniens cDNA FLJ12280 fis, clone MA	5.3
30	445900	AF070526	Hs.13429		5.2
	449051	AW961400	Hs.333526	hit.A., receptor tyrosine kinase (c-erb-b2,	5.2
	418758	AW959311	Hs.172012	hypothetical protein DKFZp434J037	5.2
	431070	AW408164	Hs.249184	transcription factor 19 (SC1)	5.2
	417079	U65590	Hs.81134	interleukin 1 receptor antagonist	5.2
35	421928				5.2
	428804			• 1	5.2
		AF077345	Hs.177936		5.2
	403485			C3001813*:gi 12737279 ref XP_012163.1  k	5.2
40		AA586894		S100 calcium-binding protein A7 (psorias	5.1
40	421937			hematological and neurological expressed	5.1
	426752		Hs.172004		5.1
		X70697	Hs.553	solute carrier family 6 (neurotransmitte	5.1
		M81933	Hs.1634	cell division cycle 25A	5.1
15	412281		Hs.14119	ESTs	5.1
45				ESTs, Moderately similar to ALU7_HUMAN A	
		AL121278	Hs.25144	ESTs	5.1
	404347			Target Exon	5.1
		M30703	Hs.270833		5.1
		D28235	Hs.196384	prostaglandin-endoperoxide synthase 2 (p	5.1
50		BE568452	Hs.5101	protein regulator of cytokinesis 1	5.1
	450603	R43646	Hs.12422	ESTs	5.1
		AK000796	Hs.4104	hypothetical protein	5.0
	435981		Hs.188620		5.0
		AA993138		ESTs, Weakly similar to ALUF_HUMAN !!!!	5.0
55			Hs.267695	UDP-Gal:betaGlcNAc beta 1,3-galactosyltr	5.0
	405348			C7001664:gi[12698061]dbj[BAB21849.1] (AB	
	436196	AK001084	Hs.333498	Homo sapiens cDNA FLJ10222 fis, clone HE	5,0
	437065	AL036450	Hs.103238		5.0
	410196	A1936442	Hs.59838	hypothetical protein FLJ10808	5.0
60	429412	NM_00623	5Hs.2407	POU domain, class 2, associating factor	5.0
	446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,	4.9
	403329			Target Exon	4.9
	442875	BE623003		Homo sapiens clone TCCCTA00142 mRNA s	equ4.9
	442441	AI820662	Hs.129598	ESTs	4.9
65		AW371048		H4 histone family, member H	4.9
		AW966163		gb:EST378236 MAGE resequences, MAGI Ho	
	408873	AL046017	Hs.182278	calmodulin 2 (phosphorylase kinase, delt	4.9

		AA650274		fibronectin leucine rich transmembrane p	4.9
	432606	NM_002104	Hs.3066	granzyme K (serine protease, granzyme 3;	4.9
	453204	R10799	Hs.191990		4.8
	452020	AA722012	Hs.255757	ESTs, Weakly similar to AT2A_HUMAN POTE	N4.8
5	449048	Z45051	Hs.22920	similar to S68401 (cattle) glucose induc	4.8
	408369	R38438	Hs.182575	solute carrier family 15 (H??? transport	4.8
				dynein light chain-A	4.8
				Homo sapiens cDNA FLJ11576 fis, clone HE	
			Hs.10710	hypothetical protein FLJ20417	4.8
10	421524			GDNF family receptor alpha 1	4.8
			Hs.55468	ESTs	4.8
		AL135173		sorbitol dehydrogenase	4.8
		AL161999		eukaryotic translation termination facto	4.8
			Hs.89584	insulinoma-associated 1	4.8
15		AA233056			4.8
			Hs.157601		4.8
			Hs.26770	fatty acid binding protein 7, brain	4.7
	419968		Hs.93913	interleukin 6 (interferon, beta 2)	4.7
				disintegrin protease	4.7
20		BE242803			4.7
			Hs 198793	Homo sapiens cDNA: FLJ22463 fis, clone H	4.7
		AW192307		dolichyl-P-Glc:Man9GlcNAc2-PP-dolichylgl	4.7
		NM_015310		KIAA0942 protein	4.7
		A1675749		nucleoporin 153kD	4.7
25				glutathione reductase	4.7
23	405801	AF220104	NS. 12 1324	NM_000390:Homo sapiens choroideremia (Ra	
		BE218886	⊔ <sub>0</sub> 202070		4.6
			Hs.28891	hypothetical protein FLJ11360; artemis p	4.6
30				complement component 3a receptor 1	4.6
30		AI864053 AW963062	Hs.39972	ESTs, Weakly similar to I38588 reverse t	4.6
			NS.337404		4.6
	403366	NA		Target Exon	4.6
	402542	A1046074	Un 45607	Target Exon	4.6
35			Hs.15607	Homo sapiens Fanconi anemia complementat	
33			Hs.71465	squalene epoxidase	4.6
				CDP-diacylglycerol synthase (phosphatida	4.6
			Hs.24908	ESTs	4.5
		AW138959			4.5
40			Hs.323117		4.5
40		AW630534		Homo sapiens, clone MGC:9381, mRNA, con	
			Hs.20450	BCM-like membrane protein precursor	4.5
			Hs.49169	KiAA1634 protein	4.5
		AW962128	054004	gb:EST374201 MAGE resequences, MAGG H	
15		AW277121			4.5
45		AI815395	HS.184641	fatty acid desaturase 2	4.5
				ESTs, Weakly similar to 2109260A B cell	4.4
			Hs.120695		4.4
				Homo sapiens winged helix/forkhead trans	4.4
50		AA121673		zinc finger protein 281	4.4
50		AI815206	Hs.99395	ESTs	4.4
	401866			Target Exon	4.4
		AA228776	Hs.191721		4.4
	406348			Target Exon	4.4
<i>- -</i>		AW895387	•	gb:QV4-NN0038-300300-157-c10 NN0038 He	
55		AW297880	Hs.98661	ESTs	4.4
		AW862214		gb:QV4-CT0361-301299-074-b05 CT0361 Ho	
				HSPC039 protein	4.4
	423291	NM_004129	Hs.126590	guanylate cyclase 1, soluble, beta 2	4.4
			Hs.128797	DKFZP586D0824 protein	4.4
60			Hs.91668	Homo sapiens clone PP1498 unknown mRNA	4.4
	424871	NM_004525	Hs.153595	low density lipoprotein-related protein	4.3
		AA706003		ESTs	4.3
	429922	Z97630	Hs.226117	H1 histone family, member 0	4.3
				small inducible cytokine subfamily B (Cy	4.3
65		X03363		HER2 receptor tyrosine kinase (c-erb-b2,	4.3
			Hs.174104		4.3
				hypothetical protein FLJ20725	4.3

PCT/US02/02242

	402044	AIA	ENCDO000315330*-Dehable corine/thmoni	4.2
	403011		ENSP00000215330*:Probable serine/threoni	
		Al365384 Hs.11571	Homo sapiens cDNA FLJ11570 fis, clone HE	
		NM_001949Hs.1189	E2F transcription factor 3	4.3 4.3
5		AA687538 Hs.38972	tetraspan 1	4.3
5		AB014604 Hs.197955 AW188551 Hs.99519	hypothetical protein FLJ14007	4.3
		AI091795 Hs.179246		4.3
			olfactory receptor, family 2, subfamily	4.3
		M63835 Hs.77424	Fc fragment of IgG, high affinity Ia, re	4.2
10			Homo sapiens cDNA FLJ14035 fis, clone HE	
10	452110		Homo sapiens cDNA FLJ11309 fis, clone PL	4.2
		AA301116 Hs.142838		4.2
		AW953937 Hs.12891	ESTs	4.2
			ESTs, Weakly similar to T47184 hypotheti	4.2
15		AI085198 Hs.164226		4.2
			ESTs, Weakly similar to S72482 hypotheti	4.2
	-	BE091926 Hs.16244	mitotic spindle coiled-coil related prot	4.2
		AL039402 Hs.125783		4.2
		AA902953 Hs.308538		4.2
20	409038	T97490 Hs.50002	small inducible cytokine subfamily A (Cy	4.2
	445625	BE246743 Hs.288529	hypothetical protein FLJ22635	4.2
	425139	AW630488 Hs.325820	protease, serine, 23	4.2
	447397	BE247676 Hs.18442	E-1 enzyme	4.2
	410166	AK001376 Hs.59346	hypothetical protein FLJ10514	4.1
25	437295	AW779318 Hs.88417	ESTs	4.1
		BE062109 Hs.241551	·	4.1
		AW294909 Hs.132208		4.1
		BE244074 Hs.58831	regulator of Fas-induced apoptosis	4.1
20		AW973352 Hs.290585		4.1
30		NM_005940Hs.155324		4.1
		AF041163 Hs.74647 BE562826	Human T-cell receptor active alpha-chain	4.1
		AK000136 Hs.10760	gb:601336534F1 NIH_MGC_44 Homo sapien	4.1
			asporin (LRR class 1) conserved gene amplified in osteosarcoma	4.1
35	405850		Target Exon	4.1
55		Al732892 Hs.190489		4.0
		AW292425 Hs.163484		4.0
	400284		estrogen receptor 1	4.0
		N91453 Hs.102987		4.0
40		U20158 Hs.2488	lymphocyte cytosolic protein 2 (SH2 doma	4.0
		AW797437 Hs.69771	B-factor, properdin	4.0
			Human clone 23948 mRNA sequence	4.0
	419594	AA013051 Hs.91417	topoisomerase (DNA) Il binding protein	4.0
22	419092	J05581 Hs.89603	mucin 1, transmembrane	4.0
45	443147	Al034351 Hs.19030	ESTs	4.0
		AW963372 Hs.46677	PRO2000 protein	4.0
		T32982 Hs.102720		4.0
		BE302796 Hs.105097		4.0
50		BE250127 Hs.82906	CDC20 (cell division cycle 20, S. cerevi	3.9
50		AW630088 Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B126	
		AW411479 Hs.848	FK506-binding protein 4 (59kD)	3.9
	404580	AD040045 11a 07657	NM_014112":Homo sapiens trichorhinophala	
•		AB018345 Hs.27657	KłAA0802 protein	3.9
55	459587		gb:zk15e04.s1 Soares_pregnant_uterus_NbF fibrillin 2 (congenital contractural ara	
55		U03272 Hs.79432 AA243464 Hs.294101		3.9
			ATP-binding cassette transporter MRP8	3.9 3.9
		AW134924 Hs.199325		3.9
		X07871 Hs.89476	CD2 antigen (p50), sheep red blood cell	3.9
60			ribosomal protein L26 homolog	3.9
00	442567			3.9
		AF182277 Hs.330780		3.9
		AW935490 Hs.14658	Human chromosome 5q13.1 clone 5G8 mRN	Δ3 Q
		BE019020 Hs.85838	solute carrier family 16 (monocarboxylic	3.9
65		NM_002543Hs.77729	oxidised low density lipoprotein (lectin	3.9
		AA809875 Hs.25933	ESTs	3.9
		NM_007019Hs.93002	ubiquitin carrier protein E2-C	3.9
	•		•	

	430017	AA263172 Hs.35	protein tyrosine phosphatase, non-recept	3.9
•		Al498957 Hs.170861	_	3.8
		AW236861 Hs.193139		3.8
5		NM_002267Hs.3886		3.8
5		U40462 Hs.54452 BE565647 Hs.74899	zinc finger protein, subfamily 1A, 1 (lk hypothetical protein FLJ12820	3.8 3.8
				3.8
	400021	74 000001 (10.100002	AFFX control - HUMISGF3A/M97935_MA	3.8
		BE466639 Hs.61779	Homo sapiens cDNA FLJ13591 fis, clone PL	3.8
10		Al267371 Hs.172636		3.8
		AA631739 Hs.335440		3.8
		AW207206 Hs.136319		3.8
		Al446444 Hs.190394	ESTs, Weakly similar to B28096 line-1 pr C11001883*:qi[6753278 ref[NP_033938.1] c	3.8 3.8
15	401045	AW449612 Hs.152475		3.8
15		NM_001838Hs.1652	chemokine (C-C motif) receptor 7	3.8
		Al660149 Hs.44865	lymphoid enhancer-binding factor 1	3.8
	436391	AJ227892 Hs.146274		3.8
00.		AW068115 Hs.821	biglycan	3.8
20]		Al767949 Hs.179833		3.8
		NM_003512Hs.28777 M81057 Hs.180884	H2A histone family, member L	3.8 3.8
		AA165232 Hs.222069	carboxypeptidase B1 (tissue)	3.8
		AL353944 Hs.50115	Homo sapiens mRNA; cDNA DKFZp761J1112	
25			HER2 receptor tyrosine kinase (c-erb-b2,	3.7
	400286	NA	C16000922:gi 7499103 pir  T20903 hypothe	3.7
-		Al623693 Hs.191533		3.7
		AW900992 Hs.93796	DKFZP586D2223 protein	3.7
30		Al992191 Hs.180040 AA371307 Hs.125056	hypothetical protein FLJ22439	3.7 · 3.7
50			kinectin 1 (kinesin receptor)	3.7
		J03258 Hs.2062	vitamin D (1,25- dihydroxyvitamin D3) re	3.7
		AW406878	gb:UI-HF-BLO-adg-g-06-0-UI.r1 NIH_MGC_37	3.7
		NM_014737Hs.80905	Ras association (RalGDS/AF-6) domain fam	
35 -			Homo sapiens cDNA FLJ11489 fis, clone HE	
		Al633553 Hs.13303	Homo sapiens cDNA: FLJ21784 fis, clone H	3.7 3.7
		N49813 Hs.75615	hypothetical protein FLJ20285 apolipoprotein C-II	3.7
			cell recognition molecule Caspr2	3.7
40			normal mucosa of esophagus specific 1	3.7
	408761	AA057264 Hs.238936	ESTs, Weakly similar to (defline not ava	3.7
	406153		Target Exon	3.7
		AW873606 Hs.149006		3.7
45		Al884911 Hs.32989 AB011152 Hs.22572	receptor (calcitonin) activity modifying KIAA0580 protein	3.7 3.7
43		AF113676 Hs.297681		3.6
		U76248 Hs.20191	seven in absentia (Drosophila) homolog 2	3.6
			hypothetical protein FLJ22490	3.6
	425234	AW152225 Hs.165909	ESTs, Weakly similar to 138022 hypotheti	3.6
.50		X98654 Hs.93837	phosphatidylinositol transfer protein, m	3.6
		AF188625 Hs.189507		3.6
		Z29572 Hs.2556 Al800470 Hs.171941	tumor necrosis factor receptor superfami	3.6 3.6
			transcription factor 2, hepatic; LF-B3;	3.6
55			ESTs, Weakly similar to I38022 hypotheti	3.6
		BE069341	gb:QV3-BT0381-270100-073-c08 BT0381 Ho	mo3.6
	434061	AW024973 Hs.283675		3.6
		AV653264 Hs.13982	Homo sapiens cDNA FLJ14666 fis, clone NT	
60		T60298 Hs.10844	Homo sapiens cDNA FLJ14476 fis, clone MA	
60		NM_U14/88Hs.1/9/U3 AW961434 Hs.31539	KIAA0129 gene product ESTs	3.6 ·
		NM_000402Hs.80206	glucose-6-phosphate dehydrogenase	3.6
		W26187 Hs.3327	Homo sapiens cDNA: FLJ22219 fis, clone H	3.6
	440516	S42303 Hs.161	cadherin 2, type 1, N-cadherin (neuronal	3.6
65		AW015415 Hs.127780		3.6
		BE276891 Hs.194691		3.6
	415079	R43179 Hs.22895	hypothetical protein FLJ23548	3.6

3.4

				•	
		AK001015		BCL2-associated athanogene 2	3.6
			Hs.152812	•	3.6
			Hs.194024		3.6
5		AA380731		interleukin 2 receptor, gamma (severe co	3.6
3	439247	AF088020		EST ESTs	3.6 3.5
		AA351647	Hs.5740	eukaryotic translation elongation factor	3.5
		AI418055	Hs.161160		3.5
			Hs.5814	suppression of tumorigenicity 7	3.5
10	418322	AA284166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	3.5
	439569	AW602166	Hs.222399	CEGP1 protein	3.5
		AI907673		gb:IL-BT152-080399-004 BT152 Homo sapier	
	403212			NM_019595:Homo sapiens intersectin 2 (IT	3.5
15		AK000725		hypothetical protein FLJ20718	3.5
15		AA847843	Hs.62711 Hs.118394	Homo sapiens, clone IMAGE:3351295, mRNA	3.5
	422890	W92147	Hs.75893	ankyrin 3, node of Ranvier (ankyrin G)	3.5
		AI827248		Homo sapiens cDNA FLJ11469 fis, clone HE	
		AA641836		hypothetical protein FLJ23186	3.5
20		AK002135		hypothetical protein FLJ11273	3.5
	439926	AW014875	Hs.137007	ESTs	3.5
		AA250970	Hs.251946		3.4
		BE311926	Hs.15830	hypothetical protein FLJ12691	3.4
25		AW881145	11. <del>77</del> 000	gb:QV0-OT0033-010400-182-a07 OT0033 He	
25		BE390551 W29092		steroidogenic acute regulatory protein r	3.4
		AJ167877	Hs.7678 Hs.143716	cellular retinoic acid-binding protein 1	3.4 3.4
	402470			Target Exon	3.4
			Hs.192249		3.4
30	422414	AW875237	Hs.13701	ESTs	3.4
	433345	AI681545	Hs.152982	hypothetical protein FLJ13117	3.4
		U61412	Hs.51133	PTK6 protein tyrosine kinase 6	3.4
		AA158177		fucosyltransferase 8 (alpha (1,6) fucosy	3.4
35		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	3.4
33	402359	AA447492	HS.20103	ESTs, Weakly similar to AF164793 1 prote C19001991*:gij12656111[gb[AAK00751.1]AF	3:4
		AA284267	Hs.221504		3.4
		F01020	Hs.172004		3.4
		AA812633	Hs.10845	ESTs	3.4
40	429345	R11141	Hs.199695	hypothetical protein	3.4
		AJ271216	Hs.22880	dipeptidylpeptidase III	3.4
		AK001763		hypothetical protein FLJ10901	3.4
		Y18418		RuvB (E ∞li homolog)-like 1	3.4
45		U58766	Hs.194698	tissue specific transplantation antigen	3.4 3.4
43				Homo sapiens, clone IMAGE:3616574, mRN	
		AF037335		carbonic anhydrase XII (tumor antigen H	3.4
		AW392550		proteasome (prosome, macropain) subunit,	3.4
*				KIAA0175 gene product	3.3
50	449571		Hs.200266		3.3
_		Al335773	Hs.270123		3.3
		NM_00050		coagulation factor XII (Hageman factor)	3.3
		AW160375	Hs.84136	amyloid beta (A4) precursor-like protein	3.3
55	418327	U70370 Al627393	Hs.258998	paired-like homeodomain transcription fa ESTs, Weakly similar to high mobility gr	3.3 3.3
55	425999		Hs.332981		3.3
		AA361258		interleukin 7 receptor	3.3
		AA161071	Hs.71465	squalene epoxidase	3.3
	426516		Hs.170197	•	3.3
60	414361		Hs.204044		3.3
				ras-related C3 botulinum toxin substrate	3.3
•	426429			myosin-binding protein C, slow-type	3.3
	446163			prolactin receptor	3.3
65	428566 418641	U41763 BE243136	Hs.184916 Hs.86947	clathrin, heavy polypeptide-like 1 a disintegrin and metalloproteinase doma	3.3
05		AI601188	Hs.120910	ESTs metalloproteinase doma	3.3 3.3
		AA628967		ESTs, Highly similar to IHH_HUMAN INDIAN	3.3
					0.0

430066 AIS99569 Hs.237825 signal recognition particle 72kD displayed AK001455 hs.5198 Down syndrome critical region gene 2 444079 H09048 Hs.23606 ESTs   444079 H09048 Hs.23606 ESTs   424563 AA4895078 Hs.115554 polymerase (DNA directed), eta   425761 AV89078 Hs.115547 human DNA sequence from clone RP11-218( 42563 AA4895078 Hs.112554 human DNA sequence from clone RP11-218( 42563 AA4895078 Hs.151428 human DNA sequence from clone RP11-218( 425628 AV427065 hs.193804 ESTs   450828 AW270655 Hs.193804 ESTs   445142 AW978484 Hs.93842 Homo sapiens mRNA for KIAA 1644 protein, Homo sapiens cDNA: FLJ22554 fis, clone H   445761 AI015709 Hs.172089 Homo sapiens mRNA con KIAA 1644 protein, Homo sapiens cDNA: FLJ22554 fis, clone H   426761 BE300330 Hs.118725 selenophosphate synthetase 2   426761 BE300330 Hs.118725 selenophosphate synthetase 2   426761 BE300330 Hs.118725 selenophosphate synthetase 2   4426761 BE300330 Hs.118725 selenophosphate synthetase 2   4426761 AV479033 Hs.130315 ESTs, Weakly similar to A47582 B-cell gr   40663 U24683 Hs.302063 immunoglobulin heavy constant mu   434137 AA907734 Hs.124895 ESTs   408757 NA   475791 U46258 Hs.336965 ESTs   4047575 NA   475791 U46258 Hs.303965 ESTs   4047575 NA   475791 AW406289 Hs.95539 Hypothetical protein FLJ11526 ESTs   409020 NA   400020 NA   400020 NA   400020 NA   400020 NA   400020 NA   400020 NA   4000380 AA060516 Hs.300697 Hs.214970 minumoglobulin heavy constant gamma 3 (G   NM_002795*:Homo sapiens proteasome (pro   NM_002705** Na   422030 AA60891 Hs.102406 ESTs   420319 AA406489 Hs.102406 Hs.103406 Hs.103406 Hs.		430253				3.3
437786         BE142681         Hs.155573         polymeriase (DNA directed), eta           5 444079         H99182         Hs.21556         ESTs           437125         AA4459078         Hs.118569         DvI-binding protein IDAX (inhibition of           431215         AA4459024         Hs.151428         Hs.193804         ESTs           450828         AW270655         Hs.193804         ESTs           450828         AW397848         Hs.93842         Homo sapiens mRNA; conva DIKT-2p58610224           439273         AW408158         Hs.318893         ESTs         Homo sapiens mRNA; conva DIKT-2p58610224           439273         AW408158         Hs.318893         ESTs, Weakly similar to AA7582 B-cell gr           422616         BE300330         Hs.118725         selenophosphate synthetase 2           422616         BE300333         Hs.138393         ESTs, Weakly similar to A47582 B-cell gr           439101         Co1765         Hs.33750         Hs.324895         ESTs           404759         NA         Hs.339565         ESTs         Weakly similar to A47582 B-cell gr           439101         Co1765         Hs.33760         Hs.349147         ESTs           404759         NA         Hs.321855         ESTs           4047						3.3
5         444079 H09048 Hs. 13656 BSTs         HS.118580 Dvb-binding protein IDAX (inhibition of 431215 AA496078 Hs. 121554 Human DNA sequence from clone RP11-2180 A446532 Hs. 193004 ESTs           10         435215 AA496378 Hs. 151428 ret finger protein 2           45142 AW9798484 Hs. 93842 Hs. 93842 Homo sapiens mRNA for KIAA 1644 protein, 45142 AW9798484 Hs. 93842 Homo sapiens mRNA; CDNA DIFFZp58612022 439237 AW408158 Hs. 138893 ESTs, Weakly similar to A47582 B-cell gr 422616 BE300330 Hs. 118725 selenophosphate synthetase 2           15         443247 BE614387 Hs. 333893 c. Myc target JPO1 406663 Uz4863 Hs. 302053 immunoglobulin heavy constant mu           434137 AA907734 Hs. 124895 ESTs         Hs. 134895 ESTs           408677 AA479033 Hs. 330953 immunoglobulin heavy constant mu         Hs. 38750 immunoglobulin heavy constant mu           408781 Hs. 318693 ESTs         Hs. 33665 ESTs           408793 AW406258 Hs. 33665 Hs. 300597 Move 222 NA         Hs. 34750 Hs. 300597 immunoglobulin heavy constant gamma 3 (G MNL 002795*Homo sapiens proteasome (pro NML 00222 NA           400222 NA         Hs. 246315 Ms. 200597 immunoglobulin heavy constant gamma 3 (G MNL 002795*Homo sapiens proteasome (pro NML 002082*Homo sapiens proteasome (pro Hall 1970) Al793257 Hs. 124515 ESTs           35         40363 AU27644 Hs. 14924 Strinucleolide repeat containing 9 gb:m178605.x5 NCI_CGAP_Pr3 Homo sapiens 422304 AA025384 Hs. 23014 St. 230580 Hs. 13119 St. 230580 Hs. 13119 St. 230580 Hs. 13119						3.3
457183 H91882 Hs. 119569 Dvb-inding protein IDAX (inhibition of 431215 AA496078 Hs. 121554 Human DNA sequence from clone RP11-2180 42263 AA446932 Hs. 151428 ret finger protein 2 450828 AV270655 Hs. 193804 ESTs Homo sapiens mRNA for KIAA1644 protein, 45626 Hs. 1615709 Hs. 172089 Homo sapiens mRNA; cDNA DKFZp58612022 A22616 BE300330 Hs. 118725 selenophosphate synthetase 2 422616 BE300330 Hs. 118725 selenophosphate synthetase 2 422616 BE300330 Hs. 118725 selenophosphate synthetase 2 422616 BE300330 Hs. 1824895 ESTs Weakly similar to A47582 B-cell gr 43247 BE614387 Hs. 333893 C-Myc target JPO1 Hs. 33750 Hypothetical protein FLJ11526 ESTs Weakly Similar to A47582 B-cell gr 439101 C01765 Hs. 33750 Hs. 339655 ESTs Weakly Similar to A47582 B-cell gr 439101 C01765 Hs. 339655 ESTs Weakly Similar to A47582 B-cell gr 439101 C01765 Hs. 339655 ESTs Weakly Similar to A47582 B-cell gr 447519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 447519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 339665 ESTs Weakly Similar to A47582 B-cell gr 477519 U46258 Hs. 326593 Hs. 3200697 Hs. 32006	_					3.3
431215 AA456078 Hs. 121554 Human DNÁ sequence from clone RP11-2186 424553 AA446932 Hs. 151428 iret finger protein 2 408652 R43409 Hs. 150804 ESTs Hs. 193804 ESTs Hs. 193804 ESTs Hs. 15152 AW978484 Hs. 152894 Homo sapiens mRNA for KIAA1644 protein, 426761 Al015709 Hs. 172089 Homo sapiens mRNA; cDNA DKF.2p58612022 439237 AW408158 Hs. 318893 ESTs, Weakly similar to A47582 B-cell gr 422616 BE300330 Hs. 118725 selenophosphate synthetase 2 439247 Refe14387 Hs. 333893 c-Myc target JPO1 immunoglobulin heavy constant mu 434137 AA907734 Hs. 124895 ESTs Weakly similar to A47582 B-cell gr 439101 C01765 Hs. 38750 hypothetical protein FLJ11526 ESTs 447519 U46258 Hs. 33965 ESTs Target Exon 451871 Al821005 Hs. 118599 ESTs Wypothetical protein FLJ11526 ESTs 430580 AA806105 Hs. 300597 immunoglobulin heavy constant gamma 3 (G MN_00278*) Hs. 274454 ESTs, Weakly similar to A47582 B-cell gr 49765 NA 451871 Al821005 Hs. 118599 ESTs Wypothetical protein FLJ11526 ESTs 430580 AA806105 Hs. 300597 immunoglobulin heavy constant gamma 3 (G MN_00278*) Hs. 274454 ESTs, Weakly similar to 138022 hypothetical protein functional minoglobulin heavy constant gamma 3 (G MN_00278*) Hs. 274454 ESTs, Weakly similar to 138022 hypothetical protein functional minoglobulin heavy constant gamma 3 (G MN_00278*) Hs. 27454 ESTs, Weakly similar to 138022 hypothetical protein functional minoglobulin heavy constant gamma 3 (G MN_00278*) Hs. 27454 ESTs, Weakly similar to 138022 hypothetical protein functional minoglobulin heavy constant gamma 3 (G MN_00278*) Hs. 118599 ESTs weakly similar to 138022 hypothetical protein functional minoglobulin heavy constant gamma 3 (G MN_00278*) Hs. 118598 Hs. 274545 Hs. 114924 Hs. 114	5					3.3
424563 AA/46932 Hs.151428 ret finger protein 2 450828 AW270565 Hs. 193804 ESTs 445142 AW978484 Hs.93842 Homo sapiens mRNA for KIAA1644 protein, 445142 AW978484 Hs.93842 Homo sapiens mRNA for KIAA1644 protein, 426761 Al015709 Hs.172089 Homo sapiens mRNA; cDAN PKT-pz68612023 439237 AW408158 Hs.318893 ESTs, Weakly similar to A47582 B-cell gr 42616 BE300330 Hs.118725 selenophosphate synthetase 2 42617 BE3463 Hs.320263 immunoglobulin heavy constant mu 42618 Hs.32095 ESTs 42619 Hs.32095 ESTs 42619 Hs.32095 Hs.320967 immunoglobulin heavy constant mu 42619 Hs.32095						3.3
10				Hs.121554	Human DNA sequence from clone RP11-218C	
10						3.3
445142 AW978484 Hs.93842 Homo sapiens cDNA: FLJ22554 fis, clone H 426761 Al015709 Hs.172089 Homo sapiens mRNA; cDNA DKFZp58612022 Al2616 BE300330 Hs.118725 selenophosphate synthetase 2 42246 BE61437 Hs.330263 LSTs, Weakly similar to A47582 B-cell gr 408663 U24683 Hs.302063 Hs.130315 ESTs Weakly similar to A47582 B-cell gr 408663 U24683 Hs.302063 LSTs, Weakly similar to A47582 B-cell gr 408663 U24683 Hs.302063 LSTs, Weakly similar to A47582 B-cell gr 40821 A4912183 Hs.47447 ESTs Weakly similar to A47582 B-cell gr 409755 NA 451871 Al821005 Hs.118599 LSTs Weakly similar to A47582 B-cell gr 409755 NA 451871 Al821005 Hs.118599 LSTs Weakly similar to A47582 B-cell gr 409755 NA 451871 Al821005 Hs.118599 LSTs Weakly similar to A47582 B-cell gr 40925 NA 400222 NA 400229 NA 400222 NA 400229 NA 400249 NA 4		450828	AW270655		=	3.3
426761 Al015709 Hs.172089 Homo sapiens mRNA; cDNA DKFZp58612022 439237 AW408158 Hs.318893 ESTs, Weakly similar to A47582 B-cell gr 408630 448437 Hs.333893 - Myc target JPO1 408631 V44683 Hs.333803 Hs.181725 408877 AA479033 Hs.124895 ESTs 408877 AA479033 Hs.30315 ESTs, Weakly similar to A47582 B-cell gr 408221 AA912183 Hs.303165 ESTs Weakly similar to A47582 B-cell gr 408221 AA912183 Hs.47447 Hs.339695 Hs.339665 ESTs 404755 NA Hs.339665 ESTs 404755 NA Hs.108299 Hs.96593 400202 NA Hs.108299 Hs.96593 400202 NA Hs.10829 Hs.274454 Hs.246315 Hs.74170 Hs.20829 Hs.274454 Hs.246315 Hs.74170 Hs.20829 Hs.12891 Hs.110826 Hs.20829 Hs.128915 Hs.128916 Hs.128915	10	408652	R43409	Hs.6829		3.3
439237 AW408158 Hs.318893 ESTs, Weakly similar to A47582 B-cell gr 42616 BE300330 Hs.118725 selenophosphate synthetase 2 43247 BE614387 Hs.302063 immunoglobulin heavy constant mu 43137 AA970734 Hs.302063 immunoglobulin heavy constant mu 43137 AA970734 Hs.302065 ESTs, Weakly similar to A47582 B-cell gr 40821 AA912183 Hs.474510 typothetical protein FLJ11526 40821 AA912183 Hs.33965 ESTs 47519 U46258 Hs.339665 ESTs 404755 NA 451871 Al821005 Hs.305695 ESTs 420319 AW406289 Hs.96593 hypothetical protein immunoglobulin heavy constant gamma 3 (G NM_00222 NA 400222 NA 400222 NA 400222 NA 400223 NA 405808 BE550224 Hs.274454 Hs.246315 413633 Al027643 Hs.12912 ESTs 413633 Al027644 Hs.246315 SETs, Moderately similar to ALVT_HUMAN A 424435 Hs.49136 SETs, Weakly similar to ALVT_HUMAN A 425436 Hs.34636 SETs 403030 AA640891 Hs.300697 Hs.102912 ESTs 403030 AA640891 Hs.102406 ESTs, Weakly similar to ALVT_HUMAN A 4244459 Hs.10460 ESTs 403030 AA640891 Hs.246315 SETs, Moderately similar to ALVT_HUMAN A 4244459 Hs.102406 ESTs 403030 AA640891 Hs.02406 ESTs 402032 AA476986 Hs.10263 Hs.02406 ESTs 403030 AA640891 Hs.02406 ESTs		445142	AW978484		Homo sapiens cDNA: FLJ22554 fis, clone H	3.3
15		426761	Al015709	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586I2022	(13.3)
15		439237	AW408158			3.3
15		422616	BE300330	Hs.118725	selenophosphate synthetase 2	3.3
434137 AA479033 Hs.124895 ESTs Weakly similar to A47582 B-cell gr 439101 C01765 Hs.38750 hypothetical protein FLJ11526 20 408221 AA912183 Hs.47447 ESTs 447519 U46258 Hs.339655 ESTs Target Exon 451871 Al821005 Hs.118599 420319 AW406289 Hs.96593 400202 NA 400202 NA 400202 NA 400202 NA 425988 BE045897 Hs.274454 458098 BE550224 Hs.74170 431563 Al027643 Hs.120912 442353 BE379594 Hs.49136 422309 U79745 Hs.118519 ESTs, Weakly similar to A47582 B-cell gr 447519 U46258 Hs.30659 hs.96593 hypothetical protein FLJ11526 ESTs Target Exon ESTs hypothetical protein munoglobulin heavy constant gamma 3 (G NM_002795*Homo sapiens go protein-couple est with the composition of the compositio	15	443247	BE614387			3.3
A08877		406663	U24683	Hs.302063	immunoglobulin heavy constant mu	3.3
408221		434137	AA907734	Hs.124895	ESTs	3.3
408221		408877	AA479033	Hs.130315	ESTs, Weakly similar to A47582 B-cell gr	3.3
A08221		439101	C01765			3.3
447519 U46258 Hs.339665 ESTS	20 ·			Hs.47447		3.3
404755 NA						3.3
451871 Al821005 Hs.118599 420319 AW406289 Hs.96593 hypothetical protein immunoglobulin heavy constant gamma 3 (G 400222 NA 42598 BE045897 Hs.274454 458098 BE550224 Hs.74170 Hs.246315 430589 AJ002744 Hs.246315 422339 U79745 Hs.128151 ESTs Moderately similar to 188022 hypothetical protein immunoglobulin heavy constant gamma 3 (G NM_002795*Homo sapiens G protein-couple STs, Weakly similar to 188022 hypothetic metalloblonein 1E (functional) UDP-N-acetyl-alpha-D-galactosamine:polyp Hs.24333 BE379594 Hs.49136 ESTs, Moderately similar to ALU7_HUMAN A 242339 U79745 Hs.118924 Hs.110825 Hs.110825 Hs.110825 Hs.110825 Hs.110825 Hs.110825 Hs.110825 Hs.110826 Hs.110825 Hs.110826 Hs.110825 Hs.110826 Hs.110825 Hs.110826 Hs						3.3
A20319   AW405289   Hs.96593   hypothetical protein   mmunoglobulin heavy constant gamma 3 (G   400222   NA   NM_002795*:Homo sapiens proteasome (pro				Hs.118599		3.2
A30580						3.2
400202 NA	25 .					3.2
Mail						
425988 BE045897 Hs.274454 458098 BE550224 Hs.74170 metallothionein 1E (functional) 30 430589 AJ002744 Hs.246315 UDP-N-acetyl-alpha-D-galactosamine:polyp 431563 Al027643 Hs.120912 ESTs 442339 U79745 Hs.14924 solute carrier family 16 (monocarboxylic 419703 Al793257 Hs.128151 ESTs 35 420380 AA640891 Hs.102406 Hs.10858 Hs.30469 454417 Al244459 Hs.110826 days and the firm of the f						
458098 BE550224 Hs.74170 metallothionein 1E (functional) 430589 AJ002744 Hs.246315 UDP-N-acetyl-alpha-D-galactosamine:polyp 431563 Al027643 Hs.120912 ESTs 442333 BE379594 Hs.49136 422309 U79745 Hs.114924 Hs.120916 ESTs 419703 Al793257 Hs.128151 55 420380 AA640891 Hs.02406 ESTs 410853 H04588 Hs.30469 ESTs 454417 Al244459 Hs.110826 Hs.102406 Hs.110826 422032 AA476966 Hs.110826 422032 AA476966 Hs.110826 422032 AA476966 Hs.303662 Hs.303662 Hs.303614 Hs.303662 43803 N30714 Hs.303662 Hs.303662 Hs.24053 R35343 Hs.36972 422032 AA96308 Hs.61311 43938 AA310964 Hs.88012 Hs.24968 Hs.61311 453953 AW408337 Hs.37924 452304 AA025386 Hs.61311 453953 AW408337 Hs.36972 452304 AA025386 Hs.61311 453953 AW406337 Hs.36972 45305 AW966728 Hs.52610 Hs.241493 454184 AA319233 Hs.36972 45305 AW966728 Hs.54642 451128 AL118668 41793 AW405434 Hs.82575 428027 U22029 Hs.334345 451428 AL118668 41793 AW405434 Hs.82575 428027 U22029 Hs.334345 44965 NM_003613Hs.151407 419986 AI345455 Hs.78915 416714 AF283770 Hs.78930 Hs.78930 Hs.64040 Hs.82055 Hs.6404 409079 W87707 Hs.82055 S100 calcium-binding protein factor, CD79A antigen (immunoglobulin-associated AV96570 W87707 Hs.82055 S100 calcium-binding protein factor, CD79A antigen (immunoglobulin-associated AV96570 W87707 Hs.82055 S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,				Hs 274454		3.2
430589 AJ002744 Hs. 246315 UDP-N-acetyl-alpha-D-galactosamine:polyp 431563 Al027643 Hs. 120912 ESTs 422309 U79745 Hs. 114924 solute carrier family 16 (monocarboxylic 419703 Al793257 Hs. 128151 ESTs 420380 AA640891 Hs. 102406 432745 Al821926 422032 AA476966 Hs. 110857 486384 Al472078 Hs. 303662 ESTs 48030 N30714 Hs. 303662 ESTs 48030 N30714 Hs. 303662 ESTs 48030 N30714 Hs. 303662 442053 R35343 Hs. 24968 434747 AA837085 Hs. 220585 427297 AW292593 Hs. 334907 412228 AW503785 Hs. 73792 452304 AA025386 Hs. 61311 453953 AW408337 Hs. 36972 41228 AW503785 Hs. 73692 453953 AW408337 Hs. 36972 418334 AA319233 Hs. 36972 418334 AA319233 Hs. 36972 453353 AW408337 Hs. 36972 418334 AA319233 Hs. 36972 418334 AA319237 Hs. 36972 41834 AA31926 41834 AA31926 41834 AA31926 41834 AA319						3.2
431563 Al027643 Hs.120912 ESTs 442353 BE379594 Hs.49136 ESTs, Moderately similar to ALU7_HUMAN A 422309 U79745 Hs.14924 solute carrier family 16 (monocarboxylic 419703 Al793257 Hs.128151 ESTs 35 420380 AA640891 Hs.102406 ESTs 410853 H04588 Hs.30469 ESTs 424417 Al244459 Hs.110826 trinucleotide repeat containing 9 432745 Al821926 gb.nt78f05.x5 NCL_CGAP_Pr3 Homo sapiens 422032 AA476966 Hs.110857 polymerase (RNA) III (DNA directed) poly 415339 NM_015156Hs.78398 KIAA0071 protein 426384 Al472078 Hs.325960 Human DNA sequence from clone RP1-2336 448030 N30714 Hs.325960 membrane-spanning 4-domains, subfamily A 418739 AA310964 Hs.88012 SHP2 interacting transmembrane adaptor 442053 R35343 Hs.24968 Hs.220585 ESTs 432727 AW292593 Hs.334907 412228 AW503785 Hs.73792 complement component (3d/Epstein Barr vi) 453953 AW408337 Hs.36972 CO7 antigen (p41) 50 407758 D50915 Hs.38365 Hs.220638 Hs.12157 433313 W20128 Hs.296039 Hs.112157 433313 W20128 Hs.296039 Hs.112157 453953 AW4065728 Hs.55612 45128 AL118668 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 60 441197 BE244638 Hs.166 4411	30					3.2
422353 BE379594 Hs.49136 422309 U79745 Hs.114924 solute carrier family 16 (monocarboxylic ESTs 420380 AA640891 Hs.102406 ESTs 410853 H04588 Hs.30469 ESTs 454417 Al244459 Hs.110826 trinucleotide repeat containing 9 gb:nt78f05.x5 NCL_CGAP_Pr3 Homo sapiens 422032 AA476966 Hs.110857 486384 Al472078 Hs.303662	50					3.2
422309 U79745 Hs. 114924 solute carrier family 16 (monocarboxylic 419703 AI793257 Hs. 128151 ESTs 420380 AA640891 Hs. 102406 ESTs 410853 H04588 Hs. 30469 gb:nt78f05.x5 NCI_CGAP_Pr3 Homo sapiens polymerase (RNA) III (DNA directed) poly KIAA0071 protein 426384 AI472078 Hs. 303662 ESTs 448030 N30714 Hs. 325960 Hs. 88012 Hs. 24053 R35343 Hs. 24968 Hs. 24053 R35343 Hs. 24968 Hs. 24053 R35343 Hs. 24968 Hs. 304907 412228 AW503785 Hs. 73792 452304 AA025386 Hs. 61311 453953 AW408337 Hs. 36972 AV7758 D50915 Hs. 38365 KIAA0071 protein ASS AW408337 Hs. 36972 AV7858 D50915 Hs. 38365 KIAA0125 gene product ASS AW408339 Hs. 112157 45313 W20128 Hs. 24053 Hs. 24053 AA418204 Hs. 241493 AA319233 Hs. 5521 450223 AA418204 Hs. 241493 AV405434 Hs. 241493 AV405	•					
419703 AI793257 Hs.128151 ESTs 420380 AA640891 Hs.303469 ESTS 454417 AI244459 Hs.110826 trinucleotide repeat containing 9 432745 AI821926 gb:nt78f05.x5 NCL_CGAP_Pr3 Homo sapiens 42032 AA476966 Hs.110857 415339 NM_015156Hs.78398 426384 AI472078 Hs.303662 ESTs 42032 AA476966 Hs.110857 44003 N30714 Hs.325960 membrane-spanning 4-domains, subfamily A 418739 AA310964 Hs.88012 Hs.24968 Hs.24968 Hs.220585 427297 AW292593 Hs.334907 Hs.20585 427297 AW292593 Hs.334907 Hs.385953 AW408337 Hs.36972 AV2228 AV503785 Hs.73792 452304 AA025386 Hs.61311 Hs.326960 Hs.38365 AW366528 Hs.12157 Hs.38365 AW768399 Hs.112157 Hs.38365 AW366728 Hs.296039 Hs.343313 W20128 Hs.296039 Hs.296039 Hs.343313 W20128 Hs.296039 Hs.296039 Hs.34345 AV319233 Hs.5521 ESTs 450223 AA418204 Hs.241493 Hs.241493 AV405434 Hs.241493 AV405434 Hs.241493 AV405434 Hs.241493 AV405434 Hs.241493 Hs.241493 AV405434 Hs.241493 Hs.34365 AW366728 Hs.54642 Hs.34365 NM_003613Hs.151407 AV2029 Hs.334345 Hs.78915 AV4654 NM_003613Hs.151407 AV3665 NM_004380Hs.22598 Hs.21266 NM_004380Hs.22598 Hs.112405 Hs.24166 NM_004380Hs.22598 Hs.112405 Hs.24166 NM_004380Hs.22598 Hs.112405 Hs.24166 NM_004380Hs.22598 Hs.112405 Hs.24166 NM_004380Hs.22598 S100 calcium-binding protein (Rubinstein-Taybi s S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,						3.2
35						3.2
410853 H04588 Hs.30469 ESTs 454417 Al244459 Hs.110826 trinucleotide repeat containing 9 42745 Al821926 gb:nt78f05.x5 NCL_CGAP_Pr3 Homo sapiens 422032 AA476966 Hs.110857 426384 Al472078 Hs.303662 426384 Al472078 Hs.303662 448030 N30714 Hs.325960 418739 AA310964 Hs.88012 SHP2 interacting transmembrane adaptor 442053 R35343 Hs.24968 Human DNA sequence from clone RP1-2336 45 434747 AA837085 Hs.220585 ESTs 427297 AW292593 Hs.334907 412228 AW503785 Hs.73792 452304 AA025386 Hs.61311 453953 AW408337 Hs.36972 CD7 antigen (p41) 50 407758 D50915 Hs.38365 KiAA0125 gene product 453149 AL047586 Hs.10283 RNA binding motif protein 8B 430015 AW768399 Hs.112157 ESTs 433313 W20128 Hs.296039 418334 AA319233 Hs.5521 ESTs 433313 W20128 Hs.296039 418334 AA319233 Hs.5521 ESTs 450223 AA418204 Hs.241493 matural killer-tumor recognition sequenc methionine adenosyltransferase II, beta gb:DKFZp761l0310_r1 761 (synonym: hamy small nuclear ribonucleoprotein polypept cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc carillage intermediate layer protein, nu GA-binding protein (Rubinstein-Taybi s S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,	35					3.2
454417 Al244459 Hs.110826 trinucleotide repeat containing 9 gb:nt78f05.x5 NCI_CGAP_Pr3 Homo sapiens polymerase (RNA) III (DNA directed) poly KIAA0071 protein 426384 Al472078 Hs.303662 ESTs membrane-spanning 4-domains, subfamily A 418739 AA310964 Hs.88012 442053 R35343 Hs.24968 Hs.20585 ESTs 427297 AW292593 Hs.334907 412228 AW503785 Hs.220585 ESTs 450230 AA025386 Hs.61311 453953 AW408337 Hs.36972 AV7758 D50915 Hs.38365 KIAA0072 gene product RNA binding motif protein 8B 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 Hs.112157 433313 W20128 Hs.296039 Hs.112157 45128 AL118668 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 AV3066728 Hs.56642 451128 AL18668 417793 AW405434 Hs.2575 428027 U22029 Hs.334345 AV3066728 Hs.56642 451148 AL18668 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 AV3066728 Hs.56642 AV36684 NM_003613Hs.151407 AV30674 Hs.78915 AV30679 W87707 Hs.82065 Interleukin 6 signal transducer (gp130, with a containing 9 gb:nt78f05.x5 NCI_CGAP_Pr3 Homo sapiens polymerase (RNA) III (DNA directed) poly KIAA0071 protein (RNA0071 protein 4 Human DNA sequence from clone RP1-2336 ESTs ESTs. Weakly similar to S106e NGC:17333, mRNA, or complement component (3d/Epstein Barr vi ESTs, Weakly similar to S10590 cysteine CD7 antigen (p41) KIAA0071 protein 4 Human DNA sequence from clone RP1-2336 ESTs ESTs, Weakly similar to S10590 cysteine CD7 antigen (p41) KIAA0071 protein 4 Human DNA sequence from clone RP1-2336 ESTs ESTs, Weakly similar to S10590 cysteine CD7 antigen (p41) KIAA0071 protein 4 Human DNA sequence from clone RP1-2336 ESTs ESTs, Weakly similar to S10590 cysteine CD7 antigen (p41) KiAA00725 gene product RNA binding motif protein 8B ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs	55					3.2
432745 Al821926 42032 AA476966 Hs.110857 40 415339 NM_015156Hs.78398 KlAA0071 protein 426384 Al472078 Hs.303662 448030 N30714 Hs.325960 448030 N30714 Hs.325960 448033 AA310964 Hs.88012 442053 R35343 Hs.24968 45 434747 AA837085 Hs.220585 427297 AW292593 Hs.334907 412228 AW503785 Hs.73792 452304 AA025386 Hs.61311 453953 AW408337 Hs.36972 50 407758 D50915 Hs.38365 451149 AL047586 Hs.10283 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 418334 AA319233 Hs.5521 55 450223 AA418204 Hs.241493 454365 AW966728 Hs.54642 451128 AL118668 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 60 441197 BE244638 Hs.166 424634 NM_003613Hs.151407 419986 Al345455 Hs.78915 416714 AF283770 Hs.78630 409079 W87707 Hs.82065 65 422166 W72424 Hs.112405 66 422166 W72424 Hs.112405 67 ANA binding motif protein BB gb. Serol regulatory element binding transc cartilage intermediate layer protein, nu GA-binding protein (Rubinstein-Taybi s S100 calcium-binding protein Rubinstein-Taybi s S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,						3.2
42032 AA476966 Hs.110857 415339 NM_015156Hs.78398 KIAA0071 protein 426384 AI472078 Hs.303662 ESTs 48030 N30714 Hs.325960 membrane-spanning 4-domains, subfamily A 418739 AA310964 Hs.88012 442053 R35343 Hs.24968 Hs.20585 427297 AW292593 Hs.334907 412228 AW503785 Hs.73792 complement component (3d/Epstein Barr vi) 453953 AW408337 Hs.36972 50 407758 D50915 Hs.38365 AW408337 Hs.36972 45149 AL047586 Hs.10283 Hs.296039 45149 AL047586 Hs.10283 Hs.296039 418334 AA319233 Hs.25521 ESTs 433313 W20128 Hs.296039 454834 AA418204 Hs.241493 natural killer-tumor recognition sequenc methionine adenosyltransferase II, beta gb:DKFZp7610310_r1 761 (synonym: hamy small nuclear ribonucleoprotein polypept cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc cartilage intermediate layer protein, nu GA-binding protein (Rubinstein-Taybi s S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,					ob:nt78f05 x5 NCL CGAP Pr3 Homo sagiens	
40 415339 NM_015156Hs.78398 KIAA0071 protein 426384 Al472078 Hs.303662 448030 N30714 Hs.325960 418739 AA310964 Hs.88012 42053 R35343 Hs.24968 434747 AA837085 Hs.220585 427297 AW292593 Hs.334907 412228 AW503785 Hs.73792 452304 AA025386 Hs.61311 453953 AW408337 Hs.36972 50 407758 D50915 Hs.38365 451149 AL047586 Hs.10283 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 45334 AA319233 Hs.5521 55 450223 AA418204 Hs.241493 454365 AW966728 Hs.54642 451128 AL118668 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 60 441197 BE244638 Hs.166 424634 NM_003613Hs.151407 419986 Al345455 Hs.78915 416714 AF283770 Hs.78630 499679 W87707 Hs.82065 interleukin 6 signal transducer (gp130,				Hs 110857		3.2
426384 Al472078 Hs.303662 ESTs 448030 N30714 Hs.325960 membrane-spanning 4-domains, subfamily A 418739 AA310964 Hs.88012 SHP2 interacting transmembrane adaptor 442053 R35343 Hs.24968 Hs.man DNA sequence from clone RP1-2336 43747 AA837085 Hs.220585 ESTS 427297 AW292593 Hs.334907 412228 AW503785 Hs.73792 452304 AA025386 Hs.61311 ESTs, Weakly similar to S10590 cysteine 453953 AW408337 Hs.36972 CD7 antigen (p41) 50 407758 D50915 Hs.38365 KIAA0125 gene product 451149 AL047586 Hs.10283 RNA binding motif protein 8B 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 418334 AA319233 Hs.5521 ESTs 430223 AA418204 Hs.241493 natural killer-tumor recognition sequenc methonine adenosyltransferase II, beta gb:DKFZp761l0310_r1 761 (synonym: hamy small nuclear ribonucleoprotein polypept cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc cartilage intermediate layer protein, nu 419986 Al345455 Hs.78915 Hs.78915 Al266 NM_004380Hs.23598 S100 calcium-binding protein (Rubinstein-Taybi s S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,	40					3.2
448030 N30714 Hs.325960 membrane-spanning 4-domains, subfamily A 418739 AA310964 Hs.88012 Hs.24968 Hs.24968 Hs.24968 Hs.24968 Hs.220585 ESTs 427297 AW292593 Hs.334907 Homo sapiens, clone MGC:17333, mRNA, or complement component (3d/Epstein Barr vi ESTs, Weakly similar to S10590 cysteine CD7 antigen (p41) KlaA0125 gene product RNA binding motif protein 8B 430015 AW768399 Hs.112157 ESTs 433313 W20128 Hs.296039 Hs.34934 AA319233 Hs.5521 SSTs 450223 AA418204 Hs.241493 methionine adenosyltransferase II, beta 411793 AW405434 Hs.82575 428027 U22029 Hs.334345 AV3664 NM_003613Hs.151407 419986 AI345455 Hs.78915 416714 AF283770 Hs.78915 42665 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,	40					3.2
418739 AA310964 Hs.88012 SHP2 interacting transmembrane adaptor Human DNA sequence from clone RP1-2336   434747 AA837085 Hs.220585 ESTs   427297 AW292593 Hs.334907 Homo sapiens, clone MGC:17333, mRNA, or complement component (3d/Epstein Barr vi   452304 AA025386 Hs.61311   453953 AW408337 Hs.36972    407758 D50915 Hs.38365   451149 AL047586 Hs.10283   430015 AW768399 Hs.112157   433313 W20128 Hs.296039 ESTs   418334 AA319233 Hs.5521    55 450223 AA418204 Hs.241493   454365 AW966728 Hs.54642   451128 AL118668   417793 AW405434 Hs.82575   428027 U22029 Hs.334345   60 441197 BE244638 Hs.166   424634 NM_003613Hs.151407   419986 Al345455 Hs.78915   416714 AF283770 Hs.79630   65 422166 W72424 Hs.112405   65 422166 W772424 Hs.112405   65 422166 W772424 Hs.112405   66 43477 AA837085 Hs.28265   67 422166 W72424 Hs.112405   68 422166 W772424 Hs.112405   68 422166 W772424 Hs.112405   68 422166 W772424 Hs.112405   68 422166 W772424 Hs.112405   69 422166 W772424 Hs.112405   60 422166 W772424 Hs.112405						3.2
442053 R35343 Hs.24968 Human DNA sequence from clone RP1-2336 434747 AA837085 Hs.220585 ESTs 427297 AW292593 Hs.334907 412228 AW503785 Hs.73792 452304 AA025386 Hs.61311 453953 AW408337 Hs.36972 50 407758 D50915 Hs.38365 451149 AL047586 Hs.10283 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 418334 AA319233 Hs.5521 55 450223 AA418204 Hs.296039 454365 AW966728 Hs.54642 454365 AW966728 Hs.54642 451128 AL118668 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 41197 BE244638 Hs.166 424634 NM_003613Hs.151407 419986 AI345455 Hs.78630 419986 AI345455 Hs.78915 416714 AF283770 Hs.78630 42966 W72424 Hs.112405 65 422166 W72424 Hs.112405 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,						3.2
434747 AA837085 Hs.220585 ESTs 427297 AW292593 Hs.334907 412228 AW503785 Hs.73792 452304 AA025386 Hs.61311 453953 AW408337 Hs.36972 50 407758 D50915 Hs.38365 451149 AL047586 Hs.10283 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 418334 AA319233 Hs.5521 55 450223 AA418204 Hs.296039 454128 AL118668 454365 AW966728 Hs.54642 451128 AL118668 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 60 441197 BE244638 Hs.166 424634 NM_003613Hs.151407 419986 AI345455 Hs.78915 416714 AF283770 Hs.79630 499679 W87707 Hs.82065 65 422166 W72424 Hs.112405 409079 W87707 Hs.82065 41000 HGC:17333, mRNA, ox complement component (3d/Epstein Barr vi ESTs, which was product CD7 antigen (p41) KIAA0125 gene product RNA binding motif protein 8B ESTs ESTs ESTs ESTs  ESTs  ### Homo sapiens, clone MGC:17333, mRNA, ox complement component (3d/Epstein Barr vi					Human DNA coguence from clone RP1-233G	
427297 AW292593 Hs.334907 412228 AW503785 Hs.73792 452304 AA025386 Hs.61311 ESTs, Weakly similar to S10590 cysteine CD7 antigen (p41) 45395 AW408337 Hs.36972 CD7 antigen (p41) KIAA0125 gene product RNA binding motif protein 8B 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 418334 AA319233 Hs.5521 ESTs 430223 AA418204 Hs.241493 454365 AW966728 Hs.54642 451128 AL118668 gb:DKFZp7610310_r1 761 (synonym: hamy small nuclear ribonucleoprotein polypept cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc carillage intermediate layer protein, nu GA-binding protein (Rubinstein-Taybi s 100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,	15					3.2
412228 AW503785 Hs.73792 complement component (3d/Epstein Barr vi 452304 AA025386 Hs.61311 ESTs, Weakly similar to S10590 cysteine CD7 antigen (p41)  407758 D50915 Hs.38365 KIAA0125 gene product RNA binding motif protein 8B 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 48.33313 W20128 Hs.296039 48.33313 W20128 Hs.296039 48.5521 ESTs 430223 AA418204 Hs.241493 A454365 AW966728 Hs.54642 451128 AL118668 gb:DKFZp7610310_r1 761 (synonym: hamy small nuclear ribonucleoprotein polypept cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc carillage Intermediate layer protein, nu GA-binding protein transcription factor, CD79A antigen (immunoglobulin-associated 449465 NM_004380Hs.23598 Ks.2665 interted with the substance of	73	407707	VV021002	He 224007	Home capione clone MCC:17333 mPNA cor	
452304 AA025386 Hs.61311 ESTs, Weakly similar to \$10590 cysteine CD7 antigen (p41)  453953 AW408337 Hs.36972 CD7 antigen (p41)  KIAA0125 gene product RNA binding motif protein 8B 430015 AW768399 Hs.112157 ESTs  433313 W20128 Hs.296039 ESTs  418334 AA319233 Hs.5521 ESTs  450223 AA418204 Hs.241493 natural killer-tumor recognition sequenc methionine adenosyltransferase II, beta 454365 AW966728 Hs.54642 methionine adenosyltransferase II, beta 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 AV3660 AV36545 Hs.78915 AV3660 AV36545 Hs.78915 AV3660 NM_003613Hs.151407 CM360 GA-binding protein transcription factor, CD79A antigen (immunoglobulin-associated 449465 NM_004380Hs.23598 AV36707 Hs.82665 Interleukin 6 signal transducer (gp130,						3.2
453953 AW408337 Hs.36972 CD7 antigen (p41) 407758 D50915 Hs.38365 KIAA0125 gene product 451149 AL047586 Hs.10283 RNA binding motif protein 8B 430015 AW768399 Hs.112157 ESTs 433313 W20128 Hs.296039 ESTs 418334 AA319233 Hs.5521 ESTs 450223 AA418204 Hs.241493 natural killer-tumor recognition sequenc methionine adenosyltransferase II, beta gb:DKFZp761l0310_r1 761 (synonym: hamy small nuclear ribonucleoprotein polypept cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc cardilage intermediate layer protein, nu 419986 Al345455 Hs.78915 Hs.78915 Al2666 W72424 Hs.112405 REB binding protein (Rubinstein-Taybi s 100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,				_		3.2
50 407758 D50915 Hs.38365 KIAA0125 gene product 451149 AL047586 Hs.10283 RNA binding motif protein 8B 430015 AW768399 Hs.112157 ESTs 433313 W20128 Hs.296039 ESTs 418334 AA319233 Hs.5521 ESTs 450223 AA418204 Hs.241493 natural killer-tumor recognition sequenc 454365 AW966728 Hs.54642 methionine adenosyltransferase II, beta 451128 AL118668 gb:DKFZp761l0310_r1 761 (synonym: hamy 47793 AW405434 Hs.82575 428027 U22029 Hs.334345 sterol regulatory element binding transc 441197 BE244638 Hs.166 424634 NM_003613Hs.151407 cartilage intermediate layer protein, nu 419986 AI345455 Hs.78915 416714 AF283770 Hs.79630 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,	•					3.2
451149 AL047586 Hs.10283 RNA binding motif protein 8B 430015 AW768399 Hs.112157 433313 W20128 Hs.296039 ESTs 418334 AA319233 Hs.5521 ESTs 450223 AA418204 Hs.241493 natural killer-tumor recognition sequenc 454365 AW966728 Hs.54642 methionine adenosyltransferase II, beta 451128 AL118668 gb:DKFZp76110310_r1 761 (synonym: hamy 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 sterol regulatory element binding transc 424634 NM_003613Hs.151407 cartilage intermediate layer protein, nu 419986 AI345455 Hs.78915 416714 AF283770 Hs.79630 GA-binding protein transcription factor, 419465 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,	50					3.2
430015 AW768399 Hs.112157 433313 W20128 Hs.296039 418334 AA319233 Hs.5521 ESTs 450223 AA418204 Hs.241493 454365 AW966728 Hs.54642 451128 AL118668 gb:DKFZp7610310_r1 761 (synonym: hamy 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 60 441197 BE244638 Hs.166 gt-24634 NM_003613Hs.151407 419986 AI345455 Hs.78915 416714 AF283770 Hs.79830 449465 NM_004380Hs.23598 65 422166 W72424 Hs.112405 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,	50					3.2
433313 W20128 Hs.296039 ESTS 418334 AA319233 Hs.5521 ESTS 450223 AA418204 Hs.241493 natural killer-tumor recognition sequenc 454365 AW956728 Hs.54642 methionine adenosyltransferase II, beta gb:DKFZp761l0310_r1 761 (synonym: hamy small nuclear ribonucleoprotein polypept cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc cartilage intermediate layer protein, nu GA-binding protein transcription ractor, CD79A antigen (immunoglobulin-associated 449465 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,						3.2
418334 AA319233 Hs.5521 ESTs 450223 AA418204 Hs.241493 methionine adenosyltransferase II, beta 454365 AW966728 Hs.54642 methionine adenosyltransferase II, beta 451128 AL118668 Hs.82575 ab: DKFZp761l0310_r1 761 (synonym: hamy 5mall nuclear ribonucleoprotein polypept 428027 U22029 Hs.334345 cytochrome P450, subfamily IIA (phenobar 441197 BE244638 Hs.166 424634 NM_003613Hs.151407 419986 Al345455 Hs.78915 416714 AF283770 Hs.78915 A49465 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran interleukin 6 signal transducer (gp130,						
450223 AA418204 Hs.241493 natural killer-tumor recognition sequenc 454365 AW966728 Hs.54642 methionine adenosyltransferase II, beta 451128 AL118668 gb:DKFZp761l0310_r1 761 (synonym: hamy 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 60 441197 BE244638 Hs.166 424634 NM_003613Hs.151407 419986 Al345455 Hs.78915 416714 AF283770 Hs.79630 449465 NM_004380Hs.23598 65 422166 W72424 Hs.112405 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,						3.2 3.2
454365 AW966728 Hs.54642 methionine adenosyltransferase II, beta gb:DKFZp761l0310_r1 761 (synonym: hamy small nuclear ribonucleoprotein polypept cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc cardilage intermediate layer protein, nu 419986 Al345455 Hs.78915 416714 AF283770 Hs.79630 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,	55					3.2
451128 AL118668 417793 AW405434 Hs.82575 428027 U22029 Hs.334345 60 441197 BE244638 Hs.166 424634 NM_003613Hs.151407 419986 Al345455 Hs.78915 416714 AF283770 Hs.79630 449465 NM_004380Hs.23598 65 422166 W72424 Hs.112405 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,	22					3.2
417793 AW405434 Hs.82575 small nuclear ribonucleoprotein polypept 428027 U22029 Hs.334345 cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc sterol regulatory element binding transc cartilage intermediate layer protein, nu 419986 AI345455 Hs.78915 GA-binding protein transcription factor, 416714 AF283770 Hs.79630 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,				MS.54642		
60 428027 U22029 Hs.334345 cytochrome P450, subfamily IIA (phenobar sterol regulatory element binding transc cartilage intermediate layer protein, nu 419986 AI345455 Hs.78915 416714 AF283770 Hs.78630 CD79A antigen (immunoglobulin-associated 449465 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,				11- 00575	gb:DKFZp/6110310_F1 /61 (synonym: namyz	
60 441197 BE244638 Hs.166 sterol regulatory element binding transc 424634 NM_003613Hs.151407 cardilage intermediate layer protein, nu 419986 Al345455 Hs.78915 GA-binding protein transcription factor, 416714 AF283770 Hs.79630 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,						3.2
424634 NM_003613Hs.151407 cartilage intermediate layer protein, nu 419986 Al345455 Hs.78915 GA-binding protein transcription factor, 416714 AF283770 Hs.79630 CD79A antigen (immunoglobulin-associated 449465 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,	60					3.2
419986 Al345455 Hs.78915 GA-binding protein transcription factor, 416714 AF283770 Hs.79630 CD79A antigen (immunoglobulin-associated 449465 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,	00					3.2
416714 AF283770 Hs.79630 CD79A antigen (immunoglobulin-associated 449465 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,		424634	NM_00361			3.2
449465 NM_004380Hs.23598 CREB binding protein (Rubinstein-Taybi s 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,		419986	AI345455			3.2
65 422166 W72424 Hs.112405 S100 calcium-binding protein A9 (calgran 409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,		416714	AF283770	Hs.79630		3.2
409079 W87707 Hs.82065 interleukin 6 signal transducer (gp130,	65					3.2
	65	422166	W72424		•••	3.2
423551 AA327598 Hs.233785 ESTs						3.2
		423551	AA327598	Hs.233785	ESTs	3.2

			Hs.61829 Hs.130239	Homo sapiens cDNA FLJ12763 fis, clone NT ESTs	3.2 3.2
			Hs.54277	DNA segment on chromosome X (unique) 992	
_	.425700	AF076292	Hs.159251	forkhead box H1	3.2
5			Hs.25338	ESTs	3.2
	407104	S57296	Hs.323910	v-erb-b2 avian erythroblastic leukemia v	3.2
				ESTs, Weakly similar to 2109260A B cell DnaJ (Hsp40) homolog, subfamily B, membe	3.1
	430271 425317			interleukin 21 receptor	3.1
10			Hs.89986	ESTs	3.1
		BE388898	Hs.8215	hypothetical protein FLJ11307	3.1
				hypothetical protein DKFZp434K0410	3.1
				proteasome (prosome, macropain) 26S subu	3.1
15				ESTs, Weakly similar to KIAA1074 protein	3.1
15		AVV372039 Al124756	Hs.5337	hypothetical protein dJ434O14.3 isocitrate dehydrogenase 2 (NADP), mitoc	3.1 3.1
	405017		F15.JJJ1	Target Exon	3.1
			Hs.112742	_ <del>_</del>	3.1
			Hs.284181	hypothetical protein DKFZp434P0531	3.1
20	430105		Hs.2540	cholinergic receptor, nicotinic, alpha p	3.1
		NM_001141			3.1
			Hs.190064	ESTs, Weakly similar to I38022 hypotheti ESTs	3.1 3.1
		AI267700 AI879263	Hs.317584 Hs.6986	Human glucose transporter pseudogene	3.1
25 -			Hs.1906	prolactin receptor	3.1
		BE387202	Hs.118638		3.1
•	439963	AW247529		platelet-activating factor acetylhydrola	3.1
		Al638516	Hs.22630	cofactor required for Sp1 transcriptiona	3.1
20		A1885190	Hs.156089	ESTs, Weakly similar to repressor protei cyclin-dependent kinase inhibitor 2A (me	3.1 3.1
30	418478 400814		Hs.1174	Target Exon	3.1
	402327	INA		Target Exon	3.1
		AA190712		gb:zp87f09.r1 Stratagene HeLa cell s3 93	3.1
~ ~	439838			Homo sapiens EST from clone 35214, full	3.1
35		Al571514	Hs.133022		3.1
		NM_000579	3Hs.54443	chemokine (C-C motif) receptor 5 gb:Homo sapiens mRNA for immunoglobulin	3.1 3.1
		AJ245210 AF052762		gb:Homo sapiens clone csneg8-1 immunoglo	
		BE514514	Hs.109606	coronin, actin-binding protein, 1A	3.1
40		AU076633	Hs.76353	serine (or cysteine) proteinase inhibito	3.1
		N38857	Hs.203933		3.1
		D89974	Hs.121102		3.1
		Al399956	Hs.208956		3.1 3.1
45		BE143533 AW899713		hypothetical protein FLJ20035	3.1
73				Homo sapiens cDNA FLJ12136 fis, clone MA	
	452823	AB012124	Hs.30696	transcription factor-like 5 (basic helix	3.1
	405381	NA	•	Target Exon	3.1
50		AW503820		Spi-B transcription factor (Spi-1/PU.1 r	3.1
<i>5</i> 0	435147	AL133731 U66468	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C17 cell growth regulatory with EF-hand doma	3.1
	425782	W88562	Hs.108198	ESTs	3.1
		AA234276		ESTs	3.1
		AW977766			3.1
55	417105		Hs.81226	CD6 antigen	3.0
	428361	<del>-</del>	5Hs.183858		3.0
	417880	BE241595	HS.82848	selectin L (lymphocyte adhesion molecule NM_024626:Homo sapiens hypothetical prot	3.0 3.0
	402606 401451			NM_004496*:Homo sapiens hypothetical prot NM_004496*:Homo sapiens hepatocyte nucl	e 3.0
60		AA299652	Hs.111496	Homo sapiens cDNA FLJ11643 fis, clone HE	3.0
		BE384836	Hs.3454	KIAA1821 protein	3.0
		BE561850			3.0
	414324		Hs.890	lymphotoxin beta (TNF superfamily, membe	3.0
65	425081 401519	X74794	ris. 154443	minichromosome maintenance deficient (S. C15000476*:gi 12737279 ref XP_012163.1	3.0 3.0
05	411704	A1499220	Hs.71573	hypothetical protein FLJ10074	3.0
		AL135623		KIAA0575 gene product	3.0

	428423	AU076517	Hs.184276	solute carrier family 9 (sodium/hydrogen	3.0	
	413835	Al272727	Hs.249163	fatty acid hydroxylase	3.0	
	412600	L28824	Hs.74101	spleen tyrosine kinase	3.0	
	410491	AA465131	Hs.64001	Homo sapiens done 25218 mRNA sequence	3.0	
5	433658	L03678	Hs.156110	immunoglobulin kappa constant	3.0	
	427666	AI791495	Hs.180142	calmodulin-like skin protein	3.0	
	452514	AI904898		gb:RC-BT068-130399-085 BT068 Homo sapi	en3.0	
	429500	X78565	Hs.289114	hexabrachion (tenascin C, cytotactin)	3.0	
	432485	N90866	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	3.0	
10	437400	AB011542	Hs.5599	EGF-like-domain, multiple 5	3.0	
	452234	AW084176	Hs.223296	ESTs, Weakly similar to I38022 hypotheti	3.0	
	413269	BE167526		gb:CM4-HT0509-080300-107-g07 HT0509 Ho	omo	3.0
	453216	AL137566	Hs.32405	Homo sapiens mRNA; cDNA DKFZp586G032	21 (f	3.0
	400929			ENSP00000252232*:Sterol regulatory eleme	3.0	
15	445145	A1961702	Hs.147434	ESTs	3.0	
	432615	AA557191	Hs.55028	ESTs, Weakly similar to 154374 gene NF2	3.0	
•	423279	AW959861	Hs.290943	ESTs	3.0	
	429392	AL109712	Hs.296506	Homo sapiens mRNA full length insert cDN	3.0	
	408548	AA055449	Hs.63187	ESTs, Weakly similar to ALUC_HUMAN !!!!	3.0	
20	451346	NM_006338	8Hs.26312	glioma amplified on chromosome 1 protein	3.0	
	413109	AW389845	Hs.110855	ESTs	3.0	
	401714	NA		ENSP00000241802*:CDNA FLJ11007 FIS, C	LON	3.0
	421462	AF016495	Hs.104624	aquaporin 9	3.0	
~ -	421750	AK000768	Hs.107872	hypothetical protein FLJ20761	3.0	
25	453293	AA382267	Hs.10653	ESTs	3.0	
	457085	AA412446	Hs.98138	ESTs	3.0	
	438930	AW843633	Hs.306163	hypothetical protein Al.110115	3.0	

### TABLE 22A

Table 22A shows the accession numbers for those pkeys lacking unigeneID's for Table 22.

For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	ior nedmentees combinemes care area				
	Pkey:	Unique Eos probeset identifier number			
	CAT number:	Gene cluster number			
	Accession:	Genbank accession numbers			

10			
	Pkey	CAT number	Accessions
	407980	103087_1	AA046309 Al263500 AA046397
	410785	1221055_1	AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355
20	411743	1256098_1	AW862214 AW859811 AW862215
•	412138	1279172_1	AW895387 AW895547 AW895564 AW895323 AW895405 AW895539 AW895538
	413269	1356961_1	BE167526 BE167651 BE076401 R24654
	416935	163179 1	AA190712 AA190665 AA252564
	422128	211994 1	AW881145 AA490718 M85637 AA304575 T06067 AA331991
25	423945	233566 1	AA410943 AW948953 AA334202 AA332882
	424109	235506 1	AW406878 AW966560 AW966151 AW966496 AA336174 AA335376 AA335537
	424128	235728 1	AW966163 AA335983 AA336011 AA335668 AA335973
	425331	250199 1	AW962128 AA355353 AA427363
	426878	273265 1	BE069341 AW748403 AL044891 Al908240 AA393080
30	432745	353673_1	AI821926 AA658826 AA564492 AA635129 AI791191
-		51084 2	BE562826 BE378727
	448212	755099_1	Al475858 AW969013
		859865 1	AL118668 D78823 Al762176
		920172_1	Al904898 Al904849 Al904899
35		165078 -1	AA193450

## TABLE 22B

Table 22B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 22. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset  Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15	Pkey	Ref	Strand	Nt_position
	400814	8569925	Minus	72840-72924,74761-74849
_	400929	7651921	Minus	122033-122241,123483-124028
20	401045	8117619	Plus	90044-90184,91111-91345
	401451	6634068	Minus	119926-121272
	401519	6649315	Plus	157315-157950
	401645	7657839	Minus	34986-35133
	401714	6715702	Plus	96484-96681
25	401866	8018106	Plus	73126-73623
	402327	7656695	Minus	108675-108770,109801-109910
	402359	9211204	Minus	40403-41961
	402408	9796239	Minus	110326-110491
• •	402470	9797107	Plus	195129-195776
30	402542	9801558	Minus	67076-67594
	402578	9884928	Plus	66350-66496
	402606	9909429	Minus	81747-82094
	403011		Minus	3468-3623
~ -		7630897	Minus	156037-156210
35	403329		Plus	96450-96598
	403366		Minus	49323-49652
	403485		Plus	2888-3001,3198-3532,3655-4117
	404347		Plus	74493-74829
40	404580		Minus	240588-241589
40	404755	7706327	Minus	53729-53846
		6532084	Plus	35551-35690
		2914717	Minus	43310-43462
	405381		Minus	7636-8054
4.5	405801	2924321	Plus	63469-63694
45	405850	6164995	Plus	13871-14110
	406153		Minus	12902-13069
	406348	9255985	Minus	71754-71944

# TABLE 23: 320 GENES DOWN-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

Table 23 shows 320 genes down-regulated in breast cancer compared to normal adult breast. These were selected as for Table 22, except that the numerator was set to the median value for 12 non-malignant breast specimens, the denominator was set to the median value amongst the 73 breast cancers, the 90<sup>th</sup> percentile value amongst the 12 non-malignant breast specimens was greater than or equal 80 units, and the ratio was greater than or equal to 4.0 (i.e. 4-fold down-regulated in tumor vs. normal breast).

15	Pkey: ExAccn: UnigeneID: Unigene Title: R1:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of 50th percentile normal body tissue to 75th percentile tumor
----	---	--

20	Pkey	ExAccn	UnigenelD	UnigeneTitle	Ratio
•	428722	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4	22.4
		NM_000230	Hs.194236	leptin (murine obesity homolog)	17.4
		H57646	Hs.42586	KIAA1560 protein	15.4
25		T28499	Hs.89485	carbonic anhydrase IV	15.0
	407228	M25079	Hs.155376	hemoglobin, beta	14.6
	417511	AL049176	Hs.82223	chordin-like	14.6
•	439285	AL133916	Hs.172572	hypothetical protein FLJ20093	14.3
	412442	A1983730	Hs.26530	serum deprivation response (phosphatidyl	13.6
30	410544	A1446543	Hs.95511	ESTs	12.6
	412047	AA934589	Hs.49696	ESTs	12.2
	422667	H25642	Hs.133471	ESTs	12.0
	406664	L34041	Hs.9739	glycerol-3-phosphate dehydrogenase 1 (so	12.0
	423201	NM_000163	Hs.125180	growth hormone receptor	11.7 .
35		AF027208	Hs.112360	prominin (mouse)-like 1	10.8
	428769	AW207175	Hs.106771	ESTs	10.6
	407049	X72632		NM_021724*:Homo sapiens nuclear receptor	10.1
	412295	AW088826	Hs.117176	poly(A)-binding protein, nuclear 1	9.8
	425126	N32759	Hs.172944	chorionic gonadotropin, beta polypeptide	9.8
40	406791	AI220684	Hs.272572	hemoglobin, alpha 2	9.5
	447471	AF039843	Hs.18676	sprouty (Drosophila) homolog 2	9.5
		NM_004657	Hs.26530	serum deprivation response (phosphatidy)	9.4
		AW410377	Hs.41502	hypothetical protein FLJ21276	9.0
		AI365585	Hs.146246	ESTs	9.0
45		T53088	Hs.155376	hemoglobin, beta	8.9
		AF115402	Hs.11713	E74-like factor 5 (ets domain transcript	8.8
		X54162	Hs.79386	leiomodin 1 (smooth muscle)	8.7
		D78874	Hs.8944	procollagen C-endopeptidase enhancer 2	8.6
		AA779958	Hs.185932	ESTs	8.5
50		AU076442	Hs.117938	collagen, type XVII, alpha 1	8.4
		AB029496	Hs.59729	semaphorin sem2	8.3
	402195			NM_004497*:Homo sapiens hepatocyte nucle	8.1
•		) AI754634	Hs.131987	ESTs	8.1
		7 Al208121	Hs.147313	ESTs, Weakly similar to 138022 hypotheti	8.1
55		3 N77976	Hs.272572	hemoglobin, alpha 2	8.0
		9 AW377424	Hs.205126	Homo sapiens cDNA: FLJ22667 fis, clone H	8.0
		5 AA815048	Hs.24078	hypothetical protein FLJ12649	7.8
		9 AA760849	Hs.294052	ESTs	7.5
		2 AK000027	Hs.98633	ESTs	7.5
60	42507		Hs.154437	phosphodiesterase 2A, cGMP-stimulated	7.5
	43032	7 AW973636	Hs.55931	ESTs	7.4

	447577	Al393693	Hs.183297	DKFZP566F2124 protein	7.4
		AI150491	Hs.90756		7.2
		R20893	Hs.325823		7.2
		AA452006	Hs.333199		7.1
5		AW956360	Hs.4748		7.1
•		Al352340	Hs.131194		7.0
		Al219304	Hs.283108		6.9
		AI446183	Hs.9572	J , J	6.8
		AA346839	Hs.209100		6.7
10		AI478427	Hs.43125	•	6.7
		AB002058	Hs.113275	, , , , , , , , , , , , , , , , , , , ,	6.7
		AA256395	Hs.88156		6.6
	404368	NA		ENSP00000241075*:TRRAP PROTEIN.	6.6
	447261	NM_006691	Hs.17917	extracellular link domain-containing 1	6.5
15		AA193282	Hs.85863	ESTs, Weakly similar to B34612 zinc fing	6.5
	410677	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	6.5
	427283	AL119796	Hs.174185		6.5
	415011	AW963085		gb:EST375158 MAGE resequences, MAGH Hom	06.4
	412068	S72043	Hs.73133	metallothionein 3 (growth inhibitory fac	6.4
20	416253	BE250659	Hs.15463	Homo sapiens, clone IMAGE:2959994, mRNA	6.4
	435885	AA701483	Hs.36341	ESTs	6.3
	402779	NA		Target Exon	6.3
	418138	AA213626 .	Hs.136204	EST	6.3
~ ~		AA742697	Hs.62492	ESTs, Weakly similar to B39066 proline-r	6.3
25		AA001732	Hs.173233	hypothetical protein FLJ10970	6.2
		BE143068		gb:MR0-HT0158-030200-003-b09 HT0158 Homo	
		BE004783		gb:MR2-BN0114-270400-004-e11 BN0114 Homo	
		NM_012093	Hs.18268	adenylate kinase 5	6.1
20		NM_014759	Hs.334688	KIAA0273 gene product	6.1
30		H15968	Hs.293845	Homo sapiens, clone IMAGE:3502329, mRNA,	6.1
		F08212	Hs.234898	ESTs, Weakly similar to 2109260A B cell	6.0
	400089		11- 077404	Eos Control	6.0
		W07475	Hs.277101	cytochrome c oxidase subunit IV isoform	5.9
35		N92818	Hs.64754	ESTs, Weakly similar to potential CDS [H	5.9
33		BE067414	11- 440050	gb:MR4-BT0355-200100-201-e05 BT0355 Homo	
		AA062610	Hs.148050	EST .	5.9
	406563	AW451023	Hs.65848	Target Exon	5.9 5.9
		AA843387	Hs.87279	hypothetical protein DKFZp761O132 ESTs	5.9
40		NM_001874	Hs.334873		5.8
		AW809163	113.004013	carboxypeptidase M gb:MR4-ST0118-261099-012-a03 ST0118 Homo	
		AB014533	Hs.33010	KIAA0633 protein	5.8
		Al372588	Hs.8022	TU3A protein	5.8
		AA372052	Hs.334559	Homo sapiens cDNA FLJ14458 fis, clone HE	5.8
45		BE063555	1.0.001000	gb:CM1-BT0283-081199-033-d09 BT0283 Homo	
		AW876813	Hs.3343	phosphoglycerate dehydrogenase	5.7
		AW014486	Hs.22509	ESTs	5.7
		AW452355	Hs.256037	ESTs	5.7
	420202	AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	5.7
50	416284	Al695473	Hs.298006	ESTs	5.7
	428553	AA181641	Hs.184907	G protein-coupled receptor 1	5.6
	404689	NA		Target Exon	5.6
	438887	R68857	Hs.265499	ESTs	5.6
	406082	S47833	Hs.82927	adenosine monophosphate deaminase 2 (iso	5.6
55	449748	H23963	Hs.32043	ESTs	5.6
		R50253	Hs.249129	cell death-inducing DFFA-like effector a	5.5
		C15819		gb:C15819 Clontech human aorta polyA mRN	5.5
		AW444613	Hs.288809	hypothetical protein FLJ20159	5.5
<b>CO</b>		AB020629	Hs.38095	ATP-binding cassette, sub-family A (ABC1	5.5
60		AI668605	Hs.60380	ESTs, Moderately similar to ALU6_HUMAN A	5.5
		AA345824	Hs.76688	carboxylesterase 1 (monocyte/macrophage	5.5
	401665	700070	11 404.55	C11000703:gi 10048448 ref NP_065258.1  g	5.5
		T99079	Hs.191194	ESTs .	5.5
65		AI161428	Hs.75916	splicing factor 3b, subunit 2, 145kD	5.5
65		BE005346	Hs.116410	ESTs	5.5
		BE617015	Hs.11006	ESTs, Moderately similar to T17372 plasm	5.5
	400 122	AI432652	Hs.42824	hypothetical protein FLJ10718	5.5

	•			
	454016 AW016806	Hs.233108	ESTs	5.5
	414913 R25621		gb:yh45f06.r1 Soares placenta Nb2HP Homo	5.4
	459033 AA017590	Hs.129907	ESTs	5.4
_	441003 BE172240	Hs.126379	ESTs, Weakly similar to I38022 hypotheti	5.4
5	450637 N49826	Hs.18602	ESTS	5.4
	442398 AA994520		gb:ou42g09.s1 Soares_NFL_T_GBC_S1 Homo s Target Exon	5.3
	403612 NA 407102 AA007629	Hs.9739	glycerol-3-phosphate dehydrogenase 1 (so	5.3
	410057 R66634	Hs.268107	multimerin	5.3
10	428232 BE272452	Hs.183109	monoamine oxidase A	5.3
10	432769 AA620814	Hs.144959	ESTs	5.3
	431344 R99530	Hs.272572	hemoglobin, alpha 2	5.3
	427032 AF012023	Hs.173274	integrin cytoplasmic domain-associated p	5.3
	406305 BE261320	Hs.158196	transcriptional adaptor 3 (ADA3, yeast h	5.3
15	437411 AW613948	Hs.194915	ESTs	5.3
	442800 AI809481	Hs.131227	ESTs	5.3
	402054 NA		Target Exon	5.3
	432085 AF212829	Hs.272406	potassium channel, subfamily K, member 9	5.3
20	415313 R59638	Hs.6181	ESTs	5.2
20	459159 Al904646	470074	gb:QV-BT065-020399-103 BT065 Homo sapien	
	427164 AB037721	Hs.173871	KIAA1300 protein	5.2 5.2
	441391 BE467930	Hs.170381	ESTs ESTs	5.2
	458959 Al285901	Hs.181297	ENSP00000251335*:DJ1003J2.1 (sodium and	5.2
25	402698 NA 401810 NA		Target Exon	5.2
23	438879 AA827674	Hs.189073	ESTs	5.2
	414657 AA424074	Hs.76780	protein phosphatase 1, regulatory (inhib	5.2
•	427809 M26380	Hs.180878	lipoprotein lipase	5.1
	456063 NM_006744	Hs.76461	retinol-binding protein 4, interstitial	5.1
30	451186 AW023469	Hs.65256	ESTs, Weakly similar to leucine-rich gli	5.1
•	451882 Al821324	Hs.100445	ESTs	5.1
	402583 NA		NM_021620:Homo sapiens PR domain contain	
	431130 NM_006103	Hs.2719	HE4; WFDC2; putative ovarian carcinoma m	5.1
25	458218 Al435179	Hs.126820	ESTS	5.1 5.1
35	416083 R53467	Hs.269122	ESTs, Weakly similar to ALU1_HUMAN ALU S gb:MR0-HT0164-070100-013-h02 HT0164 Home	
	455282 BE143867 426488 X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	5.1
	426156 BE244537	Hs.167382	natriuretic peptide receptor A/guanylate	5.1
	407891 AA486620	Hs.41135	endomucin-2	5.0
40	408610 AW026692	Hs.224829	ESTs	5.0
	445967 D59597	Hs.118821	CGI-62 protein	5.0
	434813 AI524307	Hs.162870	ESTs	5.0
	437526 AI076012	Hs.121388	ESTs, Weakly similar to MDHC_HUMAN MALA?	5.0
	454775 BE160229		gb:QV1-HT0413-090200-062-a12 HT0413 Home	
45	409451 AF012626	Hs.54472	fragile X mental retardation 2	5.0
	409853 AW502327		gb:UI-HF-BR0p-aka-a-07-0-UI.r1 NIH_MGC_5	5.0
	405062	LI- 45405	Target Exon	5.0
	446490 AK000706	Hs.15125	hypothetical protein FLJ20699	5.0 5.0
50	417622 AW298163 421978 AJ243662	Hs.82318 Hs.110196	WAS protein family, member 3 NICE-1 protein	5.0
50	440338 R62431	Hs.12758	ESTs	5.0
	415421 R35009	Hs.24903	ESTs	5.0
	417574 R00348	113.24300	gb:ye69e06.r1 Soares fetal liver spleen	5.0
	409882 AJ243191	Hs.56874	heat shock 27kD protein family, member 7	5.0
55	447998 AI768289	Hs.304389	ESTs	4.9
	445613 BE550889	Hs.158491	ESTs	4.9
	443074 AW341470	Hs.144907	ESTs	4.9
	451324 AI783600	Hs.208052	ESTs	4.9
	432433 AW014734	Hs.157969	ESTs	4.9
60	449654 Al989812	Hs.199850	ESTs	4.9
	414519 N94587	Hs.55063	ESTs	4.9
	457531 AW973716	Hs.13913	KIAA1577 protein	4.9
	433200 AA682722	Hs.192725	ESTs cholinergic receptor, muscarinic 5	4.9 4.8
65	430782 AF026263 427555 AW137094	Hs.247920 Hs.97990	ESTs	4.6
UJ	433545 AA868510	Hs.112496	ESTS	4.8
	420334 Al349351	Hs.118944	hypothetical protein FLJ22477	4.8
	120001 /11010001	100 17	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

				•	
	421795	X63094	Hs.283822	Rhesus blood group, D antigen	4.8
	427138	N77624	Hs.173717		4.8
	413072	BE063965		gb:QV3-BT0296-140200-085-h01 BT0296 Homo	
	443721	AW450451	Hs.266355		4.8
5	408053	AW139474	Hs.246862	-0.0	4.8
	427067	AA843716	Hs.177927		4.7
	442969	Al025499	Hs.132238	20.0	4.7
	426220	Al383475	Hs.171697		4.7
	414593	BE386764		gb:601273249F1 NIH_MGC_20 Homo sapiens c	
10		AA398716	Hs.97418	20.0	4.7
		AW292618	Hs.113011	20.0	4.7
	401590			Target Exon	4.7
		AW134679	Hs.242849	ESTs	4.7
		AK000123	Hs.180479	hypothetical protein FLJ20116	4.6
15		AA045290	Hs.25930	ESTs, Weakly similar to 2109260A B cell	4.6
		R49187	Hs.6659	ESTs	4.6
		AA972327	Hs.142903	ESTs	4.6 4.6
		AW298235	Hs.101689	ESTs	4.6
20		Al382726	Hs.182434	ESTs Towns Even	4.6
20	403017	N/10097	Un 15249	Target Exon ESTs	4.6
		N40087	Hs.15248 Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	4.6
		H58589 M31158	Hs.77439	protein kinase, cAMP-dependent, regulato	4.6
		NM_001546	Hs.34853	inhibitor of DNA binding 4, dominant neg	4.6
25		AI142027	Hs.146650	ESTs	4.6
20		AL137698	Hs.46531	Homo sapiens mRNA; cDNA DKFZp434C1915 (i	
		AW204277	Hs.250723	hypothetical protein MGC2747	4.6
		AF134707	Hs.278679	a disintegrin and metalloproteinase doma	4.6
		Al375984	Hs.167216	ESTs	4.6
30		F00312		gb:HSBB0D101 STRATAGENE Human skeletal	m4.6
		Al348455	Hs.147492	Homo sapiens cDNA FLJ11777 fis, clone HE	4.6
	451199	AI290653	Hs.124758	ESTs .	4.6
	438338	NM_014861	Hs.6168	KIAA0703 gene product	4.6
	433756	AW015933	Hs.112654	Homo sapiens, clone MGC:9764, mRNA, comp	4.5
35	423301	S67580	Hs.1645	cytochrome P450, subfamily IVA, polypept	4.5
	417237	H86385	Hs.81737	palmitoyl-protein thioesterase 2	4.5
		AL389981	Hs.149219	Homo sapiens mRNA full length insert cDN	4.5
		AA335769 -	Hs.16262	ESTs	4.5
40		H73444	Hs.394	adrenomedullin	4.5
40		N94835	Hs.283828	Homo sapiens genomic DNA, chromosome 21q	4.5
		AF035303	0500	gb:Homo sapiens clone 23943 mRNA sequenc	4.5
		NM_012190	Hs.9520	formyltetrahydrofolate dehydrogenase	4.5
.,		AA169114	Hs.12247	hypothetical protein FLJ11413	4.5 4.5
45		Z43619 BE142052	Hs.62654	gb:HSC1GE121 normalized infant brain cDN kringle-containing transmembrane protein	4.5
45		BE387287	Hs.83384	. S100 calcium-binding protein, beta (neur	4.4
		AI356125	Hs.157767	ESTs, Weakly similar to HXA2_HUMAN HOMEC	
		AA156998	Hs.211568	eukaryotic translation initiation factor	4.4
	401093		110.2.11000	C12000586*:qi 6330167 dbi BAA86477.1  (A	4.4
50		AW206494	Hs.253560	ESTs	4.4
-		AW842353	Hs.321717	ESTs, Weakly similar to S22765 heterogen	4.4
		AL133112	Hs.183085	Homo sapiens mRNA; cDNA DKFZp434K098 (fi	r 4.4
		Al264634	Hs.131127	ESTs	4.4
		AL359599	Hs.283850	Homo sapiens mRNA; cDNA DKFZp547C126 (f	r 4.4
55		A1380906	Hs.158436	ESTs	4.4
	410490	H03589 .		gb:yj42d08.r1 Soares placenta Nb2HP Homo	4.4
	416069	R37101	Hs.20982	ESTs	4.4
		AA807958	Hs.314232	ESTs	4.4
<i>~</i>		Al499723	Hs.135089	ESTs	4.4
60		H87407	Hs.172944	chorionic gonadotropin, beta polypeptide	4.4
		AF147401	Hs.23917	ESTS	4.3
	400870			C11000905:gi 11692565 gb AAG39879.1 AF28	
		AA933590	Hs.28937	homeobox protein from AL590526	4.3
65		H45384		gb:yn99c10.r1 Soares adult brain N2b5HB5 gb:Human lg rearranged H-chain mRNA VDJ4	4.3
65		M12873	Un 404064	ESTs, Weakly similar to T26686 hypotheti	4.3
		AV654020	Hs.184261	Target Exon	4.3
	403263	AVI (		raiget Exoir	4.3

		440004	05007444		Thirty Diggs good on the Diggs Vers	4.2	
			BE067414	Hs.139851	gb:MR4-BT0355-200100-201-e05 BT0355 Homo caveolin 2	4.3	
			AI421645 BE395260	Hs.309438		4.3	
		416931		Hs.80485		4.3	
	5		NM_002666	Hs.103253		4.3	
	•	400973	_		•	4.3	
		452602	AW366194	Hs.55962		4.3	
		412330	NM_005100	Hs.788		4.3	
_	_	405016			31 13-7	4.3	
1	0		AI475671	Hs.88607		4.3	
		406118	<b>T00050</b>			4.3	
		418556		Un 221726	J	4.3 4.3	
			AA480818 AW451206	Hs.221736 Hs.115899		4.3	
1	.5		AA342329	Hs.115920		4.3	
•			AI803166	Hs.28462		4.3	
			Al377221	Hs.40528		4.2	
			BE293116	Hs.76392	aldehyde dehydrogenase 1 family, member	4.2	
	_	444975	AV652165	Hs.182482		4.2	
2	20	403921			31	4.2	
			AI798425	Hs.42710	ESTs	4.2	
		406344	4.4.04.004	11- 25064	C5001660:gi[11611537 dbj[BAB18935.1] (AB	4.2	
			AA191201 BE155866	Hs.35861 . Hs.25522	DKFZP586E1621 protein KIAA1808 protein	4.2 4.2	
2	25		AW070634	Hs.144794	ESTs ·	4.2	
-		404682		113.1447.04	C9001188*:gi[12738842]ref[NP_073725.1] p	4.2	
			N69913	Hs.6858	ESTs, Weakly similar to 178885 serine/th	4.2	
		403433			NM_001622:Homo sapiens alpha-2-HS-glycop	4.2	
_		446532	AW975460	Hs.143563	ESTs	4.2	
3	30		Al309298	Hs.279898	Homo sapiens cDNA: FLJ23165 fis, clone L	4.2	
			AI871247	Hs.6262	hypothetical protein MGC8407	4.2	
			AW973708	Hs.201925	Homo sapiens cDNA FLJ13446 fis, clone PL ESTs	4.2 4.2	
			AA397789 AF193807	Hs.161803 Hs.131835	Rhesus blood group, B glycoprotein	4.2	
-	35		Y09763	Hs.22785	gamma-aminobutyric acid (GABA) A recepto	4.2	
-	,,		AI733098	Hs.130800	ESTs	4.2	
			AF086410		gb:Homo sapiens full length insert cDNA	4.2	
			AA399975	Hs.274151	ligatin	4.2	
		408932	AW594172	Hs.278513	TP53TG3 protein	4.2	
4	40		T77545	Hs.187559	ESTs	4.2	
			Al144152	Hs.58246	ESTS	4.2	
			AA318060	Hs.135121	hypothetical protein FLJ22415	4.2 4.2	
			NM_015977 R57171	Hs.285681	Williams-Beuren syndrome chromosome regi calsequestrin 2 (cardiac muscle)	4.2	
_	<b>45</b>	400545		Hs.57975	Target Exon	4.1	
		403051			Target Exon	4.1	
			NM 005357	Hs.95351	lipase, hormone-sensitive	4.1	
	`:	450244	AA007534	Hs.125062	ESTs	4.1	
		453261	AA034116	Hs.118494	ESTs	4.1	
•	50		W52010	Hs.191379	ESTs	4.1	
			Al307802	Hs.135560		4.1	
			A1150595	Hs.122226	ESTs gb:zn10g07.s1 Stratagene hNT neuron (937	4.1 4.1	
			AA082947 BE270758	Hs.69428	hypothetical protein MGC3020	4.1	
	55		Al306150	Hs.153450	ESTs, Weakly similar to 1909123A Na gluc	4.1	
•			AK000708	Hs.169764	hypothetical protein FLJ20701	4.1	
			AL110416		gb:DKFZp434K0431_r1 434 (synonym: htes3)	4.1	
		448640	AW817177	Hs.102558 .	Homo sapiens, clone MGC:5352, mRNA, comp	4.1	
			AA203281	Hs.21798	ESTs	4.1	
	60		AW118878	Hs.110835	ESTS	4.1	
			AW807116		gb:MR4-ST0062-040100-024-b12 ST0062 Homo		
			AW631296	He 101215	gb:hh83c09.y1 NCI_CGAP_GU1 Homo sapiens ESTs	4.1	
			R06285	Hs.191215	gb:yc92c07.r1 Soares infant brain 1NIB H	4.1	
	65	403593			Target Exon	4.0	
		402690			Target Exon	4.0	
	•		R49591 ·	Hs.270425	ESTs	4.0	

	408641 AW245207	Hs.5555	hypothetical protein MGC5347	4.0
	427899 AA829286	Hs.332053	serum amyloid A1	4.0
	445975 Al811536	Hs.145734	ESTs	4.0
	438831 BE263273	Hs.6439	synapsin II	4.0
5	455578 BE006350	Hs.14355	Homo sapiens cDNA FLJ13207 fis, clone NT	4.0
	401840 NA		Target Exon	4.0
	413753 U17760	Hs.75517	taminin, beta 3 (nicein (125kD), kalinin	4.0
	445030 Al205925	Hs.147238	ESTs, Highly similar to AAC3_HUMAN ALPHA	4.0
	433873 AW156913	Hs.150478	ESTs, Weakly similar to A Chain A, Cryst	4.0
10	456736 AW248217	Hs.1619	achaete-scute complex (Drosophila) homol	4.0
	450112 BE047734	Hs.5473	ESTs, Moderately similar to ALU5_HUMAN A	4.0
	448906 AI589567	Hs.309719	ESTs	4.0

#### TABLE 23A

Table 23A shows the accession numbers for those pkeys lacking unigeneID's for Table 23. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey:

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

15

```
CAT number Accessions
                          AW502327 AW502488 AW501829 AW502625 AW502687
       409853 1156226_1
                          BE067414 BE067958 BE067419 BE067963 AW577127 AW601412
20
       410034 1170594_1
       410233 118656_1
                          AA082947 AA083036
                          H03589 AW750687 AW750688
       410490 1205347_1
                          AW809163 AW809247 AW809177 AW809190 AW809225
       410882 1225686_1
                          BE143068 AW849143 AW848705 AW848569 AW848071 AW848475 AW848092 AW848005
       411478 1247073_1
                          BE063555 BE151321 BE151319 BE151657 BE151655 BE063556 BE151322
25
       413065 1347960_1
                          BE063965 BE063968 BE064034 BE064028 BE063874 BE063966 BE063869 BE064043 BE064033 BE063884
       413072 1348163_1
       414593 1464909_1
                          BE386764 BE387560
                          R25621 C03959 C04010
       414913 1506721_1
                          AW963085 AA159005 AW963073
       415011 151328_1
30
                          Z43619 R61274 H12206 R12883
       415986 1564410_1
       416267 1583547_1
                          H45384 H49125 H41699
       417574 1687770_1
                          R00348 R09593
                          T76945 R20210 R05755
       417629 1690392_1
       418556 1767866_-1
                          T02850
35
                          F00312 AA247490 F31427 AA383663 F22045
        419583 186198_1
        426328 264901_1
                          AW631296 AA375484
        439590 47413_1
                          AF086410 W94386 W74609
                          AA994520 AW393574
        442398 541271_1
        452205 90415_1
                          C15819 AA024741 AA024742
40
                          BE004783 BE004947 Al911790
        452654 925931_1
        453692 977825_1
                          AL110416 AW876759
                           AW807116 AW807569 AW807415 AW807338 AW807288 AW807263 AW807316 AW177402 AW807413 AW807068 BE141561
        454183 1049636_1
                           BE141569 AW807401 AW807310 BE141565 AW807318 AW807119 AW807299 AW807241 AW807225 AW807204 AW807345
                           AW807103 BE141615 AW807431 AW807393 AW807337 AW807406 AW807259 AW807375 AW845890 AW807220 AW807399
                           AW807064 AW807376 AW807024 BE141595 AW807236 AW807027 AW807112 AW807378 AW807202 BE141593 AW807216
45
                           AW807138 AW807244 AW807221 AW807297 AW807050 AW807248 AW807404 AW807075 AW807237 AW807212 AW807308
                           AW807110 AW807104 BE140912 AW807301 AW807382 AW807294 AW807026 AW807020 AW807108 AW807025 AW807433
                           AW807124 AW807419 AW807031 AW807264 AW807032 AW807029 AW807052 AW807391 AW807207 AW807215 AW807019
                           AW807238 AW807201 BE141590 AW807302 AW807323 AW807380 AW807109 BE141588 AW845877 AW807418 AW807407
                           AW807309 BE141614 AW845861 AW807396 AW807300 AW807348 AW807311 AW807214 AW807132 AW807402 AW807350
50
                           AW807028 AW807298 AW807291 AW807305 AW807217 AW807312 AW807261 AW807268 AW807260 AW807266 AW807198
                           AW807346 AW807315 BE140940 AW807351 AW807122 AW807235 AW807076 AW807314 AW807213 AW807143 AW807131
                           AW800079 AW807066 AW807077 AW845923 AW807421 BE141619 BE140943 AW807420 AW807381 BE141621 AW845921
                           BE141629 BE141625 BE141624 BE141636 BE141630 AW807405 AW807290 AW807353
55
        454404 1170594..1
                           BE067414 BE067958 BE067419 BE067963 AW577127 AW601412
                           BE160229 AW819879 AW820179 AW819882 AW819876 AW820169 BE153201 AW993736 BE152911
        454775 1234106_1
        455282 1273020_1
                           BE143867 AW935060 AW886684
        459159 919998_1
                           AI904646 BE179494 BE179421
```

## TABLE 23B

Table 23B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 23. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref: Strand:	Unique number corresponding to an Eos probeset  Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.  Indicates DNA strand from which exons were predicted.
	Ouana.	molecules DIVA such tribin which exons were predicted.
	Nt_position:	Indicates nucleotide positions of predicted exons.

15				
13	Pkey	Ref	Strand	Nt_position
	400545	9800107	Minus	124618-124881
20	400870	9838306	Minus	34081-35027
20	400973	7960452	Minus	98119-98253
	401093	8516137	Minus	22335-23166
	401590	9966320	Minus	33547-33649
	401665	7145001	Plus	121591-122537
~ ~	401810	7342191	Plus	129063-129476
25	401840	7684597	Plus	56283-56439
	402054	8083691	Minus	8288-8806
	402195	7689778	Minus	147901-148884
	402583	7684486	Plus	94883-95003
20	402690	8348058	Plus	13368-13998
30	402698	8570304	Minus	108641-108903
	402779	9588555	Minus	38173-39210
	403017	6693623	Plus	78630-79367
	403051	4827080	Minus	5269-5411
~ ~	403263	7770677	Plus ·	52431-52737
35	403433	9719611	Minus	72225-72437
	403593	6862650	Minus	62554-62712,69449-69602
	403612	8469060	Minus	94723-94859
	403921	7711590	Minus	3297-3536
40	404368	7630956	Minus	102053-102199
40	404682	9797231	Minus	40977-41150
	404689	7534100	Plus	119461-119717
	405016	6524300	Plus	51997-53308
	405062	7657730	Plus	101283-101432
4.5	406118	9143818	Plus	53997-54629
45	406344	9255974	Plus	20254-20374,20526-20659,20835-21097
	406563	7711604	Plus	34401-34538

PCT/US02/02242

Pkey: ExAccn:

10

## **TABLE 24:**

Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number

Table 24 depicts Seq ID No., UnigeneID, UnigeneTitle, Pkey, Pred.Cell.Loc., and ExAccn for all of the sequences in Table 25. The information in Table 24 is linked by Seq ID No. to Table 25.

10	Unigene Unigene Pred.Cel Seq.ID.N	Title: Ur II.Loc.: Pr	nigene number nigene gene title redicted Cellular Seguence le			
15	Pkey	ExAccn	UnigenelD	Unigene Title	Pred.Cell.Loc.	Seq. ID. No.
		A1668594	Hs.176588	ESTs. Weakly similar to CP4Y_HUMAN CYTO	DC .	Seq ID 1 & 2
		AI951118	Hs.326736	Homo sapiens breast cancer antigen NY-BR		Seq ID 3 & 4
20		AI733881	Hs.72472	BMP-R1B		Seq ID 5 & 6
		AI127076	Hs.334473	hypothetical protein DKFZp564O1278		Seq ID 7 & 8
	450375	AA009647	Hs.8850	a disintegrin and metalloproteinase doma		Seq ID 9 & 10
	102457	NM_00139	4Hs.2359	dual specificity phosphatase 4	nuclear	Seq ID 11 & 12
		NM_00139		dual specificity phosphatase 4	nuclear	Seq ID 11 & 12
25		A1905687	Hs.2533	aldehyde dehydrogenase 9 family, member	cytoplasm	Seq ID 13 & 14
			Hs.124165	ESTs		Seq ID 15 & 16
		N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A		Seq ID 17 & 18
		D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety		Seq ID 19 & 20
20			Hs.155223	stanniocalcin 2		Seq ID 21 & 22
30			Hs.105445	GDNF family receptor alpha 1		Seq ID 23 & 24
			Hs.279727 .	Homo sapiens cDNA FLJ14035 fis, clone HE		Seq ID 25 & 26
			Hs.136319	ESTs LIV-1 protein, estrogen regulated		Seq ID 27 & 28 Seq ID 29 & 30
		U41060	Hs.79136	· interleukin 6 signal transducer (gp130,		Seq ID 31 & 32
35		W87707 AK001741		hypothetical protein FLJ10879		Seq ID 33 & 34
55		R41823	Hs.7413	ESTs		Seq ID 35 & 36
			Hs.283713	ESTs, Weakly similar to S64054 hypotheti		Seq ID 37 & 38
		AA026880		Homo sapiens cDNA FLJ13603 fis, clone PL		Seq ID 39 & 40
		N32536	Hs.42645	solute carrier family 16 (monocarboxylic		Seq ID 41 & 42
40			Hs.128899	ESTs		Seq ID 43 & 44
		W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA		Seq ID 45 & 46
			Hs.200102	ATP-binding cassette transporter MRP8		Seq ID 47 & 48
	452190	H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	4	Seq ID 49 & 50
	446733	AA863360	Hs.26040	ESTs, Weakly similar to fatty acid omega		Seq ID 51 & 52
45	452747	BE153855	Hs.61460	lg superfamily receptor LNIR		Seq ID 53 & 54
	423242	AL039402	Hs.125783	DEME-6 protein		Seq ID 55 & 56
		BE270266		5T4 oncofetal trophoblast glycoprotein		Seq ID 57 & 58
		AI538613	Hs.298241	Transmembrane protease, serine 3		Seq ID 59 & 60
50		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin		Seq ID 61 & 62
50			5 Hs.222399	CEGP1 protein		Seq ID 63 & 64
			Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:polyp	_::- ab a d -:-	Seq ID 65 & 66
•	404561			NM_014112*:Homo sapiens trichorhinophala	nuclear	Seq ID 67 & 68 Seq ID 69 & 70
•	325372		U= 22480C	Phase 2 & 3 Exons	nuclear	Seq ID 71 & 72
55			Hs.334806	KIAA1238 protein	MAI	Seq ID 73 & 74
22	335824	U31875	Hs.272499	ENSP00000249072*:DJ222E13.1 (N-TERMII	NAL.	Seq ID 75 & 76
		X07820	Hs.2258	short-chain alcohol dehydrogenase family matrix metalloproteinase 10 (stromelysin		Seq ID 77 & 78
		D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph		Seq ID 79 & 80
			B6Hs.226213	cytochrome P450, 51 (lanosterol 14-alpha	ER	Seq ID 81 & 82
60			Hs.204096	lipophilin B (uteroglobin family member)	<del></del> •	Seq ID 83 & 84
-		H87879	Hs.102267	lysyl oxidase	extracellular	Seq ID 85 & 86
			Hs.100431	small inducible cytokine B subfamily (Cy		Seq ID 87 & 88
		X51501	Hs.99949	prolactin-induced protein	nuclear	Seq ID 89 & 90
		AI267652		Homo sapiens mRNA; cDNA DKFZp434E082	2 (fr	Seq ID 91 & 92
				·	•	

	420757	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	cytoplasm	Seq ID 93 & 94
	424905	NM_00249	7Hs.153704	NIMA (never in mitosis gene a)-related k	nuclear	Seq ID 95 & 96
	429859	NM_007050	0Hs.225952	protein tyrosine phosphatase, receptor t		Seq ID 97 & 98
_	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	extracellular	Seq ID 99 & 100
5	445537	AJ245671	Hs.12844	EGF-like-domain, multiple 6		Seq ID 101 & 102
	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	extracellular	Seq ID 103 & 104
	424001	W67883	Hs.137476	paternally expressed 10		Seq ID 105 & 106
	421727	Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3		Seq ID 107 & 108
	452838	U65011	Hs.30743	preferentially expressed antigen in mela	nuclear	Seq ID 109 & 110
10	419667	AU077005	Hs.92208	a disintegrin and metalloproteinase doma		Seq ID 111 & 112
	414812	X72755	Hs.77367.	monokine induced by gamma Interferon	extracellular	Seg ID 113 & 114
	426320	W47595	Hs.169300	transforming growth factor, beta 2	extracellular	Seq ID 115 & 116
	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	extracellular	Seq ID 117 & 118
	411558	AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto		Seq ID 119 & 120
15	417866	AW067903	Hs.82772	collagen, type XI, alpha 1		Seq ID 121 & 122
	428398	Al249368	Hs.98558	ESTs	•	Seq ID 123 & 124
	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	plasma membrane	eSeq ID 125 & 126
	428722	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4		Seq ID 127 & 128
	412970	AB026436	Hs.177534	dual specificity phosphatase 10		Seq ID 129 & 130
20	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	extracellular	Seq ID 131 & 132
	415752	BE314524	Hs.78776	putative transmembrane protein		Seg ID 133 & 134
	444051	N48373	Hs.10247	activated teucocyte cell adhesion molecu		Seq ID 135 & 136
	451110	A1955040	Hs.265398	ESTs, Weakly similar to transformation-r		Seq ID 137 & 138

#### TABLE 24A

Table 24A shows the accession numbers for those pkeys lacking unigeneID's for Table 24. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10 Pkey:

5

Unique Eos probeset identifier number

CAT number:

Gene cluster number

Accession:

Genbank accession numbers

15 Pkey CAT number

Accession

335824 CH22\_3197FG\_619\_11\_LINK\_E

325372 c12\_hs

#### TABLE 24B

Table 24B shows the genomic positioning for those pkeys lacking unigene ID's and 5 accession numbers in Table 24. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Ref: 10

Unique number corresponding to an Eos probeset

Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication

entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.

Strand: Nt\_position: Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15

Pkey Ref Strand Nt\_position

404561 9795980 Minus 69039-70100

20

#### Table 25

5

The 69 gene sequences identified to be overexpressed in breast cancer may be used to identify coding regions from the public DNA databases (ur and htgs in Genbank). The sequences may be used to either identify genes that encode known proteins, or they may be used to predict the coding regions from genomic DNA using exon prediction algorithms, such as FGENESH (Salamov and Solovyev, 2000, Genome Res. 10:516-522)



AGTGAGCAAA TTGTGGAATT TTTGCTGATA AAAAATGCAA ATGCGAATGC AGTTAATAAG 540 TATAAATGCA CAGCCCTCAT GCTTGCTGTA TGTCATGGAT CATCAGAGAT AGTTGGCATG 600 CTTCTTCAGC AAAATGTTGA CGTCTTTGCT GCAGATATAT GTGGAGTAAC TGCAGAACAT TATGCTGTTA CTTGTGGATT TCATCACATT CATGAACAAA TTATGGAATA TATACGAAAA 720 TTATCTAAAA ATCATCAAAA TACCAATCCA GAAGGAACAT CTGCAGGAAC ACCTGATGAG 780 GCTGCACCCT TGGCGGAAAG AACACCTGAC ACAGCTGAAA GCTTGGTGGA AAAAACACCT 840 GATGAGGCTG CACCCTTGGT GGAAAGAACA CCTGACACGG CTGAAAGCTT GGTGGAAAAA 900 ACACCTGATG AGGCTGCATC CTTGGTGGAG GGAACATCTG ACAAAATTCA ATGTTTGGAG. 960 AAAGCGACAT CTGGAAAGTT CGAACAGTCA GCAGAAGAAA CACCTAGGGA AATTACGAGT, 1020 10 CCTGCAAAAG AAACATCTGA GAAATTTACG TGGCCAGCAA AAGGAAGACC TAGGAAGATC 1080 GCATGGGAGA AAAAAGAAGA CACACCTAGG GAAATTATGA GTCCCGCAAA AGAAACATCT 1140
GAGAAATTTA CGTGGGCAGC AAAAGGAAGA CCTAGGAAGA TCGCATGGGA GAAAAAAGAA 1200 ACACCTGTAA AGACTGGATG CGTGGCAAGA GTAACATCTA ATAAAACTAA AGTTTTGGAÅ 1260 AAAGGAAGAT CTAAGATGAT TGCATGTCCT ACAAAAGAAT CATCTACAAA AGCAAGTGCC 1320 15 AATGATCAGA GGTTCCCATC AGAATCCAAA CAAGAGGAAG ATGAAGAATA TTCTTGTGAT 1380 TCTCGGAGTC TCTTTGAGAG TTCTGCAAAG ATTCAAGTGT GTATACCTGA GTCTATATAT 1440 CAAAAAGTAA TGGAGATAAA TAGAGAAGTA GAAGAGCCTC CTAAGAAGCC ATCTGCCTTC 1500 AAGCCTGCCA TTGAAATGCA AAACTCTGTT CCAAATAAAG CCTTTGAATT GAAGAATGAA 1560
CAAACATTGA GAGCAGATCC GATGTTCCCA CCAGAATCCA AACAAAAGGA CTATGAAGAA 1620
AATTCTTGGG ATTCTGAGAG TCTCTGTGAG ACTGTTTCAC AGAAGGATGT GTGTTTACCC 1680
AAGGCTACAC ATCAAAAAGA AATAGATAAA ATAAATGGAA AATTAGAAGA GTCTCCTAAT 1740
AAAGATGGTC TTCTGAAGGC TACCTGCGGA ATGAAAGTTT CTATTCCAAC TAAAGCCTTA 1800 20 GAATTGAAGG ACATGCAAAC TTTCAAAGCG GAGCCTCCGG GGAAGCCATC TGCCTTCGAG 1860 CCTGCCACTG AAATGCAAAA GTCTGTCCCA AATAAAGCCT TGGAATTGAA AAATGAACAA 1920 25 ACATGGAGAG CAGATGAGAT ACTCCCATCA GAATCCAAAC AAAAGGACTA TGAAGAAAAT 1980 TCTTGGGATA CTGAGAGTCT CTGTGAGACT GTTTCACAGA AGGATGTGTG TTTACCCAAG 2040 GCTGCGCATC AAAAAGAAAT AGATAAAATA AATGGAAAAT TAGAAGGGTC TCCTGTTAAA 2100 GATGGTCTTC TGAAGGCTAA CTGCGGAATG AAAGTTTCTA TTCCAACTAA AGCCTTAGAA 2160 TTGATGGACA TGCAAACTTT CAAAGCAGAG CCTCCCGAGA AGCCATCTGC CTTCGAGCCT 2220 30 GCCATTGAAA TGCAAAAGTC TGTTCCAAAT AAAGCCTTGG AATTGAAGAA TGAACAAACA 2280 TTGAGAGCAG ATGAGATACT CCCATCAGAA TCCAAACAAA AGGACTATGA AGAAAGTTCT 2340 TGGGATTCTG AGAGTCTCTG TGAGACTGTT TCACAGAAGG ATGTGTGTTT ACCCAAGGCT 2400 ACACATCAAA AAGAAATAGA TAAAATAAAT GGAAAATTAG AAGAGTCTCC TGATAATGAT 2460 GGTTTTCTGA AGGCTCCCTG CAGAATGAAA GTTTCTATTC CAACTAAAGC CTTAGAATTG 2520 ATGGACATGC AAACTTTCAA AGCAGAGCCT CCCGAGAAGC CATCTGCCTT CGAGCCTGCC 2580 35 ATTGAAATGC AAAAGTCTGT TCCAAATAAA GCCTTGGAAT TGAAGAATGA ACAAACATTG 2640 AGAGCAGATC AGATGTTCCC TTCAGAATCA AAACAAAAGA AGGTTGAAGA AAATTCTTGG 2700 GATTCTGAGA GTCTCCGTGA GACTGTTTCA CAGAAGGATG TGTGTGTACC CAAGGCTACA 2760 CATCAAAAAG AAATGGATAA AATAAGTGGA AAATTAGAAG ATTCAACTAG CCTATCAAAA 2820 40 ATCTTGGATA CAGTTCATTC TTGTGAAAGA GCAAGGGAAC TTCAAAAAGA TCACTGTGAA 2880 CAACGTACAG GAAAAATGGA ACAAATGAAA AAGAAGTTTT GTGTACTGAA AAAGAAACTG 2940 TCAGAAGCAA AAGAAATAAA ATCACAGTTA GAGAACCAAA AAGTTAAATG GGAACAAGAG 3000 CTCTGCAGTG TGAGATTGAC TTTAAACCAA GAAGAAGAA AGGAAAAAA TGCCGATATA 3060 TTAAATGAAA AAATTAGGGA AGAATTAGGA AGAATCGAAG AGCAGCATAG GAAAGAGTTA 3120 45 GAAGTGAAAC AACAACTTGA ACAGGCTCTC AGAATACAAG ATATAGAATT GAAGAGTGTA 3180 GAAAGTAATT TGAATCAGGT TTCTCACACT CATGAAAATG AAAATTATCT CTTACATGAA 3240 AATTGCATGT TGAAAAAGGA AATTGCCATG CTAAAACTGG AAATAGCCAC ACTGAAACAC 3300 CAATACCAGG AAAAGGAAAA TAAATACTTT GAGGACATTA AGATTTTAAA AGAAAAGAAT 3360 GCTGAACTTC AGATGACCCT AAAACTGAAA GAGGAATCAT TAACTAAAAG GGCATCTCAA 3420 TATAGTGGGC AGCTTAAAGT TCTGATAGCT GAGAACACAA TGCTCACTTC TAAATTGAAG 3480 GAAAAACAAG ACAAAGAAAT ACTAGAGGCA GAAATTGAAT CACACCATCC TAGACTGGCT 3540 50 TCTGCTGTAC AAGACCATGA TCAAATTGTG ACATCAAGAA AAAGTCAAGA ACCTGCTTTC 3600 CACATTGCAG GAGATGCTTG TTTGCAAAGA AAAATGAATG TTGATGTGAG TAGTAEGATA 3660 TATAACAATG AGGTGCTCCA TCAACCACTT TCTGAAGCTC AAAGGAAATC CAAAAGCCTA 3720 55 AAAATTAATC TCAATTATGC AGGAGATGCT CTAAGAGAAA ATACATTGGT TTCAGAACAT 3780 GCACAAAGAG ACCAACGTGA AACACAGTGT CAAATGAAGG AAGCTGAACA CATGTATCAA 3840 AACGAACAAG ATAATGTGAA CAAACACACT GAACAGCAGG AGTCTCTAGA TCAGAAATTA 3900
TTTCAACTAC AAAGCAAAAA TATGTGGCTT CAACAGCAAT TAGTTCATGC ACATAAGAAA 3960
GCTGACAACA AAAGCAAGAT AACAATTGAT ATTCATTTTC TTGAGAGGAA AATGCAACAT 4020 60 CATCTCCTAA AAGAGAAAAA TGAGGAGATA TTTAATTACA ATAACCATTT AAAAAACCGT 4080 ATATATCAAT ATGAAAAAGA GAAAGCAGAA ACAGAAAACT CATGAGAGAC AAGCAGTAAG 4140 AAACTTCTTT TGGAGAAACA ACAGACCAGA TCTTTACTCA CAACTCATGC TAGGAGGCCA 4200 GTCCTAGCAT CACCTTATGT TGAAAATCTT ACCAATAGTC TGTGTCAACA GAATACTTAT 4260 TTTAGAAGAA AAATTCATGA TITCTTCCTG AAGCCTACAG ACATAAAATA ACAGTGTGAA 4320 GAATTACTTG TTCACGAATT GCATAAAGCT GCACAGGATT CCCATCTACC CTGATGATGC 4380 AGCAGACATC ATTCAATCCA ACCAGAATCT CGCTCTGCAC TCCAGCCTAG GTGACAGAGT 4440 65 GAGACTCCAC CTCGGAAA

70 Seq ID NO: 4 <u>Protein sequence:</u> Protein Accession #: NP\_443723.1

31

75 MTKRKKTINL NIQDAQKRTA LHWACYNGHE EVVTFLVDRK CQLDVLDGEH RTPLMKALQC 60 HQEACANILI DSGADINLVD VYGNMALHYA VYSEILSVVA KLLSHGAVIE VHNKASLTPL 120 LLSITKRSEQ IVEFLLIKNA NANAVNKYKC TALMLAVCHG SSEIVGMLLQ QNVDVFAADI 180

CGVTAEHYAV TCGFHHIHEQ IMEYIRKLSK NHONTNPEGT SAGTPDEAAP LAERTPDTAE 240 SLVEKTPDEA APLVERTPDT AESLVEKTPD EAASLVEGTS DKIQCLEKAT SGKFEQSAEE 300
TPREITSPAK ETSEKFTWPA KGRPRKIAWE KKEDTPREIM SPAKETSEKF TWAAKGRPRK 360
IAWEKKETPV KTGCVARVTS NKTKVLEKGR SKMIACPTKE SSTKASANDQ RFPSESKQEE 420 5 DEEYSCDSRS LFESSAKIOV CIPESIYQKV MEINREVEEP PKKPSAFKPA IEMQNSVPNK 480 AFELKNEQTL RADPMFPPES KQKDYEENSW DSESLCETVS QKDVCLPKAT HQKEIDKING 540 KLEESPNKDG LLKATCGMKV SIPTKALELK DMQTFKAEPP GKPSAFEPAT EMQKSVPNKA 600 LELKNEQTWR ADEILPSESK QKDYEENSWD TESLCETVSQ KDVCLPKAAH QKEIDKINGK 660 LEGSPVKDGL LKANCGMKVS IPTKALELMD MQTFKAEPPE KPSAFEPAIE MQKSVPNKAL 720
ELKNEQTLRA DEILPSESKQ KDYEESSWDS ESLCETVSQK DVCLPKATHQ KEIDKINGKL 780
EESPDNDGFL KAPCRMKVSI PTKALELMDM QTFKAEPPEK PSAFEPAIEM QKSVPNKALE 840
LKNEQTLRAD QMFPSESKQK KVEENSWDSE SLRETVSQKD VCVPKATHQK EMDKISGKLE 900
DSTSLSKILD TVHSCERARE LQKDHCEQRT GKMEQMKKKF CVLKKKLSEA KEIKSQLENQ 960 10 KVKWEQELCS VRLTLNQEEE KRRNADILNE KIREELGRIE EQHRKELEVK QQLEQALRIQ 1020 15 DIELKSVESN LNOVSHTHEN ENYLLHENCM LKKEIAMLKL EIATLKHQYQ EKENKYFEDI 1080 KILKEKNAEL QMTLKLKEES LTKRASQYSG QLKVLIAENT MLTSKLKEKQ DKEILEAEIE 1140 SHHPRLASAV QDHDQIVTSR KSQEPAFHIA GDACLQRKMN VDVSSTIYNN EVLHQPLSEA 1200 QRKSKSLKIN LNYAGDALRE NTLVSEHAQR DQRETQCQMK EAEHMYQNEQ DNVNKHTEQQ 1260 ESLDQKLFQL QSKNMWLQQQ LVHAHKKADN KSKITIDIHF LERKMQHHLL KEKNEEIFNY 1320 20 NNHLKNRIYQ YEKEKAETEN S

Seq ID NO: 5 DNA sequence
Nucleic Acid Accession #: none found
Coding sequence: 273-1785 (underlined sequences correspond to start and stop codons)

41 51 CGCGGGGCGC GGAGTCGGCG GGGCCTCGCG GGACGCGGGC AGTGCGGAGA CCGCGGCGCT 60 GAGGACGCGG GAGCCGGGAG CGCACGCGCG GGGTGGAGTT CAGCCTACTC TTTCTTAGAT 120 30 GTGAAAGGAA AGGAAGATCA TTTCATGCCT TGTTGATAAA GGTTCAGACT TCTGCTGATT 180 CATAACCATT TGGCTCTGAG CTATGACAAG AGAGGAAACA AAAAGTTAAA CTTACAAGCC 240 TGCCATAAGT GAGAAGCAAA CTTCCTTGAT AACATGCTTT TGCGAAGTGC AGGAAAATTA 300 AATGTGGGCA CCAAGAAAGA GGATGGTGAG AGTACAGCCC CCACCCCCG TCCAAAGGTC 360 35 TTGCGTTGTA AATGCCACCA CCATTGTCCA GAAGACTCAG TCAACAATAT TTGCAGCACA 420 GACGGATATT GTTTCACGAT GATAGAAGAG GATGACTCTG GGTTGCCTGT GGTCACTTCT 480
GGTTGCCTAG GACTAGAAGG CTCAGATTTT CAGTGTCGGG ACACTCCCAT TCCTCATCAA 540
AGAAGATCAA TTGAATGCTG CACAGAAAGG AACGAATGTA ATAAAGACCT ACACCCTACA 600 CTGCCTCCAT TGAAAAACAG AGATTTTGTT GATGGACCTA TACACCACAG GGCTTTACTT 660 40 ATATCTGTGA CTGTCTGTAG TTTGCTCTTG GTCCTTATCA TATTATTTTG TTACTTCCGG 720 TATAAAAGAC AAGAAACCAG ACCTCGATAC AGCATTGGGT TAGAACAGGA TGAAACTTAC - 780 ATTCCTCCTG GAGAATCCCT GAGAGACTTA ATTGAGCAGT CTCAGAGCTC AGGAAGTGGA 840 TCAGGCCTCC CTCTGGTG CCAAAGGACT ATAGCTAAGC AGATTCAGAT GGTGAAACAG 900
ATTGGAAAAG GTCGCTATGG GGAAGTTTGG ATGGGAAAGT GGCGTGGCGA AAAGGTAGCT 960
GTGAAAGTGT TCTTCACCAC AGAGGAAGCC AGCTGGTTCA GAGAGACAGA AATATATCAG 1020
ACAGTGTTGA TGAGGCATGA AAACATTTTG GGTTTCATTG CTGCAGATAT CAAAGGGACA 1080
GGGTCCTGGA CCCAGTTGTA CCTAATCACA GACTATCATG AAAATGGTTC CCTTTATGAT 1140 45 TATCTGAAGT CCACCACCCT AGACGCTAAA TCAATGCTGA AGTTAGCCTA CTCTTCTGTC 1200 AGTGGCTTAT GTCATTTACA CACAGAAATC TTTAGTACTC AAGGCAAACC AGCAATTGCC 1260 50 CATCGAGATC TGAAAAGTAA AAACATTCTG GTGAAGAAAA ATGGAACTTG CTGTATTGCT 1320 GACCTGGGCC TGGCTGTTAA ATTTATTAGT GATACAAATG AAGTTGACAT ACCACCTAAC 1380 ACTCGAGTTG GCACCAAACG CTATATGCCT CCAGAAGTGT TGGACGAGAG CTTGAACAGA 1440 AATCACTTCC AGTCTTACAT CATGGCTGAC ATGTATAGTT TTGGCCTCAT CCTTTGGGAG 1500 GTTGCTAGGA GATGTGTATC AGGAGGTATA GTGGAAGAAT ACCAGCTTCC TTATCATGAC 1560 55 CTAGTGCCCA GTGACCCCTC TTATGAGGAC ATGAGGGAGA TTGTGTGCAT CAAGAAGTTA 1620 CGCCCTCAT TCCCAAACCG GTGGAGCAGT GATGAGTGTC TAAGGCAGAT GGGAAAACTC 1680 ATGACAGAAT GCTGGGCTCA CAATCCTGCA TCAAGGCTGA CAGCCCTGCG GGTTAAGAAA 1740 ACACTTGCCA AAATGTCAGA GTCCCAGGAC ATTAAACTCT GATAGGAGAG GAAAAGTAAG 1800 CATCTCTGCA GAAAGCCAAC AGGTACTCTT CTGTTTGTGG GCAGAGCAAA AGACATCAAA 1860 TAAGCATCCA CAGTACAAGC CTTGAACATC GTCCTGCTTC CCAGTGGGTT CAGACCTCAC 1920 CTTTCAGGGA GCGACCTGGG CAAAGACAGA GAAGCTCCCA GAAGGAGAGA TTGATCCGTG 1980 TCTGTTTGTA GGCGGAGAAA CCGTTGGGTA ACTTGTTCAA GATATGATGC AT .60 -

Seq ID NO: 6 Protein sequence:
Protein Accession #: none found

25

EEYQLPYHDL VPSDPSYEDM REIVCIKKLR PSFPNRWSSD ECLRQMGKLM TECWAHNPAS 480 RLTALRVKKT LAKMSESQDI KL

Seq ID NO: 7 DNA sequence
Nucleic Acid Accession #: none found
Coding sequence: 482-3007(underlined sequences correspond to start and stop codons)

10 AACTGAGCTA ACAAGAAATA CTAGAAAAGG AGGAAGGAGA ACATTGCTGC AGCTTGGATC 60 TACAACCTAA GAAAGCAAGA GTGATCAATC TCAGCTCTGT TAAACATCTT GTTTACTTAC 120 TGCATTCAGC AGCTTGCAAA TGGTTAACTA TATGCAAAAA AGTCAGCATA GCTGTGAAGT 180 ATGCCGTGAA TTTTAATTGA GGGAAAAAGG GACAATTGCT TCAGGATGCT CTAGTATGCA 240 15 CTCTGCTTGA AATATTITCA ATGAAATGCT CAGTATTCTA TCTTTGACCA GAGGTTTTAA 300 CTTTATGAAG CTATGGGACT TGACAAAAAG TGATATTTGA GAAGAAAGTA CGCAGTGGTT 360 GGTGTTTTCT TTTTTTTAAT AAAGGAATTG AATTACTTTG AACACCTCTT CCAGCTGTGC 420 ATTACAGATA ACGTCAGGAA GAGTCTCTGC TITACAGAAT CGGATTTCAT CACATGACAA 480 CATGAAGCTG TGGATTCATC TCTTTTATTC ATCTCTCCTT GCCTGTATAT CTTTACACTC 540 CCAAACTCCA GTGCTCTCAT CCAGAGGCTC TTGTGATTCT CTTTGCAATT GTGAGGAAAA 600
AGATGGCACA ATGCTAATAA ATTGTGAAGC AAAAGGTATC AAGATGGTAT CTGAAATAAG 660
TGTGCCACCA TCACGACCTT TCCAACTAAG CTTATTAAAT AACGGCTTGA CGATGCTTCA 720
CACAAATGAC TTTTCTGGGC TTACCAATGC TATTTCAATA CACCTTGGAT TTAACAATAT 780 20 TGCAGATATT GAGATAGGTG CATTTAATGG CCTTGGCCTC CTGAAACAAC TTCATATCAA 25 TCACAATTCT TTAGAAATTC TTAAAGAGGA TACTTTCCAT GGACTGGAAA ACCTGGAATT 900 CCTGCAAGCA GATAACAATT TTATCACAGT GATTGAACCA AGTGCCTTTA GCAAGCTCAA 960 CAGACTCAAA GTGTTAATTT TAAATGACAA TGCTATTGAG AGTCTTCCTC CAAACATCTT 1020 CCGATTTGTT CCTTTAACCC ATCTAGATCT TCGTGGAAAT CAATTACAAA CATTGCCTTA 1080 TGTTGGTTTT CTCGAACACA TTGGCCGAAT ATTGGATCTT CAGTTGGAGG ACAACAAATG 1140 GGCCTGCAAT TGTGACTTAT TGCAGTTAAA AACTTGGTTG GAGAACATGC CTCCACAGTC 1200
TATAATTGGT GATGTTGTCT GCAACAGCCC TCCATTTTT AAAGGAAGTA TACTCAGTAG 1260 30 ACTAAAGAAG GAATCTATTT GCCCTACTCC ACCAGTGTAT GAAGAACATG AGGATCCTTC 1320 AGGATCATTA CATCTGGCAG CAACATCTTC AATAAATGAT AGTCGCATGT CAACTAAGAC 1380 CACGTCCATT CTAAAACTAC CCACCAAAGC ACCAGGTTTG ATACCTTATA TTACAAAGCC 1440
ATCCACTCAA CTTCCAGGAC CTTACTGCCC TATTCCTTGT AACTGCAAAG TCCTATCCC 1500
ATCAGGACTT CTAATACATT GTCAGGAGCG CAACATTGAA AGCTTATCAG ATCTGAGACC 1560
TCCTCCGCAA AATCCTAGAA AGCTCATTCT AGCGGGAAAT ATTATTCACA GTTTAATGAA 1620 35 GTCTGATCTA GTGGAATATT TCACTTTGGA AATGCTTCAC TTGGGAAACA ATCGTATTGA 1680 AGTTCTTGAA GAAGGATCGT TTATGAACCT AACGAGATTA CAAAAACTCT ATCTAAATGG 1740 40 TAACCACCTG ACCAAATTAA GTAAAGGCAT GTTCCTTGGT CTCCATAATC TTGAATACTT 1800 ATATCTTGAA TACAATGCCA TTAAGGAAAT ACTGCCAGGA ACCTTTAATC CAATGCCTAA 1860
ACTTAAAGTC CTGTATTTAA ATAACAACCT CCTCCAAGTT TTACCACCAC ATATTTTTTC 1920
AGGGGTTCCT CTAACTAAGG TAAATCTTAA AACAAACCAG TTTACCCATC TACCTGTAAG 1980
TAATATTTTG GATGATCTTG ATTTACTAAC CCAGATTGAC CTTGAGGATA ACCCCTGGGA 2040 45 CTGCTCCTGT GACCTGGTTG GACTGCAGCA ATGGATACAA AAGTTAAGCA AGAACACAGT 2100 GACAGATGAC ATCCTCTGCA CTTCCCCCGG GCATCTCGAC AAAAAGGAAT TGAAAGCCCT 2160 AAATAGTGAA ATTCTCTGTC CAGGTTTAGT AAATAACCCA TCCATGCCAA CACAGACTAG 2220 TTACCTTATG GTCACCACTC CTGCAACAAC AACAAATACG GCTGATACTA TTTTACGATC 2280 TCTTACGGAC GCTGTGCCAC TGTCTGTTCT AATATTGGGA CTTCTGATTA TGTTCATCAC 2340
TATTGTTTTC TGTGCTGCAG GGATAGTGGT TCTTGTTCTT CACCGCAGGA GAAGATACAA 2400
AAAGAAACAA GTAGATGAGC AAATGAGAGA CAACAGTCCT GTGCATCTTC AGTACAGCAT 2460 50 GTATGGCCAT AAAACCACTC ATCACACTAC TGAAAGACCC TCTGCCTCAC TCTATGAACA 2520 GCACATGGTG AGCCCCATGG TTCATGTCTA TAGAAGTCCA TCCTTTGGTC CAAAGCATCT 2580 GGAAGAGAA GAAGAGAGGA ATGAGAAAGA AGGAAGTGAT GCAAAACATC TCCAAAGAAG 2640 55 TCTTTTGGAA CAGGAAAATC ATTCACCACT CACAGGGTCA AATATGAAAT ACAAAACCAC 2700 GAACCAATCA ACAGAATTT TATCCTTCCA AGATGCCAGC TCATTGTACA GAAACATTTT 2760
AGAAAAAGAA AGGGAACTTC AGCAACTGGG AATCACAAGAA TACCTAAGGA AAAACATTGT 2820
TCAGCTCCAG CCTGATATGG AGGCACATTA TCCTGGAGCC CACGAAGAGC TGAAGTTAAT 2880
GGAAACATTA ATGTACTCAC GTCCAAGGAA GGTATTAGTG GAACAGACAA AAAATGAGTA 2940 60 TTTTGAACTT AAAGCTAATT TACATGCTGA ACCTGACTAT TTAGAAGTCC TGGAGCAGCA 3000 AACATAGATG GAGAGTTTGA GGGCTTTCGC AGAAATGCTG TGATTCTGTT TTAAGTCCAT 3060 ACCTTGTAAA TAAGTGCCTT ACGTGAGTGT GTCATCAATC AGAACCTAAG CACAGCAGTA 3120 AACTATGGGG AAAAAAAAA AAGAAGAAAA GAAACTCAGG GATCACTGGG AGAAGCCATG 3180 GCATTATCTT CAGGCAATTT AGTCTGTCCC AAATAAAATC AATCCTTGCA TGTAAATC 65

Seq ID NO: 8 Protein sequence:
Protein Accession #: none found

PPQNPRKLIL AGNIIHSLMK SDLVEYFTLE MLHLGNNRIE.VLEEGSFMNL TRLQKLYLNG 420 NHLTKLSKGM FLGLHNLEYL YLEYNAIKEI LPGTFNPMPK LKVLYLNNNL LQVLPPHIFS 480
GYPLTKVNLK TNQFTHLPVS NILDDLDLLT QIDLEDNPWD CSCDLVGLQQ WIQKLSKNTV 540
TDDILCTSPG HLDKKELKAL NSEILCPGLV NNPSMPTQTS YLMVTTPATT TNTADTILRS 600
LTDAVPLSVL ILGLLIMFIT IVFCAAGIVV LVLHRRRRYK KKQVDEQMRD NSPVHLQYSM 660 YGHKTTHHTT ERPSASLYEQ HMVSPMVHVY RSPSFGPKHL EEEEERNEKE GSDAKHLQRS 720 LLEGENHSPL TGSNMKYKTT NQSTEFLSFQ DASSLYRNIL EKERELQQLG ITEYLRKNIA 780 QLQPDMEAHY PGAHEELKLM ETLMYSRPRK VLVEQTKNEY FELKANLHAE PDYLEVLEQQ 840

10 Seq ID NO: 9 DNA sequence

Nucleic Acid Accession #: NM\_003474
Coding sequence: 307-3036 (underlined sequences correspond to start and stop codons)

51

15

5

41 ŹI 31 CACTAACGCT CTTCCTAGTC CCCGGGCCAA CTCGGACAGT TTGCTCATTT ATTGCAACGG 60 TCAAGGCTGG CTTGTGCCAG AACGGCGCGC GCGCGACGCA CGCACACACA CGGGGGGAAA 120 20 CTTTTTTAAA AATGAAAGGC TAGAAGAGCT CAGCGGCGGC GCGGGCCGTG CGCGAGGGCT 180 CCGGAGCTGA CTCGCCGAGG CAGGAAATCC CTCCGGTCGC GACGCCCGGC CCCGCTCGGC 240 GCCCGCGTGG GATGGTGCAG CGCTCGCCGC CGGGCCCGAG AGCTGCTGCA CTGAAGGCCG 300 GCGACGATGG CAGCGCCCC GCTGCCCGTG TCCCCCGCCC GCGCCCTCCT GCTCGCCCTG 360 GCCGGTGCTC TGCTCGCGCC CTGCGAGGCC CGAGGGGTGA GCTTATGGAA CGAAGGAAGA 420 25 GCTGATGAAG TTGTCAGTGC CTCTGTTCGG AGTGGGGGACC TCTGGATCCC AGTGAAGAGC 480 TTCGACTCCA AGAATCATCC AGAAGTGCTG AATATTCGAC TACAACGGGA AAGCAAAGAA CTGATCATAA ATCTGGAAAG AAATGAAGGT CTCATTGCCA GCAGTTTCAC GGAAACCCAC 600 TATCTGCAAG ACGGTACTGA TGTCTCCCTC GCTCGAAATT ACACGGTAAT TCTGGGTCAC 660
TGTTACTACC ATGGACATGT ACGGGGATAT TCTGATTCAG CAGTCAGTCT CAGCACGTGT 720
TCTGGTCTCA GGGGACTTAT TGTGTTTGAA AATGAAAGCT ATGTCTTAGA ACCAATGAAA 780 30 AGTGCAACCA ACAGATACAA ACTCTTCCCA GCGAAGAAGC TGAAAAGCGT CCGGGGATCA 840 TGTGGATCAC ATCACAACAC ACCAAACCTC GCTGCAAAGA ATGTGTTTCC ACCACCCTCT 900 CAGACATGGG CAAGAAGGCA TAAAAGAGAG ACCCTCAAGG CAACTAAGTA TGTGGAGCTG 960 GTGATCGTGG CAGACAACCG AGAGTTTCAG AGGCAAGGAA AAGATCTGGA AAAAGTTAAG 1020 35 CAGCGATTAA TAGAGATTGC TAATCACGTT GACAAGTTTT ACAGACCACT GAACATTCGG 1080 ATCGTGTTGG TAGGCGTGGA AGTGTGGAAT GACATGGACA AATGCTCTGT AAGTCAGGAC 1140
CCATTCACCA GCCTCCATGA ATTTCTGGAC TGGAGGAAGA TGAAGCTTCT ACCTCGCAAA 1200
TCCCATGACA ATGCGCAGCT TGTCAGTGGG GTTTATTTCC AAGGGACCAC CATCGGCATG 1260 GCCCCAATCA TGAGCATGTG CACGGCAGAC CAGTCTGGGG GAATTGTCAT GGACCATTCA 1320 40 GACAATCCCC TTGGTGCAGC CGTGACCCTG GCACATGAGC TGGGCCACAA TTTCGGGATG 1380 AATCATGACA CACTGGACAG GGGCTGTAGC TGTCAAATGG CGGTTGAGAA AGGAGGCTGC 1440 ATCATGAACG CTTCCACCGG GTACCCATTT CCCATGGTGT TCAGCAGTTG CAGCAGGAAG 1500 GACTTGGAGA CCAGCCTGGA GAAAGGAATG GGGGTGTGCC TGTTTAACCT GCCGGAAGTC 1560 AGGGAGTCTT TCGGGGGCCA GAAGTGTGGG AACAGATTG TGGAAGAAGG AGAGGAGTGT 1620 GACTGTGGGG AGCCAGAGGA ATGTATGAAT CGCTGCTGCA ATGCCACCAC CTGTACCCTG 1680 45 AAGCCGGACG CTGTGTGCGC ACATGGGCTG TGCTGTGAAG ACTGCCAGCT GAAGCCTGCA 1740
GGAACAGCGT GCAGGGACTC CAGCAACTCC TGTGACCTCC CAGAGTTCTG CACAGGGGCC 1800 AGCCCTCACT GCCCAGCCAA CGTGTACCTG CACGATGGGC ACTCATGTCA GGATGTGGAC 1860 GGCTACTGCT ACAATGGCAT CTGCCAGACT CACGAGCAGC AGTGTGTCAC ACTCTGGGGA 1920 50 CCAGGTGCTA AACCTGCCCC TGGGATCTGC TTTGAGAGAG TCAATTCTGC AGGTGATCCT 1980 TATGGCAACT GTGGCAAAGT CTCGAAGAGT TCCTTTGCCA AATGCGAGAT GAGAGATGCT 2040 AAATGTGGAA AAATCCAGTG TCAAGGAGGT GCCAGCCGGC CAGTCATTGG TACCAATGCC 2100
GTTTCCATAG AAACAAACAT CCCCCTGCAG CAAGGAGGCC GGATTCTGTG CCGGGGGACC 2160
CACGTGTACT TGGGCGATGA CATGCCGGAC CCAGGGCTTG TGCTTGCAGG CACAAAGTGT 2220 55 GCAGATGGAA AAATCTGCCT GAATCGTCAA TGTCAAAATA TTAGTGTCTT TGGGGTTCAC 2280 GAGTGTGCAA TGCAGTGCCA CGGCAGAGGG GTGTGCAACA ACAGGAAGAA CTGCCACTGC 2340 GAGGCCCACT GGGCACCTCC CTTCTGTGAC AAGTTTGGCT TTGGAGGAAG CACAGACAGC 2400 GGCCCCATCC GGCAAGCAGA TAACCAAGGT TTAACCATAG GAATTCTGGT GACCATCCTG 2460 TGTCTTCTTG CTGCCGGATT TGTGGTTTAT CTCAAAAGGA AGACCTTGAT ACGACTGCTG 2520
TTTACAAATA AGAAGACCAC CATTGAAAAA CTAAGGTGTG TGCGCCCTTC CCGGCCACCC 2580
CGTGGCTTCC AACCCTGTCA GGCTCACCTC GGCCACCTTG GAAAAGGCCT GATGAGGAAG 2640 60 CCGCCAGATT CCTACCCACC GAAGGACAAT CCCAGGAGAT TGCTGCAGTG TCAGAATGTT 2700 GACATCAGCA GACCCCTCAA CGGCCTGAAT GTCCCTCAGC CCCAGTCAAC TCAGCGAGTG 2760 CTTCCTCCCC TCCACCGGGC CCCACGTGCA CCTAGCGTCC CTGCCAGACC CCTGCCAGCC 2820 65 AAGCCTGCAC TTAGGCAGGC CCAGGGGACC TGTAAGCCAA ACCCCCCTCA GAAGCCTCTG 2880 CCTGCAGATC CTCTGGCCAG AACAACTCGG CTCACTCATG CCTTGGCCAG GACCCCAGGA 2940
CAATGGGAGA CTGGGCTCG CCTGGCACCC CTCAGACCTG CTCCACAATA TCCACACCAA 3000
GTGCCCAGAT CCACCCACAC CGCCTATATT AAGTGAGAAG CCGACACCTT TTTTCAACAG 3060
TGAAGACAGA AGTTTGCACT ATCTTTCAGC TCCAGTTGGA GTTTTTTGTA CCAACTTTTA 3120
GGATTTTTTT TAATGTTTAAA AACATCATTA CTATAAGAAC TTTGAGCTAC TGCCGTCAGT 3180 70 GCTGTGCTGT GCTATGGTGC TCTGTCTACT TGCACAGGTA CTTGTAAATT ATTAATTTAT 3240 GCAGAATGTT GATTACAGTG CAGTGCGCTG TAGTAGGCAT TTTTACCATC ACTGAGTTTT 3300 CCATGCAGG AAGGCTTGTT GTGCTTTTAG TATTTTAGTG AACTTGAAAT ATCCTGCTTG 3360
ATGGGATTCT GGACAGGATG TGTTTGCTTT CTGATCAAGG CCTTATTGGA AAGCAGTCCC 3420
CCAACTACCC CCAGCTGTGC TTATGGTACC AGATGCAGCT CAAGAGATCC CAAGTAGAAT 3480
CTCAGTTGAT TTTCTGGATT CCCCATCTCA GGCCAGAGCC AAGGGGCTTC AGGTCCAGGC 3540 75 TGTGTTTGGC TTTCAGGGAG GCCCTGTGCC CCTTGACAAC TGGCAGGCAG GCTCCCAGGG 3600

AGGAATCTTA AGGTGTAGCC ACACCAGGAT AGAGACTGGA ACACTAGACA AGCCAGAACT 3720 TGACCCTGAG CTGACCAGCC GTGAGCATGT TTGGAAGGGG TCTGTAGTGT CACTCAAGGC 3780 GGTGCTTGAT AGAAATGCCA AGCACTTCTT TTTCTCGCTG TCCTTTCTAG AGCACTGCCA 3840
CCAGTAGGTT ATTTAGCTTG GGAAAGGTGG TGTTTCTGTA AGAAACCTAC TGCCCAGGCA 3900
CTGCAAACCG CCACCTCCCT ATACTGCTTG GAGCTGAGCA AATCACCACA AACTGTAATA 3960
CAATGATCCT GTATTCAGAC AGATGAGGAC TTTCCATGGG ACCACAACTA TTTTCAGATG 4020 5 TGAACCATTA ACCAGATCTA GTCAATCAAG TCTGTTTACT GCAAGGTTCA ACTTATTAAC 4080 AATTAGGCAG ACTCTTTATG CTTGCAAAAA CTACAACCAA TGGAATGTGA TGTTCATGGG 4140 10 TATAGTTCAT GTCTGCTATC ATTATTCGTA GATATTGGAC AAAGAACCTT CTCTATGGGG 4200 CATCCTCTTT TTCCAACTTG GCTGCAGGAA TCTTTAAAAG ATGCTTTTAA CAGAGTCTGA 4260 ACCTATTTCT TAAACACTTG CAACCTACCT GTTGAGCATC ACAGAATGTG ATAAGGAAAT 4320 CAACTTGCTT ATCAACTTCC TAAATATTAT GAGATGTGGC TTGGGCAGCA TCCCCTTGAA 4380 CTCTTCACTC TTCAAATGCC TGACTAGGGA GCCATGTTTC ACAAGGTCTT TAAAGTGACT 4440 AATGCCATGA GAAATACAAA AATACTCAGA TAAGGTAAAA TGCCATGATG CCTCTGTCTT 4500 15 CTGGACTGGT TITCACATTA GAAGACAATT GACAACAGTT ACATAATTCA CTCTGAGTGT 4560 TTTATGAGAA AGCCTTCTTT TGGGGTCAAC AGTTTTCCTA TGCTTTGAAA CAGAAAATA 4620 TGTACCAAGA ATCTTGGTTT GCCTTCCAGA AAACAAAACT GCATTTCACT TTCCCGGTGT 4680 TCCCCACTGT ATCTAGGCAA CATAGTATTC ATGACTATGG ATAAACTAAA CACGTGACAC 4740 AAACACACA AAAAGGGAAC CCAGCTCTAA TACATTCCAA CTCGTATAGC ATGCATCTGT 4800
TTATTCTATA GTTATTAAGT TCTTTAAAAT GTAAAGCCAT GCTGGAAAAT AATACTGCTG 4860
AGATACATAC AGAATTACTG TAACTGATTA CACTTGGTAA TTGTACTAAA GCCAAACATA 4920
TATATACTAT TAAAAAGGTT TACAGAATTT TATGGTGCAT TACGTGGGCA TTGTCTTTTT 4980
AGATGCCCAA ATCCTTAGAT CTGGCATGTT AGCCCTTCCT CCAATTATAA GAGGATATGA 5040 20 25 ΑССΑΛΑΛΑΛΑ ΑΛΑΛΑΛΑΛΑΛΑ ΑΛ Seq ID NO: 10 <u>Protein sequence:</u>
Protein Accession #: NP\_003465.2 30 31 MAARPLPVSP ARALLLALAG ALLAPCEARG VSLWNEGRAD EVVSASVRSG DLWIPVKSFD 60 SKNHPEVLNI RLQRESKELI INLERNEGLI ASSFTETHYL QDGTDVSLAR NYTVILGHCY 120
YHGHVRGYSD SAVSLSTCSG LRGLIVFENE SYVLEPMKSA TNRYKLFPAK KLKSVRGSCG 180
SHHNTPNLAA KNVFPPPSQT WARRHKRETL KATKYVELVI VADNREFQRQ GKDLEKVKQR 240
LIEIANHVDK FYRPLNIRIV LVGVEVWNDM DKCSVSQDPF TSLHEFLDWR KMKLLPRKSH 300
DNAQLVSGVY FQGTTIGMAP IMSMCTADQS GGIVMDHSDN PLGAAVTLAH ELGHNFGMNH 360 35 DTLDRGCSCQ MAVEKGGCIM NASTGYPFPM VFSSCSRKDL ETSLEKGMGV CLFNLPEVRE 420 40 SFGGQKCGNR FVEEGEECDC GEPEECMNRC CNATTCTLKP DAVCAHGLCC EDCQLKPAGT 480 ACRDSSNSCD LPEFCTGASP HCPANVYLHD GHSCQDVDGY CYNGICQTHE QQCVTLWGPG 540 AKPAPGICFE RYNSAGDPYG NCGKVSKSSF AKCEMRDAKC GKIQCQGGAS RPVIGTNAVS 600
IETNIPLQQG GRILCRGTHV YLGDDMPDPG LVLAGTKCAD GKICLNRQCQ NISVFGVHEC 660
AMQCHGRGVC NNRKNCHCEA HWAPPFCDKF GFGGSTDSGP IRQADNQGLT IGILVTILCL 720
LAAGFVVYLK RKTLIRLLFT NKKTTIEKLR CVRPSRPPRG FQPCQAHLGH LGKGLMRKPP 780 45 DSYPPKDNPR RLLQCONVDI SRPLNGLNVP OPOSTORVLP PLHRAPRAPS VPARPLPAKP 840 ALRQAQGTCK PNPPQKPLPA DPLARTTRLT HALARTPGQW ETGLRLAPLR PAPQYPHQVP 900 RSTHTAYIK 50 Seq ID NO: 11 DNA sequence Nucleic Acid Accession #: NM 001394 400-1584(underlined sequences correspond to start and stop codons) Coding sequence: 55 GGAGCGCGC GACCGCAAA AATACACGGG AGGCCGTCGC CGAAAAGAGT CCGCGGTCCT 120
CTCTCGTAAA CACACTCTCC TCCACCGGCG CCTCCCCCTC CGCTCTGCGC GCCGCCCGGC 180
TGGGCGCCCG AGGCCGCTCC GACTGCTATG TGACCGCGAG GCTGCGGGAG GAAGGGGACA 240
GGGAAGAAGA GGCTCTCCCG CGGGAGCCCT TGAGGACCAA GTTTGCGGCC ACTTCTGCAG 300 60 GCGTCCCTTC TTAGCTCTCG CCTGCCCCTT TCTGCAGCCT AGGCGGCCCA GGTTCTCTTC 360 TCTTCCTCGC GCGCCCAGCC GCCTCGGTTC CCGGCGACC<u>A TG</u>GTGACGAT GGAGGAGCTG 420 CGGGAGATGG ACTGCAGTGT GCTCAAAAGG CTGATGAACC GGGACGAGAA TGGCGGCGGC 480 GCGGCGCA GCGGCACCCT GGGCTCGCGA GCGCGCAA GTGCCTGCTG 540
CTGGACTGCA GACCGTTCCT GGCGCACACG GCGGGCTACA TCCTAGGTTC GGTCAACGT 660
CGCTGTAACA CCATCGTGCG GCGCGGGCT AAGGGCTCCG TGAGCCTGGA GCAGATCCTG 660
CCCGCCGAGG AGGAGGTACG CGCCCGCTTG CGCTCCGGCC TCTACTCGGC GGTCATCGTC 720 65 TACGACGAGC GCAGCCCGCG CGCCGAGAGC CTCCGCGAGG ACAGCACCGT GTCGCTGGTG 780 GTGCAGGCGC TGCGCCGCAA CGCCGAGCGC ACCGACATCT GCCTGCTCAA AGGCGGCTAT 70 GAGAGGTTTT CCTCCGAGTA CCCAGAATTC TGTTCTAAAA CCAAGGCCCT GGCAGCCATC 900 CCACCCCGG TTCCCCCCAG CGCCACAGAG CCCTTGGACC TGGGCTGCAG CTCCTGTGGG 960
ACCCCACTAC ACGACCAGGG GGGTCCTGTG GAGATCCTTC CCTTCCTCTA CCTCGGCAGT 1020
GCCTACCATG CTGCCCGGAG AGACATGCTG GACGCCCTGG GCATCACGGC TCTGTTGAAT 1080
GTCTCCCTCGG ACTGCCCAAA CCACTTTGAA GGACACTATC AGTACAAGTG CATCCCAGTG 1140 GAAGATAACC ACAAGGCCGA CATCAGCTCC TGGTTCATGG AAGCCATAGA GTACATCGAT 1200 GCCGTGAAGG ACTGCCGTGG GCGCGTGCTG GTGCACTGCC AGGCGGGCAT CTCGCGGTCG 1260 75

GCCACCATCT GCCTGGCCTA CCTGATGATG AAGAAACGGG TGAGGCTGGA GGAGGCCTTC 1320

ACACCTGGGA GAAATCTGGC TTCTGGCCAG GAAGCTTTGG TGAGAACCTG GGTTGCAGAC 3660

	CTGCAGTTCG AGTCCCAGGT GCTGGCCACG TCCTGTGCTG CGGAGGCTGC TAGCCCCTCG 1440 GGACCCCTGC GGGAGCGGGG CAAGACCCCC GCCACCCCCA CCTCGCAGTT CGTCTTCAGC 1500
5	TTTCCGGTCT CCGTGGCGT GCACTCGGCC CCCAGCAGCC TGCCCTACCT GCACAGCCCC 1560 ATCACCACCT CTCCCAGCTG TTAGAGCCGC CCTGGGGGCC CCAGAACCAG AGCTGGCTCC 1620 CAGCAAGGGT AGGACGGCC GCATGCGGCA GAAAGTTGGG ACTGAGCAGC TGGGAGCAGG 1680
	CGACCGAGCT CCTTCCCCAT CATTTCTCCT TGGCCAACGA CGAGGCCAGC CAGAATGGCA 1740
10	GTGCCGCAGC AGCCAGGGAA GACCTTGGTT TGGTTTATGT GTCAGTTTCA CTTTTCCGAT 1860 AGAAATTTCT TACCTCATTT TTTTAAGCAG TAAGGCTTGA AGTGATGAAA CCCACAGATC 1920 CTAGCAAATG TGCCCAACCA GCTTTACTAA AGGGGGAGGA AGGGAGGCA AAGGGATGAG 1980
	AAGACAAGTT TCCCAGAAGT GCCTGGTTCT GGGTACTTGT CCCTTTGTTG TCGTTGTTGT 2040 AGTTAAAGGA ATTTCATTTT TAAAAGAAAT CTTCGAAGGT GTGGTTTTCA TTTCTCAGTC 2100 ACCAACAGAT GAATAATTAT GCTTAATAAT AAAGTATTTA TTAAGACTTT CTTCAGAGTA 2160
15	TGAAAGTACA AAAAGTCTAG TTACAGTGGA TTTAGAATAT ATTTATGTTG ATGTCAAACA 2220 GCTGAGCACC GTAGCATGCA GATGTCAAGG CAGTTAGGAA GTAAATGGTG TCTTGTAGAT 2280 ATGTCCAAGG TAGCATGATG AGCAACTTGA GTTTGTTGCC ACTGAGAAGC AGGCGGGTTG 2340 GCTGGGAGGA GGAAGAAAGG GAAGAATTAG GTTTGAATTG CTTTTTAAAA AAAAAAGAAA 2400
20	AGAAAAAGAC AGCATCTCAC TATGTTGCCA AGGCTCATCT TGAGAAGCAG GCGGGTTGGG 2460 TGGGAGGAGG AAGAAAGGGA AGAATTAGGT TTGAATTGCT TTTTTAAAAA AAAA
	Seq ID NO: 12 Protein sequence: Protein Accession #: NP_001385
25	1 11 21 31 41 51 
30	DSTVSLVVQA LRRNAERTDI CLLKGOTER SSETFEFCS TRALAMITY VITALILED 100 LGCSSCGTPL HDQGGPVEIL PFLYLGSAYH AARRDMLDAL GITALLNVSS DCPNHFEGHY 240 QYKCIPVEDN HKADISSWFM EAIEYIDAVK DCRGRVLVHC QAGISRSATI CLAYLMMKKR 300 VRLEEAFEFV KQRRSIISPN FSFMGQLLQF ESQVLATSCA AEAASPSGPL RERGKTPATP 360 TSQFVFSFPV SVGVHSAPSS LPYLHSPITT SPSC
35	Seq ID NO: 13 DNA sequence Nucleic Acid Accession #: none found Coding sequence: 68-340(underlined sequences correspond to start and stop codons)
40	1 11 21 31 41 51
45	CACCACCATG AAGTTCTTAG CAGTCCTGGT ACTCTTGGGA GTTTCCATCT TTCTGGTCTC 120 TGCCCAGAAT CCGACAACAG CTGCTCCAGC TGACACCGTAT CCAGCTACTG GTCCTGCTTGA 180 TGATGAAGCC CCTGATGCTG AAACCACTGC TGCTGCAACC ACTGCGACCA CTGCTGCTCC 240 TACCACTGCA ACCACCGCTG CTTCTACCAC TGCTCGTAAA GACATTCCAG TTTTACCCAA 300 ATGGGTTGGG GATCTCCCGA ATGGTAGAGT GTGTCCCTGA GATGGAATCA GCTTGAGTCT 360
50	TCTGCAATTG GGTCACAACT ATTCATGCTT CCTGTGATTT CATCCAACTA CTTACCTTGC 420 CTACGATATC CCCTTTATCT CTAATCAGTT TATTTTCTTT CAAATAAAAA ATAACTATGA 480 GCGAGCTAAC AT
55	Seq ID NO: 14 Protein sequence: Protein Accession #: none found
60	I 11 21 31 41 51                 MKFLAVLVLL GVSIFLVSAQ NPTTAAPADT YPATGPADDE APDAETTAAA TTATTAAPTT 60 ATTAASTTAR KDIPVLPKWV GDLPNGRVCP
65	Seq ID NO: 15 DNA sequence Nucleic Acid Accession #: NM_016640.2 Coding sequence: 39-1358(underlined sequences correspond to start and stop codons)
	1 11 21 31 41 51
70	GCTTAAGTTG ACCTCTGGGT CCGGAATCGC GGGCAAAGAT GGCGGCGGCC AGGTGTTGGA 60 GGCCTTTGCT ACGCGGTCCG AGGCTTTCAT TGCACACCCGC GGCTAATGCC GCCGCACCGG 120 CTACAGAAAC GACCTCCCAA GACGTCGCGG CGACCCCCT CGCGCGGTAC CCGCCGATTG 180 TGGCCTCCAT GACAGCCGAC AGCAAAGCTG CACCGCTGCG GCGGATCGAC GCTGGCAGG 240 CGACGGTGCA CGCTGCGGAG TCGGTAGACG AGAAGCTGCG AATCCTCACC AAGATGCAGT 300
<b>75</b> .	TTATGAAGTA CATGGTTTAC CCGCAGAACCT TCGCACTGAA TGCCGACCGC TGGTACCAGT 360 ACTTCACCAA GACCGTGTTC CTGTCGGGTC TGCCGCCGCC CCCAGCGGAG CCCGAGCCCG 420 AGCCCGAACC CGAACCTGAA CCTGCGCTGG ACCTCGCGGC GCTGCGTGCG GTCGCCTGCG 480 ACTGCCTGCT GCAGGAGCAC TTCTACCTGC GGCGCAGGCG GCGCGTGCAC CGTTACGAGG 540

AGAGCGAGGT CATATCTTTG CCCTTCCTGG ATCAGCTGGT GTCAACCCTC GTGGGCCTCC 600 TCAGCCCACA CAACCCGGCC CTGGCCGCTG CCGCCCTCGA TTATAGATGC CCAGTTCATT TTTACTGGGT GCGTGGTGAA GAAATTATTC CTCGTGGTCA TCGAAGAGGT CGAATTGATG 720 ACTTGCGATA CCAGATAGAT GATAAACCAA ACAACCAGAT TCGAATATCC AAGCAACTCG 780 5 CAGAGTTTGT GCCATTGGAT TATTCTGTTC CTATAGAAAT CCCCACTATA AAATGTAAAC 840 CAGACHACT TOGAT I ALLEGITE CHARAGACT CECLACIAIA ARATTAGGE
CAGACAAACT TCCATTATTC AAACGGCAGT ATGAAAACCA CATATTTGTT GGCTCAAAAA 900
CTGCAGATCC TTGCTGTTAC GGTCACACCC AGTTTCATCT GTTACCTGAC AAATTAAGAA 960
GGGAAAGGCT TTTGAGACAA AACTGTGCTG ATCAGATAGA AGTTGTTTTT AGAGCTAATG 1020
CTATTGCAAG CCTTTTTGCT TGGACTGAGC CACAAGCTAT GTATCAAGGA TTCTGGAGTG 1080
AAGCAGATGT TACTCGACCT AAAACTTTCGCACTGACTAC ACAAGCTGAT CACAAGCTGAT CACAAATTAACC 1200 10 CCTTTTTCTG CTACCAGCTA AATACTTTGG CACTGACTAC ACAAGCTGAT CAAAATAACC 1200 CTCGTAAAAA TATATGTTGG GGTACACAAA GTAAGCCTCT TTATGAAACA ATTGAGGATA 1260 ATGATGTGAA AGGTTTTAAT GATGATGTTC TACTTCAGAT AGTTCACTTT CTACTGAATA 1320 GACCAAAAGA AGAAAAATCA CAGCTGTTGG AAAACTGAAA AAGCATATTT GATTGAGAAC 1380 TGTGGGAATA TTTAAATTTT ACTGAAGGAA CAATAATGAT GAGATTTGTA ACTGTCAACT 1440 ATTAAATACA TTGATTTTTG AGACAAATAT TTCTTATGTC AACCTGTTAT TAGATCTCTT 1500 15 ACTCTGCTCA AATTCATCAC TGAAAGATTT AATTTTAGTT ACCTTTTGTT GATTTAAAAA 1560 TAATTGCATT TGTATATTGC TAACTGATAA GACAAATTGA GTTATTGAGC TATTAAATGC 1620 ACATTTTAAT ATAAATGCAG AAATCCCAAA TAAAATGCTA ACATACTGAA TTCAGTAATT 1680 20 AAAAGAACCC ACTGC Seq ID NO: 16 <u>Protein sequence:</u>
Protein Accession #: NP\_057724.1 25 21 31

MAAARCWRPL LRGPRLSLHT AANAAATATE TTSQDVAATP VARYPPIVAS MTADSKAARL RRIERWQATV HAAESVDEKL RILTKMQFMK YMVYPQTFAL NADRWYQYFT KTVFLSGLPP II PPAEPEPEP PEPEPALDLA ALRAVACDCL LQEHFYLRRR RRVHRYEESE VISLPFLDQL 180 VSTLVGLLSP HNPALAAAAL DYRCPVHFYW VRGEEIIPRG HRRGRIDDLR YQIDDKPNNQ 240 3.0 IRISKQLAEF VPLDYSVPIE IPTIKCKPDK LPLFKRQYEN HIFVGSKTAD PCCYGHTQFH 300 LLPDKLRRER LLRQNCADQI EVVFRANAIA SLFAWTGAQA MYQGFWSEAD VTRPFVSQAV 360 ITDGKYFSFF CYQLNTLALT TQADQNNPRK NICWGTQSKP LYETIEDNDV KGFNDDVLLQ 420 35 IVHFLLNRPK EEKSQLLEN

Seq ID NO: 17 DNA sequence

40

Nucleic Acid Accession #: NM 025059.1

3-2150 (underlined sequences correspond to start and stop codons) Coding sequence:

51 21 31 41 GCATGAGCCT GGACTGCACC AGCCATATCG CGCTGGGTGC CGCTTCGCCA GCGCCCGAGG 60
AAACTTACGA TCATCTTTCG GAAGTCCCGG TCACGCGGGA GCAGTTAAAC CACTATCGGA 120 45 ATGTGGCTCA AAATGCTCGA AGTGAACTTG CAGCAACTTT GGTCAAATTT GAATGTGCTC AGTCTGAGCT TCAAGACCTC CGATCCAAGA TGCTTTCTAA AGAAGTCTCC TGTCAAGAAC 240 TGAAAGCTGA AATGGAGAGC TACAAGGAAA ACAATGCCAG AAAATCATCT CTCCTTACCT CTTTGAGAGA CAGAGTTCAG GAACTAGAAG AAGAATCAGC AGCACTTTCC ACTTCTAAAA 360 50 TCAGAACAGA AATCACAGCT CACGCTGCAA TCAAGGAGAA CCAGGAATTA AAGAAGAAAG 420 TIGTAGAGTT AAATGAAAAA TTACAAAAGT GTTCAAAAGA AAATGAGGAG AATAAGAAAC 480
AAGTTTCAAA GAATTGCAGG AAACATGAGG AATTTCTGAC TCAACTGCGT GACTGCTTGG 540
ATCCAGATGA GAGGAATGAC AAGGCATCAG ATGAAGATTT AATTTTAAAG CTTAGAGACC 600
TGCGCAAAGA AAATGAATTC GTGAAAGGAC AAATTGTTAT TCTTGAAGAGA ACTATAAATG 660 55 TCCATGAGAT GGAAGCAAAA GCTAGCAGAG AAACGATCAT GAGGCTGGCT TCAGAAGTCA ACAGAGAGCA GAAAAAAGCT GCCTCCTGTA CTGAAGAGAA AGAGAAGCTG AACCAGGACC 780 TGCTCAGTGC TGTAGAAGCA AAAGAAGCTC TTGAAAGGGA AGTTAAGATC TTCCAAGAAA 840 GGCTGCTTGC TGGCCAGCAG GTCTGGGATG CCTCAAAGCA GGAAGTGAGC CTCCTGAAGA AAAGCTCTTC TGAGTTGGAG AAGAGTTTGA AGGCCAGTCA GGATGCAGTC ACAACCTCAC 960
AAAGCCAGTA CTCCTCATTT AGGGAGAAAA TCGCAGCCCT CCTTAGGGGC AGATTGAGCA 1020
TGACTGGGTC CACTGAGGAC ACCATTTTGG AGAAGATTCG AGAAATGGAC AGCCGGGAAG 1080 60 AAAGCAGGGA CCGGATGGTC TCCCAGCTTG AAGCCCAAAT ATCTGAGCTT GTTGAACAGT 1140 TGGGAAAGGA GTCTGGGTTT CACCAGAAAG CTCTCCAGAG GGCCCAGAAA GCAGAGAATA 1200 TGTTGGAGAC TCTTCAGGGT CAGCTGACAC ACCTGGAGGC AGAGCTGGTT TCTGGAGGTG 1260 65 TTTTGCGAGA CAACTTGAAT TTTGAGAAAC AAAAATATCT TAAATTTCTG GATCAGCTTT 1320 CTCAGAAAAT GAAGTTGGAC CAGATGGCTG CCGAACTTGG CTTTGACACG CGGCTGGACG 1380
TGGTTTAGC TCGAACAGAG CAGCTGGTTC GTCTTGAGAG CAATGCAGTC ATTGAGAACA 1440
AGACCATTGC CCACAATTTG CAGAGAAAGC TAAAGACACA GAAAGAGAG CTGGAGAGCA 1500 AAGAATTACA CATGAGCCTC CTCCGGCAGA AAATAGCCCA GCTGGAGGAG GAGAAGCAGG 1560 70 CACGCACGGC CTTGGTGGTT GAGAGGGACA ACGCGCATCT TACCATCAGG AACTTGCAGA 1620 AGAAGGTGGA GAGGCTGCAG AAAGAGCTGA ACACGTGTCG AGACTTGCAC ACCGAGCTCA 1680 AAGCCAAACT GGCCGACACC AATGAACTGA AGATTAAAAC TITTGGAACAG ACTAAAGCCA 1740
TTGAAGATCT AAACAAATCC AGAGACCAAC TGGAGAAGAT GAAGGAGAAA GCTGAGAAAA 1800
AGCTCATGTC TGTCAAGTCA GAACTGGATA CCACAGAACA TGAGGCTAAG GAGAATAAAG 1860
AAAGGGCCAG AAACATGATA GAAGTGGTAA CCAGTGAAAT GAAGACACTA AAAAAATCTC 1920 75 TGGAAGAAGC AGAAAAGAGA GAAAAGCAGC TGGCAGACTT CAGGGAGGTG GTGTCGCAGA 1980 TGCTAGGCTT GAACGTGACC AGCCTTGCTC TTCCTGATTA TGAAATCATC AAGTGTCTTG 2040

PCT/US02/02242

AAAGATTGGT CCATTCACAT CAGCATCACT TTGTTACCTG TGCCTGCCTC AAAGATGTGA 2100 CTACTGGGCA AGAGAGGCA CCACAAGGCC ATTTACAGCT TCTTCATTGA ACACTGTATC 2160 TCTTGAGAGA GGTGGCCATA AGACATGGCA CACAATTCCC AATTTCACAA ATTCCTCATG 2220 TCTTTGAGAT TTGATCAGTT TGTGAATATT TTATGCTTTG ATGATATAGT GAGAATGCAT 2280 CACTTGCAAA AACGATCTCA AAAGTGTCAG CCTTAGATAA ACGTCAGCAT TAAAAAACGC 2340 5 CAAAAAAAA AAAAAAAGC ATTTTAGGAT CCAGAAGAAT TCCACCAGAT TGCATGAGTT 2400 AGATTGGGAA ATGGGAGTGG GAGATAATAT TGGGAGGTAT CTATTTTAAG TCAGGGGCTT 2460 TACTAGCCGA TTTAGTTCTC ACAATAACCA TGTGGAGAAG CTGTGACATT TTTAATTTAC 2520 AACCTTTCTG GGGCTCAGAC ATAAAGTTAC CTATCCAAGG TTGCAGTTGG GTAGTGGTGG 2580 10 GACCAGGATG GACAACTCAT TGGCCCTGCC TCAAAAGCCA TACCTCTTCT CCTGCTATGC 2640 AGAATCTGTT TCTCCTGAAT CTCTGTGATG CTGGTGGGAA TTGTTTGCAT AGAGGAAGGA 2700
CAATAACCCT GCCATCGTGA GTTAATGTCC GGGCTGGTCA CAGTGGTTCA TGCCTGTAAT 2760
CCCAGCACTT TGGGAGTCCA AGGCAGGCAT ATCATTTGAG GTCAGGAGTT TAAGACCAGC 2820 CTGGCTAACA TAGTGAGACC CTGTTTCTAC TAAAAATACA AAAATAAGCC AGGTGTGGTG 2880 GTGCATGACT GTAATCCCAA CTACTCAGCA GGAGAAGCAC TTGAACCCAG GAGACGGAGG 2940 15 CGGCAGTGAG CCAAGATTGT GCCACTGCAC TCCAGCCTGG GCGACAGAGT GAAACTACAT 3000 CTCAGAAAA AAAAAAAA AAAAAAAAAAA AAGTTAATGT CCAAAAATGA CAGATTTACA 3060 AGTGTAAGCT ATATGATTTC TTCAAAAAGC AAAAGCAATA TACCTAATTC ATTTGGATCA 3120 AACTTACATA GGTCTCAGGT CCTGTAAGAA ACTTGCCTGT TCTAACTGTT GCTACCAGAT 3180
TATATCTGGT GGTAATTGTT AATGTTTCAG CAGGGCTGGT CTCAGTCCTT TAAAATGGAA 3240
AGCTTTATTT GGAGCCCAAC CCTATAAGAT GAAGAAATCC TATATAGTCT TATTCACCAA 3300
TATATCCAAT ACACCCACAG CAATGGTACC TTTTTAAGAT CAGGATTTTA TTATGAATTC 3360 20 CTGTCACTTT CTGTTTTCCA TTTAAATTTC TATTTTACAA ATTTTTCAGG GAATCATATT 3420 CTTAACTTCA CTGAGAAAAA TGTGTTACTC TTTTGGACAA TTTATCTTAT TTCTATCATA 3480 25 TAAGATGTAT TTTTTTATTG TCCTTAAAAG AAGCTCTAGC ATGAAATTAA AGGAAAGGGA 3540 AAGAAATAGA TCTGGTGCAC CCGAACATTA GGAGAAAATG AAAATATAC AACCAACCGT 3600
TCGTGAGTCA TCAAAAAGTC AAAGTCAGCC TGGCCAACAT GGCAAAATTC CGTCTCTGCA 3660
AAAAATACAA AAATGAGCCC GGTATGTTGG CATATGCCTG TAATCCCAGC TACTCGAGAG 3720
GCTGAGACAC GAAAATTGCT TGAACCTGGG AGGCGGAGGT TGCAATGAGC CGAGATCGCG 3780
CTACTGCACT CCAGCCTGGG CAACAGAGAG AGACCTTGTC TCAAAAAAACA ACAACAACAA 30 AAAGTCAAAG TCATAATAAG CAAATTATTG GCTTCTTTCT TCTAGACYAA AAGAAATTAA 3900 AGAGATGAAA CAATCAATTG CAAGGGTCAA AACTAGATTG GATCTTGGTT TGAATGAAAA 3960 AAAGCATAAA ATATTCTTGC AATAATTGTA AAAATTTGAA TGTGGACTAA GTCCTAGATT 4020 ATATTAAAAT ATITTTAATT TTTTAAGCTT GACAAATGCA CTGATTGTTA TACTTTAAAT 4080 AACTAAAAAT CTGAGAATCC ACAGTGCTAC AGACAATAAA TGATAAAATG GGAAAAAAAA 4140 35 ΑΑΑΑΑΑΑΑΑ Α

Seq ID NO: 18 Protein sequence:
Protein Accession #: NP\_079335.1

45

MSLDCTSHIA LGAASPAPEE TYDHLSEVPV TREQLNHYRN VAQNARSELA ATLVKFECAQ 60

SELQDLRSKM LSKEVSCQEL KAEMESYKEN NARKSSLLTS LRDRVQELEE ESAALSTSKI 120

RTEITAHAAI KENQELKKKV VELNEKLQKC SKENEENKKQ VSKNCRKHEE FLTQLRDCLD 180

PDERNDKASD EDLILKLRDL RKENEFVKGQ IVILEETINV HEMEAKASRE TIMRLASEVN 240

REQKKAASCT EEKEKLNQDL LSAVEAKEAL EREVKIPQER LLAGQQVWDA SKQEVSLLKK 300

SSSELEKSLK ASQDAVTTSQ SQYSSFREKI AALLRGRLSM TGSTEDTILE KIREMDSREE 360

SRDRMVSQLE AQISELVEQL GKESGFHQKA LQRAQKAENM LETLQGQLTH LEAELVSGGV 420

LRDNLNFEKQ KYLKFLDQLS QKMKLDQMAA ELGFDTRLDV VLARTEQLVR LESNAVIENK 480

TIAHNLQRKL KTQKERLESK ELHMSLLRQK IAQLEEEKQA RTALVVERDN AHLTIRNLQK 540

KVERLQKELN TCRDLHTELK AKLADTNELK IKTLEQTKAI EDLNKSRDQL EKMKEKAEKK 600

LMSVKSELDT TEHEAKENKE RARNMIEVVT SEMKTLKKSL EEAEKREKQL ADFREVVSQM 660

55


LGLNVTSLAL PDYEIIKCLE RLVHSHQHHF VTCACLKDVT TGQERHPQGH LQLLH

Seq ID NO: 19 DNA sequence
Nucleic Acid Accession #: AF071552, NM\_000662
Coding sequence: 441-1313 (underlined sequences correspond to start and stop codons)

51

TTGATGGCAG GAACTACATT GTCGATGCTG GGTTTGGACG CTCATACCAG ATGTGGCAGC 840 CTCTGGAGTT AATTTCTGGG AAGGATCAGC CTCAGGTGCC TTGTGTCTTC CGTTTGACGG 900 CTCTGGAGTT AATTICTGGG AAGGALCAGC CTCAGGTGCC TIGTGTCTT CAGATGAG 900
AAGGAATGG ATTCTGGTAT CTAGACCAAA TCAGAAGGGA ACAGTACATT CCAAATGAAG 960
AATTTCTTCA TTCTGATCTC CTAGAAGACA GCAAATACCG AAAAATCTAC TCCTTTACTC 1020
TTAAGCCTCG AACAATTGAA GATTTTGAGT CTATGAATAC ATACCTGCAG ACATCTCCAT 1080
CATCTGTGTT TACTAGTAAA TCATTTTGTT CCTTTGCAGAC CCCAGATTGGG GTTCACTGTT 1140
TGGTGGGCTT CACCCTCACC CATAGGAGAT TCAATTATAA GGACCAATACA GATCTAATAG 1200
AGTTCAAGAC TCTGAGTGAG GAAGAAATAG AAAAAGTTGCT GAAAAAATAT TTTAATATTT 1260
CCTTGCAGAG AAAGCTTGTG CCCAAACATG GTGATAGATT TTTTACTATT TAGAATAAGG 1320 5 10 AGTAAAACAA TCTTGTCTAT TTGTCATCCA GCTCACCAGT TATCAACTGA CGACCTATCA 1380 TGTATCTTCT GTACCCTTAC CTTATTTTGA AGAAAATCCT AGACATCAAA TCATTTCACC 1440 TATAAAAATG TCATCATATA TAATTAAACA GCTTTTTAAA GAAACATAAC CACAAACCTT 1500 TTCAAATAAT AATAATAATA ATAATAATAA ATGTATTTTA AAGATGGCCT GTGGTTATCT 1560 TGGAAATTGG TGATTTATGC TAGAAAGCTT TTAATGTTGG TTTATTGTTG AATTC 15 Seq ID NO: 20 <u>Protein sequence:</u>
Protein Accession #: NP\_000653.1 20 11 21 31 MDIEAYLERI GYKKSRNKLD LETLTDILQH QIRAVPFENL NIHCGDAMDL GLEAIFDQVV 60 RRNRGGWCLQ VNHLLYWALT TIGFETTMLG GYVYSTPAKK YSTGMIHLLL QVTIDGRNYI 120 VDAGFGRSYQ MWQPLELISG KDQPQVPCVF RLTEENGFWY LDQIRREQYI PNEEFLHSDL 180 25 LEDSKYRKIY SFTLKPRTIE DFESMNTYLQ TSPSSVFTSK SFCSLQTPDG VHCLVGFTLT 240 HRRFNYKDNT DLIEFKTLSE EEIEKVLKNI FNISLQRKLV PKHGDRFFTI Seq ID NO: 21 DNA sequence NM\_003714 Nucleic Acid Accession #: 30 Coding sequence: 123-1031(underlined sequences correspond to start and stop codons) 11 · 21 31 35 CGGCACGAGC AAAAAGGAAG AGTGGGAGGA GGAGGGGAAG CGGCGAAGGA GGAAGAGGAG 60 GAGGAGGAA AGGGGAGCAC AAAGGATCCA GGTCTCCCGA CGGGAGGTTA ATACCAAGAA 120
CCATGTGTGC CGAGCGGCTG GGCCAGTTCA TGACCCTGGC TTTGGTGTTG GCCACCTTTG 180
ACCCGGCGCG GGGACCGAC GCCACCAACC CACCCGAGGG TCCCCAAGAC AGGAGCTCCC 240
AGCAGAAAGG CCGCCTGTCC CTGCAGAATA CAGCGGAGAT CCAGCACTGT TTGGTCAACG 300 40 CTGGCGATGT GGGGTGTGGC GTGTTTGAAT GTTTCGAGAA CAACTCTTGT GAGATTCGGG 360 GCTTACATGG GATTTGCATG ACTTTTCTGC ACAACGCTGG AAAATTTGAT GCCCAGGGCA 420 AGTCATTCAT CAAAGACGCC TTGAAATGTA AGGCCCACGC TCTGCGGCAC AGGTTCGGCT 480 ACTICATION CARACTECCO GCCATCAGGG AAATGGTGTC CCAGTTGCAG CGGGAATGCT 540
ACCTCAAGCA CGACCTGTGC GCGCTGCCC AGGAGAACAC CCGGGTGATA GTGGAGATGA 600
TCCATTTCAA GGACTTGCTG CTGCACGAAC CCTACGTGGA CCTCGTGAAC TTGCTGCTGA 660
CCTGTGGGGA GGAGGTGAAG GAGGCCATCA CCCACAGCGT GCAGGTTCAG TGTGAGCAGA 720
ACTGGGGAAG CCTGTGCTCC ATCTTGAGCT TCTGCACCTC GGCCATCCAG AAGCCTCCA 780 45 CGGCGCCCC CGAGCGCCAG CCCCAGGTGG ACAGAACCAA GCTCTCCAGG GCCCACCACG 840 GGGAAGCAGG ACATCACCTC CCAGAGCCCA GCAGTAGGGA GACTGGCCGA GGTGCCAAGG 900 50 GTGAGCGAGG TAGCAAGAGC CACCCAAACG CCCATGCCCG AGGCAGAGTC GGGGGCCTTG 960 GGGCTCAGGG ACCTTCCGGA AGCAGCGAGT GGGAAGACGA ACAGTCTGAG TATTCTGATA 1020
TCCGGAGGTG AAATGAAAGG CCTGGCCACG AAATCTTTCC TCCACGCCGT CCATTTTCTT 1080
ATCTATGGAC ATTCCAAAAC ATTTACCATT AGAGAGGGGG GATGTCACAC GCAGGATTCT 1140
GTGGGGACTG TGGACTTCAT CGAGGTGTGT GTTCGCGGAA CGGACAGGTG AGATGGAGAC 1200 55 CCCTGGGGCC GTGGGGTCTC AGGGGTGCCT GGTGAATTCT GCACTTACAC GTACTCAAGG 1260 GAGCGCCCC GCGTTATCCT CGTACCTTTG TCTTCTTTCC ATCTGTGGAG TCAGTGGGTG 1320 GAGCGCCCC GCGTTATCCT CGTACCTTTG TCTTCTTTCC ATCTGGGGG TCAGTGGG TG
TCGCCGCTC TGTTGTGGGG GAGGTGAACC AGGGAGGGGC AGGGCAAGGC AGGGCCCCCA 1380
GAGCTGGGCC ACACAGTGGG TGCTGGGCCT CGCCCCGAAG CTTCTTGGTGC AGCAGCCTCT 1440
GGTGCTGTCT CCGCGGAAGT CAGGGCGGCT GGATTCCAGG ACAGGAGTGA ATGTAAAAAAT 1500
AAATATCGCT TAGAATGCAG GAGAAGGGTG GAGAGGAGGC AGGGGCCGAG GGGGTGCTTG 1560
GTGCCAAACT GAAATTCAGT TTCTTGTGTG GGGCCTTGCG GTTCAGAGCT CTTGGCGAGG 1620
GTGGAGGGAG GAGTGTCATT TCTTTGTGTA ATTTTCTGAGC CATTGTACTG TCTGGGCTGG 1680 60 GGGGGACACT GTCCAAGGGA GTGGCCCCTA TGAGTTTATA TTTTAACCAC TGCTTCAAAT 1740 CTCGATTTCA CTTTTTTAT TTATCCAGTT ATATCTACAT ATCTGTCATC TAAATAAATG 1800 65 GCTTTCAAAC AAAAAAAAAA AAAAAAAAAA AAAAAAA Seq ID NO: 22 <u>Protein sequence:</u>
Protein Accession #: NP\_003705 70 11 21 31 41 51 MCAERLGQFM TLALVLATFD PARGTDATNP PEGPQDRSSQ QKGRLSLQNT AEIQHCLVNA 60 GDVGCGVFEC FENNSCEIRG LHGICMTFLH NAGKFDAQGK SFIKDALKCK AHALRHRFGC 120 ISRKCPAIRE MVSQLQRECY LKHDLCAAAQ ENTRVIVEMI HFKDLLLHEP YVDLVNLLLT 180 CGEEVKEAIT HSVQVQCEQN WGSLCSILSF CTSAIQKPPT APPERQPQVD RTKLSRAHHG 240 75 EAGHHLPEPS SRETGRGAKG ERGSKSHPNA HARGRVGGLG AQGPSGSSEW EDEQSEYSDI 300

RR



02059377A21 >

CAGGGCGGC GAGGACGGG GAGGTGGGGG GGGCGCCC CCCGCGCAGC CGACAGCCCC 240 5 10 GCTGGTGGTG GGCCCCAAAG GGGCAACCAT CAAGCGCATC CAGCAGCAAA CCAACACATA 780 CATTATCACA CCAAGCCGTG ACCGCGACCC CGTGTTCGAG ATCACGGGTG CCCCAGGCAA 840 CGTGGAGCGT GCGCGCGAGG AGATCGAGAC GCACATCGCG GTGCGCACTG GCAAGATCCT 900 CGAGTACAAC AATGAAAACG ACTTCCTGGC GGGGAGCCCC GACGCAGCA TCGATAGCCG 960
CTACTCCGAC GCCTGCGGG TGCACCAGCC CGGCTGCAAG CCCCTCTCCA CCTTCCGGCA 1020
GAACAGCCTG GGCTGCATCG GCGAGTGCGG AGTGGACTCT GGCTTTGAGG CCCCACGCCT 1080
GGGTGAGCAG GGCGGGGACT TTGGCTACGG CGGGTACCTC TTTCCGGGCT ATGGCGTGGG 1140 15 CAAGCAGGAT GTGTACTACG GCGTGGCCGA GACTAGCCCC CCGCTGTGGG CGGGCCAGGA 1200 GAACGCCACG CCCACCTCCG TGCTCTTCTC CTCTGCCTCC TCCTCCTCCT CCTCTTCCGC 1260 CAAGGCCCGC GCTGGGCCCC CGGGCGCACA CCGCTCCCCT GCCACTTCCG CGGGACCCGA 1320 20 GCTGGCCGGA CTCCCGAGGC GCCCCCGGG AGAGCCGCTC CAGGGCTTCT CTAAACTTGG 1380 TGGGGGCGGC CTGCGGAGCC CCGGCGGCGG GCGGGATTGC ATGGTCTGCT TTGAGAGCGA 1440
AGTGACTGCC GCCCTTGTGC CCTGCGGACA CAACCTGTTC TGCATGGAGT GTGCAGTACG 1500
CATCTGCGAG AGGACGGACC CAGAGTGTCC CGTCTGCCAC ATCACAGCCA CGCAAGCCAT 1560 CCGAATATTC TCCTAA 25 Seq ID NO: 26 Protein sequence:
Protein Accession #: FGENESH predicted 30 11 21 31 41 FCFAMPSLVV SGIMERNGGF GELGCFGGSA KDRGLLEDER ALQLALDQLC LLGLGEPPAP 60 RAGEDGGGGG GGAPAOPTAP POPAPPPPPA APPAAPTTAP AAQTPQPPTA PKGASDAKLC 120 ALYKEAELRL KGSSNTTECV PVPTSEHVAE IVGRQGCKIK ALRAKTNTYI KTPVRGEEPV 180 FMVTGRREDV ATARREIISA AEHFSMIRAS RNKSGAAFGV APALPGQVTI RVRVPYRVVG 240
LVVGPKGATI KRIQQQTNTY IITPSRDRDP VFEITGAPGN VERAREIET HIAVRTGKIL 300
EYNNENDFLA GSPDAAIDSR YSDAWRVHQP GCKPLSTFRQ NSLGCIGECG VDSGFEAPRL 360
GEQGGDFGYG GYLFPGYGVG KQDVYYGVAE TSPPLWAGQE NATPTSVLFS ŞASSSSSSS 420
KARACPPGAH RSPATSAGPE LAGLPRRPPG EPLQGFSKLG GGGLRSPGGG RDCMVCFESE 480 35 40 VTAALVPCGH NLFCMECAVR ICERTDPECP VCHITATQAI RIFS Seq ID NO: 27 DNA sequence Nucleic Acid Accession #: FGENESH predicted 1-2070 (underlined sequences correspond to start and stop codons) Coding sequence: 45 11 31 41 51 ATGAGCGGTG CGGGGTGGC GGCTGGGACG CGGCCCCCA GCTCGCCGAC CCCGGGCTCT 60 CGGCCCGGC GCCAGCGCC CTCTGTGGGC GTCCAGTCCT TGAGGCCCGCA GAGCCCGCAG 120
CTCAGGCAGA GCGACCCGCA GAAACGGAAC CTGGACCTGG AGAAAAGCCT GCAGTTCCTG 180
CAGCAGCAGC ACTCGGAGAT GCTGGCCAAG CTCCATGAGG AGATCGAGCA TCTGAAGCGG 240
GAAAACAAGG GTGAGCCGGC GCGGGGCCCT AGGCCGCCC TGCCTCCCCA GGCACACTCA 300
ACACTGCCGC TCCCGCAGCA CAGAAACACA GCCATCAACT CCAGCACAC CCTGGGCTCA 360 50 GGGGGAACAC AGGACGGGGA GCCCTCCAG ACTGTCCTTG CCCACCTGGC TGCACTGGCC 55 CCTGTATGCC AACCCAGTGG GTACAGGTTC TGGGGGACCT GGACAGATGC CGCTACCTCT 480 60 GCAGCAACCA TGGGGACAAA GGGAGGAAGC AGAGTCCTGT TTCCTTGCCA CTTGTCCAAG 840
GCACTTCCCC ATCCTGACAG CGGCCCCAC CCAGCCCAGG ATCCTGGGCT GTGGTCTCAA 900 GCTCACTTCC CATTATCTTT GGGGCTGGGG CTGACATCAG GAGGACATCT GACTGGTGGA TGGAGCCAGC CTGGGAACAT CGCAGCTGGG GCAGTGCCTA GGGCTCTCCC TTCCCAGGGA 1020
GACATGGAGA AGGGGGTTGA GGGAGGGCCC TTCCCTAGCC GCTGTGGCAA CTCCAGTGAG 1080
CTGTTCTGGG CAAAGTGTGG CCCAAGTCGG CAGCCCCAGC CCTGCAGTGC TGGGGACGCT 1140
GACAGGACAC GGGAAGAGGC CATGCTTTCC CTCGGGACCT GCTGTTCCAT GTGTCCCAAG 1200 65 CCCTCCTGCT TTCCAGATGG CCCCTCAGGA AACCACCTTT CCAGGGCCTC TGCTCCCTTG 1260 GGCGCTCGCT GGGTCTGCAT CAACGGAGTG TGGGTAGAGC CGGGAGGACC CAGCCCTGCC 1320 70 -AGGCTGAAGG AGGCTCCTC ACGGACACAC AGGCCAGGAG GCAAGCGTGG GCGTCTTGCG 1380 GAGAAAGCAG AGGCCTCTAA TGCAGGAGCT GCCTGTATGG GGAACAGCCA GCACCAGGGC 1680
AGGCAGATGG GGGCGGGGGC ACACCCCCCA ATGATCCTGC CCCTTCCCCT GCGAAAGCCC 1740 75 ACCACACTTA GGCAGTGCGA AGTGCTCATC CGCGAGCTGT GGAATACCAA CCTCCTGCAG 1800

ACCCAAGAGC TGCGGCACCT CAAGTCCCTC CTGGAAGGGA GCCAGAGGCC CCAGGCAGCC 1860 CCGGAGGAAG CTAGCTTTCC CAGGGACCAA GAAGCCACGC ATTTCCCCAA GGTCTCCACC 1920 AAGAGCCTCT CCAAGAAATG CCTGAGCCCA CCTGTGGCGG AGCGTGCCAT CCTGCCCGCA 1980 CTGAAGCAGA CCCCGAAGAA CAACTTTGCC GAGAGGCAGA AGAGGCTGCA GGCAATGCAG 2040 AAACGGCGCC TGCATCGCTC AGTGCTT<u>TGA</u>

Seq ID NO: 28 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted

LKQTPKNNFA ERQKRLQAMQ KRRLHRSVL

41.

10

15

20

5

25

Seq ID NO: 29 DNA sequence
Nucleic Acid Accession #: NM\_012319.2
Coding sequence: 138-2405 (underlined sequences correspond to seen and stop codons)

30

35

40

45

50

55

60

65

70

75

CTCGTGCCGA ATTCGGCACG AGACCGCGTG TTCGCGCCTG GTAGAGATTT CTCGAAGACA CCAGTGGGCC CGTGTGGAAC CAAACCTGCG CGCGTGGCCG GGCCGTGGGA CAACGAGGCC 120 GCGGAGACGA AGGCGCAATG GCGAGGAAGT TATCTGTAAT CTTGATCCTG ACCTTTGCCC 180 TCTCTGTCAC AAATCCCCTT CATGAACTAA AAGCAGCTGC TTTCCCCCAG ACCACTGAGA 240 AAATTAGTCC GAATTGGGAA TCTGGCATTA ATGTTGACTT GGCAATTTCC ACACGGCAAT ATCATCTACA ACAGCTTTTC TACCGCTATG GAGAAAATAA TTCTTTGTCA GTTGAAGGGT 360 TCAGAAATT ACTICAAAAT ATAGGCATAG ATAAGATTAA AAGAATCAT ATACACCATG 420
ACCACGACCA TCACTCAGAC CACGAGCATC ACTCAGACCA TGAGCGTCAC TCAGACCATG 480
AGCATCACTC AGACCACGAG CATCACTCTG ACCATGATCA TCACTCTCAC CATAATCATG 540
CTGCTTCTGG TAAAAATAAG CGAAAAGCTC TTTGCCCAGA CCATGACTCA GATAGTTCAG 600 GTAAAGATCC TAGAAACAGC CAGGGGAAAG GAGCTCACCG ACCAGAACAT GCCAGTGGTA 660 GAAGGAATGT CAAGGACAGT GTTAGTGCTA GTGAAGTGAC CTCAACTGTG TACAACACTG TCTCTGAAGG AACTCACTTT CTAGAGACAA TAGAGACTCC AAGACCTGGA AAACTCTTCC 780 CCAAAGATGT AAGCAGCTCC ACTCCACCCA GTGTCACATC AAAGAGCCGG GTGAGCCGGC 840 TGGCTGGTAG GAAAACAAAT GAATCTGTGA GTGAGCCCCG AAAAGGCTTT ATGTATTCCA GAAACACAAA TGAAAATCCT CAGGAGTGTT TCAATGCATC AAAGCTACTG ACATCTCATG 960
GCATGGGCAT CCAGGTTCCG CTGAATGCAA CAGAGTTCAA CTATCTCTGT CCAGCCATCA 1020
TCAACCAAAT TGATGCTAGA TCTTGTCTGA TTCATACAAG TGAAAAGAAG GCTGAAATCC 1080
CTCCAAAG TCAGTTTCCT GTCTCTGCTG GGGGTTATCT TAGTGCCTCT CATGAATCGG GTGTTTTTCA 1200 AATTICTCCT GAGTTTCCTT GTGGCACTGG CCGTTGGGAC TTTGAGTGGT GATGCTTTTT 1260 TACACCTTCT TCCACATTCT CATGCAAGTC ACCACCATAG TCATAGCCAT GAAGAACCAG 1320 CAATGGAAAT GAAAAGAGGA CCACTTTTCA GTCATCTGTC TTCTCAAAAC ATAGAAGAAA 1380 GTGCCTATTI TGATTCCACG TGGAAGGGTC TAACAGCTCT AGGAGGCCTG TATTTCATGT 1440
TTCTTGTTGA ACATGTCCTC ACATTGATCA AACAATTTAA AGATAAGAAG AAAAAGAATC 1500
AGAAGAAACC TGAAAATGAT GATGATGTGG AGATTAAGAA GCAGTTGTCC AAGTATGAAT 1560
CTCAACTTTC AACAAATGAG GAGAAAGTAG ATACAGATGA TCGAACTGAA GGCTATTTAC 1620 GAGCAGACTC ACAAGAGCCC TCCCACTTTG ATTCTCAGCA GCCTGCAGTC TTGGAAGAAG 1680 AAGAGGTCAT GATAGCTCAT GCTCATCCAC AGGAAGTCTA CAATGAATAT GTACCCAGAG 1740 GGTGCAAGAA TAAATGCCAT TCACATTTCC ACGATACACT CGGCCAGTCA GACGATCTCA 1800 TTCACCACCA TCATGACTAC CATCATATTC TCCATCATCA CCACCACCAA AACCACCATC 1860 CTCACAGTCA CAGCCAGCGC TACTCTCGGG AGGAGCTGAA AGATGCCGGC GTCGCCACTT 1920
TGGCCTGGAT GGTGATAATG GGTGATGGCC TGCACAATTT CAGCGATGGC CTAGCAATTG 1980
GTGCTGCTTT TACTGAAGGC TTATCAAGTG GTTTAAGTAC TTCTGTTGCT GTGTTCTGCC 2040
ATGAGTTGCC TCATGAATTA GGTGACCTTTG CTGTTCTACT AAAGGCTGGC ATGACCGTTA 2100 AGCAGGCTGT CCTTTATAAT GCATTGTCAG CCATGCTGGC GTATCTTGGA ATGGCAACAG 2160 GAATTTTCAT TGGTCATTAT GCTGAAAATG TTTCTATGTG GATATTTGCA CTTACTGCTG 2220 GCTTATTCAT GTATGTTGCT CTGGTTGATA TGGTACCTGA AATGCTGCAC AATGATGCTA 2280 GTGACCATGG ATGTAGCCGC TGGGGGTATT TCTTTTTACA GAATGCTGGG ATGCTTTTGG 2340
GTTTTGGAAT TATGTTACTT ATTTCCATAT TTGAACATAA AATGCTGTTT CGTATAAATT 2400
TCTAGTTAAG GTTTAAATGC TAGAGTAGCT TAAAAAGTTG TCATAGTTTC AGTAGGTCAT 2460
AGGGAGATGA GTTTGTATGC TGTACTATGC AGCGTTTAAA GTTAGTGGGT TTTGTGATTT 2520 TTGTATTGAA TATTGCTGTC TGTTACAAAG TCAGTTAAAG GTACGTTTTA ATATTTAAGT 2580 TATTCTATCT TGGAGATAAA ATCTGTATGT GCAATTCACC GGTATTACCA GTTTATTATG 2640 TAAACAAGAG ATTTGGCATG ACATGTTCTG TATGTTTCAG GGAAAAATGT CTTTAATGCT 2700

TTTTCAAGAA CTAACACAGT TATTCCTATA CTGGATTTTA GGTCTCTGAA GAACTGCTGG 2760 TGTTTAGGAA TAAGAATGTG CATGAAGCCT AAAATACCAA GAAAGCTTAT ACTGAATTTA 2820 AGCAAAGAAA TAAAGGAGAA AAGAGAAGAA TCTGAGAATT GGGGAGGCAT AGATTCTTAT 2880 AAAAATCACA AAATTTGTTG TAAATTAGAG GGGAGAAATT TAGAATTAAG TATAAAAAGG 2940 5 CAGAATTAGT ATAGAGTACA TTCATTAAAC ATTTTTGTCA GGATTATTTC CCGTAAAAAC 3000 GTAGTGAGCA CTCTCATATA CTAATTAGTG TACATTTAAC TTTGTATAAT ACAGAAATCT 3060 AAATATATTT AATGAATTCA AGCAATATAC ACTTGACCAA GAAATTGGAA TTTCAAAATG 3120 TTCGTGCGGG TTATATACCA GATGAGTACA GTGAGTAGTT TATGTATCAC CAGACTGGGT 3180 TATTGCCAAG TTATATATCA CCAAAAGCTG TATGACTGGA TGTTCTGGTT ACCTGGTTTA 3240 CAAAATTATC AGAGTAGTAA AACTTTGATA TATATGAGGA TATTAAAACT ACACTAAGTA 3300 TCATTTGATT CGATTCAGAA AGTACTTTGA TATCTCTCAG TGCTTCAGTG CTATCATTGT 3360 10 GAGCAATTGT CTTTATATAC GGTACTGTAG CCATACTAGG CCTGTCTGTG GCATTCTCTA 3420 GATGTTTCTT TTTTACACAA TAAATTCCTT ATATCAGCTT G

15 Seq ID NO: 30 Protein sequence:
Protein Accession #: NP\_036451.2

21 20 MARKLSVILI LTFALSVTNP LHELKAAAFP QTTEKISPNW ESGINVDLAI STRQYHLQQL FYRYGENNSL SVEGFRKLLQ NIGIDKIKRI HIHHDHDHHS DHEHHSDHER HSDHEHHSDH 120 EHHSDHDHHS HHNHAASGKN KRKALCPDHD SDSSGKDPRN SQGKGAHRPE HASGRRNVKD 180 SVSASEVTST VYNTVSEGTH FLETIETPRP GKLFPKDVSS STPPSVTSKS RVSRLAGRKT 240

41

31

31

41

NESVSEPRKG FMYSRNTNEN PQECFNASKL LTSHGMGIQV PLNATEFNYL CPAIINQIDA 300
RSCLIHTSEK KAEIPPKTYS LQIAWVGGFI AISIISFLSL LGVILVPLMN RVFFKFLLSF 360
LVALAVGTLS GDAFLHLLPH SHASHIHISHS HEEPAMEMKR GPLFSHLSSQ NIEESAYFDS 420
TWKGLTALGG LYFMFLVEHV LTLIKQFKDK KKKNQKKPEN DDDVEIKKQL SKYESQLSTN 480 25 EEKVDTDDRT EGYLRADSQE PSHFDSQQPA VLEEEEVMIA HAHPQEVYNE YVPRGCKNKC 540 HSHFHDTLGQ SDDLIHHHHD YHHILHHHHH QNHHPHSHSQ RYSREELKDA GVATLAWMVI 600 30 MGDGLHNFSD GLAIGAAFTE GLSSGLSTSV AVFCHELPHE LGDFAVLLKA GMTVKQAVLY 660

NALSAMLAYL GMATGIFIGH YAENVSMWIF ALTAGLFMYV ALVDMVPEML HNDASDHGCS 720 RWGYFFLQNA GMLLGFGIML LISIFEHKIV FRINF

Seg ID NO: 31 DNA sequence 35

Nucleic Acid Accession #: NM\_002184.1 256-3012(underlined sequences correspond to start and stop codons) Coding sequence:

40 GAGCAGCCAA AAGGCCCGCG GAGTCGCGCT GGGCCGCCCC GGCGCAGCTG AACCGGGGGC 60 CGCGCCTGCC AGGCCGACGG GTCTGGCCCA GCCTGGCGCC AAGGGGTTCG TGCGCTGTGG 120 AGACGCGGAG GGTCGAGGCG GCGCGGCCTG AGTGAAACCC AATGGAAAAA GCATGACATT 180 TAGAAGTAGA AGAĆTTAGCT TCAAATCCCT ACTCCTTCAC TTACTAATTT TGTGATTTGG 240 AAATATCCGC GCAAG<u>ATG</u>TT GACGTTGCAG ACTCGCTTCAC TACTTATTTTC 300
CTCACCACTG AATCTACAGG TGAACTTCTA GATCCATGTG TGCAAGCCTT GTTTATTTTC 360
CCAGTTGTAC AACTTCATTC TAATTTCACT GCAGTTTGTG TGCTAAAGGA AAAATGTATG 420
GATTATTTTC ATGTAAATGC TAATTACATT GTCTGGAAAA CAAACCATTT TACTATTCCT 480
AAGGAGCAAT ATACTATCAT AAACAGAACA GCATCCAGTG TCACCTTTAC AGATATAGCT 540 45 TCATTAAATA TTCAGCTCAC TTGCAACATT CTTACATTCG GACAGCTTGA ACAGAATGTT 600 50 TATGGAATCA CAATAATTTC AGGCTTGCCT CCAGAAAAAC CTAAAAATTT GAGTTGCATT 660 GTGAACGAGG GGAAGAAAAT GAGGTGTGAG TGGGATGGTG GAAGGGAAAC ACACTTGGAG 720 ACAAACTTCA CTTTAAAATC TGAATGGGCA ACACAAGT TTGCTGATTG CAAAGCAAA 780 CGTGACACCC CCACCTCATG CACTGTTGAT TATTCTACTG TGTATTTTGT CAACATTGAA 840
GTCTGGGTAG AAGCAGAGAA TGCCCTTGGG AAGGTTACAT CAGATCATAT CAATTTTGAT 900
CCTGTATATA AAGTGAAGCC CAATCCGCCA CATAATTTAT CAGTGATCAA CTCAGAGGAA 960
CTGTCTAGTA TCTTAAAATT GACATGGACC AACCCAAGTA TTAAGAGTGT TATAATACTA 1020 55 AAATATAACA TTCAATATAG GACCAAAGAT GCCTCAACTT GGAGCCAGAT TCCTCCTGAA 1080 GACACAGCAT CCACCCGATC TTCATTCACT GTCCAAGACC TTAAACCTTT TACAGAATAT 1140 GTGTTTAGGA TTCGCTGTAT GAAGGAAGAT GGTAAGGGAT ACTGGAGTGA CTGGAGTGAA 1200 GAAGCAAGTG GGATCACCTA TGAAGATAGA CCATCTAAAG CACCAAGTTT CTGGTATAAA 1260
ATAGATCCAT CCCATACTCA AGGCTACAGA ACTGTACAAC TCGTGTGGAA GACATTGCCT 1320
CCTTTTGAAG CCAATGGAAA AATCTTGGAT TATGAAGTGA CTCTCACAAG ATGGAAATCA 1380
CATTTACAAA ATTACACAGT TAATGCCACA AAACTGACAG TAAATCTCAC AAATGATCGC 1440 60 TATCTAGCAA CCCTAACAGT AAGAAATCTT GTTGGCAAAT CAGATGCAGC TGTTTTAACT 1500 65 ATCCCTGCCT GTGACTITCA AGCTACTCAC CCTGTAATGG ATCTTAAAGC ATTCCCCAAA 1560 GATAACATGC TTTGGGTGGA ATGGACTACT CCAAGGGAAT CTGTAAAGAA ATATATACTT 1620 GAGTGGTGTG TGTTATCAGA TAAAGCACCC TGTATCAGAG CTGGCAACA AGAAGATGGT 1680
ACCGTGCATC GCACCTATTT AAGAGGGAAC TTAGCAGAG GCAAATGCTA TTTGATAACA 1740
GTTACTCCAG TATATGCTGA TGGACCAGGA AGCCCTGAAT CCATAAAGGC ATACCTTAAA 1800
CAAGCTCCAC CTTCCAAAGG ACCTACTGTT CGGACAAAAA AAGTAGGGAA AAACGAAGCT 1860 70 GTCTTAGAGT GGGACCAACT TCCTGTTGAT GTTCAGAATG GATTTATCAG AAATTATACT 1920 ATATTTTATA GAACCATCAT TGGAAATGAA ACTGCTGTGA ATGTGGATTC TTCCCACACA 1980 GAATATACAT TGTCCTCTTT GACTAGTGAC ACATTGTACA TGGTACGAAT GGCAGCATAC 2040 ACAGATGAAG GTGGGAAGGA TGGTCCAGAA TTCACTTTTA CTACCCCAAA GTTTGCTCAA 2100
GGAGAAATTG AAGCCATAGT CGTGCCTGTT TGCTTAGCAT TCCTATTGAC AACTCTTCTG 2160
GGAGTGCTGT TCTGCTTTAA TAAGCGAGAC CTAATTAAAA AACACATCTG GCCTAATGTT 2220
CCAGATCCTT CAAAGAGTCA TATTGCCCAG TGGTCACCTC ACACTCCTCC AAGGCACAAT 2280 75

TTTAATTCAA AAGATCAAAT GTATTCAGAT GGCAATTTCA CTGATGTAAG TGTTGTGGAA 2340 ATAGAAGCAA ATGACAAAAA GCCTTTTCCA GAAGATCTGA AATCATTGGA CCTGTTCAAA 2400 AAGGAAAAAA TTAATACTGA AGGACACAGC AGTGGTATTG GGGGGTCTTC ATGCATGTCA 2460 TCTTCTAGGC CAAGCATTTC TAGCAGTGAT GAAAATGAAT CTTCACAAAA CACTTCGAGC 2520 5 ACTGTCCAGT ATTCTACCGT GGTACACAGT GGCTACAGAC ACCAAGTTCC GTCAGTCCAA 2580 GTCTTCTCAA GATCCGAGTC TACCCAGCCC TTGTTAGATT CAGAGGAGCG GCCAGAAGAT. 2640 CTACAATTAG TAGATCATGT AGATGGCGGT GATGGTATTT TGCCCAGGCA ACAGTACTTC 2700 AAACAGAACT GCAGTCAGCA TGAATCCAGT CCAGATATTT CACATTTTGA AAGGTCAAAG 2760 10 15 Seq ID NO: 32 Protein sequence: NP\_002175.1 Protein Accession #: 21 41 20 MLTLOTWVVO ALFIFLTTES TGELLDPCGY ISPESPVVOL HSNFTAVCVL KEKCMDYFHV NANYIVWKTN HFTIPKEQYT IINRTASSVT FTDIASLNIQ LTCNILTFGQ LEQNVYGITI 120 ISGLPPEKPK NLSCIVNEGK KMRCEWDGGR ETHLETNFTL KSEWATHKFA DCKAKRDTPT 180 SCTVDYSTVY FVNIEVWVEA ENALGKVTSD HINFDPVYKV KPNPPHNLSV INSEELSSIL 240 25 KLTWTNPSIK SVIILKYNIQ YRTKDASTWS QIPPEDTAST RSSFTVQDLK PFTEYVFRIR 300 CMKEDGKGYW SDWSEEASGI TYEDRPSKAP SFWYKIDPSH TQGYRTVQLV WKTLPPFEAN 360
GKILDYEVTL TRWKSHLQNY TVNATKLTVN LTNDRYLATL TVRNLVGKSD AAVLITPACD 420
FQATHPVMDL KAFPKDNMLW VEWTTPRESV KKYILEWCVL SDKAPCITDW QQEDGTVHRT 480
YLRGNLAESK CYLITVTPVY ADGPGSPESI KAYLKQAPPS KGPTVRTKKV GKNEAVLEWD 540
QLPVDVQNGF IRNYTIFYRT IIGNETAVNV DSSHTEYTLS SLTSDTLYMV RMAAYTDEGG 600 30 KDGPEFTFTT PKFAOGEIEA IVVPVCLAFL LTTLLGVLFC FNKRDLIKKH IWPNVPDPSK 660 SHIAQWSPHT PPRHNFNSKD QMYSDGNFTD VSVVEIEAND KKPFPEDLKS LDLFKKEKIN 720 TEGHSSGIGG SSCMSSSRPS ISSSDENESS QNTSSTVQYS TVVHSGYRHQ VPSVQVFSRS 780 ESTQPLLDSE ERPEDLQLVD HVDGGDGILP RQQYFKQNCS QHESSPDISH FERSKQVSSV 840
NEEDFVRLKQ QISDHISQSC GSGQMKMFQE VSAADAFGPG TEGQVERFET VGMEAATDEG 900
MPKSYLPQTV RQGGYMPQ 35 Seq ID NO: 33 DNA sequence Nucleic Acid Accession #: NM 018255.1 40 11-2491 (underlined sequences correspond to start and stop codons) Coding sequence: 31 AGTTGGCGAC ATGGTGGCAC CCGTGCTGGA GACTTCTCAC GTGTTTTGCT GCCCAAACCG 60 GGTGCGGGGA GTCCTGAACT GGAGCTCTGG GCCCAGAGGA CTTCTGGCCT TTGGCACGTC 120 45 CTGCTCCGTG GTGCTCTATG ACCCCCTGAA AAGGGTTGTT GTTACCAACT TGAATGGTCA 180 CACCGCCCGA GTCAATTGCA TACAGTGGAT TTGTAAACAG GATGGCTCCC CTTCTACTGA 240 ATTAGTTTCT GGAGGATCTG ATAATCAAGT GATTCACTGG GAAATAGAGG ATAATCAGCT 300 TTTAAAAGCA GTGCATCTTC AAGGCCATGA AGGACCTGTT TATGCGGTGC ATGCTGTTTA 360 50 CCAGAGGAGG ACATCAGATC CTGCATTATG TACACTGATC GTTTCTGCAG CTGCAGATTC 420 TGCTGTTCGA CTCTGGTCTA AAAAGGGTCC AGAAGTAATG TGCCTTCAGA CTTTAAACTT 480 TGGAAATGGA TTTGCTTTGG CTCTCTGCTT ATCTTTTTTG CCAAAATACTG ATGTACCAAT 540 ATTAGCATGT GGCAATGATG ATTGCAGAAT TCACATATTT GCTCAACAAA ATGATCAGTT 600 55 CTTTGGTAGA GATCTTTTCC TAGCAAGCTG TTCACAAGAT TGCCTGATAA GAATATGGAA 720 GCTGTATATA AAGTCAACAT CTTTAGAAAC TCAGGATGAC GATAACATAA GACTGAAAGA 780 AAATACTTTT ACCATAGAAA ATGAAAGTGT TAAAATAGCA TTTGCTGTTA CTCTGGAGAC 840 AGTGCTAGCC GGTCATGAAA ACTGGGTAAA TGCAGTTCAC TGGCAACCTG TGTTTACAA 900
AGATGGTGTC CTACAGCAGC CAGTGAGATT ATTATCTGCT TCCATGGATA AAACCATGAT 960
TCTCTGGGCT CCAGATGAAG AGTCAGGAGT TTGGCTAGAA CAGGTTCGAG TAGGTGAAGT 1020
AGGTGGGAAT ACTTTGGGAT TTTATGATTG CCAGTTCAAT GAAGATGGCT CCATGATCAT 1080
TGCTCATGCT TTCCACGGAG CGTTGCACCT TTGGAAACAG AATACAGTTA ACCCAAGAGA 1140 60, GTGGACTCCA GAGATTGTCA TTTCAGGACA CTTTGATGGT GTCCAAGACC TAGTCTGGGA 1200 TCCAGAAGGA GAATTTATTA TCACTGTTGG TACTGATCAG ACAACTAGAC TTTTTGCTCC 1260 65 ATGGAAGAGA AAAGACCAAT CACAGGTGAC TTGGCATGAA ATTGCAAGGC CTCAGATACA 1320 TGGGTATGAC CTGAAATGTT TGGCAATGAT TAATCGGTTT CAGTTTGTAT CTGGAGCAGA 1380 TGAAAAAGTT CTTCGGGTTT TTTCTGCACC TCGGAATTTT GTGGAAAATT TTTGTGCCAT 1440
TACAGGACAA TCACTGAATC ATGTGCTCTG TAATCAAGAT AGTGATCTTC CAGAAGGAGC 1500
CACTGTCCCT GCATTGGGAT TATCAAATAA AGCTGTCTTT CAGGGAGATA TAGCTTCTCA 1560

GCCTTCTGAT GAAGAGGAGC TGTTAACTAG TACTGGTTTT GAGTATCAGC AGGTGGCCTT 1620
TCAGCCCTCC ATACTTACTG AGCCTCCCAC TGAGGATCAT CTTCTGCAGA ATACTTTGTG 1680
GCCTGAAGTT CAAAAACTAT ATGGGCACGG TTATGAAATA TTTTGTGTTA CTTGTAACAG 1740
TCCAAAGACT CTGCTTGCCT CAGCTTGTAA GGCAGCTAAG AAAGAGCATG CAGCTATCAT 1800
TCTTTGGAAC ACTACATCTT GGAAACAGGT GCAGAATTTA GTTTTCCACA GTTTTGACAGT 1860

CACGCAGATG GCCTTCTCAC CTAATGAGAA GTTCTTACTA GCTGTTTCCA GAGATCGAAC 1920 CTGGTCATTG TGGAAAAAGC AGGATACAAT CTCACCTGAG TTCGAGCCAG TTTTTAGTCT 1980 TTTTGCCTTC ACCAACAAAA TTACTTCTGT GCACAGTAGA ATTATTTGGT CTTGTGATTG 2040

70

GAGTCCTGAC AGCAAGTATT TCTTCACTGG GAGTCGAGAC AAAAAGGTGG TTGTCTGGGG 2100
TGAGTGCGAC TCCACTGATG ACTGTATTGA GCACAACATT GGCCCCTGCT CCTCAGTCCT 2160
GGACGTGGGT GGGGCTGTGA CAGCTGTCAG CGTCTGCCCA GTGCTCCACC CTTCTCAACG 2220
ATACGTGGTT GCAGTAGGAT TGGAGTGTGG AAAGATTTGC TTATATACCT GGAAAAAAGAC 2280
TGATCAAGTT CCAGAAATAA ATGACTGGAC CCACTGTGTA GAAAACAAGTC AAAGCCAAAG 2340
TCATACACTG GCTATCAGAA AAATTATGCTG GAAGAATTGC AGTGGAAAAAA CTGAACAGAA 2400
GGAAGCAGAA GGTGCTGAGT GGTTACACTT TGCAAGCTGT GGTGAAGATC ACACTGTGAA 2460
GATACACAGA GTCAATAAAT GTGCACTGTA ATGG

Seq ID NO: 34 <u>Protein sequence:</u> Protein Accession #: NP\_060725.1

5

35

1 11 21 31 41 51

31

15 MVAPVLETSH VFCCPNRVRG VLNWSSGPRG LLAFGTSCSV VLYDPLKRVV VTNLNGHTAR 60
VNCIQWICKQ DGSPSTELVS GGSDNQVIHW EIEDNQLLKA VHLQGHEGPV YAVHAVYQRR 120
TSDPALCTLI VSAAADSAVR LWSKKGPEVM CLQTLNFGNG FALALCLSFL PNTDVPILAC 180
GNDDCRIHIF AQQNDQFQKV LSLCGHEDWI RGVEWAAFGR DLFLASCSQD CLIRIWKLYI 240
KSTSLETQDD DNIRLKENTF TIENESVKIA FAVTLETVLA GHENWVNAVH WQPVFYKDGV 300
LQQPVRLLSA SMDKTMILWA PDEESGVWLE QVRVGEVGGN TLGFYDCQFN EDGSMIAHA 360
FHGALHLWKQ NTVNPREWTP EIVISGHFDG VQDLVWDPEG EFIITVGTDQ TTRLFAPWKR 420
KDQSQVTWHE IARPQIHGYD LKCLAMINRF QFVSGADEKV LRVFSAPRNF VENFCAITGQ 480
SLNHVLCNQD SDLPEGATVP ALGLSNKAVF QGDIASQPSD EEELLTSTGF EYQQVAFQPS 540
ILTEPPTEDH LLQNTLWPEV QKLYGHGYEI FCVTCNSSKT LLASACKAAK KEHAAIILWN 600
TTSWKQVQNL VFHSLTVTQM AFSPNEKFLL AVSRDRTWSL WKKQDTISPE FEPVFSLFAF 660
TNKITSVHSR IIWSCDWSPD SKYFFTGSRD KKVVVWGECD STDDCIEHNI GPCSSVLDVG 720
GAVTAVSVCP VLHPSQRYVV AVGLECGKIC LYTWKKTDQV PEINDWTHCV ETSQSQSHTL 780
AIRKLCWKNC SGKTEQKEAE GAEWLHFASC GEDHTVKHIR VNKCAL

Seq ID NO: 35 DNA sequence
Nucleic Acid Accession #: NM\_022131
Coding sequence: 11-2878 (underlined sequences correspond to start and stop codons)

TGCTGCGAGG ATGCTGCCTG GGCGGCTGTG CTGGGTGCCG CTCCTGCTGG CGCTGGGCGT 60 GGGGAGCGGC AGCGGCGGTG GCGGGGACAG CCGGCAGCGC CGCCTCCTCG CGGCTAAAGT 120 CAATAAGCAC AAGCCATGGA TCGAGACTTC ATATCATGGA GTCATAACTG AGAACAATGA 180 CACAGTCATT TTGGACCCAC CACTGGTAGC CCTGGATAAA GATGCACCGG TTCCTTTTGC 240 40 AGGGGAAATC TGTGCGTTCA AGATCCATGG CCAGGAGCTG CCCTTTGAGG CTGTGGTGCT 300 CAACAAGACA TCAGGAGAGG GCCGGCTCCG TGCCAAGAGC CCCATTGACT GTGAGTTGCA 360 GAAGGAGTAC ACATTCATCA TCCAGGCCTA TGACTGTGGT GCTGGGCCCC ACGAGACAGC 420 CTGGAAAAAG TCACACAAGG CCGTGGTCCA TATACAGGTG AAGGATGTCA ACGAGTTTGC TCCCACCTTC AAAGAGCCAG CCTACAAGGC TGTTGTGACG GAGGGCAAGA TCTATGACAG 540
CATTCTGCAG GTGGAGGCCA TTGACGAGGG CTGCCCCA CAGTACAGCC AGATCTGCAA 600
CTATGAAATC GTCACCACAG ATGTGCCTTT TGCCATCGAC AGAAATGGCA ACATCAGGAA 660
CACTGAGAAG CTGAGCTATG ACAAACAACA CCAGTATGAG ATCCTGGTGA CCGCCTACGA 720
CTGTGGACAG AAGCCCGCTG CTCAGGACAC CCTGGTGCAG GTGGATTGTGA AGCCAGTTTTG 780 45 CAAGCCTGGC TGGCAAGACT GGACCAAGAG GATTGAGTAC CAGCCTGGCT CCGGGAGCAT 840 50 GCCCCTGTTC CCCAGCATCC ACCTGGAGAC GTGCGATGGA GCCGTGTCTT CCCTCCAGAT 900 CGTCACAGAG CTGCAGACTA ATTACATTGG GAAGGGTTGT GACCGGGAGA CCTACTCTGA 960 GAAATCCCTT CAGAAGTTAT GTGGAGCCTC CTCTGGCATC ATTGACCTCT TGCCATCCCC 1020 TAGCGCTGCC ACCAACTGGA CTGCAGGACT GCTGGTGGAC AGCAGTGAGA TGATCTTCAA 1080 GTTTGACGGC AGGCAGGGTG CCAAAATCCC CGATGGGATT GTGCCCAAGA ACCTGACCGA 1140 55 TCAGTTCACC ATCACCATGT GGATGAAACA CGGCCCCAGC CCTGGTGTGA GAGCCGAGAA 1200 GGAAACCATC CTCTGCAACT CAGACAAAAC CGAAATGAAC CGGCATCACT ATGCCCTGTA 1260 TGTGCACAAC TGCCGCCTCG TCTTTCTCTT GCGGAAGGAC TTCGACCAGG CTGACACCTT 1320 TCGCCCCGCG GAGTTCCACT GGAAGCTGGA TCAGATTTGT GACAAAGAGT GGCACTACTA 1380 TGTCATCAAT GTGGAGTTTC CTGTGGTAAC CTTATACATG GATGGAGCAA CATATGAACC 1440
ATACCTGGTG ACCAACGACT GGCCCATTCA TCCATCTCAC ATAGCCATGC AACTCACAGT 1500
CGGCGCTTGT TGGCAAGGAG GAGAAGTCAC CAAACCACAG TTTGCTCAGT TCTTTCATGG 1560
AAGCCTGGCC AGTCTCACCA TCCGCCCTGG CAAAATGGAA AGCCAGAAGG TGATCTCCTG 1620 60 CCTGCAGGCC TGCAAGGAAG GGCTGGACAT TAATTCCTTG GAAAGCCTTG GCCAAGGAAT 1680 AAAGTATCAC ITCAACCCCT CGCAGTCCAT CCTGGTGATG GAAGGTGACG ACATTGGGAA 1740 CATTAACCGT GCTCTCCAGA AAGTCTCCTA CATCAACTCC AGGCAGTTCC CAACGGCGGG 1800 65 TGTGCGGCGC CTCAAAGTAT CCTCCAAAGT CCAGTGCTTT GGGGAAGACG TATGCATCAG 1860
TATCCCTGAG GTAGATGCCT ATGTGATGGT CCTCCAGGCC ATCGAGCCCC GGATCACCCT 1920
CCGGGGCACA GACCACTTCT GGAGACCTGC TGCCCAGTTT GAAAGTGCCA GGGGAGTGAC 1980 CCTCTTCCCT GATATCAAGA TTGTGAGCAC CTTCGCCAAA ACCGAAGCCC CCGGGGACGT 2040 70 GAAAACCACA GACCCCAAAT CAGAAGTCTT AGAGGAAATG CTTCATAACT TAGATTTCTG 2100 TGACATTITG GTGATCGGAG GGGACTTGGA CCCAAGGCAG GAGTGCTTGG AGCTCAACCA 2160 CAGTGAGCTC CACCAACGAC ACCTGGATGC CACTAATTCT ACTGCAGGCT ACTCCATCTA 2220
CGGTGTGGGC TCCATGAGCC GCTATGAGCA GGTGCTACAT CACATCCGCT ACCGCAACTG 2280
GCGTCCGGCT TCCCTTGAGG CCCGGCGTTT CCGGATTAAG TGCTCAGAAC TCAATGGGCG 2340
CTACACTAGC AATGAGTTCA ACTTGGAGGT CAGCATCCTT CATGAAGACC AAGTCTCAGA 2400 75 TAAGGAGCAT GTCAATCATC TGATTGTGCA GCCTCCCTTC CTCCAGTCTG TCCATCATCC 2460 TGAGTCCCGG AGTAGCATCC AGCACAGTTC AGTGGTCCCA AGCATTGCCA CAGTGGTCAT 2520

	CATCATCTCC GTGTGCATGC TTGTGTTTGT CGTGGCCATG GGTGTGTACC GGGTCCGGAT 2580
	CGCCCACCAG CACTTCATCC AGGAGACTGA GGCTGCCAAG GAATCTGAGA TGGACTGGGA 2640 CGATTCTGCG CTGACTATCA CAGTCAACCC CATGGAGAAA CATGAAGGAC CAGGGCATGG 2700
	CCA ACATGAG ACTGAGGGAG AAGAGGAGGA AGAAGCCGAG GAAGAAATGA GCTCCAGCAG 2760
5	TGGCTCTGAC GACAGCGAAG AGGAGGAGGA GGAGGAAGGG ATGGGCAGAG GCAGACATGG 2820
•	GCAGAATGGA GCCAGGCAAG CCCAGCTGGA GTGGGATGAC TCCACCCTCC CCTAC <u>TAG</u> TG 2880
	CCCAGGGGTC TGCTGCCTGG CCCACATGTC CCTTTTGTAA ACCCTGACCC AGTGTATGCC 2940
	CATGTCTATC ATACCTCACC TCTGATGTCT GTGACATGTC TGGGAAGGCC TTCTCCAGCT 3000 TCCTGGAGCC CACCCTTTAA GCCTTGGGCA CTCCCTGTGT TTCATCCATG GGGAAGTTCC 3060
10 ·	AAGAAGCCCA GCATGGCCAT CAGTGAGGAC TTCAGGGTAG ACTTTGTCCT GTAGCCTCCA 3120
10	CTTCTGCCCT AAGTTCCCCA GCATCCTGAC TACCTGTCTG CAGAGTTTGC CTTTGTTTTT 3180
	TOCTGCAGGG AAGAAGGCCC ACCTITGTGT CACTCACCTC CCCAGGCTCA GAGTCCCCAA 3240
	GCCCTGGGG TTCCAACTCA CTGTGCGTCT CCTCCACACA GACCAGTAGG TTCTCCTATG 3300
1.5	CTGACTCCAG GTTGCTTCAT ACAAGGAGGG TGGTTGAACT TCACACACGT AAGGTCTTAG 3360
15	TGCTTAACAG TTTAAAGGAA AGTCCTTGTT GAGGCAGAAC TAAGTTTACA GGGAAAGGTA 3420 CACACATTCT CTCTCTCTCTCTCTCTCTCTCTCTCTCT
	CCCCTTGCTT CTTTCTGAGG CCATATAAGC TTATAAGAAA AGTCCCAAAC CAAGAATAGG 3540
	TCCTTGGCCA CAAGCAGGGT CTGATCCCCC ATCAGAGCTA TCTGAGCCTG CCTGTCTGGG 3600
	CACCTGCTGC AACCATGCAG CTACCCTGCC AGGGGCACTC AGCAAACAGA ACCACAGGGC 3660
20	CCAGGAGGCA TTCCACACAG GCACTGCCCC AGGACAACAC AACAAGGACA GTCACAACAA 3720
	GGACAACAAG GACACAACAC AACACAAAC AAGGACAGTC ACAACAAGCC TAGAGCCAGA 3780 AAGCAGATGG AAATGCTAAT GAGGTCAAAC GTAGGCTTCA TGGTGGGTGG AGTGGGGGTG 3840
	GCTGGGCTCC CCCAGGACAG AGGGGACCCT GAGGTTGGCA AGGCTCTCAC CACTCAGCCT 3900
	TATGGTCCCT TATCTCCTAT CTTCCCTCTT GAGAAAATAC ACGCTTTCTG CATGTATTAG 3960
25	A A CGC A CGA GCT CCACCAA GT CTACAATG AAAGTTTGAA ATTTAACTGC AAGGAATTAG 4020
	A AGCATATTT GCA ATCATTG CAGCTTCTTC TTTCTTCTGC TCATAAAAGG AGGAACACTT 4080
	TAGATAGAGG GCAAATATAT CTGAAAACCT AATTTCTTTC TTTTTTTGAT AAGGAAATCT 4140 TTTCCATCTC CATCCTAACA TGCACAACCT GTGAAGAGAA TTGTTTCTAT AGTAACTGGT 4200
	CTGTGATCTT TTGTGGCCAA GAGAATAGCA GGCAAGAATT AGGGCCTTGA CAGAATTTCC 4260
30	ACGA AGCTCT GAGAACATGT TTGTTTCGAA TGTCTGATTC CTCTTTGTCA TCAATGTGTA 4320
-	TGCTCTGTCC CCATCCTTCA CTCCTCCTCA AGCTCACACC AATTGGTTTG GCACAGGCAC 4380
	AGAGCTGGTC CCTAGTTAAG TGGCATTTAT GTTAAAAAAA AATAGTTCAG AATCTCAGCC 4440
	TTTTCTTTGT GTCATCAAAA CAGCTTAAGA AGGGGACTAC TGCCAATGTC CTCTAGTCTG 4500 ACCTCCACCC AGGGAGGACC CATGGCAGGT CTTTTCAACT TTCTGATTCA TGAGAACAAC 4560
35	CTTGTGAAGC TTTTCCCACC TCCTAAAGTG TTTTCTGCAT CTGTTCCTTC CTTTGGACCT 4620
55	CACAACAAAT CCTGTGAAGT AACTGAGACA TCTGTTGTTA GATACATTTT TGTGATGAGT 4680
	AAACTGAGGC TTCG
	C - TO NO. 16 Parties convened
40	Seq ID NO: 36 Protein sequence: Protein Accession #: NP 071414.1
40	Seq ID NO: 36 Protein sequence: Protein Accession #: NP_071414.1
40	Protein Accession #: NP_071414.1  1 11 21 31 41 51
40	Protein Accession #: NP_071414.1  1 11 21 31 41 51
	Protein Accession #: NP_071414.1  1 11 21 31 41 51
40 45	Protein Accession #: NP_071414.1  1 11 21 31 41 51
	Protein Accession #: NP_071414.1  I 11 21 31 41 51
	Protein Accession #: NP_071414.1  1 11 21 31 41 51
45	Protein Accession #: NP_071414.1  I 11 21 31 41 51
	Protein Accession #: NP_071414.1  I 11 21 31 41 51
45	Protein Accession #: NP_071414.1    1
45	Protein Accession #: NP_071414.1  1 11 21 31 41 51
45	Protein Accession #: NP_071414.1  I 11 21 31 41 51
45	Protein Accession #: NP_071414.1    1
45	Protein Accession #: NP_071414.1  1 11 21 31 41 51
45	Protein Accession #: NP_071414.1  I 11 21 31 41 51
<ul><li>45</li><li>50</li><li>55</li></ul>	Protein Accession #: NP_071414.1    1
45	Protein Accession #: NP_071414.1    1
<ul><li>45</li><li>50</li><li>55</li></ul>	Protein Accession #: NP_071414.1    1
<ul><li>45</li><li>50</li><li>55</li></ul>	Protein Accession #: NP_071414.1    1
<ul><li>45</li><li>50</li><li>55</li><li>60</li></ul>	Protein Accession #: NP_071414.1    1
<ul><li>45</li><li>50</li><li>55</li></ul>	Protein Accession #: NP_071414.1    1
<ul><li>45</li><li>50</li><li>55</li><li>60</li></ul>	Protein Accession #: NP_071414.1    1
<ul><li>45</li><li>50</li><li>55</li><li>60</li></ul>	Protein Accession #: NP_071414.1    11 21 31 41 51
<ul><li>45</li><li>50</li><li>55</li><li>60</li><li>65</li></ul>	Protein Accession #: NP_071414.1    11 21 31 41 51
<ul><li>45</li><li>50</li><li>55</li><li>60</li></ul>	Protein Accession #: NP_071414.1    11 21 31 41 51
<ul><li>45</li><li>50</li><li>55</li><li>60</li><li>65</li></ul>	Protein Accession #: NP_071414.1    1
<ul><li>45</li><li>50</li><li>55</li><li>60</li><li>65</li></ul>	Protein Accession #: NP_071414.1    11 21 31 41 51
<ul><li>45</li><li>50</li><li>55</li><li>60</li><li>65</li></ul>	Protein Accession #: NP_071414.1    11 21 31 41 51
<ul><li>45</li><li>50</li><li>55</li><li>60</li><li>65</li><li>70</li></ul>	Protein Accession #: NP_071414.1    11 21 31 41 51
<ul><li>45</li><li>50</li><li>55</li><li>60</li><li>65</li></ul>	Protein Accession #: NP_071414.1    11 21 31 41 51

200

CACTTCTTCT GTGGAAGGAC TTTGTGAAGG AATTGGTGCT GGATTAGTGG ATGTTGCTAT 780 CTGGGTTGGC ACTTGTTCAG ATTACCCAAA AGGAGATGCT TCTACTGGAT GGAATTCAGT 840 TICTCGCATC ATTATTGAAG AACTACCAAA ATAATTGCTT TAATTTTCAT TTGCTACCTC 900 5 TTTTTTTATT ATGCCTTGGA ATGGTTCACT TAAATGACAT TTTAAATAAG TTTATGTATA 960 CATCTGAATG AAAAGCAAAG CTAAATATGT TTACAGACCA AAGTGTGATT TCACACTGTT 1020 TITAAATCTA GCATTATTCA TTTTGCTTCA ATCAAAAGTG GTTTCAATAT TTTTTTTAGT 1080 TGGTTAGAAT ACTITCTTCA TAGTCACATT CTCTCAACCT ATAATTTGGA ATATTGTTGT 1140 GGTCTTTTGT TTTTTCTCTT AGTATAGCAT TTTTAAAAAA ATATAAAAGC TACCAATCTT 1200 10. TGTACAATTT GTAAATGTTA AGAATTTTTT TTATATCTGT TAAATAAAAA TTATTTCCAA 1260 CAACCTTAAA AAAAAAAAAA AAAA Seq ID NO: 38 Protein sequence: Protein Accession #: none found 15 51 21 31 MRPQGPAASP QRLRGLLLL LLQLPAPSSA SEIPKGKOKA OLRQREVVDL YNGMCLQGPA 60 GVPGRDGSPG ANGIPGTPGI PGRDGFKGEK GECLRESFEE SWTPNYKQCS WSSLNYGIDL 120 20 GKIAECTFTK MRSNSALRVL FSGSLRLKCR NACCORWYFT FNGAECSGPL PIEAIIYLDQ 180 GSPEMNSTIN IHRTSSVEGL CEGIGAGLVD VAIWVGTCSD YPKGDASTGW NSVSRIIIEE 240 Seq ID NO: 39 DNA sequence Nucleic Acid Accession #: 25 NM 000949 285-2153(underlined sequences correspond to start and stop codons) Coding sequence: 30 CTCCCTCTTT CTGGATTTTA CCGACCGTTC GCGAAACAGC TTTCCACCACA ATGGAGCTTC 120
ATGTCCTCGT GCAGGAAGTA CTCATCGACT GATGTGGCAG ACTTTGCTCC CTGACAAAAC 180
TAAAGAACTC TCCTATTCAT GGAGGCGAAC ACTGAGGATG CTTTCCACAT GAACCCTGAA 240
GTGAACTTCT GATACATTTC CTGCAGCAAG AGAAGGCAGC CAACATGAAG GAAAATGTGG 300 35 CATCTGCAAC CGTTTTCACT CTGCTACTTT TTCTCAACAC CTGCCTTCTG AATGGACAGT 360 TACCTCCTGG AAAACCTGAG ATCTTTAAAT GTCGTTCTCC CAATAAGGAA ACATTCACCT 420 GCTGGTGGAG GCCTGGGACA GATGGAGGAC TTCCTACCAA TTATTCACTG ACTTACCACA 480 GGGAAGGAGA GACACTCATG CATGAATGTC CAGACTACAT AACCGGTGGC CCCAACTCCT 540 GCCACTTTGG CAAGCAGTAC ACCTCCATGT GGAGGACATA CATCATGATG GTCAATGCCA 600 CTAACCAGAT GGGAAGCAGT TTCTCGGATG AACTTTATGT GGACGTGACT TACATAGTTC 660 AGCCAGACCC TCCTTTGGAG CTGGCTGTGG AAGTAAAACA GCCAGAAGAC AGAAAACCCT 720 40 ACCTGTGGAT TAAATGGTCT CCACCTACCC TGATTGACTT AAAAACTGGT TGGTTCACGC TCCTGTATGA AATTCGATTA AAACCCGAGA AAGCAGCTGA GTGGGAGATC CATTTTGCTG 840 GGCAGCAAAC AGAGTTTAAG ATTCTCAGCC TACATCCAGG ACAGAAATAC CTTGTCCAGG 900 45 TTCGCTGCAA ACCAGACCAT GGATACTGGA GTGCATGGAG TCCAGCGACC TTCATTCAGA 960 TACCTAGTGA CTTCACCATG AATGATACAA CCGTGTGGAT CTCTGTGGCT GTCCTTTCTG 1020 CTGTCATCTG TTTGATTATT GTCTGGGCAG TGGCTTTGAA GGGCTATAGC ATGGTGACCT 1080 GCATCTTTCC GCCAGTTCCT GGGCCAAAAA TAAAAGGATT.TGATGCTCAT CTGTTGGAGA 1140 AGGGCAAGTC TGAAGAACTA CTGAGTGCCT TGGGATGCCA AGACTTTCCT CCCACTTCTG 1200 50 ACTATGAGGA CTTGCTGGTG GAGTATTTAG AAGTAGATGA TAGTGAGGAC CAGCATCTAA 1260 TGTCAGTCCA TTCAAAAGAA CACCCAAGTC AAGGTATGAA ACCCACATAC CTGGATCCTG 1320 ACACTGACTC AGGCCGGGGG AGCTGTGACA GCCCTTCCCT TTTGTCTGAA AAGTGTGAGG 1380 ACCCCAGGC CAATCCCTCC ACATTCTATG ATCCTGAGGT CATTGAGAAG CCAGAGAATC 1440
CTGAAACAAC CCACACCTGG GACCCCCAGT GCATAAGCAT GGAAGGCAAA ATCCCCTATT 1500
TTCATGCTGG TGGATCCAAA TGTTCAACAT GGCCCTTACC ACAGCCCAGC CAGCACAACC 1560
CCAGATCCTC TTACCACAAT ATTACTGATG TGTGTGAGCT GGCTGTGGGC CCTGCAGGTG 1620 55 CACCGGCCAC TCTGTTGAAT GAAGCAGGTA AAGATGCTTT AAAATCCTCT CAAACCATTA 1680 AGTCTAGAGA AGAGGGAAAG GCAACCCAGC AGAGGGAGGT AGAAAGCTTC CATTCTGAGA 1740 CTGACCAGGA TACGCCCTGG CTGCTGCCCC AGGAGAAAAC CCCCTTTGGC TCCGCTAAAC 1800 CCTTGGATTA TGTGGAGATT CACAAGGTCA ACAAAGATG TGCATTATCA TTGCTACCAA 1860
AACAGAGAGA GAACAGCGC AAGCCCAAGA AGCCCGGGAC TCCTGAGAAC AATAAGGAGT 1920
ATGCCAAGGT GTCCGGGGTC ATGGATAACA ACATCCTGGT GTTGGTGCCA GATCCACATG 1980
CTAAAAACGT GGCTTGCTTT GAAGAATCAG CCAAAGAGGC CCCACCATCA CTTGAACAGA 2040 60 ATCAAGCTGA GAAAGCCCTG GCCAACTTCA CTGCAACATC AAGCAAGTGC AGGCTCCAGC 2100 65 TGGGTGGTTT GGATTACCTG GATCCCGCAT GTTTTACACA CTCCTTTCAC TGATAGCTTG 2160 ACTAATGGAA TGATTGGTTA AAATGTGATT TTTCTTCAGG TAACACTACA GAGTACGTGA 2220 AATGCTCAAG AATGTAGTCA GACTGACACT ACTAAAGCTC CCAGCTCCTT TCATGCTCCA 2280
TTTTTAACCA CTTGCCTCTT TCTCCAGCAG CTGATTCCAG AACAAATCAT TATGTTTCCT 2340
AACTGTGATT TGTAGATTTA CTTTTTGCTG TTAGTTATAA AACTATGTGT TCAATGAAAT 2400
AAAAGCACAC TGCTTAGTAT TCTTGAGGGA CAATGCCAAT AGGTATATCC TCTGGAAAAG 2460
GCTTTCATGA TTTGGCATGG GACAGACGGA AATGAAATTG TCAAAAATTGT TTACCATAGA 2520 70 AAGATGACAA AAGAAAATTT TCCACATAGG AAAATGCCAT GAAAATTGCT TTTGAAAAAC 2580 AACTGCATAA CCTTTACACT CCTCGTCCAT TTTATTAGGA TTACCCAAAT ATAACCATTT 2640 AAAGAAAGAA TGCATTCCAG AACAAATTGT TTACATAAGT TCCTATACCT TACTGACACA 2700


AGCTATAATT TATTTGGACC AAGGAAGCCC TGAAATGAAT TCAACAATTA ATATTCATCG 720

Seq ID NO: 40 Protein sequence:

TTGCTGATAT GCAAGTAAĢA AAT

Protein Accession #:


NP 000940.1



TCCGGACGAC AGCCCCGGGG GCCTTCTGAC TGCATCCCGA GATTTCCATC AGCGAGTGCA 420
ACTCATAAGG CAGTCCCTAA GGGGACCGGG CCACCGGCTG AGGACGGGGA TGGCTTAGGA 480
GCTCCTGGAC CTAGGGCCG GCGTCGTCGC CTCCTGGGCC TCGCGGCAGA GGGGAGTGGC 540
CCGCGCGGAA AGCGCCGCGG GACAGTCAGT GACGAGGCCC GGGGGTCGCC GGGGCCACGA 600
CTTCTCGGAG ACCGTCCTGC GCTCTCTGGA GACGCCTGT CCGCGCCCAG GGTGGTGCCA 660
TGTGGGGCGC TCGCCGCTCG TCCGTCTCT CATCCTGGAA CGCCGCTTCG CTCCTGCAGC 720
TGCTCGGACG CGCAGGCGCT CTGCACGCCATC GCCCACGC 780 5 TGGCTGGACG CGCAGGGCGT CTGGCGCATC GGCTTCCAGT GTCCCGAGCG CTTCGACGGC 840 10 15 ATCTACGTGC CGTTCCTCAT TGTTGGCTCC GTGTTTGTCG CCTTTATCAT CTTGGGGTCC 1260 CTGGTGGCAG CCTGTTGCTG CAGATGTCTC CGGCCTAAGC AGGATCCCCA GCAGAGCCGA 1320 GCCCCAGGGG GTAACCGCTT GATGGAGACC ATCCCCATGA TCCCCAGTGC CAGCACCTCC 1380 CGGGGGTCGT CCTCACGCCA GTCCAGCACA GCTGCCAGTT CCAGCTCCAG CGCCAACTCC 1440 GGGGCCCGGG CGCCCCCAAC AAGGTCACAG ACCAACTGTT GCTTGCCGGA AGGGACCATG 1500 ACAACGTGT ATGTCAACAT GCCACGAAT TTCTCTGTGC TGAACTGTCA GCAGGCCACC 1560
CAGATTGTGC CACATCAAGG GCAGTATTCTG CATCCCCCAT ACGTGGGTA CACGGTGCAG 1620
CACGACTCTG TGCCCATGAC AGCTGTGCCA CCTTTCATGG ACGGCCTGCA GCCTGGCTAC 1680
AGGCAGATTC AGTCCCCCTT CCCTCACACC AACAGTGAAC AGAAGATGTA CCCAGCGGTG 1740 20 ACTGTATAAC CGAGAGTCAC TGGTGGGTTC CTTTACTGAA GGGAGACGAA GGCAGGGGTG 1800 25 GATTCTCGAG GTGGAAGTCC GCACATGTCG GTGGTATTTA TGGCACGATT CCTTTGGATG 1860 GCTTCATTTG CCCCCAGACT GTATGAAAAC ATCTCCGAAT TAGCATTTCT GGATATGTTT 1920 CATCCAGGGT ATCATTGATT TATGATGGAA AACCGGCCTC AGCTGGAGAT GACTGTGATG 1980
TIGCTGATGG GTGTATAACA AATGCTTGAG TCCGAAGTGC CCTTGAGATA TGGTTGACGA 2040
AAGAATTTA TAAACTGATA AATTAAGGAT TTTTATTATT TTGTTATTAT TATTCTTTT 2100
TIGTTGTGA CTGCACAGGA TCAAAATGCC TGTTATCTCC CTTTTACTGG GACTTTTTT 2160
TITTTTTTT TTTTTTTAA TCAGACAGGG TCTTGCCTCG TTGCCCAGC TGGAGTGCAG 2220 30 TGGTGCGATC TCGGCTCACT GCAACTTCAG CCTCCTGGAT TCAGGCAACA CTCCTGCCTC 2280 AGCCTCCCAC GTGGCTGGGA TTACAGGTGC CTGCCCCCAT GGCTAATTTT TTGTATTTTT 2340 TGTAGAGATG GGGTTTCACC ATGTTGGCTG GGCTCCAT GGCTAATTT TTGTATTTT 2940
TGTAGAGATG GGGTTTCACC ATGTTGGCTG GGCTGGTCTC ACTCTCCTGA CCTCAAGCAA 2400
TCTGCCTGTC TCAGCCTCCC AAAGTGCTGG GATTACAGGC GTGAGCCACC GCCCCAGCC 2460
TGAGCCTTTT TTTTTTTCTA ATGCATCCAA GGTTAAGGGG AAGACGCAAA TAACAGGACT 2520
ATTCTAAAAAG GAAACCTGTT TGAACTCTGT GAGATCAGTC ATCAGTCTCA GTATTCCACA 2580 35 GGCACACCTT AATTTCATTG TAAAAAGATA TATATATTTT GTCTATTTTT GTGCTTTTGG 2640 GGGCCTATTT TGTGCTTTTT TACCTTATGT AGAGATCTTA TTACAAAGTG ATTTTCTACA 2700 40 TTAAAAAGAG ACTGAAATAA ATTGTATAGT TACTTAACTA ATGAAGACAT TTCAGAACTC 2760 TGGGATGATT TTAATCITGA AGTAGTAGGT GGTATAGTCA TAAAAACCATT CATCCCTTC 2820
TIGATIGTAT CITAATCITTC TGGCTTTAAG GTGACATCTG AGAGGTAATG CATCCCTTTC 2880
TATATTGAAA TCATAAACTA TCACCCGCTG CTTCTCTGAG TTACTTTTAA TTTTGCCTTG 2940
TGGTTATGGT TTGGCGTTTC CTTCTTTTTG GTTTTCAGAG CCCCATGTCT ATATAGTCCT 3000 45 GAGTGCAAGT AATTACTATA CTTGTAAATG AAGATCAGTA TTTCTGCCTA GATCTGATAA 3060 AAAAATTITC TTGTCTTAGT TATAAAAATT CAAAGAAATG TGTTACAAAG ATACTTAGTA 3120 TAGCTCCTCA GCCATAACCT GAGACTTGGG ATGAAATTTA AACCAGATAC GATTTACTTT 3180 GCAGATCATA AGGCTTTTATA TACTCTTGTT ATCAAAATGG CTTATTTTTC AGGCACTAAG 3240
GATGTTAAAA AGGCTTTTTA TACTCTTGTT ATCAAAATGG CTTATTTTTC AGGCACTAAG 3240
GATTGTTAAAG AGAAAAAGCTT TTCAACGAAG GATTGCCTTT CTTCCCAC ACTGTTCTTG 3300
ATTTCCTCTC TCTTTCAGGC CTCAACAGGC ACTGTATTCA TTGCCAATGT TCCAAATTAT 3360
CAAATTCAAG TGAATTTATT TGTGTGTTCT TTACTTATAT AAAAAAAAGAT AACTTTAAGG 3420
ATGTGCAAAGT ACATTTCCAA CTGCTAGCAC AACCAGTATT TTGTAAATTAA ACAAATCGCT 3480 50 GTATGGTATG GTCTTCTACA CATTTATGTC TATAGATATC TATCGATCAT CTTTCTATTC 3540 TGTTTCATGA CTGAATAATG TAAAACCAGT GTTGGCAATT GGTATCATCA ATGATACTCA 3600 55 TTTTTTAATA ACCAAAGGCA GGGGAAAATC ATTTTACTTA TTAATAAATA TTTTATGATG 3660 ТGAAAAAAA AAAAAAAAA AAAAAAAAA Seq ID NO: 44 Protein sequence: FGENESH predicted Protein Accession #: 60 51 MLSGFLMSPS TQHRAQYTPG GKKLPWEASI GAHTSRGRGS DRERESRPEA AGLLWDRAAA 60 MESUFLIMSES TOTAL PROBLEM TO UNLITWESS UNTITIONALS DIRECTOR AULT WITH A OUT OF CHARGONGE PPAWIRAQQQ PRPPPAGQAP GTAAGGAQDP RLRPGRSRGR VRLPVKPPEA 120 SGRQPRGPSD CIPRFPSASA THKAVPKGTG PPAEDGDGLG APGPRARRR LLGVAAEGSG 180 PRGKRRGTVS DEARGSPGPR LLGDRPALSG DALSAPRVVP CGALAARPSP HPGTPLRSCS 240 CCWLRCWRRG RGPSGEYCHG WLDAQGVWRI GFQCPERFDG GDATICCGSC ALRYCCSSAE 300 ARLDQGGCDN DRQQGAGEPG RADKDGPRRL GRASCLRGTQ GDGEGAPPV RAWQRCSPEG 360 CPDCGOLL BAEDGLI BRADD DCEDCCDDGG PSPI OPDALD DVDGGLIVG VEVAEULGS 420 65 SPKGRQLLRA FPGLLPRARR RGFPSSPRGG PSPLQRPALP IYVPFLIVGS VFVAFIILGS 420
LVAACCCRCL RPKQDPQQSR APGGNRLMET PMIPSASTS RGSSSRQSST ÁASSSSSANS 480
GARAPPTRSQ TNCCLPEGTM NNVYVNMPTN FSVLNCQQAT QIVPHQGQYL HPPYVGYTVQ
540
HDSVPMTAVP PFMDGLQPGY RQIQSPFPHT NSEQKMYPAV TV 70 Seq ID NO: 45 DNA sequence

NM\_002285 Coding sequence: 55-3738 (underlined sequences correspond to start and stop codons)

Nucleic Acid Accession #:



Maria de la composición dela composición de la composición de la composición de la composición de la composición dela composición de la composición del composición de la composición dela composición de la composición de la composición del composición dela composición de

QDQAPDESPK LKSSSETSVH CTSYRGVPAS KPEPARAKAK LSKFSIPKQG EESRSGETNS 300
CVEEIIREMT WLPPLSAIQA PGKVEPTKFF FPNKDSQLVS SGHNNPKKGD AEPESPDNGT 360
SNTSMLEDDL KLSSDEEENE QQAAQRTALR ALSDSAVVQQ PNCRTSVPSS KGSSSSSSS 420
TSSSSSDSES SSGSDSETES SSSESEGSKP PHFSSPEAEP ASSNKWQLDK WLNKVNPHKP 480
PILIQNESHG SESNQYYNPV KEDVQDCGKV PDVCQPSLRE KEIKSTCKEE QRPRTANKAP 540
GSKGVKQKSP PAAVAVVSA AAPPPAVPCA PAENAPAPAR RSAGKKPTRR TERTSAGDGA 600
NCHRPEEPAA ADALGTSVVV PPEPTKTRPC GNNRASHRKE LRSSVTCEKR RTRGLSRIVP 660
KSKEFIETES SSSSSSSDSD LESEQEEYPL SKAQTVAASA SSGNDQRLKE AAANGGSGPR 720
APVGSINART TSDIAKELEE QFYTLVPFGR NELLSPLKDS DEIRSLWVKI DLTLLSRIPE 780
HLPQEPGVLS APATKDSESA PPSHTSDTPA EKALPKSKRK RKCDNEDDYR EIKKSQGEKD 840
SSSRLATSTS NTLSANHCNM NINSVAIPIN KNEKMLRSPI SPLSDASKHK YTSEDLTSSS 900
RPNGNSLFTS ASSSKKPKAD SQLQPHGGDL TKAAHNNSEN IPLHSSRPQT KPWSPGSNGH 960
RDCKRQKLVF DDMPRSADYF MQEAKRMKHK ADAMVEKFGK ALNYAEAALS FIECGNAMEQ 1020
GPMESKSPYY LMYSETVELI RYAMRLKTHS GPNATFEDKQ LAALCYRCLA LLYWRMFRLK 1080
15 RDHAVKYSKA LIDYFKNSSK AAQAPSPWGA SGKSTGTPSP ISPNPFPGSS VGSQGSLSNA 1140
SALSPSTIVS IPQRIHQMAA NHVSITNSIL HSYDYWEMAD NLAKENREFF NDLDLLMGPV 1200
TLHSSMEHLV QYSQQGLHWL RNSAHLS

Seq ID NO: 47 DNA sequence
Nucleic Acid Accession #: NM\_033151
Coding sequence: 351-4499(underlined sequences correspond to start and stop codons)

51 21 31 41 25 ACTGGGATAA AGCAAGAAGA CTGATTTTAT GAGCAGGGGT TTGATACATC AAAGGAGATT GCCCAGGATC AAGGGTGCGG TGTTGGGGGT GGGTTGGGGA GGGTGGTTAG AGAAGGTTTC ACTAAGTGAT TTGGGCCTGA GGCCTGAGAA GATGTTTAAA AAGAGGGATC AAGCACAGGC 180 TAAGGAGG AAAGACAGG CACCCAAACC TCTGCATGGC CCCAATATGC TCCTGCAGG 240
GTAGTGCCCC CTCTTCTGGC TGCTCAAGGC GAGATCTAAG CTTCTTCTAA CTCCTGCTGT 300
CTTTTCATAT TCTCTGATTC TGGGAAACGA AGAATTGGCA GGAACTGAAA ATGACTAGGA 360
AGAGGACATA CTGGGTGCCC AACTCTTCTG GTGGCCTCGT GAATCGTGGC ATCGACATAG 420 30 GCGATGACAT GGTTTCAGGA CTTATTTATA AAACCTATAC TCTCCAAGAT GGCCCCTGGA 480 GTCAGCAAGA GAGAAATCCT GAGGCTCCAG GGAGGGCAGC TGTCCCACCG TGGGGGAAGT 540 ATGATCTGC CTTGAGAACC ATGATTCCCT TCCGTCCCAA GCCGAGGTTT CCTGCCCCC 600
AGCCCCTGGA CAATGCTGGC CTGTTCTCCT ACCTCACCGT GTCATGGCTC ACCCCGCTCA 660
TGATCCAAAG CTTACGGAGT CGCTTAGATG AGAACACCAT CCCTCCACTG TCAGTCCATG 720
ATGCCTCAGA CAAAAATGTC CAAAGGCTTC ACCGCCTTTG GGAAGAAGAA GTCTCAAGGC 780
GAGGGATTGA AAAAGCTTCA GTGCTTCTGG TGATGCTGAG GTTCCAGAGA ACAAGGTTGA 840 35 40 TTTTCGATGC ACTTCTGGGC ATCTGCTTCT GCATTGCCAG TGTACTCGGG CCAATATTGA 900 TTATACCAAA GATCCTGGAA TATTCAGAAG AGCAGTTGGG GAATGTTGTC CATGGAGTGG 960 GACTCTGCTT TGCCCTTTTT CTCTCCGAAT GTGTGAAGTC TCTGAGTTTC TCCTCCAGTT 1020 GGATCATCAA CCAACGCACA GCCATCAGGT TCCGAGCAGC TGTTTCCTCC TTTGCCTTTG 1080
AGAAGCTCAT CCAATTTAAG TCTGTAATAC ACATCACCTC AGGAGAGGCC ATCAGCTTCT 1140
TCACCGGTGA TGTAAACTAC CTGTTTGAAG GGGTGTGCTA TGGACCCCTA GTACTGATCA 1200
CCTGCGCATC GCTGGTCATC TGCAGCATTT CTTCCTACTT CATTATTGGA TACACTGCAT 1260
TTATTGCCAT CTTATGCTAT CTCCTGGTTT TCCCACTGGC GGTATTCATG ACAAGAATGG 1320 45 CTGTGAAGGC TCAGCATCAC ACATCTGAGG TCAGCGACCA GCGCATCCGT GTGACCAGTG 1380 AAGTTCTCAC TTGCATTAAG CTGATTAAAA TGTACACATG GGAGAAACCA TTTGCAAAAA 1440 AAGTICICAC TIGCATIAAG CIGATIAAAA TGTACACATG GGAGAAACCA TITIGCAAAAA 1440
TCATTGAAGA CCTAAGAAGG AAGGAAAGGA AACTATTGGA GAAGTGCGGG CTTGTCCAGA 1500
GCCTGACAAG TATAACCTTG TTCATCATCC CCACAGTGGC CACAGCGGTC TGGGTTCTCA 1560
TCCACACATC CTTAAAGCTG AAACTCACAG CGTCAATGGC CTTCAGCATG CTGGCCTCCT 1620
TGAATCTCCT TCGGCTGTCA GTGTTCTTTG TGCCTATTGC AGTCAAAGGT CTCACGAATT 1680
CCAAGTCTGC AGTGATGAGG TTCAAGAAGT TTTTCCTCCA GGAGAGCCCT GTTTTCTATG 1740
TCCAGACATT ACAAGACCCC AGCAAAGCTC TGGTCTTTGA GGAGGCCACC TTGTCATGGC 1800 50 55 AACAGACCTG TCCCGGGATC GTCAATGGGG CACTGGAGCT GGAGAGGAAC GGGCATGCTT 1860 CTGAGGGGAT GACCAGGCCT AGAGATGCCC TCGGGCCAGA GGAAGAAGGG AACAGCCTGG 1920 GCCCAGAGTT GCACAAGATC AACCTGGTGG TGTCCAAGGG GATGATGTTA GGGGTCTGCG 1980 GCAACACGG GAGTGGTAAG AGCAGCTGT TGTCAGCCAT CCTGGAGGAG ATGCACTTGC 2040
TCGAGGGCTC GGTGGGGGTG CAGGGAGCC TGGCCTATGT CCCCCAGCAG GCCTGGATCG 2100
TCAGCGGGAA CATCAGGGAG AACATCCTCA TGGGAGGCGC ATATGACAAG GCCCGATACC 2160
TCCAGGTGCT CCACTGCTGC TCCCTGAATC GGGACCTGGA ACTTCTGCCC TTTGGAGACA 2220 60 TGACAGAGAT TGGAGAGCGG GGCCTCAACC TCTCTGGGGG GCAGAAACAG AGGATCAGCC 2280 TGGCCCGCGC CGTCTATTCC GACCGTCAGA TCTACCTGCT GGACGACCCC CTGTCTGCTG 2340 TGGACGCCCA CGTGGGGAAG CACATTTTG AGGAGTGCAT TAAGAAGACA CTCAGGGGGA 2400
AGACGCCCA CGTGGGGAAG CACATTTTG AGGAGTGCAT TAAGAAGACA CTCAGGGGGA 2400
AGACGGTCGT CCTGGTGACC CACCAGCTGC AGTACTTAGA ATTTTGTGGC CAGATCATTT 2460
TGTTGGAAAA TGGGAAAATC TGTGAAAATG GAACTCACAG TGAGTTAATG CAGAAAAAGG 2520
GGAAATATGC CCAACTTATC CAGAAGATGC ACAAGGAAGC CACTTCGGAC ATGTTGCAGG 2580
ACACAGCAAA GATAGCAGAG AAGCCAAAGG TAGAAAGTCA GGCTCTGGCC ACCTCCCTGG 2640 65 70 AAGAGTCTCT CAACGGAAAT GCTGTGCCGG AGCATCAGCT CACACAGGAG GAGGAGATGG 2700 AAGAAGGCTC CTTGAGTTGG AGGGTCTACC ACCACTACAT CCAGGCAGCT GGAGGTTACA 2760 TGGTCTCTTG CATAATTTTC TTCTTCGTGG TGCTGATCGT CTTCTTAACG ATCTTCAGCT 2820
TCTGGTGGCT GAGCTACTGG TTGGAGCAGG GCTCGGGGAC CAATAGCAGC CGAGAGAGCA 2880
ATGGAACCAT GGCAGACCTG GGCAACATTG CAGACAATCC TCAACTGTCC TTCTACCAGC 2940
TGGTGTACGG GCTCAACGCC CTGCTCCTCA TCTGTGTGGG GGTCTGCTCC TCAGGGATTT 3000 75 TCACCAAAGT CACGAGGAAG GCATCCACGG CCCTGCACAA CAAGCTCTTC AACAAGGTTT 3060 TCCGCTGCCC CATGAGTTTC TTTGACACCA TCCCAATAGG CCGGCTTTTG AACTGCTTCG 3120

WO 02/059377 PCT/US02/02242

CAGGGGACTT GGAACAGCTG GACCAGCTCT TGCCCATCTT TTCAGAGCAG TTCCTGGTCC 3180 TGTCCTTAAT GGTGATCGCC GTCCTGTTGA TTGTCAGTGT GCTGTCTCCA TATATCCTGT 3240 TAATGGGAGC CATAATCATG GTTATTTGCT TCATTTATTA TATGATGTTC AAGAAGGCCA 3300 TCGGTGTGTT CAAGAGACTG GAGAACTATA GCCGGTCTCC TTTATTCTCC CACATCCTCA 3360 ATTCTCTGCA AGGCCTGAGC TCCATCCATG TCTATGGAAA AACTGAAGAC TTCATCAGCC 3420
AGTTTAAGAG GCTGACTGAT GCGCAGAATA ACTACCTGCT GTTGTTTCTA TCTTCCACAC 3480 5 GATGGATGGC ATTGAGGCTG GAGATCATGA CCAACCTTGT GACCTTGGCT GTTGCCCTGT 3540
TCGTGGCTTT TGGCATTTCC TCCACCCCCT ACTCCTTTAA AGTCATGGCT GTCAACATCG 3600
TGCTGCAGCT GGCGTCCAGC TTCCAGGCCA CTGCCCGGAT TGGCTTGGAG ACAGAGGCAC 3660 10 AGTTCACGGC TGTAGAGAGG ATACTGCAGT ACATGAAGAT GTGTGTCTCG GAAGCTCCTT 3720 TACACATGGA AGGCACAAGT TGTCCCCAGG GGTGGCCACA GCATGGGGAA ATCATATTTC 3780 AGGATTATCA CATGAAATAC AGAGACAACA CACCCACCGT GCTTCACGGC ATCAACCTGA 3840 CCATCCGCGG CCACGAAGTG GTGGGCATCG TGGGAAGGAC GGGCTCTGGG AAGTCCTCCT 3900 TGGGCATGGC TCTCTTCCGC CTGGTGGAGC CCATGGCAGG CCGGATTCTC ATTGACGGCG 3960 TGGACATTG CAGCATCGGC CTGGAGGACT TGCGGTCCAA GCTCTCAGTG ATCCCTCAAG 4020
ATCCAGTGCT GCTCTCAGGA ACCATCAGAT TCAACCTTAGA CTCCTTTGAC CGTCACACTG 4080
ACCAGCAGAT CTGGGATGCC TTGGAGAGGA CATTCCTGAC CAAGGCCATC TCAAAGTTCC 4140
CCAAAAAAGCT GCATACAGAT GTGGTGGAAA ACGGTGGAAA CTTCTCTGTG GGGGAGAGGC 4200 15 AGCTGCTCTG CATTGCCAGG GCTGTGCTTC GCAACTCCAA GATCATCCTT ATCGATGAAG 4260 20 CCACAGCCTC CATTGACATG GAGACAGACA CCCTGATCCA GCGCACAATC CGTGAAGCCT 4320 TCCAGGGCTG CACCGTGCTC GTCATTGCCC ACCGTGTCAC CACTGTGCTG AACTGTGACC 4380 ACATCCTGGT TATGGGCAAT GGGAAGGTGG TAGAATTTGA TCGGCCGGAG GTACTGCGGA 4440 ACATCCTGGT TATGGGCAAT GGGAAGGTTG TAGAATTTGA TCGGCCGGA GTACTGCGGA 4440
AGAAGCCTGG GTCATTGTTC GCAGCCCTCA TGGCCACAGC CACTTCTTCA CTGAGA<u>TAAG</u> 4500
GAGATGTGGA GACTTCATGG AGGCTGGCAG CTGAGCTCAG AGGTTCACAC AGGTGCAGCT 4560
TCGAGGCCCA CAGTCTGCGA CCTTCTTGTT TGGAGATGAG AACTTCTCCT GGAAGCAGGG 4620
GTAAATGTAG GGGGGTGGG GATTGCTGGA TGGAAACCCT GGAATAGGCT ACTTGATGGC 4680
TCTCAAGACC TTAGAACCCC AGAACCATCT AAGACATGGG ATTCAGTGAT CATGTGGTTC 4740
TCCTTTTAAC TTACATGCTG AATAATTTTA TAATAAAGGTA AAAGCTTAATA GTTTTCTGAT 4800 25 CTGTGTTAGA AGTGTTGCAA ATGCTGTACT GACTTTGTAA AATATAAAAC TAAGGAAAAC 4860 30 Seq ID NO: 48 Protein sequence: Protein Accession #: NP\_149163.2 35 MTRKRTYWVPNSSGGLVNRGIDIGDDMVSGLIYKTYTLQDGPWSQQERNPEAPGRAAVPPWGKYDAALRT MIPFRPKPRFPAPQPLDNAGLFSYLTVSWLTPLMIQSLRSRLDENTIPPLSVHDASDKNVQRLHRLWEEE VSRRGIEKASVLLVMLRFQRTRLIFDALLGICFCIASVLGPILIIPKILEYSEEQLGNVVHGVGLCFALF LSECVKSLSFSSSWIINQRTAIRFRAAVSSFAFEKLIQFKSVIHITSGEAISFFTGDVNYLFEGVCYGPL LSECVASLSFSSSWINDRIAIRFRAAVSSFAFERLIQFRSVIEITSGEAISFTODVINTEEDVCTOTE
VLITCASLVICSISSYFIIGYTAFIAILCYLLVFPLAVFMTRMAVKAQHHTSEVSDQRIRVTSEVLTCIK
LIKMYTWEKPFAKIIEDLRRKERKLLEKCGLVQSLTSITLFIIPTVATAVWVLIHTSLKLKLTASMAFSM
LASLNLLRLSVFFVPIAVKGLTNSKSAVMRFKKFFLQESPVFYVQTLQDPSKALVFEEATLSWQQTCPGI
VNGALELERNGHASEGMTRPRDALGPEEEGNSLGPELHKINLVVSKGMMLGVCGNTGSGKSSLLSAILEE 40 MHLLEGSVGVOGSLAYVPOOAWIVSGNIRENILMGGAYDKARYLQVLHCCSLNRDLELLPFGDMTEIGER GLNLSGGOKORISLARAVYSDROIYLLDDPLSAVDAHVGKHIFEECIKKTLRGKTVVLVTHQLQYLEFCG 45 QIILLENGKICENGTHSELMQKKGKYAQLIQKMHKEATSDMLQDTAKIAEKPKVESQALATSLEESLNGN AVPEHQLTQEEEMEEGSLSWRVYHHYIQAAGGYMVSCIIFFFVVLIVFLTIFSFWWLSYWLEQGSGTNSS 50 EAPLHMEGTSCPOGWPOHGEIIFODYHMKYRDNTPTVLHGINLTIRGHEVVGIVGRTGSGKSSLGMALFR LVEPMAGRILIDGVDICSIGLEDLRSKLSVIPQDPVLLSGTIRFNLDPFDRHTDQQIWDALERTFLTKAI SKFPKKLHTDVVENGGNFSVGERQLLCIARAVLRNSKIILIDEATASIDMETDTLIQRTIREAFQGCTVL VIAHRVTTVLNCDHILVMGNGKVVEFDRPEVLRKKPGSLFAALMATATSSLR 55 Seq ID NO: 49 DNA sequence NM\_033419 Nucleic Acid Accession #: 18-980 (underlined sequences correspond to start and stop codons) Coding sequence: · 60 CGAGCCAGGG AGAAAGG<u>ATG</u> GCCGGCCTGG CGGCGCGGTT GGTCCTGCTA GCTGGGGCAG CGGCGCTGGC GAGCGGCTCC CAGGGCGACC GTGAGCCGGT GTACCGCGAC TGCGTACTGC AGTGCGAAGA GCAGAACTGC TCTGGGGGCG CTCTGAATCA CTTCCGCTCC CGCCAGCCAA
TCTACATGAG TCTAGCAGGC TGGACCTGTC GGGACGACTG TAAGTATGAG TGTATGTGGG
24
TCACCGTTGG GCTCTACCTC CAGGAAGGTC ACAAAGTGCC TCAGTTCCAT GGCAAGTGGC
CCTTCTCCCG GTTCCTGTTC TTTCAAGAGC CGGCATCGGC CGTGGCCTCG TTTCTCAATG 360 65 240 GCCTGGCCAG CCTGGTGATG CTCTGCCGCT ACCGCACCTT CGTGCCAGCC TCCTCCCCCA TGTACCACAC CTGTGTGGCC TTCGCCTGGG TGTCCCTCAA TGCATGGTTC TGGTCCACAG TTTTCCACAC CAGGGACACT GACCTCACAG AGAAAATGGA CTACTTCTGT GCCTCCACTG

TTTTCCACAC CAGGGACACT GACCICACAG AGAAAATGGA CTACTTCTGT GCCTCCACTG 540
TCATCCTACA CTCAATCTAC CTGTGCTGCG TCAGGACCGT GGGGCTGCAG CACCCAGCTG 600
TGGTCAGTGC CTTCCGGGCT CTCCTGCTGC TCATGCTGAC CGTGCACGTC TCCTACCTGA 660
GCCTCATCCG CTTCGACTAT GGCTACAACC TGGTGGCCAA CGTGGCTATT GGCCTGGTCA 720
ACGTGGTGTG GTGGCTGCC TGGTGCCTGT GGAACCAGCG GCGCTGCCT CACGTGCGCA 780
AGTGCGTGGT GGTGGTCTTG CTGCTGCAGG GGCTGTCCCT GCTCGAGCTG CTTGACTTCC 840
CACCGCTCTT CTGGGTCCTG GATGCCCATG CCATCTGGCA CATCAGCACC ATCCCTGTCC 900

ACGTCCTCTT TTTCAGCTTT CTGGAAGATG ACAGCCTGTA CCTGCTGAAG GAATCAGAGG 960

70

	CGCCCTGCTG GCCTCCCTTC TCCCCTCAAC CCTTGAGATG ATTTTCTCTT TTCAACTTCT 1080
	IDAACIIGGA CAIGAAGGAT GTGGGCCCAG AATCATGTGG CCAGCCCACC CCCCCTCCTCCC 1140
_	CCICACCAGC CITGGAGTCT GTTCTAGGGA AGGCCTCCCA GCATCTGGGA CTCGAGAGTG 1200
5	UUCAUCUCI CIACCICCIG GAGCTGAACT GGGGTGGAAC TGAGTGTGCT CTTAGCTCTA 1260
	CUUUAUGAC AUCIGCCIGI TTCCTCCCA TCAGCCTCCT CCCACATCC CCAGCTGCCT 1224
	UUCIUUGICC IUAAGCCCIC TGTCTACCTG GGAGACCAGG GACCACAGGC CTTAGGGATA 1200
	CAUGUGGICC CCITCIGITA CCACCCCCA CCCTCCTCA GGACACCACT AGGTGGTGCT 1440
10	UUATUUTTUT TUTTUACCA GCCAAGGTTC ACGGCGATTC TCCCCATGGG ATCTTGACCC 1500
10	ACCARGO IGO TOGGA LIGGG AAGGAGTTTC ACCCTGACCA TTGCCCTAGC CAGGTTCCCA 1860
	UUAUUUULUA UUALAULUUU TTICAGGGCC AGGGCTCCAG CAAGCCCAGG GCAAGGATCC 1600
	1010C10C10 1C10G110AG AGCCTGCCAC CGTGTGTCGG GAGTGTGGGC CAGGCTGAGT 100A
	GCATAGGTGA CAGGGCCGTG AGCATGGGCC TGGGTGTGTG TGAGCTCAGG CCTAGGTGCG 1740
15	CAGTGTGGAG ACGGGTGTTG TCGGGGAAGA GGTGTGGCTT CAAAGTGTGT GTGTGCAGGG 1800
10	GGTGGGTGTG TTAGCGTGGG TTAGGGGAAC GTGTGTGCGC GTGCTGGTGG GCATGTGAGA 1860
	TGAGTGACTG CCGGTGAATG TGTCCACAGT TGAGAGGTTG GAGCAGGATG AGGGAATCCT 1920 GTCACCATCA ATAATCACTT GTGGAGCGCC AGCTCTGCCC AAGGCGCCAC CTGGGCGGAC 1980
	AGCCAGGAGC TCTCCATGGC CAGGCTGCCT GTGTGCCC AAGGCGCCAC CTGGGCGGAC 1980 AGCCAGGAGC TCTCCATGGC CAGGCTGCCT GTGTGCATGT TCCCTGTCTG GTGCCCCTTT 2040
	GCCCGCCTCC TGCAAACCTC ACAGGGTCCC CACACAACAG TGCCCTCCAG AAGCAGCCCC 2100
20	TCGGAGGCAG AGGAAGGAAA ATGGGGATGG CTGGGGGCTCT CTCCATCCTC CTTTTCTCCT 2160
•	IUCCITCUCA TUUCTUUCCTTCCAA AACCTCCATT CCCCTGCTGC CAGCCCCTTT 2220
	UCCATAGEET GATTTTGGGG AGGAGGAAGG GGCGATTTGA GGGAGAAGGG GAGAAAGCTT 2200
	ATOUCTUGGT CTGGTT CCCTTCCCAG AGGGTCTTAC TGTTCCAGGG TGGCCCCAGG 1240
25	ULAGGCAGGG GCCACACTAT GCCTGCGCCC TGGTAAAGGT GACCCCTGCC ATTTACCAGC 2400
25	AGCCCIGGCA TGTTCCTGCC CCACAGGAAT AGAATGGAGG GAGCTCCAGA AACTTTCCAT 2460
	CCCAAAGGCA GTCTCCGTGG TTGAAGCAGA CTGGATTTTT GCTCTGCCCC TGACCCCTTG 3520
	ICCCICITIO AGGGAGGGGA GCTATGCTAG GACTCCAACC TCAGGGACTC GGGTGGCCTG 2500
	CUCIAGCITC TITIGATACT GAAAACTTTT AAGGTGGGAG GGTGGCAAGG GATGTGCTTA 2640
30	ATAAATCAAT TCCAAGCCTC AAAAAAAAAA AAAAAAAAA AA
50	Seg ID NO. 50 Protein agreement
	Seq ID NO: 50 Protein sequence: Protein Accession #: NP_219487.1
	Total Accession 4. NF_219467.1
	1 11 21 31 41 51
35	
	MKDVGPESCG QPTPCWPSPA LESVLGKASQ HLGLESGQPL YLLELNWGGT ECALSSTGRT 60
	A CONTROL DESCRIPTION OF ECALGRICAL OF
	AACFLPISLL PISPAAWLGP EALCLPGRPG TTGLRDTGGP LLLPPPTLLO DTTRWCWMLV 120
	AACFLPISLL PTSPAAWLGP EALCLPGRPG TTGLRDTGGP LLLPPPTLLQ DTTRWCWMLV 120 LWPAKVHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFOGOGSS KPRABILCCC 180
10	LWPAK VHGDS PHGILRDOAA GIGKEFHPDH CPSOVPRRPH HTPFOGOGSS KPP APIL CCC 180
40	LWPAKVHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LWPAKVHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC
40	LWPAK VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC
40	LWPAK VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence
40	LWFAK VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM 059098.1
	LWPAK VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence
	LWFAR VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)
40 45	LWFAR VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQQQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
	LWFAR VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
	LWFAK VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQQQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45	LWFAR VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQGQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1
45	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1
45	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45	LWFAR VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45	LWFAK VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1
45	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1
45	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45 50 55	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1  Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1
45	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1
45 50 55	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45 50 55	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1
45 50 55	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1  Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1
45 50 55	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45 50 55	LWFAK VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1
45 50 55	LWFAK VHGDS PHGILRDQAA GIGKEFHPDH CPSQVPRRPH HTPFQQGSS KPRARILCCC 180 LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1
45 50 55	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1  Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1 11 21 31 41 51  GATGTACACT CTGAAGTGAG CACATTCCTG TTGGCAGGAC ATGACACCTT GGCAGCAAGC 60 ATCTCCTGGA TCCTTTACTG CCTGGCTCTG AACCCTGAGC ATCAAGAGAGA ATGCCGGGAG 120 GAGGTCAGGG GCATCCTGGG GGATGGGTCT TCTATCACTT GGGACCAGCT GGGTGAGATG 180 TCGTACACCA CAATGTGCAT CAAGGAGACG TGCCGATTGAT TCCTGCAGT CCCGTCCATT 240 TCCAGAGATC TCAGCAAGCC ACTTACCTC CCAGATGGAT GCACATTGCC TGCAGGACACCACCTT CTAGAGAGACACC CCTTGAGGATT CTCAGCAGAGACACCC CTATGCCAGACACCACACC
45 50 55 50	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1  Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1
45 50 55 50	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1  Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1 11 21 31 41 51  GATGTACACT CTGAAGTGAG CACATTCCTG TTGGCAGGAC ATGACACCTT GGCAGCAAGC 60 ATCTCCTGGA TCCTTTACTG CCTGGCTCTG AACCCTGAGC ATCAAGAGAGA ATGCCGGGAG 120 GAGGTCAGGG GCATCCTGGG GGATGGGTCT TCTATCACTT GGGACCAGCT GGGTGAGATG 180 TCGTACACCA CAATGTGCAT CAAGGAGACG TGCCGATTGAT TCCTGCAGT CCCGTCCATT 240 TCCAGAGATC TCAGCAAGCC ACTTACCTC CCAGATGGAT GCACATTGCC TGCAGGACACCACCTT CTAGAGAGACACC CCTTGAGGATT CTCAGCAGAGACACCC CTATGCCAGACACCACACC
45 50 55	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1  Coding sequence: 178-618(underlined sequences correspond to start and stop codons)  1
45 50 55 50	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1  Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1 11 21 31 41 51
45 50 55 50 55 70	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1 Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1
45 50 55 50	LVESLPPCVG SVGQAECIGD RAVSMGLGVC ELRPRCAVWR RVLSGKRCGF KVCVCRGWVC  Seq ID NO: 51 DNA sequence Nucleic Acid Accession #: XM_059098.1  Coding sequence: 178-618 (underlined sequences correspond to start and stop codons)  1 11 21 31 41 51

Seq ID NO: 53 DNA sequence

Nucleic Acid Accession #:

Coding sequence: 1-1533 (underlined sequences correspond to start and stop codons) 5 ATGCCCCTGT CCCTGGGAGC CGAGATGTGG GGGCCTGAGG CCTGGCTGCT GCTGCTGCTA CTGCTGGCAT CATTTACAGG CCGGTGCCCC GCGGGTGAGC TGGAGACCTC AGACGTGGTA ACTGTGGTGC TGGGCCAGGA CGCAAAACTG CCCTGCTTCT ACCGAGGGGA CTCCGGCGAG 180 CAAGTGGGGC AAGTGGCATG GGCTCGGGTG GACGCGGGCG AAGGCGCCCA GGAACTAGCG 240
CTACTGCACT CCAAATACGG GCTTCATGTG AGCCCGGCTT ACGAGGGCCC GGGAACTAGCG 300
CCGCCGCCCC CACGCAACCC CCTGGACGGC TCAGTGCTCC TGCGCAACGC AGTGCAGGCG 360
GATGAGGGCG AGTACGAGTG CCGGGTCAGC ACCTTCCCCG CCGGCAGCTT CCAGGCGCGG 420 10 CTGCGGCTCC GAGTGCTGGT GCCTCCCCTG CCCTCACTGA ATCCTGGTCC AGCACTAGAA 480 GAGGGCCAGG GCCTGACCCT GGCAGCCTCC TGCACAGCTG AGGGCAGCCC AGCCCCCAGC 540 15 GTGACCTGGG ACACGGAGGT CAAAGGCACA ACGTCCAGCC GTTCCTTCAA GCACTCCCGC 600 TCTGCTGCCG TCACCTCAGA GTTCCACTTG GTGCCTAGCC GCAGCATGAA TGGGCAGCCA 660 CTGACTTGTG TGGTGTCCCA TCCTGGCCTG CTCCAGGACC AAAGGATCAC CCACATCCTC CACGTGTCCT TCCTTGCTGA GGCCTCTGTG AGGGGCCTTG AAGACCAAAA TCTGTGGCAC 780
ATTGGCAGAG AAGGAGCTAT GCTCAAGTGC CTGAGTGAAG GGCAGCCCC TCCCTCATAC 840
AACTGGACAC GGCTGGATGG GCCTCTGCCC AGTGGGGTAC GAGTGGATGG GGACACTTTG 900
GGCTTTCCCC CACTGACCAC TGAGCACAGC GGCATCTACG TCTGCCATGT CAGCAATGAG 960 20 TTCTCCTCAA GGGATTCTCA GGTCACTGTG GATGTTCTTG ACCCCCAGGA AGACTCTGGG 1020 AAGCAGGTGG ACCTAGTGTC AGCCTCGGTG GTGGTGGTGG GTGTGATCGC CGCACTCTTG 1080 25 TTCTGCCTTC TGGTGGTGGT GGTGGTGCTC ATGTCCCGAT ACCATCGGCG CAAGGCCCAG 1140 CAGATGACCC AGAAATATGA GGAGGAGCTG ACCCTGACCA GGGAGAACTC CATCCGGAGG 1200 CTGCATTCCC ATCACACGGA CCCCAGGAGC CAGCCGGAGG AGAGTGTAGGG CCTGAGACC CAGCCGGAGC CAGCCGGAGG AGAGTGTAGGG CCTGAGAGCC 1260
GAGGGCCACC CTGATAGTCT CAAGGACAAC AGTAGCTGCT CTGTGATGAG TGAAGAGCCC 1320
GAGGGCCGCA GTTACTCCAC GCTGACCACG GTGAGGGAGA TAGAAACACA GACTGAACTG 1380
CTGTCTCCAG GCTCTGGGCG GGCCGAGGAG GAGGAAGATC AGGATGAAGC CATCAAACAG 1440 30 GCCATGAACC ATTTTGTTCA GGAGAATGGG ACCCTACGGG CCAAGCCCAC GGGCAATGGC 1500 ATCTACATCA ATGGGCGGGG ACACCTGGTC TGA Seq ID NO: 54 Protein sequence:
Protein Accession #: NP\_112178.1 35 31 21 MPLSLGAEMW GPEAWLLLLL LLASFTGRCP AGELETSDVV TVVLGQDAKL PCFYRGDSGE 40 QVGQVAWARV DAGEGAQELA LLHSKYGLHV SPAYEGRVEQ PPPPRNPLDG SVLLRNAVQA 120 QVGQVAWARV DAGEGAQELA LLHSKYGLHV SPAYEGRVEQ PPPPKNPLDG SVLLKNAVQA 12
DEGEYECRVS TFPAGSFQAR LRLRVLVPPL PSLNPGPALE EGQGLTLAAS CTAEGSPAPS 180
VTWDTEVKGT TSSRSFKHSR SAAVTSEFHL VPSRSMNGQP LTCVVSHPGL LQDQRITHIL 240
HVSFLAEASV RGLEDQNLWH IGREGAMLKC LSEGQPPPSY NWTRLDGPLP SGVRVDGDTL 300
GFPPLTTEHS GIYVCHVSNE FSSRDSQVTV DVLDPQEDSG KQVDLVSASV VVVGVIAALL 360
FCLLVVVVVL MSRYHRRKAQ QMTQKYEEEL TLTRENSIRR LHSHHTDPRS QPEESVGLRA 420
EGHPDSLKDN SSCSVMSEEP EGRSYSTLTT VREIETQTEL LSPGSGRAEE EEDQDEGIKQ 480 45 AMNHFVQENG TLRAKPTGNG IYINGRGHLV Seq ID NO: 55 DNA sequence 50 Nucleic Acid Accession #: AF007170.1 Coding sequence: 73-1725 (underlined sequences correspond to start and stop codons) 55 AAGGAGGCGG CCTCCGGGAA AAGCGACCGC AGGACTCCTG AGAGCAGCCT CCATGAGGCC 60 CTGGACCAGT GCATGACCGC CCTGGACCTC TTCCTCACCA ACCAGTTCTC AGAAGCACTC 120 AGCTACCTCA AGCCCAGAAC CAAGGAAAGC ATGTACCACT CACTGACATA TGCCACCATC 180 CTGGAGATGC AGGCCATGAT GACCTTTGAC CCTCAGGACA TCTGCTTGC CGGCAACATG 240
ATGAAGGAGG CACAGATGCT GTGTCAGAGG CACCGGAGGA AGTCTTCTGT AACAGATTCC
TTCAGCAGCC TGGTGAACCG CCCCACGCTG GGCCAATTCA CTGAAGAAGA AATCCACGCT 360
GAGGTCTGCT ATGCAGAGTG CCTGCTGCAG CGAGCAGCCC TGACCTTCCT GCAGGACGAG 420 60 AACATGGTGA GCTTCATCAA AGGCGGCATC AAAGTTCGAA ACAGCTACCA GACCTACAAG 480 GAGCTGGACA GCCTTGTTCA GTCCTCACAA TACTGCAAGG GTGAGAACCA CCCGCACTTT 540 GAAGGAGGAG TGAAGCTTGG TGTAGGGGCC TTCAACCTGA CACTGTCCAT GCTTCCTACT 600 65 70 ATGTGGTGCT TCACCTACAA GGGCCAGTGG AAGATGTCCT ACTTCTACGC CGACCTGCTC 1020 AGCAAGGAGA ACTGCTGGTC CAAGGCCACC TACATTTACA TGAAGGCCGC CTACCTCAGC 1080
ATGTTTGGGA AGGAGGACCA CAAGCCGTTC GGGGACGACGA AAGTGGAATT ATTTCGAGCT 1140
GTGCCAGGCC TGAAGCTCAA GATTGCTGGG AAATCTCTAC CCACAGAGAA GTTTGCCATC 1200
CGGAAGTCCC GGCGCTACTT CTCCTCCAAC CCTATCTCGC TGCCAGTGCC TGCTCTGGAA 1260
ATGATGTACA TCTGGAACGG CTACGCCGTG ATTGGGAAACT ACCGAGTGG 1320 75 ATACTTGAGA TTATCACTAA GGCTGAAGAG ATGCTGGAGA AAGGCCCAGA GAACGAGTAC 1380

NM 030916

TCAGTGGATG ACGAGTGCTT GGTGAAATTG TTGAAAGGCC TGTGTCTGAA ATACCTGGGC 1440 CGTGTCCAGG AGGCCGAGGA GAATTTTAGG AGCATCTCTG CCAATGAAAA GAAGATTAAA 1500 TATGACCACT ACTTGATCCC AAACGCCCTG CTGGAGCTGG CCCTGCTGCT TATGGAGCAA 1560 TATORCCAC ACTIVATION ANACHOC TO TIGARCTION TO THE TATORCCAN THE TOTAL THREE TOTAL CAAGAATTAC 1620 TCCATGGAGT CAAGGACACA CTTTCGAATC CAGGCAGCCA CACTCCAAGC CAAGTCTTCC 1680 CTAGAGAACA GCAGCAGATC CATGGTCTCA TCAGTGTCCT TGTAGCTTTG TGCAGCAGTT 1740 CCGGGCTGGA AGACAGAGACA AGCTGGACAG AGCTCCTGAA AACATTTCAA AATACCCCCT 1800 CCCCCTGCCC TGCCCTGCCT TTGGGGTCCA CCGGCACTCC AGTTGGATGG CACAACATAG 1860 5 TGTATCCGTG CAGAAGCCGA GCTGGCATTT TCACCAGTGT AGCCAAGGGC CTTTGCCAAG 1920 10 GGCAGAGCAG GTGGAGCCCT CTGCCTGCCC TATCACACAT ACGGGTACTT GCTTTTCACT 1980 GTGATGTTTA AGAGAATGTA TGAACAGTTT ACATTTTCCT TAGAAATACA TTGATGGGAT 2040 CACAGTTGGC TTTAAAAACC AACAACAATC AACCACCTGT AAGTCTTTGT CTTCACCTAT 2100
TATCATCTGG AGGTAAATCT CTTTATATGA TGATGCCAAA GGGCAAATTG CTTTTCAAAT 2160
TCAGCAAGTT CTCAGCTTGT GTGACGGAAG GTCCTTCAGA GGACCTGAGG AATGCCTGGG 2220
AGAGGCTAAG CCTCAGGCTT CAATGCTTCT GGGGTTGGGC ATGAGGATGT ACACAGACAC 2280 15 CCACTACCTT ACTACTCACA CTTCATTTCA CTCCTTTTGT AAATTTCCAA TTTAAAAATC 2340 AAGCACGTCT TTTTAGTGAG ATAAAATCTG AGCTCTTCTG TAGAAAAATC AATCTCTACC 2400 AGTAGAAAAT GCCAGGGCTT GATGGAAGAG CTGTGTAGCC CTTTCTATGC CAAAGCCAGG 2460 AAATTTGGGG GGCAGGAGGA GGTTCTCAGA ATCCAGTCTG TATCTTTGCT GTATGCCAAA 2520 20 CTGAAACCAC TGGGAATAAT TTATGAAACA TAAAAATCTT CTGTACTTCA CTCCAAGGTA 2580 CATTTGCTTA CTGACAGCAT TTTTGTTAAA ACTGTTATTC TTGAAAAAAA AAAAAAAAA 2640 Seq ID NO: 56 Protein sequence: AAC39582.1 25 Protein Accession #: 51 41 MTALDLFLTN QFSEALSYLK PRTKESMYHS LTYATILEMQ AMMTFDPQDI LLAGNMMKEA 60 QMLCQRHRRK SSVTDSFSSL VNRPTLGQFT EEEIHAEVCY AECLLQRAAL TFLQDENMVS 120 FIKGGIKVRN SYQTYKELDS LVQSSQYCKG ENHPHFEGGV KLGVGAFNLT LSMLPTRILR 180 30 LLEFVGFSGN KDYGLLQLEE GASGHSFRSV LCVMLLLCYH TFLTFVLGTG NVNIEEAEKL 240 LKPYLNRYPK GAIFLFFAGR IEVIKGNIDA AIRRFEECCE AQQHWKQFHH MCYWELMWCF TYKGQWKMSY FYADLLSKEN CWSKATYIYM KAAYLSMFGK EDHKPFGDDE VELFRAVPGL 360 35 KLKIAGKSLP TEKFAIRKSR RYFSSNPISL PVPALEMMYI WNGYAVIGKQ PKLTDGILEI 420 ITKAEEMLEK GPENEYSVDD ECLVKLLKGL CLKYLGRVQE AEENFRSISA NEKKIKYDHY 480 LIPNALLELA LLLMEQDRNE EAIKLLESAK QNYKNYSMES RTHFRIQAAT LQAKSSLENS 540 SRSMVSSVSL 40 Seq ID NO: 57 DNA sequence Nucleic Acid Accession #: NM\_006670.1 Coding sequence: 1-927 (underlined sequences correspond to start and stop codons) 51 45 ATGCCTGGGG GGTGCTCCCG GGGCCCCGCC GCCGGGGACG GGCGTCTGCG GCTGGCGCGA CTAGCGCTGG TACTCCTGGG CTGGGTCTCC TCGTCTTCTC CCACCTCCTC GGCATCCTCC 120 TTCTCCTCCT CGGCGCCGTT CCTGGCTTCC GCCGTGTCCG CCCAGCCCCC GCTGCCGGAC 180 ATTCTCTCTC CGGGGCCGTT CCTGGCTTCC GCCGTGTCCG CCCAGCCCC GCTGCCGGCGC 180
CAGTGCCCCG CGCTGTGCGA GTGCTCCGAG GCAGCGCGC ACAGTCAAGTG CGTTAACCGC 240
AATCTGACCG AGGTGCCCAC GGACCTGCCC GCCTACGTGC GCAACCTCTT CCTTACCGGC 300
AACCAGCTGG CCAGCAACCA CTTCCTTTAC CTGCCGCGGG ATGTGCTGGC CCAACTGCCC 360
AGCCTCAGGC ACCTGGACTT AAGTAATAAT TCGCTGGTGA GCCTGACCTA CGTGTCCTTC 420
CGCAACCTGA CACATCTAGA AAGCCTCCAC CTGGAGGACA ATGCCCTCAA GGTCCTTCAC 480
AATGGCACCC TGGCTGAGTT GCAAGGTCTA CCCCACATTA GGGTTTTCCT GGACAACAAT 540
CCCTGGGTCT GCGCCTCAC CATGGCAGAC ATGGCCTCAAGGA AACAGAGGTA 600 50 55 GTGCAGGGCA AAGACCGGCT CACCTGTGCA TATCCGGAAA AAATGAGGAA TCGGGTCCTC 660 TTGGAACTCA ACAGTGCTGA CCTGGACTGT GACCCGATTC TTCCCCCATC CCTGCAAACC 720 TCTTATGTCT TCCTGGGTAT TGTTTTAGCC CTGATAGGCG CTATTTTCCT CCTGGTTTTG 780
TATTTGAACC GCAAGGGGAT AAAAAAGTGG ATGCATAACA TCAGAGATGC CTGCAGGGAT 840
CACATGGAAG GGTATCATTA CAGATATGAA ATCAATGCGG ACCCCAGATT AACAAACCTC 900 60 AGTTCTAACT CGGATGTCCT CGAGTGA Seq ID NO: 58 Protein sequence NP\_006661.1 Protein Accession #: 65 41 11 21 31 MPGGCSRGPA AGDGRERLAR LALVLLGWVS SSSPTSSASS FSSSAPFLAS AVSAQPPLPD 60 MYGGSRGPA AGUGKLRLAK LALVLLOW VS 3535 153535 15553471543 AVSAGPLPD 60
QCPALCECSE AARTVKCVNR NLTEVPTDLP AYVRNLFLTG NQLASNHELY LPRDVLAQLP 120
SLRHLDLSNN SLVSLTYVSF RNLTHLESLH LEDNALKVLH NGTLAELQGL PHIRVFLDNN 180
PWVCDCHMAD MVTWLKETEV VQGKDRLTCA YPEKMRNRVL LELNSADLDC DPILPPSLQT 240
SYVFLGIVLA LIGAIFLLVL YLNRKGIKKW MHNIRDACRD HMEGYHYRYE INADPRLTNL 300 70 SSNSDVLE 75 Seq ID NO: 59 DNA sequence Nucleic Acid Accession #: NM\_024022

Coding sequence: 1-1362(underlined sequences correspond to start and stop codons)

5 ATGGGGGAAA ATGATCCGCC TGCTGTTGAA GCCCCCTTCT CATTCCGATC GCTTTTTGGC 60 CTTGATGATT TGAAAATAAG TCCTGTTGCA CCAGATGCAG ATGCTGTTGC TGCACAGATC 120 CTGTCACTGC TGCCATTGAA GTTTTTTCCA ATCATCGTCA TTGGGATCAT TGCATTGATA 180 TTAGCACTGG CCATTGGTCT GGGCATCCAC TTCGACTGCT CAGGGAAGTA CAGATGTCGC 240
TCATCCTTTA AGTGTATCGA GCTGATAGCT CGATGTGACG AGTCTCCGATTGCAAAGAC 300
GGGGAGGACG AGTACCGCTG TGTCCGGGTG GGTGGTCAGA ATGCCGTGCT CCAGGTGTTC 360
ACAGCTGCTT CGTGGAAGAC CATGTGCTCC GATGACTGGA AGGGTCACTA CGCAAATGTT 420 10 GCCTGTGCCC AACTGGGTTT CCCAAGCTAT GTGAGTTCAG ATAACCTCAG AGTGAGCTCG 480 CTGGAGGGGC AGTTCCGGGA GGAGTTTGTG TCCATCGATC ACCTCTTGCC AGATGACAAG GTGACTGCAT TACACCACTC AGTATATGTG AGGGAGGGAT GTGCCTCTGG CCACGTGGTT 600 15 ACCTTGCAGT GCACAGCCTG TGGTCATAGA AGGGGCTACA GCTCACGCAT CGTGGGTGGA 660 AACATGTCCT TGCTCTCGCA GTGGCCCTGG CAGGCCAGCC TTCAGTTCCA GGGCTACCAC 720 CTGTGCGGGG GCTCTGTCAT CACGCCCCTG TGGATCATCA CTGCTGCACA CTGTGTTTAT 780
GACTTGTACC TCCCCAAGTC ATGGACCATC CAGGTGGGTC TAGTTTCCCT GTTGGACAAT 840
CCAGCCCCAT CCCACTTGGT GGAGAAGATT GTCTACCACA GCAAGTACAA GCCAAAGAGG 900
CTGGGCAATG ACATCGCCCT TATGAAGCTG GCCGGGCCAC TCACGTTCAA TGAAATGATC 960 20 CAGCCTGTGT GCCTGCCCAA CTCTGAAGAG AACTTCCCCG ATGGAAAAGT GTGCTGGACG 1020 TCAGGATGGG GGGCCACAGA GGATGGAGGT GACGCCTCCC CTGTCCTGAA CCACGCGGCC 1080 GTCCCTTTGA TTTCCAACAA GATCTGCAAC CACAGGGACG TGTACGGTGG CATCATCTCC 1140 CCCTCCATGC TCTGCGCGGG CTACCTGACG GGTGGCGTGG ACAGCTGCCA GGGGGACAGC 1200 25 GGGGGCCCC TGGTGTGTCA AGAGAGGAGG CTGTGGAAGT TAGTGGGAGC GACCAGCTTT 1260 GGCATCGGCT GCGCAGAGGT GAACAAGCCT GGGGTGTACA CCCGTGTCAC CTCCTTCCTG 1320 GACTGGATCC ACGAGCAGAT GGAGAGAGAC CTAAAAACCT GA

Seq ID NO: 60 Protein sequence
Protein Accession #: NP\_076927

Seq ID NO: 61 DNA sequence
Nucleic Acid Accession #: NM\_006475
Coding sequence: 28-2538 (underlined sequences correspond to start and stop codons)

GIGCAEVNKP GVYTRVTSFL DWIHEQMERD LKT

31 AACAGAACTG CAACGGAGAG ACTCAAGATG ATTCCCTTTT TACCCATGTT TTCTCTACTA 60 TTGCTGCTTA TTGTTAACCC TATAAACGCC AACAATCATT ATGACAAGAT CTTGGCTCAT 120 AGTCGTATCA GGGGTCGGGA CCAAGGCCCA AATGTCTGTG CCCTTCAACA GATTTTGGGC 180 ACCAAAAAGA AATACTTCAG CACTTGTAAG AACTGGTATA AAAAGTCCAT CTGTGGACAG 240 AAAACGACTG TTTTATATGA ATGTTGCCCT GGTTATATGA GAATGGAAGG AATGAAAGGC 300 TGCCCAGCAG TTTTGCCCAT TGACCATGTT TATGGCACTC TGGGCATCGT GGGAGCCACC ACAACGCAGC GCTATTCTGA CGCCTCAAAA CTGAGGGAGG AGATCGAGGG AAAGGGATCC 420 TTCACTTACT TTGCACCGAG TAATGAGGCT TGGGACAACT TGGATTCTGA TATCCGTAGA 480
GGTTTGGAGA GCAACGTGAA TGTTGAATTA CTGAATGCTT TACATAGTCA CATGATTAAT 540
AAGAGAATGT TGACCAAGGA CTTAAAAAAT GGCATGATTA TTCCTTCAAT GTATAACAAT 600
TTGGGGCTTT TCATTAACCA TTATCCTAAT GGGGTTGTCA CTGTTAATTG TGCTCGAATC 660
ATCCATGGGA ACCAGATTGC AACAAATGGT GTTGTCCATG TCATTGACCG TGTGCTTACA 720 CAAATTGGTA CCTCAATTCA AGACTTCATT GAAGCAGAAG ATGACCTTTC ATCTTTTAGA 780 GCAGCTGCCA TCACATCGGA CATATTGGAG GCCCTTGGAA GAGACGGTCA CTTCACACTC 840 TTTGCTCCCA CCAATGAGGC TTTTGAGAAA CTTCCACGAG GTGTCCTAGA AAGGTTCATG 900 GGAGACAAAG TGGCTTCCGA AGCTCTTATG AAGTACCACA TCTTAAATAC TCTCCAGTGT 960 TCTGAGTCTA TTATGGGAGG AGCAGTCTTT GAGACGCTGG AAGGAAATAC AATTGAGATA 1020 GGATGTGACG GTGACAGTAT AACAGTAAAT GGAATCAAAA TGGTGAACAA AAAGGATATT 1080 GTGACAAATA ATGGTGTGAT CCATTTGATT GATCAGGTCC TAATTCCTGA TTCTGCCAAA 1140 CAAGTTATTG AGCTGGCTGG AAAACAGCAA ACCACCTTCA CGGATCTTGT GGCCCAATTA 1200 GGCTTGGCAT CTGCTCTGAG GCCAGATGGA GAATACACTT TGCTGGCACC TGTGAATAAT 1260 GCATTTTCTG ATGATACTCT CAGCATGGTT CAGCGCCTCC TTAAATTAAT TCTGCAGAAT 1320 CACATATTGA AAGTAAAAGT TGGCCTTAAT GAGCTTTACA ACGGGCAAAT ACTGGAAACC 1380 ATCGGAGGCA AACAGCTCAG AGTCTTCGTA TATCGTACAG CTGTCTGCAT TGAAAATTCA 1440
TGCATGGAGA AAGGGAGAA GCAAGGGAGA AACGGTGCGA TTCACATATT CCGCGAGATC 1500
ATCAAGCCAG CAGAGAAATC CCTCCATGAA AAGTTAAAAC AAGATAAGCG CTTTAGCACC 1560
TTCCTCAGCC TACTTGAAGC TGCAGACTTG AAAGAGCTCC TGACACAACC TGGAGACTGG 1620
ACATTATTTG TGCCAACCAA TGATGCTTTT AAGGGAATGA CTAGTGAAGA AAAAGAAATT 1680 CTGATACGGG ACAAAAATGC TCTTCAAAAC ATCATTCTTT ATCACCTGAC ACCAGGAGTT 1740

45

50

55

60

65

70

TTCATTGGAA AAGGATTTGA ACCTGGTGTT ACTAACATTT TAAAGACCAC ACAAGGAAGC 1800 AAAATCTTTC TGAAAGAAGT AAATGATACA CTTCTGGTGA ATGAATTGAA ATCAAAAGAA 1860 TCTGACATCA TGACAACAAA TGGTGTAATT CATGTTGTAG ATAAACTCCT CTATCCAGCA 1920 GACACACCTG TTGGAAATGA TCAACTGCTG GAAATACTTA ATAAATTAAT CAAATACATC 1980 5 CAAATTAAGT TTGTTCGTGG TAGCACCTTC AAAGAAATCC CCGTGACTGT CTATACAACT 2040 AAAATTATAA CCAAAGTTGT GGAACCAAAA ATTAAAGTGA TTGAAGGCAG TCTTCAGCCT 2100 ATTATCAAAA CTGAAGGACC CACACTAACA AAAGTCAAAA TTGAAGGTGA ACCTGAATTC 2160 AGACTGATTA AAGAAGGTGA AACAATAACT GAAGTGATCC ATGGAGAGCC AATTATTAAA 2220 AAATACACCA AAATCATTGA TGGAGTGCCT GTGGAAATAA CTGAAAAAGA GACACGAGAA 2280 GAACGAATCA TTACAGGTCC TGAAATAAAA TACACTAGGA TTTCTACTGG AGGTGGAGAA 2340 ACAGAAGAAA CTCTGAAGAA ATTGTTACAA GAAGAGGTCA CCAAGGTCAC CAAATTCATT 2400 10 GAAGGTGGTG ATGGTCATTT ATTTGAAGAT GAAGAAATTA AAAGACTGCT TCAGGGAGAC 2460 ACACCCGTGA GGAAGTTGCA AGCCAACAAA AAAGTTCAAG GTTCTAGAAG ACGATTAAGG 2520 GAAGGTCGTT CTCAG<u>TGA</u>AA ATCCAAAAAC CAGAAAAAA TGTTTATACA ACCCTAAGTC 2580 AATAACCTGA CCTTAGAAAA TTGTGAGAGC CAAGTTGACT TCAGGAACTG AAACATCAGC 2640 15 ACAAAGAAGC AATCATCAAA TAATTCTGAA CACAAATTTA ATATTTTTTT TTCTGAATGA 2700 GAAACATGAG GGAAATTGTG GAGTTAGCCT CCTGTGGTAA AGGAATTGAA GAAAATATAA 2760 CACCITACAC CCITITICAT CTIGACATTA AAAGTTCTGG CTAACTITGG AATCCATTAG 2820
AGAAAAATCC TIGTCACCAG ATTCATTACA ATTCAAATCG AAGAGTTGTG AACTGTTATC 2880
CCATTGAAAA GACCGAGCCT TGTATGTATG TTATGGATAC ATAAAATGCA CGCAAGCCAT 2940
TATCTCTCCA TGGGAAGCTA AGTTATAAAA ATAGGTGCTT GGTGTACAAA ACTTTTTTATA 3000 20 TCAAAAGGCT TTGCACATTT CTATATGAGT GGGTTTACTG GTAAATTATG TTATTTTTTA 3060 CAACTAATTT TGTACTCTCA GAATGTTTGT CATATGCTTC TTGCAATGCA TATTTTTAA 3120 TCTCAAACGT TTCAATAAAA CCATTTTTCA GATATAAAGA GAATTACTTC AAATTGAGTA 3180 25 ATTCAGAAAA ACTCAAGATT TAAGTTAAAA AGTGGTTTGG ACTTGGGAA Seq ID NO: 62 Protein sequence: Protein Accession #: NP\_006466 30 MIPFLPMFSL LLLLIVNPIN ANNHYDKILA HSRIRGRDQG PNVCALQQIL GTKKKYFSTC 60 KNWYKKSICG QKTTVLYECC PGYMRMEGMK GCPAVLPIDH VYGTLGIVGA TTTQRYSDAS 120 KLREEIEGKG SFTYFAPSNE AWDNLDSDIR RGLESNVNVE LLNALHSHMI NKRMLTKDLK 180 NGMIIPSMYN NLGLFINHYP NGVVTVNCAR IIHGNQIATN GVVHVIDRVL TQIGTSIQDF 240 35 IEAEDDLSSF RAAAITSDIL EALGRDGHFT LFAPTNEAFE KLPRGVLERF MGDKVASEAL 300 MKYHILNTLQ CSESIMGGAV FETLEGNTIE IGCDGDSITV NGIKMVNKKD IVTNNGVIHL 360 IDQVLIPDSA KQVIELAGKQ QTTFTDLVAQ LGLASALRPD GEYTLLAPVN NAFSDDTLSM 420
VQRLLKLILQ NHILKVKVGL NELYNGQILE TIGGKQLRVF VYRTAVCIEN SCMEKGSKQG 480
RNGAIHIFRE IKPAEKSLH EKLKQDKRFS TFLSLLEAAD LKELLTQPGD WTLFVPTNDA 540
FKGMTSEEKE ILIRDKNALQ NIILYHLTPG VFIGKGFEPG VTNILKTTQG SKIFLKEVND 600
TLLVNELKSK ESDIMTTNGV IHVVDKLLYP ADTPVGNDQL LEILNKLIKY IQIKFVRGST 660 40 FKEIPVTVYT TKIITKVVEP KIKVIEGSLQ PIIKTEGPTL TKVKIEGEPE FRLIKEGETI 720 TEVIHGEPII KKYTKIIDGV PVEITEKETR EERIITGPEI KYTRISTGGG ETEETLKKLL 780 45 QEEVTKVTKF IEGGDGHLFE DEEIKRLLQG DTPVRKLQAN KKVQGSRRRL REGRSQ Seq ID NO: 63 DNA sequence Nucleic Acid Accession #: NM 020974 Coding sequence: 81-3080 (underlined sequences correspond to start and stop codons) 50 GGCGTCCGCG CACACCTCCC CGCGCCGCCG CCGCCACCGC CCGCACTCCG CCGCCTCTGC 60 CCGCAACCGC TGAGCCATCC ATGGGGGTCG CGGGCCGCAA CCGTCCCGGG GCGGCCTGGG 120 CCGTGCTGCT GCTGCTGCT GCTGCTGCG CACTGCTGCT GCTGCGGG GCGGCCTGGG 120 CCGTGCGGGG CCGTCCCGC 180 CCGGTCGGGG CCGTGCCGC GGGCCGCAGG AGGATGTAGA TGAGTGTGCC CAAGGGCTAG 240 ATGACTGCCA TGCCGACGCC CTGTGTCAGA ACACACCCAC CTCCTACAAG TGCTCCTGCA 300 AGCCTGGCTA CCAAGGGGAA GGCAGGCAGT GTGAGGACAT CGATGAATGT GGAAATGAGC 360 55 TCAATGGAGG CTGTGTCCAT GACTGTTTGA ATATTCCAGG CAATTATCGT TGCACTTGTT 420 60 TTGATGGCTT CATGTTGGCT CATGACGGTC ATAATTGTCT TGATGTGGAC GAGTGCCTGG 480 AGAACAATGG CGGCTGCCAG CATACCTGTG TCAACGTCAT GGGGAGCTAT GAGTGCTGCT 540 AGAACAATOG CGGCTGCAG CATACCTOTO TCAACGTCAT GGGAGGGCTT GATTCACCGC TCGGAAGAGG 600
GCAAGGAGGG GTTTTTCCTG AGTGACAATC AGCACACCTG CATTCACCGC TCGGAAGAGG 600
GCCTGAGCTG CATGAATAAG GATCACGGCT GTAGTCACAT CTGCAAGGAG GCCCCAAGGG
GCAGCGTCGC CTGTGAGTGC AGGCCTGGTT TTGAGCTGGC CAAGAACCAG AGAGACTGCA
TCTTGACCTG TAACCATGGG AACGGTGGGT GCCAGCACTC CTGTGACGAT ACAGCCGATG
GCCCAGAGTG CAGCTGCCAT CCACAGTACAA GATGCACAC AGATGGAGG AGCTGCCTTG
840 65 AGCGAGAGGA CACTGTCCTG GAGGTGACAG AGAGCAACAC CACATCAGTG GTGGATGGGG 900 AGCGAGAGUA CACTGTCCTG GAGTGACAG AGAGCACAC CACATCAGTG GTGGATGGGG 900
ATAAACGGGT GAAACGGCGG CTGCTCATGA AAACGTGTGC TGTCAACAAT GGAGGCTGTG 960
ACCGCACCTG TAAGGATACT TCGACAGGTG TCCACTGCAG TTGTCCTGTT GGATTCACTC 1020
TCCAGTTGGA TGGGAAGACA TGTAAAGATA TTGATGAGTG CCAGACCCGC AATGGAGGTT 1080
GTGATCATTT CTGCAAAAAC ATCGTGGGCA GTTTTGACTG CGGCTGCAAG AAAGGATTTA 1140
AATTATTAAC AGATGAGAAG TCTTGCCAAG ATGTGGATGA GTGCTCTTTG GATAGGACCT 1200
GTGACCACAG CTGCATCAAC CACCCTGGCA CATTTGCTTG TGCTTGCAAC CGAGGGTACA 1260
CCCTGTATGG CTTCACCCAC TGTGGAGACA CCAATGAGTG CAGCATCAAC AACGGAGGCT 1320
GTCAGCAGGT CTGTGGAAC ACAGTGGGCA GCTATGAATG CAGCATCAAC CCTTGGGTACA 1380 70 75 GTCAGCAGGT CTGTGTGAAC ACAGTGGGCA GCTATGAATG CCAGTGCCAC CCTGGGTACA 1380
AGCTCCACTG GAATAAAAAA GACTGTGTGG AAGTGAAGGG GCTCCTGCCC ACAAGTGTGT 1440
CACCCCGTGT GTCCCTGCAC TGCGGTAAGA GTGGTGGAGG AGACGGGTGC TTCCTCAGAT 1500

GTCACTCTGG CATTCACCTC TCTTCAGATG TCACCACCAT CAGGACAAGT GTAACCTTTA 1560 AGCTAAATGA AGGCAAGTGT AGTTTGAAAA ATGCTGAGCT GTTTCCCGAG GGTCTGCGAC 1620 CAGCACTACC AGAGAAGCAC AGCTCAGTAA AAGAGAGCTT CCGCTACGTA AACCTTACAT 1680 GCAGCTCTGG CAAGCAAGTC CCAGGAGCCC CTGGCCGACC AAGCACCCCT AAGGAAATGT 1740 TTATCACTGT TGAGTTTGAG CTTGAAACTA ACCAAAAGGA GGTGACAGCT TCTTGTGACC 1800 5 TGAGCTGCAT CGTAAAGCGA ACCGAGAAGC GGCTCCGTAA AGCCATCCGC ACGCTCAGAA 1860 AGGCCGTCCA CAGGGAGCAG TTTCACCTCC AGCTCTCAGG CATGAACCTC GACGTGGCTA 1920 AAAAGCCTCC CAGAACATCT GAACGCCAGG CAGAGTCCTG TGGAGTGGGC CAGGGTCATG 1980 CAGAAAACCA ATGTGTCAGT TGCAGGGCTG GGACCTATTA TGATGGAGCA CGAGAACGCT 2040 GCCCAAGACC AGGAAATTCT GGGGCCCTGA AGACCCCAGA AGCTTGGAAT ATGTCTGAAT 2160 10 GTGGAGGTCT GTGTCAACCT GGTGAATATT CTGCAGATGG CTTTGCACCT TGCCAGCTCT 2220 GTGCCCTGGG CACGTTCCAG CCTGAAGCTG GTCGAACTTC CTGCTTCCCC TGTGGAGGAG 2280 GCCTTGCCAC CAAACATCAG GGAGCTACTT CCTTTCAGGA CTGTGAAACC AGAGTTCAAT 2340 15 GTTCACCTGG ACATTTCTAC AACACCACCA CTCACCGATG TATTCGTTGC CCAGTGGGAA 2400 CATACCAGCC TGAATTTGGA AAAAATAATT GTGTTTCTTG CCCAGGAAAT ACTACGACTG 2460 ACTTTGATGG CTCCACAAAC ATAACCCAGT GTAAAAACAG AAGATGTGGA GGGGAGCTGG 2520 GAGATTTCAC TGGGTACATT GAATCCCCAA ACTACCCAGG CAATTACCCA GCCAACACCG 2580 AGTGTACGTG GACCATCAAC CCACCCCCA AGCGCCGCAT CCTGATCGTG GTCCCTGAGA 2640 20 TCTTCCTGCC CATAGAGGAC GACTGTGGGG ACTATCTGGT GATGCGGAAA ACCTCTTCAT 2700 CCAATTCTGT GACAACATAT GAAACCTGCC AGACCTACGA ACGCCCCATC GCCTTCACCT 2760 CCAGGTCAAA GAAGCTGTGG ATTCAGTTCA AGTCCAATGA AGGGAACAGC GCTAGAGGGT 2820 TCCAGGTCCC ATACGTGACA TATGATGAGG ACTACCAGGA ACTCATTGAA GACATAGTTC 2880 GAGATGGCAG GCTCTATGCA TCTGAGAACC ATCAGGAAAT ACTTAAGGAT AAGAAACTTA 2940 TCAAGGCTCT GTTTGATGTC CTGGCCCATC CCCAGAACTA TTCAAGTAC ACAGCCCAGG 3000
AGTCCCGAGA GATGTTTCCA AGATCGTTCA TCCGATTGCT ACGTTCCAAA GTGTCCAGGT 3060
TTTTGAGACC TTACAAATGA CTCAGCCCAC GTGCCACTCA ATACAAATGT TCTGCTATAG 3120
GGTTGGTGGG ACAGAGCTGT CTTCCTTCTG CATGTCAGCA CAGTCGGGTA TTGCTGCCTC 3180 25 CCGTATCAGT GACTCATTAG AGTTCAATTT TTATAGATAA TACAGATATT TTGGTAAATT 3240 30 GAACTTGGTT TTTCTTTCCC AGCATCGTGG ATGTAGACTG AGAATGGCTT TGAGTGGCAT 3300 CAGCTTCTCA CTGCTGTGGG CGGATGTCTT GGATAGATCA CGGGCTGGCT GAGCTGGACT 3360 TTGGTCAGCC TAGGTGAGAC TCACCTGTCC TTCTGGGGTC TTACTCCTCC TCAAGGAGTC 3420 TGTAGTGGAA AGGAGGCCAC AGAATAAGCT GCTTATTCTG AAACTTCAGC TTCCTCTAGC 3480 CCGGCCCTCT CTAAGGGAGC CCTCTGCACT CGTGTGCAGG CTCTGACCAG GCAGAACAGG 3540 CAAGAGGGGA GGGAAGGAGA CCCCTGCAGG CTCCCTCCAC CCACCTTGAG ACCTGGGAGG 3600 35 ACTCAGTITC TCCACAGCCT TCTCCAGCCT GTGTGATACA AGTTTGATCC CAGGAACTTG 3660 AGTTCTAAGC AGTGCTCGTG AAAAAAAAAA GCAGAAAGAA TTAGAAATAA ATAAAAACTA 3720 AGCACTTCTG GAGACAT

Seq ID NO: 64 <u>Protein sequence:</u>
Protein Accession #: NP\_066025.1

1 11 21 31 41 51

45
MGVAGRNRPG AAWAVLLLL LLPPLLLLAG AVPPGRGRAA GPQEDVDECA QGLDDCHADA 60
LCQNTPTSYK CSCKPGYQGE GRQCEDIDEC GNELNGGCVH DCLNIPGNYR CTCFDGFMLA 120
HDGHNCLDVD ECLENNGGCQ HTCVNVMGSY ECCCKEGFFL SDNQHTCIHR SEEGLSCMNK 180
DHGCSHICKE APRGSVACEC RPGFELAKNQ RDCILTCNHG NGGCQHSCDD TADGPECSCH 240
PQYKMHTDGR SCLEREDTVL EVTESNTTSV VDGDKRVKRR LLMETCAVNN GGCDRTCKDT 300
STGVHCSCPV GFTLQLDGKT CKDIDECQTR NGGCDHFCKN IVGSFDCGCK KGFKLLTDEK 360
SCQDVDECSL DRTCDHSCIN HPGTFACACN RGYTLYGFTH CGDTNECSIN NGGCQQVCVN 420
TVGSYECQCH PGYKLHWNKK DCVEVKGLLP TSVSPRVSLH CGKSGGGDGC FLRCHSGIHL 480
SSDVTTIRTS VTFKLNEGKC SLKNAELFPE GLRPALPEKH SSVKESFRYV NLTCSSGKQV 540
PGAPGRPSTP KEMFITVEFE LETNQKEVTA SCDLSCIVKR TEKRLRKAIR TLRKAVHREQ 600
FHLQLSGMNL DVAKKPPRTS ERQAESCGVG QGHAENQCVS CRAGTYYDGA RERCILCPNG 660
TFQNEEGQMT CEPCPRPGNS GALKTPEAWN MSECGGLCQP GEYSADGFAP CQLCALGTFQ 720
PEAGRTSCFP CGGGLATKHQ GATSFQDCET RVQCSPGHFY NTTTHRCIRC PVGTYQPEFG 780
KNNCVSCPGN TTTDFDGSTN ITQCKNRRCG GELDFTGYI ESPNYPGNYP ANTECTWTIN 840
PPPKRRILIV VPEIFLPIED DCGDYLVMRK TSSSNSVTTY ETCQTYERPI AFTSRSKKLW 900
IQFKSNEGNS ARGFQVPYVT YDEDYQELE DIVRDGRLYA SENHQEILKD KKLIKALFDV 960

Seq ID NO: 65 DNA sequence
Nucleic Acid Accession #: NM\_007210
Coding sequence: 1-1869 (underlined sequences correspond to start and stop codons)

LAHPONYFKY TAQESREMFP RSFIRLLRSK VSRFLRPYK

1 11 21 31 41 51

70

ATGAGGCTCC TCCGCAGACG CCACATGCCC CTGCGCCTGG CCATGGTGGG CTGCGCCTTT 60
GTGCTCTTCC TCTTCCTCCT GCATAGGGAT GTGAGCAGCA GAGAGGAGGC CACAGAGAAG 120
CCGTGGCTGA AGTCCCTGGT GAGCCGGAAG GATCACGTCC TGGACCTCAT GCTGGAGGCC 180
ATGAACAACC TTAGAGATTC AATGCCCAAG CTCCAAAATCA GGGCTCCAGA AGCCCAGCAG 240
ACTCTGTTCT CCATAAACCA GTCCTGCCTC CCTGGGTTCT ATACCCCAGC TGAACTGAAG 300
CCCTTCTGGG AACGGCCACC ACAGGACCC AATGCCCCTG GGGCAGATGG AAAAGCATTT 360
CAGAAGAGCA AGTGGACCC CCTGGAGACC CAGGAAAAAGG AAGAAGCTAT TAAGAAGCAC 420
TGTTTCAATG CCTTTGCCAG CGACCGGATC TCCCTGCAGA GGTCCCTGGG GCCAGACACC 480
CGACCACCTG AGTGTGTGGAA CCAGAAAGTTC CGGCGCTGCC CCCCACTGGC CACCACCAGC 540

-41 3 5 5-

GTGATCATTG TGTTCCACAA CGAAGCCTGG TCCACACTGC TGCGAACAGT GTACAGCGTC 600 CTACACACCA CCCCTGCCAT CTTGCTCAAG GAGATCATAC TGGTGGATGA TGCCAGCACA 660 GAGGAGCACC TAAAGGAGAA GCTGGAGCAG TACGTGAAGC AGCTGCAGCACACA 660
GAGGAGCACC TAAAGGAGAA GCTGGAGCAG TACGTGAAGC AGCTGCAGGT GGTGAGGGTG 720
GTGCGGCAGG AGGAGCGGAA GGGGTTGATC ACCGCCCGGC TGCTGGGGGC CAGCGTGGCA 780
CAGGCGGAGG TGCTCACGTT CCTGGATGCC CACTGTGAGT GCTTCCACGG CTGGCTGGAG 840
CCCCTCCTGG CTCGAATCGC TGAGGACAAG ACAGTGGTGG TGAGCCCAGA CATCGTCACC 900
ATCGACCTTA ATACTTTTGA GTTCGCCAAG CCCGTCCAGA GGGGCAGAGT CCATAGCCGA 960
GGCAACTTTG ACTGGAGCCT GACCTTCGGC TGGGAAACAC TTCCTCCACA TGAGAAGCAG 1020
AGGCGCAAGG ATGAAACATA CCCCATCAAA TCCCCGACGT TTGCTGGTGG CCTCTTCTCC 1080 5 10 ATCCCCAAGT CCTACTTTGA GCACATCGGT ACCTATGATA ATCAGATGGA GATCTGGGGA 1140 GGGGAGAACG TGGAAATGTC CTTCCGGGTG TGGCAGTGTG GGGGCCAGCT GGAGATCATC 1200 15 ATCAAGAACC TCGGCACCAA CCAATGCCTG GATGTGGGTG AGAACAACCG CGGGGGGAAG 1560 CCCCTCATCA TGTACTCCTG CCACGGCCTT GGCGGCAACC AGTACTTTGA GTACACAACT 1620 CAGAGGGACC TTCGCCACAA CATCGCAAAG CAGCTGTGTC TACATGTCAG CAAGGGTGCT 1680 CTGGGCCTTG GGAGCTGTCA CTTCACTGGC AAGAATAGCC AGGTCCCCAA GGACGGGAA 1740
TGGGAATTGG CCCAGGATCA GCTCATCAGG AACTCAGGAT CTGGTACCTG CCTGACATCC 1800
CAGGACAAAA AGCCAGCCAT GGCCCCCTGC AATCCCAGTG ACCCCCATCA GTTGTGGCTC 1860
TTTGTCTAGG ACCCAGATCA TCCCCAGAGA GAGCCCCCAC AAGCTCCTCA GGAAACAGGA 1920 20 TTGCTGATGT CTGGGAACCT GATCACCAGC TTCTCTGGAG GCCGTAAAGA TGGATTTCTA 1980 25 AACCCACTGG GTGGCAAGGC AGGACCTTCC TAATCCTTGC AACAACATTG GGCCCATTTT 2040 CTTTCCTTCA CACCGATGGA AGAGACCATT AGGACATATA TTTAGCCTAG CGTTTTCCTG 2100 TTCTAGAAAT AGAGGCTCCC AAAGTAGGGA AGGCAGCTGG GGGAGGGTTC AGGCAGCAA 2160
TGCTGAGTTC AAGAAAAGTA CTTCAGGCTG GGCACAGTGG CTCATGCCTG AAATCCTAGC 2220
ACTTTGGGAA GACAATGTGG GAGAATGGCT TGAGCCCAGG AGTTCAAGAC CGGCCTGAGC 2280
AACATAGTGA GGATCCCATC TCTACGCCCA CCCTCCCCC GGCAAAAAAA AAAGCTGGGT 2340 30 ATGGTGGCTT ATGCCTGTAG TCGCAGCTAC TCAGAAGGCT GAGGTGGGAG GATTGCTTGT 2400 TCCCCGGAGG TTGAAGCTAC AGTGAGCCTT GATTGTGTCA CTGCACTCCA GCCTGGGCAA 2460 CAGGTAAGAC TCTGTCTCAA AAAAAAAACA AAAAAGAAGA AGAAAAGTAC TTCTACAGCC 2520 ATGTCCTATT CCTTGATCAT CCAAAGCACC TGCAGAGTCC AGTGAAATGA TATATTCTGG 2580 CTGGGCACAG TGGCTCACAC CTGTAATCCT AGCACTTTGG GAGGCCAAGG CAGGTGGATC 2640
ACCTGAGGTC AGAAGTTTGA AACCAGCCTG GACTACATGG TGAAACTCCA TCTCTACTAA 2700
AAGTACAAAA ATTAGCTGGG CATGATGGCA CGCACCTGCA GTCCCAGCTA CTTGGGAGGC 2760
TGAGGCAGGA GAATCACTCG AACCCAGGAG GCAGAGGTTG CAGTGAGCCA AGACAGCACC 2820 35 40 Seq ID NO: 66 Protein sequence:
Protein Accession #: NP\_009141 45 31 41 51 MRLLRRRHMP LRLAMVGCAF VLFLFLLHRD VSSREEATEK PWLKSLVSRK DHVLDLMLEA 60 MRLEKRHIMP LRLAMVOCAF VLFLFLLIKD VSSKEEATEK FWLKSLVSKK DHVLDLMLEA 6
MNNLRDSMPK LQIRAPEAQQ TLFSINQSCL PGFYTPAELK PFWERPPQDP NAPGADGKAF 120
QKSKWTPLET QEKEEGYKKH CFNAFASDRI SLQRSLGPDT RPPECVDQKF RRCPPLATTS 180
VIIVFHNEAW STLLRTVYSV LHTTPAILLK EIILVDDAST EEHLKEKLEQ YVKQLQVVRV 240
VRQEERKGLI TARLLGASVA QAEVLTFLDA HCECFHGWLE PLLARIAEDK TVVVSPDIVT 300
IDLNTFEFAK PVQRGRVHSR GNFDWSLTFG WETLPPHEKQ RRKDETYPIK SPTFAGGLFS 360
IPKSYFEHIG TYDNQMEIWG GENVEMSFRV WQCGQQLEII PCSVVGHVFR TKSPHTFPKG 420
TSVIABNOVEL A ENDYMDSVK KIEVRDAL OA AKMAOEKSEG DIERDLO BED LUCID TRUIV 50 TSVIARNOVR LAEVWMDSYK KIFYRRNLQA AKMAQEKSFG DISERLOLRE OLHCHNFSWY 55 LHNVYPEMFV PDLTPTFYGA IKNLGTNQCL DVGENNRGGK PLIMYSCHGL GGNQYFEYTT 540 QRDLRHNIAK QLCLHVSKGA LGLGSCHFTG KNSQVPKDEE WELAQDQLIR NSGSGTCLTS 600 ODKKPAMAPC NPSDPHOLWL FV Seq ID NO: 67 DNA sequence 60 Nucleic Acid Accession #: NM\_014112 Coding sequence: 600-4484 (underlined sequences correspond to start and stop codons) 21 51 65 TTCCTCCGCG AAGGCTCCTT TGATATTAAT AGTGTTGGTG TCTTGAAACT GACGTAATGC 60 GCGGAGACTG AGGTCCTGAC AAGCGATAAC ATTTCTGATA AAGACCCGAT CTTACTGCAA TCTCTAGCGT CCTCTTTTTT GGTGCTGCTG GTTTCTCCAG ACCTCGCGTC CTCTCGATTG 180 CTCTCTCGCC TTCCTATTTC TTTTTTTTT TTTTAAACAA AAAACAACAC CCCCTCCCCT CTCCCACCG GCACCGGGCA CATCCTTGCT CTATTTCCTT TCTCTTTCTC TCTCTCTC 300 70 TTAGCCTCCT GCTAGTTGAC TAATAGAATT AATAATTGTA AAAAGCACTC TAAAGCCACA 75 TGCCTTATGA AGTCAATGCT GGGTATGATT TTACAAATAT GGTCCGGAAA AAGAACCCCC 660 CTCTGAGAAA CGTTGCAAGT GAAGGCGAGG GCCAGATCCT GGAGCCTATA GGTACAGAAA GCAAGGTATC TGGAAAGAAC AAAGAATTCT CTGCAGATCA GATGTCAGAA AATACGGATC 780

PCT/US02/02242

CTTCTAGCAG TAAGAAGGAC TTGAAAAGCG CAGTTCTGAG TGAGAAGGCT GGCTTCAATT ATGAAAGCCC CAGTAAGGGA GGAAACTTTC CCTCCTTTCC GCATGATGAG GTGACAGACA GAAATATGTT GGCTTTCTCA TTTCCAGCTG CTGGGGGAGT CTGTGAGCCC TTGAAGTCTC 1020
CGCAAAGAGC AGAGGCAGAT GACCCTCAAG ATATGGCCTG CACCCCCTCA GGGGACTCAC 1080
TGGAGACAAA GGAAGATCAG AAGATGTCAC CAAAGGCTAC AGAGGAAACA GGGCAAGCAC 1140
AGAGTGGTCA AGCCAATTGT CAAGGTTTGA GCCCAGTTTC AGTGGCCTCA AAAAACCCAC 1200 5 AAGTGCCTTC AGATGGGGGT GTAAGACTGA ATAAATCCAA AACTGACTTA CTGGTGAATG 1260 ACAACCCAGA CCCGGCACCT CTGTCTCCAG AGCTTCAGGA CTTTAAATGC AATATCTGTG 1320 10 GATATGGTTA CTACGGCAAC GACCCCACAG ATCTGATTAA GCACTTCCGA AAGTATCACT 1380 TAGGACTGCA TAACCGCACC AGGCAAGATG CTGAGCTGGA CAGCAAAATC TTGGCCCTTC 1440 ATAACATGGT GCAGTTCAGC CATTCCAAAG ACTTCCAGAA GGTCAACCGT TCTGTGTTTT 1500 CTGGTGTGCT GCAGGACATC AATTCTTCAA GGCCTGTTTT ACTAAATGGG ACCTATGATG 1560 TGCAGGTGAC TTCAGGTGGA ACATTCATTG GCATTGGACG GAAAACACCA GATTGCCAAG 1620 GGAACACCAA GTATTTCCGC TGTAAATTCT GCAATTTCAC TTATATGGGC AACTCATCCA 1680 CCGAATTAGA ACAACATTT CTTCAGACTC ACCCAAACAA AATAAAAGCT TCTCTCCCCT 1740 CCTCTGAGGT TGCAAAACCT TCAGAGAAAA ACTCTAACAA GTCCATCCCT GCACTTCAAT 1800 15 CCAGTGATTC TGGAGACTTG GGAAAATGGC AGGACAAGAT AACAGTCAAA GCAGGAGATG 1860 ACACTCCTGT TGGGTACTCA GTGCCCATAA AGCCCCTCGA TTCCTCTAGA CAAAATGGTA 1920 20 CAGAGGCCAC CAGTTACTAC TGGTGTAAAT TTTGTAGTTT CAGCTGTGAG TCATCTAGCT 1980 CACTTAAACT GCTAGAACAT TATGGCAAGC AGCACGGAGC AGTGCAGTCA GGCGGCCTTA 2040 ATCAGAGTT AAATGATAAG CTTTCCAGGG GCTCTGTCAT TAATCAGAAT GATCTAGCCA 2100
AAAGTTCAGA AGGAGACA ATGACCAAGA CAGACAAGAG CTCGAGTGGG GCTAAAAAGA 2160
AGGACTTCTC CAGCAAGGGA GCCGAGGATA ATATGGTAAC GAGCTATAAT TGTCAGTTCT 2220
GTGACTTCCG ATATTCCAAA AGCCATGGCC CTGATGTAAT TGTAGTGGGG CCACTTCTCC 2280
GTCATTATCA ACAGCTCCAT AACATTCACA AGTGTACCAT TAAACACTGT CCATTCTGC 2340 25 CCAGAGGACT TTGCAGCCCA GAAAAGCACC TTGGAGAAAT TACTTATCCG TTTGCTTGTA 2400 GAAAAAGTAA TTGTTCCCAC TGTGCACTCT TGCTTCTGCA CTTGTCTCCT GGGGCGGCTG 2460 GAAGCTCGCG AGTCAAACAT CAGTGCCATC AGTGTTCATT CACCACCCCT GACGTAGATG 2520 TACTCCTCTT TCACTATGAA AGTGTGCATG AGTCCCAAGC ATCGGATGTC AAACAAGAAG 2580 30 CAAATCACCT GCAAGGATCG GATGGGCAGC AGTCTGTCAA GGAAAGCAAA GAACACTCAT 2640 GTACCAAATG TGATTTTATT ACCCAAGTGG AAGAAGAGAT TTCCCGACAC TACAGGAGAG 2700 CACACAGCTG CTACAAATGC CGTCAGTGCA GTTTTACAGC TGCCGATACT CAGTCACTAC 2760 TGGAGCACTT CAACACTGTT CACTGCCAGG AACAGGACAT CACTACAGCC AACGGCGAAG 2820 35 AGGACGGTCA TGCCATATCC ACCATCAAAG AGGAGCCCAA AATTGACTTC AGGGTCTACA 2880 ATCTGCTAAC TCCAGACTCT AAAATGGGAG AGCCAGTTTC TGAGAGTGTG GTGAAGAGAG 2940 AGAAGCTGGA AGAGAAGGAC GGGCTCAAAG AGAAAGTTTG GACCGAGAGT TCCAGTGATG 3000 ACCTTCGCAA TGTGACTTGG AGAGGGGCAG ACATCCTGCG GGGGAGTCCG TCATACACCC 3060 AAGCAAGCCT GGGGCTGCTG ACGCCTGTGT CTGGCACCCA AGAGCAGACA AAGACTCTAA 3120 GGGATAGTCC CAATGTGGAG GCCGCCCATC TGGCGCGCCC TATTTATGGC TTGGCTGTGG 3180 40 AAACCAAGGG ATTCCTGCAG GGGGCGCCAG CTGGCGGAGA GAAGTCTGGG GCCCTCCCCC 3240 AGCAGTATCC TGCATCGGGA GAAAACAAGT CCAAGGATGA ATCCCAGTCC CTGTTACGGA 3300 GGCGTAGAGG CTCCGGTGTT TTTTGTGCCA ATTGCCTGAC CACAAAGACC TCTCTCTGGC 3360 GAAAGAATGC AAATGGCGGA TATGTATGCA ACGCGTGTGG CCTCTACCAG AAGCTTCACT 3420 GACTCCCAG GCCTTTAAAC ATCATTAAAC AAACAACGG TGAGCAGATT ATTAGGAGGA 3480
GAACAAGAAA GCGCCTTTAAC CCAGAGGCAC TTCAGGCTGA GCAGCTCAAC AAACAGCAGA 3540
GGGCAGCAA TGAGGAGCAA GTCAATGGAA GCCCGTTAGA GAGGAGGTCA GAAGATCATC 3600
TAACTGAAAG TCACCAGAGA GAAATTCCAC TCCCCAGCCT AAGTAAATAC GAAGCCCAGG 3660 45 GTTCATTGAC TAAAAGCCAT TCTGCTCAGC AGCCAGTCCT GGTCAGCCAA ACTCTGGATA 3720 50 TTCACAAAAG GATGCAACCT TTGCACATTC AGATAAAAAG TCCTCAGGAA AGTACTGGAG 3780 ATCCAGGAAA TAGTTCATCC GTATCTGAAG GGAAAGGAAG TTCTGAGAGA GGCAGTCCTA 3840 TAGAAAAGTA CATGAGACCT GCGAAACACC CAAATTATTC ACCACCAGGC AGCCCTATTG 3900 AAAAGTACCA GTACCCACTT TTTGGACTTC CCTTTGTACA TACTGACTTC CAGAGTGAAG 3960
CTGATTGGCT GCGGTTCTGG AGTAAATATA AGCTCTCCGT TACTGGGAAT CCGCACTACT 4020
TGAGTCACGT GCCTGGCCTA CCAAATCCTT GCCAAAACTA TGTGCCTTAT CCCACCTTCA 4080
ATCTGCCTCC TCATTTTTCA GCTGTTGGAT CAGACAATGA CATTCCTCTA GATTTGGCGA 4140 55 TCAAGCATTC CAGACCTGGG CCAACTGCAA ACGGTGCCTC CAAGGAGAAA ACGAAGGCAC 4200 CACCAAATGT AAAAAATGAA GGTCCCTTGA ATGTAGTAAA AACAGAGAAA GTTGATAGAA 4260 GTACTCAAGA TGAACTTTCA ACAAAATGTG TGCACTGTGG CATTGTCTTT CTGGATGAAG 4320 60 TGATGTATGC TTTGCATATG AGTTGCCATG GTGACAGTGG ACCTTTCCAG TGCAGCATAT 4380 GCCAGCATCT TTGCACGGAC AAATATGACT TCACAACACA TATCCAGAGG GGCCTGCATA 4440 GGAACAATGC ACAAGTGGAA AAAAATGGAA AACCTAAAGA GTAAAACCTT AGCACTTAGC 4500
ACAATTAAAT AGAAATAGGT TTTCTTGATG GGAATTCAAT AGCTTGTAAT GTCTTATGAA 4560
GACCTATTAA AAAAATACTT CATAGAGCCT GCCTTATCCA ACATGAAATT CCCTTCTTTT 4620 65 GTTATTCTTT CTTTTGATGA GTAGGTTACC AAGATTAAAA AGTGAGATAA ATGGTCAATG 4680 AGAAAGAATG GAAGATGGTA AACAATCACT TTTTAAAAACC TGTTAAGTCA AAACCATCTT 4740 GGCTAATATG TACTGGGGAA ATAATCCATA AGAGATATCA CCAGACTAGA ATTAATATA 4800
TTATAAAGAA AGAGACCAAA ACTGTCTAGA ATTTGAAAGG TITTACATAT TATTATACTA 4860
AAGCAGTACT GGACTGGCCA TTGGACCATT TGTTCCAAAA CCCATAAATT GTTGCCTAAA 4920
TTTATAATGA TCATGAAACC CTAGGCAGAG GAGGAGAAAT TGAAGGTCCA GGCCATGAA 4980
AGAAAAATG CGCCCTCTCA ATTTAGTCTT CTCTCATTGG CCATGTTTCA GATTTTGACC 5040 70 TAGAAATGCG AGCTGTGGTT AGGCTTGGTT AGAGTGCAGC AAGCAACATG ACAGATGGTG 5100 GCACGCTGTT TTTACCCAGC CCTGCCTGTA CATACACATG CACACCCTCT CTGATATTTT 5160 TGTCCTTTAG ATGTTCAAAT ACTCAGTAGT CCTTTTGTTT GCGGTTTAGA TTCATTTTGT 5220 CCACACATGT ACCCATTTTA AAAAACAATG TCCTCGATGC TTCTGTAGTG ATTTCATTTT 5280 AGCCAGGTAT TTCTTTCTTG TGTGTGATGA ACCAGTATGG ATTTGCTTTT CTAAGCCTCC 5340 75 TGTTGGTTAC TAATCTCACT TGGCACATTA TAACTAAAGG AATCCCCTCA ATTCAAAAGC 5400


AGAGTGATGC TGCAGAACTA AATCATAAGG AGGAACATAG CTTGCATGTT CAAGATCCAT 840

Alexander

ATAGATGGAT ACAAATGTCA GACCGTGGGT TTAATTTGTT TAGAACACAT GGCATTTCTT 5460 CACAAGGTAA CCTGCTGTAT TTATTTATTT TCTTTTGGTT AAATATAATT TCCAAACTTT 5520 GTGGTCAGGC AGCGTCTAAG GTTACGTTAC CACAGACTGA CAGTTGGTAT ATGTACCAGC 5580 CAATCCCTTC ATTAAATGTA TACAGATTTA GTTAAGTAGC ATTAAATAGG ATTCTTAGAA 5640 5 GTATGTCCTC ATAGAACTTT TAATACTTAA GGCTTTGTAA AAACTATCCA TGAAGGGAAA 5700 GCTCCTCAGC ATAACTGCTC AGGGAAATAG GGCTAAATAA CTGAACATTA AATAATTGGT 5760 TAAAGGTGCT GTTAGTCGAG CCTCAATGCT TGCTACAAGG ATGTATGTAC AAGGACTGAC 5820
TTTAATAATT TGCATTATAT TGTCCCAACC AGTAGTTTAT TTTTTGCCAC GGAGATGTAG 5880
AAGATATTAC AAGCTACTGG ATGCACTGTC AGATTAACTT ATTTCATTAA AGAAGTTGGG 5940
AGAACAAATA GGAAAAAAA AACTTATTTT TCTAGTAAAT ATTAATGTAT TACATTTCAA 6000 10 ATAATGGTGC CTGACATATT GAATAATTAT TTTCTACAGT GTACGTATGC AACAAAGATA 6060 TTCCATCATG CATTAGAGTC AGTTCTGGCT CTGCCTAGCT GTTTACATTT GCAAATGTAG 6120 CAAACAAGGT AATGAAGCAA CTATTTCTAT TGCAGTAGAT ATCCTTTTGT GTGTGTGTGT 6180 GTGCATTAAA GTTGTAAACG GTAACATGAA ACAAATGAAA GTTCTTGCTA TAATGGTATG 6240 15 GAAAACAAGA AGGAAATGAA AATATTTTTA TGCCTACTTA GGAAAAAAAG GGTAGCACTT 6300 ATTCATTCCA AGTACTTTTT TTTTTTAAT TTTTAAGCTC TTAACTCACA TTGTTATGCT 6360 TAAGATGATA AACATATATC CTCTTTTTAT TGCTTTGTCT ATGTTTCATA TGAAACATTT 6420 CAGAAATTAT TTTGATAAGT GTTGCTGGAA TCTGCAACGC TGATTTTTTT TTGCATTCTG 6480 TAGTCGCATT TGCACTCCAT TTTTACATTA ATTCGCAGTT GCTTTGTATC ATTGTTTTGT 6540 20 TTGGGTTTTG TTTCTTTTC ACAGTGCCGG GTCTTCGTTT CTTAAAGTTG GATGGCAGGT 6600 AGAGTTCAAC CAGTTCGTGA CTGTTGTAGC GAATGAAGTT AAAAAATGT CTTTCTGATG 6660 TTGTGTTGTC ATTTTCATTT TTGCATTTTT TTGTTTGCAT ATTAAAAAAA GAGAAAAGAG 6720 AAAGCAAGAG ACAGAAATCA GGACTAAGTC CTCTGCTTCA GTTTCATTGT TAACGGGCCT 6780 TATTCTGATC TCACCTGTCG CGTAGCTCTA ATATTCACAT AAACTGAAAT AAAGAAGTGG 6840 25 AATGAGGAGC TITGACATTC AAATTATGTG ATGTAATTTA TCTTCCTTAG GAATTTTGAT 6900 GGATGCATCT CAAAATGTAT AGCCAGACTT GAGAGGTGAC AATTAAAGAT CTAAAAAAGA 6960 GAGGAGATTC CCCCAAACAA CAATATTTAA TTTTCTTAGT AAAAAGAATA ACAGAATGCA 7020 TCGTGGCAAT CCTTAAGCAA CATTATCTAT GTGGACTGCT TAAATCAGCA AAACACCAGA 7080 AGTTTGGTTA ACTTGGGCAA TATGACAAGT ATTACTTTTT GGGCAAAACT ACTCATTAAG 7140 3.0 CAATTTCTCT AGTGTGTCGG ACACAAATAG GTTCTTTATT TTTGGCATGT ATGCCTTTTT 7200 ATTTTCATTC AATTTTTTT TTTTCTCAGA CAGACATAGT AGTATCAACT AGCATTGGAA 7260 35 GAGACAAAA TTTATTATAA CACTAAACAC TCCTTTTTTG ACATATTAAA GCCTTTATTC 7500 CATCTCTCAA GATATATTAT AAAATTTATT TTTTTAATTT AAGATTTCTG AATTATTTTA 7560 TCTTAAATTG TGATTTTAAA CGAGCTATTA TGGTACGGAA CTTTTTTTAA TGAGGAATTT 7620 CATGATGATT TAGGAATTTT CTCTCTTGGA AAAGGCTTCC CCTGTGATGA AAATGATGTG 7680 CCAGCTAAAA TTGTGTGCCA TTTAAAAACT GAAAATATTT TAAAATTATT TGTCTATATT 7740 CTAAATTGAG CTTTGGATCA AACTTTAGGC CAGGACCAGC TCATGCGTTC TCATTCTTCC 7800 TTTTCTCACT CTTTCTCTCA TCACTCACCT CTGTATTCAT TCTGTTGTTT GGGATAGAAA 7860 40 AATCATAAAG AGCCAACCCA TCTCAGAACG TTGTGGATTG AGAGAGACAC TACATGACTC 7920 CAAGTATATG AGAAAAGGAC AGAGCTCTAA TTGATAACTC TGTAGTTCAA AAGGAAAAGA 7980 GTATGCCCAA TTCTCTCTAC ATGACATATT GAGATTTTTT TTAATCAACT TTTAAGATAG 8040 45 TGATGTTCTG TTCTAAACTG TTCTGTTTTA GTGAAGGTAG ATTTTTATAA AACAAGCATG 8100 GGGATTCTTT TCTAAGGTAA TATTAATGAG AAGGGAAAA AGTATCTTTA ACAGCTCTTT 8160 GTTGAAGCCT GTGGTAGCAC ATTATGTTTA TAATTGCACA TGTGCACATA ATCTATTATG 8220 ATCCAATGCA AATACAGCTC CAAAAATATT AAATGTATAT ATATTTTAAA ATGCCTGAGG 8280 AAATACATTT TTCTTAATAA ACTGAAGAGT CTCAGTATGG CTATTAAAAT AATTATTAGC 8340 50 CTCCTGTTGT GTGGCTGCAA AACATCACAA AGTGACCGGT CTTGAGACCT GTGAACTGCT 8400 GCCCTGTTTA GTAAATAAAA TTAATGCATT TCTAGAGGGG GAATATCTGC CATCCAGTGG 8460 TGGAAATGTG GAGTAAAGAA GCTGGTGGTC TGCTTCTGTG CTGTATGCCA GCCTTTTGCC 8520 TTAAGTTGAG AGGAGGTCAA CTTTAGCTAC TGTCTTTGGT TTGAGAGCCA TGGCAAAAAA 8580 AAAAAAGAA AAAAAGATCA AGTCGTCTTT GGTGAGCCAG TAAAGGTGAAA GCTTGCTGAC 8640
TGTCCAAGGC ACAAGAGAAA ATTGAGGAAT TGAAATGCAA CCTGAGTATC AAACTAAATA 8700
TTCTAATCAA AGGTAGGTAC TGTTAGGTGG AATTCTATCA GCAGGCAACT GCAAATGAGA 8760 55 AGAAGATAGA AGGACGCCG TCGGGACTTT GGAGGGCATT GTTATTTTCC CAAAGAAAGA 8820 CGGCCAAGGG CAGAGGCATG GATTCTTTGC AGAGCACTTC CTTTTGGTTT TTCAGTACTG 8880 TTTCATAGAC AGTGGGCTCA CATGTTCCTG ATAGTGCTGC AGTTGCTTAG AAAGCATCCC 8940 60 AGTTAATTGC AGTAATTAGA ACTTCTGGAA TATGCTAGGG CAGAAGTATG TCAAGTATGT 9000 CACATGAAGA AAATGTGAAA TTCAAGAGTA ATCCACACGT GAGAAACTAG ACAATGTACA 9060 TTCATGTGTT CTCTTGAAAG GAAAGGGAGA GCTGTAAGCT TCACTCTGTC CTACACCGGA 9120 GAAAAGCAGG AATAACTTTA CCGTGGAAAT AATGTTTAGC TTTTATCAGA GAAAATTGTC 9180 CTTCTAGAGC ATAGAGTCCC AAAACTCAAT TCTGGTTTTC CCCTGTTTTT TTTTTTTTT 9240 .65 TTTTTCCCAA CATATGAACT GCAGCATATC ACTTTTTCTT TTTGTGCCTC AGGTTCCTCA 9300 CCTGTAAAAT TGAAAAATAT ATGTATTAAT AATATTATTA ATAATAATAA TGGTAATGTA 9360 GTACTTGTTT GTAAAGCACT TTGAGATCCT TGGTTGAAAG GCACCATAGG AGTGCCAAGT 9420
ATTATTATGT GGCCAAGGGG GTTATTTAAA CTGTCAGTTC CCAAAGGCCA GGAAAGGTTG 9480
GGGTCATTTT TCTTAAAGAC GAGCTGTAAA TATCAACTAG GCAGCCAATA GTGTTGACTA 9540
TGAAGATGCA AAACTATTAC TAGGCTGATA AAATCATAGT TTCTTAATGG CTACCAATAA 9600 70 GGCAAATATC ACAATAATAA ACGCCAAATT CCTTAGGGCG GACTATTTGA CAACCACATG 9660 GAAAACTTTG GGGGAGGCAT GAGGGGGGAA CATCTCAAAA TGCCAATGTA AAATTTAACT 9720 TACAGCAATA TTCACCAGCA GAAAATGTCT TTCATATGGA ATGATTTCAT GTTGCTAAGA 9780 . AAAAGAATTC AATTTGTAGT CCTGATTTGA ATACTAGAAT GTTGGCTATA ATAGTTCTGT 9840 TCTTACAACA CATGAAATTT TTTCGTTTTA TTTTATTTTG TTTTCATAGT GCATGTTCAT 9900 TTCTACTCAC AAACATGTTC TTGGTGTATT TCTTATGCAA ACAATCTTCA GGCAGCAAAG 9960 ATGTCTGTTA CATCTAAACT TGAATAATAA AGTTTTACCA CCAGTTACAC A 75

Seq ID NO: 68 Protein sequence:

NP\_054831 Protein Accession #: 5 MPYEVNAGYD FTNMVRKKNP PLRNVASEGE GQILEPIGTE SKVSGKNKEF SADQMSENTD 60 MPYEVNAGYD FINMVRKKAP PLKNVASEGE GQILEPIGTE SKVSUKINEF SADQWSENTD 00 QSDAAELNHK EEHSLHVQDP SSSSKKDLKS AVLSEKAGFN YESPSKGGNF PSFPHDEVTD 120 RNMLAFSFPA AGGVCEPLKS PQRAEADDPQ DMACTPSGDS LETKEDQKMS PKATEETGQA 180 QSGQANCQGL SPVSVASKNP QVPSDGGVRL NKSKTDLLVN DNPDPAPLSP ELQDFKCNIC 240 GYGYYGNDPT DLIKHFRKYH LGLHNRTRQD AELDSKILAL HNMVQFSHSK DFQKVNRSVF 300 10 SGVLODINSS RPVLLNGTYD VQVTSGGTFI GIGRKTPDCQ GNTKYFRCKF CNFTYMGNSS 360 TELEGHFLQT HPNKIKASLP SSEVAKPSEK NSNKSIPALQ SSDSGDLGKW QDKITVKAGD 420 DTPVGYSVPI KPLDSSRQNG TEATSYYWCK FCSFSCESSS SLKLLEHYGK QHGAVQSGGL 480 15 NPELNDKLSR GSVINQNDLA KSSEGETMTK TDKSSSGAKK KDFSSKGAED NMVTSYNCQF 540 CDFRYSKSHG PDVIVVGPLL RHYQQLHNIH KCTIKHCPFC PRGLCSPEKH LGEITYPFAC 600
RKSNCSHCAL LLLHLSPGAA GSSRVKHQCH QCSFTTPDVD VLLFHYESVH ESQASDVKQE 660
ANHLQGSDGQ QSVKESKEHS CTKCDFITQV EEEISRHYRR AHSCYKCRQC SFTAADTQSL 720
LEHFNTVHCQ EQDITTANGE EDGHAISTIK EEPKIDFRVY NLLTPDSKMG EPVSESVVKR 780 20 EKLEEKDGLK EKVWTESSSD DLRNVTWRGA DILRGSPSYT QASLGLLTPV SGTQEQTKTL 840 RDSPNVEAAH LARPIYGLAV ETKGFLQGAP AGGEKSGALP QQYPASGENK SKDESQSLLR 900 RRRGSGVFCA NCLTTKTSLW RKNANGGYVC NACGLYQKLH STPRPLNIK QNNGEQIIRR 960 RTRKRLNPEA LQAEQLNKQQ RGSNEEQVNG SPLERRSEDH LTESHQREIP LPSLSKYEAQ 1020 GSLTKSHSAQ QPVLVSQTLD IHKRMQPLHI QIKSPQESTG DPGNSSSVSE GKGSSERGSP 1080
GSLTKSHSAQ QPVLVSQTLD IHKRMQPLHI QIKSPQESTG DPGNSSSVSE GKGSSERGSP 1080
EKYMRPAKH PNYSPPGSPI EKYQYPLFGL PFVHNDFQSE ADWLRFWSKY KLSVPGNPHY 1140
LSHVPGLPNP CQNYVPYPTF NLPPHFSAVG SDNDIPLDLA IKHSRPGPTA NGASKEKTKA 1200
PPNVKNEGPL NVVKTEKVDR STQDELSTKC VHCGIVFLDE VMYALHMSCH GDSGPFQCSI 1260 25 CQHLCTDKYD FTTHIQRGLH RNNAQVEKNG KPKE 30 Seq ID NO: 69 DNA sequence XM 073879 Nucleic Acid Accession #: Coding sequence: 1-387(underlined sequences correspond to start and stop codons) 51 21 31 35 ATGGGGTTTG GAGACCAGGG AACGGTGGAA GGGAGCCTAG GAACGTCGAA AAAACCACCT 60 GAAGTGAAAA TGTTTGGAGC CAGTCAAGGT TTGCTGACAA TGGAAACAAA CCAGTCCCTG 120 GCACAAGGCA CAGGCTGCTC AGTAGTAAAG GTAGACACTG TTCTCTTCGA GAGTTTATAC 180 CACTGCGGCT TTGAACACGG GAGCGTGATG CACTGCCTTG GGGATGATCA CCCCCAGGAA 240 40 GACAGGAAGG CTCACTTCTC TGCCCCAGTT GCAGCCATCG CCTCTCCAGC ACCGACTCCT GTCTGTCCTG CACACCACTC AACACAGAGC ATCTGCCAGT TTCTACAGCA CTGCAGGCAG 360 AACACTCACT TGCAGGCTGC TAACTAA Seq ID NO: 70 Protein sequence:
Protein Accession #: XP\_073879 45 31 MGFGDQGTVE GSLGTSKKPP EVKMFGASQG LLTMETNQSL AQGTGCSVVK VDTVLFESLY 60 HCGFEHGSVM HCLGDDHPQE DRKAHFSAPV AAIASPAPTP VCPAHHSTQS ICQFLQHCRQ 120 50 NTHLQAAN Seq ID NO: 71 DNA sequence Nucleic Acid Accession #: AB033064 55 Coding sequence: 826-1986 (underlined sequences correspond to start and stop codons) 51 GGGGAACAGC AAATTCAGTC ACAGACAATC CTCCACTCGG TCAAGAGCCA CTTTTCTCTT 60 CCTGCCTTGC CCCCCGCAG GGGGTAAGGA ACTGAGCGTT TAATCTTTAG CCGGTTGGCT 120 ACCAGCTAAA ATTCTACTTA TCTTAGTTTC TAGTGGATAG CTTTCTTATT TTGCCCATGT 180 60 TTTCTTAGAA TCCCTGTTTA ATATACTTTT GTCAGTAGTA GTATCTAGGA GTAGCAGGGA 240 GAGTGACAAT AAATTAGCCC CTTCTTTTTT CCCTTGTCAT TCAGGCCCCT TTTCCTCTCC 300 AGAGGGAAAT TACCAGTAAA CTCTTCTAAA TCTTCCACCC CTTCTCAGTC ATACTGTGAA 360 GAAACACACT AAAGTGGACA TTATTTGACC AGTGAACACG AACCCAGCTT CAGGCATTGG 420 65 TTTGTTGTG CACATGGAGA AACATCTCTT TTAAAATATC TCCCAATTAC CCTTTTCACA 487
ATTTGTATCC ACCTAGGATT TGCTGCTGGG GTAAGTCACT AGATTTATTT CTCAAAGCTC 546.
CCCTCTCTAT GAGCTGAAAG ACTGACCAAC CATGAACACT AGTAGGGGAT GGGGAAAGGG 669 GACAGAGCAG AGCCAGTTGT TCCACACTTT GGGAAGCAGG AGTAGCTTTT ATCATCTTCC 660 70 TCTGGGGAGC AGGCATAGAG ACATAAACTG AGTGAAAATG GGTGGAGGAA GAACTTCTAT 720 ACCCACGAAC AACATGTGAA GAGAGAGAAC CAAACATAAA GTAAGGAGGG TAGACGTTAC 780 ATCCAAGAGG AAATAATCCA GGCAAGGAAG CACAAGCTGA TCAAGATGTG TAGTTCTGTG 840 GCTGCCAAGT TGTGGTTTTT GACAGATCGT CGCATCAGGG AAGACTATCC TCAAAAAGAG 900 ATTTTACGAG CATTGAAGGC CAAATGTTGT GAGGAGGAAC TGGACTTTAG GGCTGTGGTG 960 ATGGATGAGG TGGTGCTGAC AATCGAGCAA GGAAACCTGG GTCTGCGGAT CAATGGAGAG 1020
CTAATCACTG CCTACCCACA AGTGGTGGTA GTCAGAGTAC CAACCCCTTG GGTGCAAAGT 1080 75 GATAGTGACA TCACTGTTTT GCGCCATCTA GAGAAGATGG GATGTCGGTT AATGAACCGA 1140



MCSSVAAKLW FLTDRRIRED YPQKEILRAL KAKCCEEELD FRAVVMDEVV LTIEQGNLGL 60 RINGELITAY POVVVVRVPT PWVQSDSDIT VLRHLEKMGC RLMNRPQAIL NCVNKFWTFQ 120 ELAGHGVPLP DTFSYGGHEN FAKMIDEAEV LEFPMVVKNT RGHRGKAVFL ARDKHHLADL 180 SHLIRHEAPY LFOKYVKESH GRDVRVIVVG GRVVGTMLRC STDGRMQSNC SLGGVGMMCS 240 LSEOGKOLAI QVSNILGMDV CGIDLLMKDD GSFCVCEANA NVGFIAFDKA CNLDVAGIIA 300 DYAASLLPSG RLTRRMSLLS VVSTASETSE PELGPPASTA VDNMSASSSS VDSDPESTER 360 ELLTKLPGGL FNMNQLLANE IKLLVD Seq ID NO: 73 DNA sequence 10 XM 040080.2 Nucleic Acid Accession #: Coding sequence: 159-1104 (underlined sequences correspond to start and stop codons) CTGAGTGGGG GCGGGGACTG CTGGAGTTGC GGGGCCTGCC TGGGGTAGGG CGGGGCAGGA 60 15 CAGCTTGGAG ATAGGGCCCG GAATTGCGGG CGTCACTCTG CTCCTGCGAC CTAGCCAGGC 120 GTGAGGGAGT GACAGCAGCG CATTCGCGGG ACGAGAGCG<u>A TG</u>AGTGAGAA CGCCGCACCA 180 GGTCTGATCT CAGAGCTGAA GCTGGCTGTG CCCTGGGGCC ACATCGCAGC CAAAGCCTGG 240 GGCTCCCTGC AGGGCCCTCC AGTTCTCTGC CTGCACGGCT GGCTGGACAA TGCCAGCTCC 300 TTCGACAGAC TCATCCCTCT TCTCCCGCAA GACTTTTATT ACGTTGCCAT GGATTTCGGA 360 20 GGTCATGGGC TCTCGTCCCA TTACAGCCCA GGTGTCCCAT ATTACCTCCA GACTTTTGTG 420 AGTGAGATCC GAAGAGTTGT GGCAGCCTTG AAATGGAATC GATTCTCCAT TCTGGGCCAC 480 AGCTTCGGTG GCGTCGTGGG CGGAATGTTT TTCTGTACCT TCCCCGAGAT GGTGGATAAA \$40 CTTATCTTGC TGGACACGCC GCTCTTTCTC CTGGAATCAG ATGAAATGGA GAACTTGCTG 600 ACCTACAAGC GGAGAGCCAT AGAGCACGTG CTGCAGGTAG AGGCCTCCCA GGAGCCCTCG 660 25 CACGTGTTCA GCCTGAAGCA GCTGCTGCAG AGGTTACTGA AGAGCAATAG CCACTTGAGT 720
GAGGAGTGCG GGGAGCTTCT CCTGCAAAGA GGAACCACGA AGGTGGCCAC AGGTCTGGTT 780 CTGAACAGAG ACCAGAGGCT CGCCTGGGCA GAGAACAGCA TTGACTTCAT CAGCAGGGAG 840 CTGTGTGCGC ATTCCATCAG GAAGCTGCAG GCCCATGTCC TGTTGATCAA AGCAGTCCAC 900 30 GGATATTTTG ATTCAAGACA GAATTACTCT GAGAAGGAGT CCCTGTCGTT CATGATAGAC 960 ACGATGAAAT CCACCTCAA AGAGCAGTTC CAGTTTGTGG AAGTCCCAGG CAATCACTGT 1020 GTCCACATGA GCGAACCCCA GCACGTGGCC AGTATCATCA GCTCCTTCTT ACAGTGCACA 1080 CACATGCTCC CAGCCCAGCT GTAGCTCTGG GCCTGGAACT ATGAAGACCT AGTGCTCCCA 1140
GACTCAACAC TGGGACTCTG AGTTCCTGAG CCCCACAACA AGGCCAGGGA TGGTGGGGAC 1200
AGGCCTCACT AGTCTTGAGG CCCAGCCTAG GATGGTAGTC AGGGGAAGGA GCGAGATTCC 1260 35 AACTTCAACA TCTGTGACCT CAAGGGGGAG ACAGAGTCTG GGTTCCAGGG CTGCTTTCTC 1320 CTGGCTAATA ATAAATATCC AGCCAGCTGG AGGAAGGAAG GGCAGGCTGG GCCCACCTAG 1380 CCTTTCCCTG CTGCCCAACT GGATGGAAAA TAAAAGGTTC TTGTATTCTC A 40 Seq ID NO: 74 Protein sequence: Protein Accession #: XP\_040080.1 31 MSENAAPGLI SELKLAVPWG HIAAKAWGSL QGPPVLCLHG WLDNASSFDR LIPLLPQDFY 60 YVAMDFGGHG LSSHYSPGVP YYLQTFVSEI RRVVAALKWN RFSILGHSFG GVVGGMFFCT 120 45 FPEMVDKLIIL LDTPLFILLES DEMENLLTYK RRAIEHVLQV EASQEPSHVF SLKQLLQRLL 180 KSNSHLSEEC GELLLQRGTT KVATGLVLNR DQRLAWAENS IDFISRELCA HSIRKLQAHV 240 LLIKAVHGYF DSRQNYSEKE SLSFMIDTMK STLKEQFQFV EVPGNHCVHM SEPQHVASII 300 50 SSFLQCTHML PAQL Seq ID NO: 75 DNA sequence Nucleic Acid Accession #: NM\_005794 Coding sequence: 434-1276 (underlined sequences correspond to start and stop codons) 55 GGTTCCCTTC CACGCTGTGA AGCTTTGTTC TTTTGGTCTT CATGATAAAT CTTGCTGCTG 60 CTCACTCGTT GGGTCCGTGC CACCTTTAAG AGCTGTAACA CTCACCGCGA AGGTCTGCAA 120 CTTCACTCCT GGGGCCAGCA AGACCACGAA TGCACCGAGA GGAATGAACA ACTCTGGACA 180 60 CACCATCTTT AAGAACCGTA ATACTCACCG CAAGGGTCTG CAACTTCATT CTTGAAGTCA 240 GTGAGGCCAA GAACCCATCA ATTCCGTACA CATTTTGGTG ACTTTGAAGA GACTGTCACC 300 TATCACCAAG TGGTGAGACT ATTGCCAAGC AGTGAGACTA TTGCCAAGTG GTGAGACCAT 360 CACCAAGCG TGAGACTATC ACCTATCGCC AAGTGGCCTG ATTCAGCAGG AAGCATCTCA 420
GACACCAACC ACTATGCTGT CAGCAGTTGC CCGGGGCTAC CAGGGCTGGT TTCATCCCTG 480
TGCTAGGCTT TCTGTGAGGA TGAGCAGCAC CGGGATAGAC AGGAAGGGCG TCCTGGCTAA 540
CCGGGTAGCC GTGGTCACGG GGTCCACCAG TGGGATCGGC TTTGCCATCG CCCGACGTCT 600 65


GGCCCGGGAC GGGGCCCACG TGGTCATCAG CAGCCGGAAG CAGCAGAACG TGGACCGGGC 660 CATGGCCAAG CTGCAGGGGG AGGGCCTGAG TGTGGCGGGC ATTGTGTGCC ACGTGGGGAA 720

GGCTGAGGAC CGGGAGCAGC TGGTGGCCAA GGCCCTGGAG CACTGTGGGG GCGTCGACTT 780 CCTGGTGTGC AGCGCAGGGG TCAACCCTCT GGTAGGGAGC ACTCTGGGGA CCAGTGAGCA 840

GATCTGGGAC AAGATCCTAA GTGTGAACGT GAAGTCCCCA GCCCTGCTGC TGAGCCAGTT 900
GCTGCCCTAC ATGGAGAACA GAGGGGTGC TGTCATCCTG GTCTCTTCCA TTGCAGCTTA 960
TAATCCAGTA GTGGCGCTGG GTGTCTACAA TGTCAGCAAG ACAGCGCTGC TGGGTCTCAC 1020
TAGAACACTG GCATTGGAGC TGGCCCCCAA GGACATCCGG GTAAACTGCG TGGTTCCAGG 1080
AATTATAAAAA ACTGACTTCA GCAAAGTGTT TCATGGGAAT GAGTCTCTCT GGAAGAACTT 1140

CAAGGAACAT CATCAGCTGC AGAGGATTGG GGAGTCAGAG GACTGTGCAG GAATCGTGTC 1200

70



CAGTTCTTCA TTCCCTACAC CATAAAGAGT AAAGGTATAG CAGTAAGAGG AGAGCAAGGT 180 ACTCCTGGTC CACCAGGCCC TGCTGGACCT CGAGGGCACC CAGGTCCTTC TGGACCACCA 240 GGAAAACCAG GCTACGGAAG TCCTGGACTC CAAGGAGC CAGGGTTGC AGGACCACCA 240
GGAACACTCAG CTTAGGGAA ACCAGGTGTG CCAGGACTC CAAGAAAACC AGGAGAGAGA 360
GGACCATCAG GACCAAAAGG AGATGTTGGA CCAGCTGGCC TACCAGGACAC CCGGGGCCCA 420
CCAGGACCAC CTGGAATCCC TGGACCGGCT GGAATTTCTG TGCCAGGAAA ACCTGGACAA 480
CAGGGACCCA CAGGAGCCCA AGGACCCAGG GGCTTTCCTG GAGAAAAGGG TGCACCAGGA 540 5 GTCCCTGGTA TGAATGGACA GAAAGGGGAA ATGGGATATG GTGCTCCTGG TCGTCCAGGT 600 GAGAGGGGTC TTCCAGGCCC TCAGGGTCCC ACAGGACCAT CTGGCCCTCC TGGAGTGGGA 660 AAAAGAGGTG AAAATGGGGT TCCAGGACAG CCAGGCATCA AAGGTGATAG AGGTTTTCCG 720 10 GGAGGAATIGG CCCACCAGGT CCCCAAGGCC CTCCTGGGGA ACGAGGGCCA 780
GAAGGCATTG GAAAGCCAGG AGCTGCTGGA GCCCCAGGCC AGCCAGGGAT TCCAGGAACA
AAAGGTCTCC CTGGGGCTCC AGGAATAGCT GGGCCCCCAG GGCCTCCTGG CTTTGGGAAA 900
CCAGGCTTGC CAGGCCTGAA GGGAGAAAGA GGACCTGCTG GCCTTCCTGG GGGTCCAGGT 960 GCCAAAGGGG AACAAGGGCC AGCAGGTCTT CCTGGGAAGC CAGGTCTGAC TGGACCCCCT 1020 15 GGGAATATGG GACCCCAAGG ACCAAAAGGC ATCCCGGGTA GCCATGGTCT CCCAGGCCCT 1080 AAAGGTGAGA CAGGGCCAGC TGGGCCTGCA GGATACCCTG GGGCTAAGGG TGAAAGGGGT 1140 TCCCCTGGGT CAGATGGAAA ACCAGGGTAC CCAGGAAAAC CAGGTCTCGA TGGTCCTAAG 1200 GGTAACCCAG GGTTACCAGG TCCAAAAGGT GATCCTGGAG TTGGAGGACC TCCTGGTCTC 1260 CCAGGCCCTG TGGGCCCAGC AGGAGCAAAG GGAATGCCGGAG TTGGAGCACC TCCTGGTCT 1260
CCAAGAGGTG CCCCTGGAAT ACCAGGTACT AGAGGCCCTA TTGGGCCACC AGGCATTCCA 1380
GGATTCCCTG GGTCTAAAGG GGATCCAGGA AGTCCCGGTC CTCCTGGCCC AGCTGGCATA 1440
GCAACTAAGG GCCTCAATGG ACCCACCGGG CCACCAGGGC CTCCAGGTCC AAGAGGCCCC 1500 20 TCTGGAGAGC CTGGTCTTCC AGGGCCCCCT GGGCCTCCAG GCCCACCAGG TCAAGCAGTC 1560 ATGCCTGAGG GTTTTATAAA GGCAGGCCAA AGGCCCAGTC TTTCTGGGAC CCCTCTTGTT 1620 25 AGTGCCAACC AGGGGGTAAC AGGAATGCCT GTGTCTGCTT TTACTGTTAT TCTCTCCAAA 1680 GCTTACCCAG CAATAGGAAC TCCCATACCA TTTGATAAAA TTTTGTATAA CAGGCAACAG 1740 CATTATGACC CAAGGACTGG AATCTTTACT TGTCAGATAC CAGGAATAA CTATTTTTCA 1800
TACCACGTGC ATGTGAAAGG GACTCATGTT TGGGTAGGCC TGTATAAGAA TGGCACCCCT 1860
GTAATGTACA CCTATGATGA ATACACCAAA GGCTACCTGG ATCAGGCTTC AGGGAGTGCC 1920
ATCATCGATC TCACAGAAAA TGACCAGGTG TGGCTCCAGC TTCCCAATGC CGAGTCAAAT 1980
GGCCTATACT CCTCTGAGTA TGTCCACTCC TCTTTCTCAG GATTCCTAGT GGCTCCAATG 30 TGAGTACACC CCACAGAGCT AATCTAAATC TTGTGCTAGA AAAAGCATTC TCTAACTCTA 2100 CCCCACCCTA CAAAATGCAT ATGGAGGTAG GCTGAAAAGA ATGTAATTTT TATTTTCTGA 2160 35 AATACAGATT TGAGCTATCA GACCAACAAA CCTTCCCCCT GAAAAGTGAG CAGCAACGTA 2220 AAAACGTATG TGAAGCCTCT CTTGAATTTC TAGTTAGCAA TCTTAAGGCT CTTTAAGGTT 2280
TTCTCCAATA TTAAAAAATA TCACCAAAGA AGTCCTGCTA TGTTAAAAAC AAACAACAA 2340
AAACAAAGCA ACAAAAAAAA AAATTAAAAA AAAAAACAGA AATAGAGCTC TAAGTTATGT 2400
GAAATTTGAT TTGAGAAACT CGGCATTTCC TTTTTAAAAA AGCCTGTTTC TAACTATGAA 2460 TATGAGAACT TCTAGGAAAC ATCCAGGAGG TATCATATAA CTTTGTAGAA CTTAAATACT 2520 40 TGAATATTCA AATTTAAAAG ACACTGTATC CCCTAAAATA TTTCTGATGG TGCACTACTC 2580 TGAGGCCTGT ATGGCCCCTT TCATCAATAT CTATTCAAAT ATACAGGTGC ATATATACTT 2640 GTTAAAAGCTC TTATATAAAA AAGCCCCAAA ATATTGAAGT TCATCTGAAA TGCAAGGTGC 2700 TTTCATCAAT GAACCTTTTC AAAACTTTTC TATGATTGCA GAGAAGCTTT TTATATACCC 2760 AGCATAACTT GGAAACAGGT ATCTGACCTA TTCTTATTTA GTTAACACAA GTGTGATTAA 2820 45 TTTGATTTCT TTÄATTCCTT ATTGAATCTT ATGTGATATG ATTTTCTGGA TTTACAGAAC 2880 ATTAGCACAT GTACCTTGTG CCTCCCATTC AAGTGAAGTT ATAATTTACA CTGAGGGTTT 2940 CAAAATTCGA CTAGAAGTGG AGATATATTA TTTATTTATG CACTGTACTG TATTTTTATA 3000 TTGCTGTTTA AAACTTTTAA GCTGTGCCTC ACTTATTAAA GCACAAAATG TTTTACCTAC 3060 TCCTTATTTA CGACACAATA AAATAACATC AATAGATTTT TAGGCTGAAT TAATTTGAAA 3120 50 **CATCAATAGA TTTTTAGG** 

Seq ID NO: 80 <u>Protein sequence:</u>
Protein Accession #: NP\_000484.1


1 11 21 31 41 51

60 MLPQIPFILL VSLNLVHGVF YAERYQTPTG IKGPLPNTKT QFFIPYTIKS KGIAVRGEQG 60
TPGPPGPAGP RGHPGPSGPP GKPGYGSPGL QGEPGLPGPP GPSAVGKPGV PGLPGKPGGR 120
GPYGPKGDVG PAGLPGPRGP PGPPGIPGPA GISVPGKPGQ QGPTGAPGPR GFPGEKGAPG 180
VPGMNGQKGE MGYGAPGRPG ERGLPGPQGP TGPSGPPGVG KRGENGVPGQ PGIKGDRGFP 240
GEMGPIGPPG PQGPPGERGP EGIGKPGAAG APGQPGIPGT KGLPGAPGIA GPPGPPGFGK 300
PGLPGLKGER GPAGLPGGPG AKGEQGPAGL PGKPGLTGPP GNMGPQGPKG IPGSHGLPGP 360
KGETGPAGPA GYPGAKGERG SPGSDGKPGY PGKPGLDGPK GNPGLPGPKG DPGVGGPPGL 420
PGPVGPAGAK GMPGHNGEAG PRGAPGIPGT RGPIGPPGIP GFPGSKGDPG SPGPPGPAGI 480
ATKGLNGPTG PPGPPGPRGP SGEPGLPGPP GPPGPPGQAV MPEGFIKAGQ RPSLSGTPLV 540
SANQGVTGMP VSAFTVILSK AYPAIGTPIP FDKILYNRQQ HYDPRTGIFT CQIPGIYYFS 600
YHVHVKGTHV WVGLYKNGTP VMYTYDEYTK GYLDQASGSA IIDLTENDQV WLQLPNAESN 660
GLYSSEYVHS SFSGFLVAPM

Seq ID NO: 81 DNA sequence
Nucleic Acid Accession #: NM\_000786
Coding sequence: 332-1861 (underlined sequences correspond to start and stop codons)

11 21 31 41 51

CGCGATTCTC AGGGATTGAT CCGCCTCTTC AGGTAAGTTA TCTTCCGGCC CCGTACCACT 60 GTGCCACAGG CGCAGCCCGC TTCCTCAGGT GCCCTATCCC GCGCAGAAGA CCACGGCTTC 120 ACAGAGTGTT ATTTAAGGGC GTGGCCAGCG GAACATCCCG CCCCATTCTG TGACGCACGG ACAGAGTGTT ATTTAAGGGC GTGGCCAGCG GAACATCCCG CCCCATTCTG TGACGCACGG 180
GGTGGCGCCG GTGGGACCG AGGGTGGGG CTGGGTTTAG TAGGAGAACT GGGGCAAGGC 240
CCCCTGTGGA CGACCATCTG CCAGCTTCTC TCGTTCCGTC GATTGGGAG AGCGGTGGCG 300
ACCTCGGCCT TCAGTGTTTC CGACGGAGTG AATGGCGGC GCGGCTGGGA TGCTGCTGCT 360
GGGCTTGCTG CAGGCGGGTG GGTCGGTGCT GGGCCAGGCG ATGGAGAAGG TGACAGGCGG 420
CAACCTCTTG TCCATGCTGC TGATCGCCTG CGCCTTCACC CTCAGCCTGG TCTACCTGAT 480
CCGTCTGGCC GCCGGCCACC TGGTCCAGCT GCCCGCAGGG GTGAAAAGTC CTCCATACAT 540 5 10 TTTCTCCCCA ATTCCATTCC TTGGGCATGC CATAGCATTT GGGAAAAGTC CAATTGAATT 600 TCTAGAAAAT GCATATGAGA AGTATGGACC TGTATTTAGT TTTACCATGG TAGGCAAGAC 660
ATTTACTTAC CTTCTGGGGA GTGATGCTGC TGCACTGCTT TTTAATAGTA AAAATGAAGA 720
CCTGAATGCA GAAGATGTCT ACAGTCGCCT GACAACACCT GTGTTTGGGA AGGGAGTTGC 780 ATACGATGTG CCTAATCCAG TTTTCTTGGA GCAGAAGAAA ATGTTAAAAAA GTGGCCTTAA 840
CATAGCCCAC TTTAAACAGC ATGTTTCTAT AATTGAAAAA AGAACAAAGG AATACTTTGA 900
GAGTTGGGGA GAAAGTGGAG AAAAAAATGT GTTTGAAGCT CTTTCTGAGC TCATAATTTT 960
AACAGCTAGC CATTGTTTGC ATGGAAAGGA AATCAGAAGT CAACTCAATG AAAAGGTAGC 1020
ACAGCTGTAT GCAGATTTGG ATGGAGGTTT CAGCCATGCA GCCTGGCTCT TACCAGGTTG 1080 15 20 GCTGCCTTTG CCTAGTTTCA GACGCAGGGA CAGAGCTCAT CGGGAAATCA AGGATATTTT 1140 CTATAAGGCA ATCCAGAAAC GCAGACAGTC TCAAGAAAAA ATTGATGACA TTCTCCAAAC 1200 TTTACTAGAT GCTACATACA AGGATGGGCG TCCTTTGACT GATGATGAAG TAGCAGGGAT 1260 CCTIATIGGA TACTCTIGG CAGGGCAGCA TACATCCTCA ACTACTAGTG CTTGGATGGG 1320
CTTCTTTTIG GCCAGAGCA AAACACTTCA AAAAAAATGT TATTTAGAAC AGAAAACAGT 1380
CTGTGGAGAG AATCTGCCTC CTTTAACTTA TGACCAGCTC AAGGATCTAA ATTTACTTGA 1440
CCGCTGTATA AAAGAAACAT TAAGACTTAG ACCTCCTATA ATGATCATGA TGAGAATGGC 1500
CAGAACTCCT CAGACTGTGG CAGGGTATAC CATTCCTCCA GGACATCAGG TGTGTGTTTC 1560 25 TCCCACTGTC AATCAAAGAC TTAAAGACTC ATGGGTAGAA CGCCTGGACT TTAATCCTGA 1620 TCGCTACTTA CAGGATAACC CAGCATCAGG GGAAAAGTTT GCCTATGTGC CATTTGGAGC 1680 30 TGGGCGTCAT CGTTGTATTG GGGAAAATTT TGCCTATGTT CAAATTAAGA CAATTTGGTC 1740 CACTATGCTT CGTTGTATIG GGGAAAATIT IGCCTATGTT CAAATTAAGA CAATITIGGTC 1/40 CACTATGCTT CGTTTAATAG AATTTGATCT CATTGATGA TACTTTCCCA CTGTGAATTA 1800 TACAACTATG ATTCACACCC CTGAGAACCC AGTTATCCGT TACAAAACGAA GATCAAAATG 1860 AAAAAGGTTG CAAGGAACGA ATATATGTGA TTATCACTGT AAGCCACAAA GGCATTCGAA 1920 GAGAATGAAG TGTACAAAAC AACTCTTGTA GTTTACTGTT TTTTTAAGTG TGTAATTCTA 1980 AAAGCCAGTT TATGATTATG GATTTTGTTA ACTGAATGGT TCTACAAAT ATAATAGCAT 2040 TTGACACATT TTCAAGAATTGT TAGATATATTATGATACTT ATACATGTGC TTCCAGGAAGTTCCTTGGGG 2100 35 AAACAATTGT TGAGGGGGGA TCTAGGTAAT TGGCAGATTC TAAATAATAT AATTTCCAGA 2160 TAGTAATTT AAGAGTACTC ATCGCTCTTG CCAAATAAGT TCAGGGTATT CAAATCTTGG 2220
ACTAGTCCTG CAAGGTATAA AGAATAAAAA TCCCAGTGAG ATACTTGGAA ACCACAGTTT 2280
ATTATTATTT ATCTGGGCAA TTATTGTGTG TGTGAGGATG GAAGGGTAGG GAATAATCGA 2340
ACATCTAAAG CCTTGAATAA GAGAATACTA ATTGTTTTGG TATGATGATA CTCAGAAATG 2400
GAGATATTAT AGGAAAAAGA AATCCTTTGG AATTTTAACT AAAATCACTG CATATGGGAA 2460 40 ATTAAGAGAT CCAGGACCAT ATTTGATAAG AGTTCCTAAA AATAATGTAA TTATTAATGC 2520 TAAAGACTGC TCATGTATCT TGATCTAATT ACTAAATAAA TTACATATTT ATTTACCTGA 2580 45 50 CTCCCAAAGT GCTGGGATTA CAGGCATGAG CCACCGCACC TGGCCTTCCC TGCTTCCTCT 3000 CTAGAATCCA ATTAGGGATG TTTGTTACTA CTCATATTGA TTAAAACAGT TAACAAACTT 3060
TTTTCTTTT AAAATGTGAG ATCAGTGAAC TCTGGTTTTA AGATAATCTG AAACAAGGTC 3120
CTTGGGAGTA ATAAAATTGG TCACATTCTG TAAAGCACAT TCTGTTTAGG AATCAACTTA 3180
TCTCAAATTG TAACTCGGGG CCTAACTATA TGAGATGGCT GAAAAAATAC CACATCGTCT 3240
GTTTTCACTA AGGTGATGCCA AAATATTTTG CTTTATGTAT ATTACAGTTC TTTTTAAAAC 3300 55 ACTGGAAGAC TCATGTTAAA CTCTAATTGT GAAGGCAGAA TCTCTGCTAA TTTTTCAGAT 3360 TAAAATTCTC TTTGAAAAAA T Seq ID NO: 82 <u>Protein sequence:</u>
Protein Accession #: NP\_000777 60 31 65 MAAAAGMLLL GLLQAGGSVL GQAMEKVTGG NLLSMLLIAC AFTLSLVYLI RLAAGHLVQL 60 MAAAAGMLLL GLLQAGGSVL GQAMEK VTGG NILSMLLIAC AFTLSLVYLI RLAAGHLVQL 60
PAGVKSPPYI FSPIPFLGHA IAFGKSPIEF LENAYEKYGP VFSFTMVGKT FTYLLGSDAA 120
ALLFNŠKNED LNAEDVYSRL TTPVFGKGVA YDVPNPVFLE QKKMLKSGLN IAHFKQHVSI 180
IEKETKEYFE SWGESGEKNV FEALSELIIL TASHCLHGKE IRSQLNEKVA QLYADLDGGF 240
SHAAWLLPGW LPLPSFRRRD RAHREIKDIF YKAIQKRRQS QEKIDDILQT LLDATYKDGR 300
PLTDDEVAGM LIGLLLAGQH TSSTTSAWMG FFLARDKTLQ KKCYLEQKTV CGENLPPLTY 360
DQLKDLNLLD RCIKETLRLR PPIMIMMRMA RTPQTVAGYT IPPGHQVCVS PTVNQRLKDS 420 70 WVERLDFNPD RYLQDNPASG EKFAYVPFGA GRHRCIGENF AYVQIKTIWS TMLRLYEFDL 480 IDGYFPTVNY TTMIHTPENP VIRYKRRSK 75 Seg ID NO: 83 DNA sequence Nucleic Acid Accession #: NM 006551.2 Coding sequence: 64-336 (underlined sequences correspond to start and stop codons)



	GCTCAAGTCT GAACTCTACC TCCAGACAGA <u>ATG</u> AAGTTCA TCTCGACATC TCTGCTTCTC 120 ATGCTGCTGG TCAGCAGCCT CTCTCCAGTC CAAGGTGTTC TGGAGGTCTA TTACACAAGC 180 TTGAGGTGTA GATGTGTCCA AGAGAGCTCA GTCTTTATCC CTAGACGCTT CATTGATCGA 240 ATTCAAATCT TGCCCCGTGG GAATGGTTGT CCAAGAAAAG AAATCATAGT CTGGAAGAAG 300
5	AACAAGTCAA TTGTGTGTGT GGACCCTCAA GCTGAATGGA TACAAAGAAT GATGGAAGTA 360 TTGAGAAAAA GAAGTTCTTC AACTCTAACA GTTCCAGTGT TTAAAGAAA GAATTCCCTGA 420 TGCTGATATT TCCACTAAGA ACACCTGCAT TCTTCCCTTA TCCCTGCTCT GGATTTTAGT 480 TTTGTGCTTA GTTAAATCTT TTCCAGGGAG AAAGAACTTC CCCATACAAA TAAGGCATGA 540
10	GGACTATGTG AAAAATAACC TTGCAGGAGC TGATGGGGCA AACTCAAGCT TCTTCACTCA 600 CAGCACCCTA TATACACTTG GAGTTTGCAT TCTTATTCAT CAGGGAGGAA AGTTTCTTTG 660 AAAATAGTTA TTCAGTTATA AGTAATACAG GATTATTTG ATTATATACT TGTTGTTTAA 720 TGTTTAAAAT TTCTTAGAAA ACAATGGAAT GAGAATTTAA GCCTCAAATT TGAACATGTG 780 GCTTGAATTA AGAAGAAAAT TATGGCATAT ATTAAAAGCA GGCTTCTATG AAAGACTCAA 840
15	AAAGCTGCCT GGGAGGCAGA TGGAACTTGA GCCTGTCAAG AGGCAAAGGA ATCCATGTAG 900 TAGATATCCT CTGCTTAAAA ACTCACTACG GAGGAGAATT AAGTCCTACT TTTAAAGAAT 960 TTCTTTATAA AATTTACTGT CTAAGATTAA TAGCATTCGA AGATCCCAG ACTTCATAGA 1020 ATACTCAGGG AAAGCATTTA AAGGGTGATG TACACATGTA TCCTTTCACA CATTTGCCTT 1080 GACAAACTTC TTTCACTCAC ATCTTTTTCA CTGACTTTTT TTGTGGGGGC GGGGCCGGGG 1140 GGACTCTGGT ATCTAATTCT TTAATGATTC CTATAAATCT AATGACATTC AATAAAGTTG 1200
20	AGCAAACATT TTACTT  Seq ID NO: 88 Protein sequence:
	Protein Accession #: NP_006410.1
25	i ii 21 31 41 51             ;
	MKFISTSLLL MLLVSSLSPV QGVLEVYYTS LRCRCVQESS VFIPRRFIDR IQILPRGNGC 60 PRKEIIVWKK NKSIVCVDPQ AEWIQRMMEV LRKRSSSTLP VPVFKRKIP
30	Seq ID NO: 89 DNA sequence Nucleic Acid Accession #: NM_002652 Coding sequence: 37-477 (underlined sequences correspond to start and stop codons)
	1 11 21 31 41 51
35	
40	CAGGACAACA CTCGGAAGAT CATAATAAAG AATTTTGACA TTCCCAAGTC AGTACGTCCA 180 AATGACGAAG TCACTGCAGT GCTTGCAGTT CAAACAGAAT TGAAAGAATG CATGGTGGTT 240 AAAACTTACC TCATTAGCAG CATCCCTCTA CAAAGGTGCAT TTAACTATAA GTATACTGCC 300 TGCCTATGTG ACGACAATCC AAAAACCTTC TACTGGGACT TTTACACCAA CAGAACTGTG 360 CAAATTGCAG CCGTCGTTGA TGTTATTCGG GAATTAGGCA TCTGCCCTGA TGATGCTGCT 420 GTAATCCCCA TCAAAAACAA CCGGTTTTAT ACTATTGAAA TCCTAAAGGT AGAATAATGG 480
45	AAGCCCTGTC TGTTTGCCAC ACCCAGGTGA TTTCCTCTAA AGAAACTTGG CTGGAATTTC 540 TGCTGTGGTC TATAAAATAA ACTTCTTAAC ATGCTT
	Seq ID NO: 90 <u>Protein sequence:</u> Protein Accession #: NP_002643.1
50	1 11 21 31 41 51                      MRLLQLLFRA SPATLLLVLC LQLGANKAQD NTRKIIIKNF DIPKSVRPND EVTAVLAVQT 60
<i></i>	ELKECMVVKT YLISSIPLQG AFNYKYTACL CDDNPKTFYW DFYTNRTVQI AAVVDVIREL 120 GICPDDAAVI PIKNNRFYTI EILKV
55	Seq ID NO: 91 DNA sequence
	Nucleic Acid Accession #: AK000341 Coding sequence: 85-975 (underlined sequences correspond to start and stop codons)
60	1 11 21 31 41 51
	GATAGCGCCG GGCAGAGGGA CCCGGCTACC CTGGACAGCG CATCGCCGCC CGCCCGGGTC 60 GCCGCGCCAC AGCCGCTGCG GATCATGGAA CATCTAAAGG CCTTTGATGA TGAAATCAAT 120
65	GCTTTTTTGG ACAATATGTT TGGACCGCGA GATTCTCGAG TCAGAGGGTG GTTCACGTTG 180 GACTCTTACC TTCCTTACCT TTTTTCTTACT GTCATGTATC TGCTCTCAAT ATGGCTGGGT 240 AACAAGTATA TGAAGAACAG ACCTGCTCTT TCTCCAGGG GTATCCTCAC CTTGTATAAT 300 CTTGGAATCA CACTTCTCTC CGCGTACATG CTGGCAGAGC TCATTCTCTC CACTTGGGAA 360
	GGAGGCTACA ACTTACAGTG TCAAGATCTT ACCAGCGCAG GGGAAGCTGA CATCCGGGTA 420 GCCAAGGTGC TTTGGTGGTA CTATTTCTCC AAATCAGTAG AGTTCCTGGA CACAATTTTC 480
70	TTCGTTTTGC GGAAAAAAAC GAGTCAGATT ACTTTTCTTC ATGTATATCA TCATGCTTCT 540 ATGTTTAACA TCTGGTGGTG TGTCTTGAAC TGGATACCTT GTGGACAAAG TTTCTTTGGA 600 CCAACACTGA ACAGTTTTGT CCACATTCTT ATGTACTCCT ACTATGGACT TTCTGTGTTT 660
75	CCATCTATGC ACAAGTATCT TTGGTGGAAG AAATATCTCA CACAGGCTCA GCTGGTGCAG 720 TTCGTGCTCA CCATCACGCA CACCATGAGC GCCGTCGTGA AACCGTGTGG CTTCCCCTTC 780
	GGTTGTCTCA TCTTCCAGTC ATCTTATATG CTAACGTTAG TCATCCTCTT CTTAAATTTT 840 TATGTTCAGA CATACCGAAA AAAGCCAATG AAGAAAGATA TGCAAGAGCC ACCTGCAGGG 900 AAAGAAGTGA AGAATGGTTT TTCCAAAGCC TACTTCACTG CAGCAAATGG AGTGATGAAC 960
	286

TTGTTTTAAA GCAAAGACTG AATTGAAGGT TACATGTTTT AGGATAAACT AATTTCTTTT 1080 GAGTTCATAA ATCATTTGTA CCCAGAATGT ATTAATATAT TGCTATTAGG TTAATCTGTT 1140 AACTGAATGC TTTGATCAGC ATTGAGGTGA TGCTCACCTC CGAGGACCTC AGAACTGGTG 1200 5 CAGCTTCTCT CTCCCTCCCT CCCACAGACT GAACCTTTCG CCAGAAGCTG TCCTTATAAC 1260 GCCTTATACG CATACACAGC CAGGAAACGT GGAGCATTGT TTCTCACAGA GAGTCTCCAA 1320 ATAAAAAGGG TTTTGTTCAG ATTAAAATGT TTACAACAAA ATGTTAATTA TATTCTAAAT 1380
ACAGGGTATG TTCTAATCTA TATTAAGCAA TAATGCCAGT GCATAATCAT TCCATTTGTT 1440
CCTTTAGCAA TCAACCCCAG AAAATATTAA AATGGGATCA TACACAGAAG ATAGAAAAAT 1500
CTAGCAAAAC TTCTCTTTCT GTAAGCCAGA GTCTTGTCTA TCAGATTCCC ACAACCACTC 1560 10 CTGATTCTAA ATTTAGTGAT ATGGTAATGA AATTGGTATT TATTTTAAAT ATTAGTTATT 1620 CTAAGGAGAA AAAAATGCTT CTGCAAGATT TTCATAATTC AGGGGCTGTG GATAGGATTG 1680 TTCCTCTGTT TCCCTAATCA TTCATCTGTT CATGTCTCCC TCTTGTGCCA GTCAGCCTAG 1740 GTTATACAGA TGCCATGCTC CACACCACGA GCAGTGTACA AATCTGGCTG CCCGTTTACT 1800 TICTGAGCAA GCACTGGAGT CCACACACA CATTITATA AATCIGGAT GCCGTTTAAT 1860
TATGTATAAA TCAGAACTAG CAGAAGTAGC AGAGTGATGG GAGCAAAATA GCCACTGAAT 1920
TCGTCAACTC TTTTTTGTGA GCCTACTTGT GAATATTACC TCAGATACCT GTTGTCACTC 1980
TTCACAGGTT ATTTAAGTTC TTGAAGCTGG GAGGAAAAAG ATGGAGTAGC TTGGAAAGAT 2040 15 TCCAGCACTG AGCCGTGAGC CGGTCATGAG CCACGATAAA AAATGCCAGT TTGGCAAACT 2100 CAGCACTCCT GTTCCCTGCT CAGGTATATG CGATCTCTAC TGAGAAGCAA GCACAAAAGT 2160
AGACCAAAGT ATTAATGAGT ATTTCCTTTC TCCATAAGTG CAGGACTGTT ACTCACTACT 2220 20 AAACTCTACC AAGAATGGAA ACCAAGAATA TTTTCTGAAG ATTTTTTTGA AGATTAATTT 2280 25 Seq ID NO: 92 Protein sequence: BAA91096.1 Protein Accession #: 31 30 MEHLKAFDDE INAFLDNMFG PRDSRVRGWF TLDSYLPTFF LTVMYLLSIW LGNKYMKNRP 60 ALSLRGILTL YNLGITLLSA YMLAELILST WEGGYNLOCQ DLTSAGEADI RVAKVLWWYY 120
FSKSVEFLDT IFFVLRKKTS QITFLHVYHH ASMFNIWWCV LNWIPCGQSF FGPTLNSFVH 180
ILMYSYYGLS VFPSMHKYLW WKKYLTQAQL VQFVLTITHT MSAVVKPCGF PFGCLIFQSS 240
YMLTLVILFL NFYVQTYRKK PMKKDMQEPP AGKEVKNGFS KAYFTAANGV MNKKAQ 35 Seq ID NO: 93 DNA sequence Nucleic Acid Accession #: NM 000044 Coding sequence: 1115-3874 (underlined sequences correspond to start and stop codons) 40 11 21 51 CGAGATCCCG GGGAGCCAGC TTGCTGGGAG AGCGGGACGG TCCGGAGCAA GCCCACAGGC 60 AGAGGAGGCG ACAGAGGGAA AAAGGGCCGA GCTAGCCGCT CCAGTGCTGT ACAGGAGCCG 120 AAGGGACGCA CCACGCCAGC CCAGCCCGG CTCCAGCGAC AGCCAACGCC TCTTGCAGCG 180 45 CGGCGGCTTC GAAGCCGCCG CCCGGAGCTG CCCTTTCCTC TTCGGTGAAG TTTTTAAAAG 240 CTGCTAAAGA CTCGGAGGAA GCAAGGAAAG TGCCTGGTAG GACTGACGGC TGCCTTTGTC 300 CTOCTCCTCT CCACCCCGC TCCCCCCACC CTGCCTTCCC CCCCTCCCCC GTCTTCTCC 360
CCGCAGCTGC CTCAGTCGGC TACTCTCAGC CAACCCCCT CACCACCCTT CTCCCCACCC 420
GCCCCCCGC CCCCGTCGGC CCAGCGCTGC CAGCCCGAGT TTGCAGAGAG GTAACTCCCT 480
TTGGCTGCGA GCGGGCGAGC TAGCTGCACA TTGCAAAGAA GGCTCTTAGG AGCCAGGCGA 540 50 CTGGGGAGCG GCTTCAGCAC TGCAGCCACG ACCCGCCTGG TTAGAATTCC GGCGGAGAGA ACCCTCTGTT TTCCCCCACT CTCTCCCAC CTCCTCCTGC CTTCCCCACC CCGAGTGCGG 660 AGCAGAGATC AAAAGATGAA AAGGCAGTCA GGTCTTCAGT AGCCAAAAAA CAAAACAAAC 720 55 60 GGGAAGTAGG TGGAAGATTC AGCCAAGCTC AAGGATGGAA GTGCAGTTAG GGCTGGGAAG 1140 GGGAGTAGG TGGAAGATTC AGCCAAGCTC AAGGATGGAA GTGCAGTTAG GGCTGGGAAG TI40
GGTCTACCCT CGGCCGCCGT CCAAGACCTA CCGAGGAGCT TTCCAGAATC TGTTCCAGAG 1200
CGTGCGCGAA GTGATCCAGA ACCCGGGCCC CAGGCACCCA GAGGCCGCAG GCGCAGCACC 1260
TCCCGGCGCC AGTTTGCTGC TGCTGCAGCA GCAGCAGCAG CAGCAGCAGC AGCAGCAGCA 1320
GCAGCAGCAG CAGCAGCAGC AGCAGCAAGA GACTAGCCCC AGGCAGCAGC AGCAGCAGCA 1380
GGGTGAGGAT GGTTCTCCCC AAGCCCATCG TAGAGGCCCC ACAGGCTACC TGGTCCTGGA 1440
TGAGGAACAG CAACCTTCAC AGCCCCAGTC GGCCCTGGAG TGCCACCCCC AGAGAGGTTG 1500 65 CGTCCCAGAG CCTGGAGCCG CCGTGGCCGC CAGCAAGGGG CTGCCGCAGC AGCTGCCAGC 1560 ACCTCCGGAC GAGGATGACT CAGCTGCCCC ATCCACGTTG TCCCTGCTGG GCCCCACTTT 1620 ACCTCCGGAC GAGGATGACT CAGCTGCCC ATCCACGTTG TCCCTGCTG GCCCCACTTT 1620
CCCCGGCTTA AGCAGCTGCT CCGCTGACCT TAAAGACATC CTGAGGAGG CCAGCACCAT 1680
GCAACTCCTT CAGCAACAGC AGCAGGAAGC AGTATCCGAA GGCAGCAAGCA GCGGGAGAGC 1740
GAGGGAGGCC TCGGGGGGTC CCACTTCCTC CAAGGACAAT TACTTAGGGG GCACTTCGAC 1800
CATTTCTGAC AACGCCAAGG AGTTGTGTAA GGCAGTGTCG GTGTCCATGG GCCTGGGTGT 1860
GGAGGCGTTG GAGCATCTGA GTCCAGGGGA ACAGCTTCGG GGGGATTGCA TGTACGCCCC 1920
ACTTTTGGGA GTTCCACCCG CTGTGCGTCC CACTCCTTGT GCCCCATTGG CCGAATGCAA 1980 70 75 AGGTTCTCTG CTAGACGACA GCGCAGGCAA GAGCACTGAA GATACTGCTG AGTATTCCCC 2040 TTTCAAGGGA GGTTACACCA AAGGGCTAGA AGGCGAGAGC CTAGGCTGCT CTGGCAGCGC 2100 TGCAGCAGGG AGCTCCGGGA CACTTGAACT GCCGTCTACC CTGTCTCTCT ACAAGTCCGG 2160

AAGAAAGCAC AATAAAAATG AGTAACAGAA AAAGCACATA TACTAGCCTA ACAGATTGGC 1020



TTGTTGGCAC ACCTTATTAC ATGTCTCCTG AACAAATGAA TCGCATGTCC TACAATGAGA 720
AATCAGATAT CTGGTCATTG GGCTGCTTGC TGTATGAGTT ATGTCCATTA ATGCCTCCAT 780
TTACAGCTTT TAGCCAGAAA GAACTCGCTG GGAAAATCAG AGAAGGCAAA TTCAGGCGAA 840 TTCCATACCG TTACTCTGAT GAATTGAATG AAATTATTAC GAGGATGTTA AACTTAAAGG 900 ATTACCATCG ACCTTCTGTT GAAGAAATTC TTGAGAACCC TTTAATAGCA GATTTGGTTG 960 5 CAGACGAGCA AAGAAGAAAT CTTGAGAGAA GAGGGCGACA ATTAGGAGAG CCAGAAAAAT 1020 CGCAGGATTC CAGCCCTGTA TTGAGTGAGC TGAAACTGAA GGAAATTCAG TTACAGGAGC 1080 GAGAGCGAGC TCTCAAAGCA AGAGAAGAAA GATTGGAGCA GAAAGAACAG GAGCTTTGTG 1140 TTCGTGAGAG ACTAGCAGAG GACAAACTGG CTAGAGCAGA AAATCTGTTG AAGAACTACA 1200 GCTTGCTAAA GGAACGGAAG TTCCTGTCTC TGGCAAGTAA TCCAGAACTT CTTAATCTTC 1260 CATCCTCAGT AATTAAGAAG AAAGTTCATT TCAGTGGGGA AAGTAAAGAG AACATCATGA 1320 GGAGTGAGAA TTCTGAGAGT CAGCTCACAT CTAAGTCCAA GTGCAAGGAC CTGAAGAAAA 1380 10 GGCTTCACGC TGCCCAGCTG CGGGCTCAAG CCCTGTCAGA TATTGAGAAA AATTACCAAC 1440 TGAAAAGCAG ACAGATCCTG GGCATGCGCT AGCCAGGTAG AGAGACACAG AGCTGTGTAC 1500 AGGATGTAAT ATTACCAACC TTTAAAGACT GATATTCAAA TGCTGTAGTG TTGAATACTT 1560 15 GGCCCCATGA GCCATGCCTT TCTGTATAGT ACACATGATA TTTCGGAATT GGTTTTACTG 1620 TICTTCAGCA ACTATTGTAC AAAATGTTCA CATTTAATTT TICTTTCTTC TITTAAGAAC 1680
ATATTATAAA AAGAATACTT TCTTGGTTGG GCTTTTAATC CTGTGTGTGA TTACTAGTAG 1740
GAACATGAGA TGTGACATTC TAAATCTTGG GAGAAAAAAT AATATTAGGA AAAAAATATT 1800
TATGCAGGAA GAGTAGCACT CACTGAATAG TTTTAAATGA CTGAGTGGTA TGCTTACAATCAATCTGC 1690 20 CCAGTTAGAT GCAATTTGGT CATTAATACC ATGACATCTT GCTTATAAAT ATTCCATTGC 1980 TCTGTAGTTC AAATCTGTTA GCTTTGTGAA AATTCATCAC TGTGATGTTT GTATTCTTTT 2040 TTITTTTCTG TTTAACAGAA TATGAGCTGT CTGTCATTTA CCTACTTCTT TCCCACTAAA 2100 25 TAAAAGAATT CTTCAGTTA Seq ID NO: 96 Protein sequence: NP\_002488 Protein Accession #: 30 21 31 GIREFNPNIM ANEVERINMI TOSISGENEA RELATEDKIN ASEHOMOSAP IENSMPSRAE 60 GIREFNPNIM ANEVERINMI I USISGENEA RELATEUKIN ASEHOMOSAP IENSMPSKAE 60
DYEVLYTIGT GSYGRCQKIR RKSDGKILVW KELDYGSMTE AEKQMLVSEV NLLRELKHPN 120
IVRYYDRIID RTNTTLYIVM EYCEGGDLAS VITKGTKERQ YLDEEFVLRV MTQLTLALKE 180
CHRRSDGGHT VLHRDLKPAN VFLDGKQNVK LGDFGLARIL NHDTSFAKTF VGTPYYMSPE 240
QMNRMSYNEK SDIWSLGCLL YELCALMPPF TAFSQKELAG KIREGKFRRI PYRYSDELNE 300
ITTRMLNLKD YHRPSVEEIL ENPLIADLVA DEQRRNLERR GRQLGEPEKS QDSSPVLSEL 360
KIKEIQLQER ERALKAREER LEQKEQELCV RERLAEDKLA RAENLLKNYS LLKERKFLSL 420 35 ASNPELLNLP SSVIKKKVHF SGESKENIMR SENSESQLTS KSKCKDLKKR LHAAQLRAQA 480 40 LSDIEKNYQL KSRQILGMR Seq ID NO: 97 DNA sequence Nucleic Acid Accession #: NM\_007050.2 Coding sequence: 185-4576 (underlined sequences correspond to start and stop codons) 45 CCTCCCGCCT CAGTTCGCGC CGCGCCTCGG CTTGGAACGC AGGAGCGCCG GCTCCGGGAG 60 CCCGAGCGGA GCCAGCCGC CGCACAGCCA GCGGCCGCGC CGGCGATGCG GGGCCACCCC 120 GCGCCCGCCC CAGTCCCGGC CCCGGCCCCC GCGGGAAGGG GCTGAGCTGC CCGCCGCCGC 180 50 CCGGATGGCG AGCCTCGCCG CGCTCGCCCT CAGCCTGCTC CTGAGGCTGC AGCTGCCGCC 240
ACTGCCCGGC GCCCGGGCTC AGAGCGCCCC AGGTGGCTGT TCCTTTGATG AGCACTACAG 300
CAACTGTGGT TATAGTGTGG CTCTAGGGAC CAATGGGTTC ACCTGGGAGC AGATTAACAC 360 AACGGAGAAA CCAATGCTGG ACCAGGCAGT GCCCACAGGA TCTTTCATGA TGGTGAACAG 420 CTCTGGGAGA GCCTCTGGCC AGAAGGCCCA CCTTCTCCTG CCAACCCTGA AGGAGAATGA 480 55 CACCCACTGC ATCGACTTCC ATTACTACTT CTCCAGCCGT GACAGGTCCA GCCCAGGGGC 540 CTTGAACGTC TACGTGAAGG TGAATGGTGG CCCCCAAGGG AACCCTGTGT GGAATGTGTC 600
CGGGGTCGTC ACTGAGGGCT GGGTGAAGGC AGAGCTCGCC ATCAGCACTT TCTGGCCACA 660
TTTCTATCAG GTGATATTTG AATCCGTCTC ATTGAAGGGT CATCCTGGCT ACATCGCCGT 720
GGACGAGGTC CGGGTCCTTG CTCATCCATG CAGAAAAGCA CCTCATTTTC TGCGACTCCA 780
AAACGTTGGAG GTGAATGTTG GGCAGAATGC CACATTTTCATG TGCATTGCTG GTGGAAGTG 840 60 GTCTCAGCAT GACAAGCTTT GGCTCCAGCA ATGGAATGGC AGGGACACOO CCCTGATGGT 900 ACACTGCCCA 960 CACCCGTGTG GTCAACCACA GGCGCTTCTC AGCCACAGTC AGTGTGGC TGTGTCCAA 1020 CTGCTGGC 1080 GCGGAGCGTC AGCAAGTACC GCTGTGTGAT CCGCTCTGAT GGTGGGT CTACGCGGAG CTGATCGTGA AAGAGCCTCC CACGCCCATT GCTCCCC
TGTGGGGGCC ACATACCTGT GGATCAAGCC AAATGCCAAC TCCATCA 65 GATGGCCC 1140 CATCATCCTG AAGGAAGTGG AATATCGCAC CACCACAGGC ACGTGGG AGTCGACTCT CCCAACTATA AGCTGTGGCA TCTGGACCCC GATGTTGAC GACCCACAT 1200 AGTICATCITC ACACGACCAG GTGAGGGGGG TACGGGACCG CCAGGGGCTC CCCTCACCAC 1320
CAGGACCAAG TGTGCAGATC CGGTACATGG CCCACCAGAAC GTGGAAATCG TAGACATCAG 1380
AGCCCGGCAG CTGACCCTGC AGTGGGAGCC CTTCGGCTAC GCGTGACCC GCTGCCATAG 1440 70 AGCCCGGCAG CIGACCCTGC AGTGGGAGCC CTICGGCTAC GCGGTGACCC GCTGCCATAG 1440 CTACAACCTC ACCGTGCAGT ACCAGTATGT GTTCAACCAG CAGCAGTACG AGGCCGAGGA 1500 GGTCATCCAG ACCTCCTCCC ACTACACCCT GCGAGGCCTG CGCCCCTTCA TGACCATCCG 1560 GCTGCGACTC TTGCTGTCTA ACCCCGAGGG CCGAATGGAG AGCGAGGAGC TGGTGGTGCA 1620 GACTGAGGAA GACGTTCCAG GAGCTGTTCC TCTAGAATCC ATCCAAGGGG GGCCCTTTGA 1680 GGAGAAGATC TACATCCAGT GGAAACCTCC CAATGAGACC AATGGGGTCA TCACGCTCTA 1740 CGAGATCAAC TACAAGGCTG TCGGCTCGCT GGACCCAAGT GCTGACCCTC CGAGCCAGAG 1800 75

GGGGAAAGTG TTCAAGCTCC GGAATGAAAC CCACCACCTC TTTGTGGGTC TGTACCCAGG 1860 GACCACCTAT TCCTTCACCA TCAAGGCCAG CACAGCAAAG GGCTTTGGGC CCCCTGTCAC 1920 CACTCGGATT GCCACCAAAA TTTCAGCTCC ATCCATGCCT GAGTACGACA CAGACACCCC 1980 ATTGAATGAG ACAGACACGA CCATCACAGT GATGCTGAAA CCCGCTCAGT CCCGGGGAGC 2040 5 TCCTGTCAGT GTTTATCAGC TGGTTGTCAA GGAGGAGCGA CTTCAGAAGT CACGGAGGGC 2100 AGCTGACATT ATTGAGTGCT TTTCGGTGCC CGTGAGCTAT CGGAATGCCT CCAGCCTCGA 2160 TTCTCTACAC TACTTTGCTG CTGAGTTGAA GCCTGCCAAC CTGCCTGTCA CCCAGCCATT 2220 TACAGTGGGT GACAATAAGA CATACAATGG CTACTGGAAC CCTCCTCTC CTCCCCTGAA 2280 AAGCTACAGC ATCTACTTCC AGGCACTCAG CAAAGCCAAT GGAGAGACCA AAATCAACTG 2340 TGTTCGTCTG GCTACAAAAG CACCAATGGG CAGCGCCCAG GTGACCCCGG GGACTCCACT 2400 10 CTGCCTCCTC ACCACAGGTG CCTCCACCCA GAATTCTAAC ACTGTGGAGC CAGAGAAGCA 2460 GGTGGACAAC ACCGTGAAGA TGGCTGGCGT GATCGCTGGC CTCCTCATGT TCATCATCAT 2520 TCTCCTGGGC GTGATGCTCA CCATCAAAAG GAGAAGAAAT GCTTATTCCT ACTCCTATTA 2580 CTTGTCCCAA AGGAAGCTGG CCAAGAAGCA GAAGGAGGAC CAGAGTGGAG CCCAGAGGGA 2640
GATGGGCCT GTGGCCTCTG CCGACAAACC CACCACAAG CTCAGCGCCA GCCGCAATGA 2700
TGAAGGCTTC TCTTCTAGTT CTCAGGACGT CAACGGATTC ACAGATGGCA GCCGCGGGGA 2760
GCTTTCCCAG CCCACCCTCA CGATCCAGAC TCATCCCTAC CGCACCTGTG ACCCTGTGGA 2820
GATGAGCTAC CCCCGGGACC AGTTCCAACT CGCCATCCGG GTGGCTTGACT TGCTGCAGCA 2880 15 CATCACGCAG ATGAAGAGAG GCCAGGGCTA CGGGTTCAAG GAGGAATACG AGGCCTTACC 2940 20 AGAGGGGCAG ACAGCTTCGT GGGACACAGC CAAGGAGGAT GAAAACCGCA ATAAGAATCG 3000 ATATGGGAAC ATCATATCCT ACGACCATTC CCGGGTGAGG CTGCTGGTGC TGGATGGAGA 3060 CCCGCACTCT GACTACATCA ATGCCAACTA CATTGACGGA TACCATCGAC CTCGGCACTA 3120 CATTGCGACT CAAGGTCCGA TGCAGGAGAC TGTAAAGGAC TTTTGGAGAA TGATCTGGCA 3180
GGAGAACTCC GCCAGCATCG TCATGGTCAC AAACCTGGTG GAAGTGGGCA GGTGAAATG 2240
TGTGCGATAC TGGCCAGATG ACACGGAGGT CTACGGAGAC ATTAAAGTCA CCCTGATTGA 3300
AACAGAGCCC CTGGCAGAAT ACGTCATACG CACCTTCACA GTCCAGAAGA AAGGCTACCA 3360 25 TGAGATCCGG GAGCTCCGCC TCTTCCACTT CACCAGCTGG CCTGACCACG GCGTTCCCTG 3420 CTATGCCACT GGCCTTCTGG GCTTCGTCCG CCAGGTCAAG TTCCTCAACC CCCGGAAGC 3480 TGGGCCCATA GTGGTCCACT GCAGTGCTGG GGCTGGGCGG ACTGGCTGCT TCATTGCCAT 3540 30 TGACACCATG CTTGACATGG CCGAGAATGA AGGGGTGGTG GACATCTTCA ACTGCGTGCG 3600 TGAGCTCCGG GCCCAAAGGG TCAACCTGGT ACAGACAGAG GAGCAATATG TGTTTGTGCA 3660
CGATGCCATC CTGGAAGCGT GCCTCTGTGG CAACACTGCC ATCCCTGTGT GTGAGTTCCG 3720
TTCTCTCTAC TACAATATCA GCAGGCTGGA CCCCCAGACA AACTCCAGCC AAATCAAAGA 3780
TGAATTTCAG ACCCTCAACA TTGTGACACC CCGTGTGCGG CCCGAGGACT GCAGCATTGG 3840 35 GCTCCTGCCC CGGAACCATG ATAAGAATCG AAGTATGGAC GTGCTGCCTC TGGACCGCTG 3900 CCTGCCCTTC CTTATCTCAG TGGACGGAGA ATCCAGCAAT TACATCAACG CAGCACTGAT 3960 GGATAGCCAC AAGCAGCCTG CCGCCTTCGT GGTCACCCAG CACCCTCTAC CCAACACCGT 4020 GGCAGACTTC TGGAGGCTGG TGTTCGATTA CAACTGCTCC TCTGTGGTGA TGCTGAATGA 4080 GATGGACACT GCCCAGTTCT GTATGCAGTA CTGGCCTGAG AAGACCTCCG GGTGCTATGG 4140
GCCCATCCAG GTGGAGTTCG TCTCCGCAGA CATCGACGAG GACATCATCC ACAGAATATT 4200
CCGCATCTGT AACATGGCCC GGCCACAGGA TGGTTATCGT ATAGTCCAGC ACCTCCAGTA 4260 40 CATTGGCTGG CCTGCCTACC GGGACACGCC CCCTCCAAG CGCTCTCTGC TCAAAGTGGT 4320 CCGACGACTG GAGAAGTGGC AGGAGCAGTA TGACGGGAGG GAGGGACGTA CTGTGGTCCA 4380 CTGCCTAAAT GGGGGAGGCC GTAGTGGAAC CTTCTGTGCC ATCTGCAGTG TGTGTGAGAT 4440 45 GATCCAGCAG CAAAACATCA TTGACGTGTT CCACATCGTG AAAACACTGC GTAACAACAA 4500 ATCCAACATG GTGGAGACCC TGGAACAGTA TAAATTTGTA TACGAGGTGG CACTGGAATA 4560
TTTAAGCTCC TTT<u>TAG</u>CTCA ATGGGATGGG GAACTGCCGG AGTCCAGAGG CTGCTGTGAC, 4620
CAAGCCCCCT TTTGTGTGAA TGGCAGTAAC TGGGCTCAGG AGCTCTGAGG TGGCACCCTG 4680
CCTGACTCCA AGGAGAAGAC TGGTGGCCCT GTGTTCCACG GGGGGCTCTG CACCTTCTGA 4740 50 GGGGTCTCCT GTTGCCGTGG GAGATGCTGC TCCAAAAGGC CCAGGCTTCC TTTTCAACCT 4800 AACCAGCCAC AGCCAAGGGC CCAAGCAGAA GTACACCCAC AAGCAAGGCC TTGGATTTCT 4860 GGCTCCCAGA CCACCTGCTT TTGTTCTGAG TTTGTGGATC TCTTGGCAAG CCAACTGTGC 4920 AGGTGCTGGG GAGTGGGAGG CTCCCCTGCC CTCCTCTCC TTAGGAGGTGG AGGAGATGTG 4980
TGTTCTGCTC CTCTACGTCA TGGAAAAGAT TGAGGCTCTT GGGGGTCACT GCTCTGCTGC 5040
CCCCTGCAAC CTCCTTCAGG GGCCTCTGGC ACCAGACATT TGCAGTCTGG ACCAGTGTGA 5100
CCTTACGATG TTCCCTAGGC CACAAGAGAG GCCCCCCATC CTCACACCTA ACCTGCATGG 5160 55 GGCTTCGCCC ACAACCATTC TGTACCCCTT CCCCAGCCTG GGCCTTGACC GTCCAGCATT 5220 CACTGGCCGG CCAGCTGTGT CCACAGCAGT TTTTGATAAA GGTGTTCTTT GCTTTTTTGT 5280 GTGGTCAGTG GGAGGGGGTG GAACTGCAGG GAACTTCTCT GCTCCTCTT GTCTTTGTAA 5340 60 AAAGGGACCA CCTCCCTGGG GCAGGGCTTG GGCTGACCTG TAGGATGTAA CCCCTGTGTT 5400 TCTTTGGTGG TAGCTTTCTT TGGAAGAGAC AAACAAGATA AGATTTGATT ATTTTCCAAA 5460
GTGTATGTGA AAAGAAACTT TCTTTTGGAG GGTGTAAAAAT CTTAGTCCTT TATGTCAAAA 5520
AGAAGGGGGC GGGGGAGTTT GAGTATGTAC CTCTAAGACA AATCTCTCGG GCCTTTTATT 5580
TTTTCCTGGC AATGTCCTTA AAAGCTCCCA CCCTGGGACA GCATGCCACT GAGCAAGGAG 5640 65 AGATGGGTGA GCCTGAAGAT GGTCCCTTTG GTTTCTGGGG CAAATAGAGC ACCAGCTTTG 5700 TGCATAATTT GGATGTCCAA ATTTGAACTC CTTCCTAAAG AAACCCAGCA GCCACCTTGA 5760 AAAAGGCCAT TGTGGAGCCC ATTATACTTT GATTTAAAAT AGGCCAAGAG AATCAGGCCT 5820 GGAGATCTAG GGTCTTGTCC AAAGTGTGAG TGAGTCAATG AGAGGGAACC AACATTGCT 5880
AAGTCTCTAC TGTATGCCAG GGATCATGCT TGGCACTTTC CATAGGACAT TTCACACAGT 5940
CCTTAGAACC CCCAGGAGAG AGCTACTGAC TTGTTATCAT CTCCATTTGA TCATCTCCTC 6000
CAATGAGGAA ACCCACGCAC CTTCCTTAGT AATGAAATCC TGGGTTCCAA AGGGGCAGGT 6060 70 AATGGCAATG AGACTICTCC GTGCTGTTTT CTTCATCTTC TCTAAGCCAA GCAATTATTT 6120 TATGGAGGGA AAATAAGGCC AGAAACTTCT GAGCAGATAA CTCCACAAAT GGAAATTTAG 6180 TACTITCTTC CTGATGCCAG TTCTTCTGGG AAGCGCAGAA TTTCAGATAT ATTITAGTAA 6240
CACATTCCCA GCTCCCCAGG AAAGCCAGTC TCATCTAATT TCTTAGTCAG TAAAAACAAT 6300
TCCCTGTTCC TTCAGGCTAT GAATGGACCA GCCAGGGAAA CTCTCGACCT TGATCTCTAG 6360
CCAGTGCTTA GGCCCAATAT CTGACAGCCT CAGGTGGGCT GGGACCTAGG AAGCTCCATC 6420 75

TTGAAGGCTG GTCTAGCCCC AGACAGGGCA TGAGGGGCAG AGAATTCAAG AAGGTACAGC 6480 TTTGGCCCTC AAGAGCCCAC TGTATGCTGG GGAAATGGAA CCATGGTGCA GTAGTGTGGA 6540 GTGGATGAGT GTTCCATGAG CCTAGGAGCA AGAAAGTCTC TTCGGCCTCG GGCTTCCTGG 6600
AGAAGGGGAC GTCCATTCCT GCTGGGTCTT AACAAGCATA AAAAGGAAAA AAAGGAAAACT 6660
CAGGCAAAGG GATCCATATG TGCAATGGCA AAGAAATGTG AAAAGGCATT GGGAGAAACA 6720 5 GTCTGGGGGA GGCCAGCCCA GTGCGGGCAC AGCACACAC GGGGAGCAGC AAGAGATGAG 6780 CCAGGGTCCA GGAGACAGAT GCCCATCGCG AGTACAGACT TTGTCCTATT GGCAACAAGG 6840 AGTCCATGGA GCTTTAGAGA GATGCACTCA GCTTCGTGTT GGCCAAGACT CCTTCTGGGC 6900 CAATGGGGCT GCCTCTTTC CTTTCATCAG ACACTGTGAA AACATTCCCT TAAGCGTGCA 6960 CTITITAATA TCACATCTAT TTGTCTGTCT GCTCATTGTT TTGTTGCTGG AACTAAATAT 7020 10 GCAATGGATC ATGAGACTCA GATTCTATGA GAAACCCAGG GTCTCTGCTT TACCACGGAG 7080 CAGGGTCACC AACCCAGATC TCCAGGCCCA TGAGGATGGA ACATGAAAGG AGCCGACAAA 7140
AGTTGCTTCC ATTGGCATGG GCTCTGGAGC TGTCCAGAAG TCCAGGGACA CCAGACTTGA 7200
TCAAGGAAGG GCTGTCACTT TAGAGGTTCA AAAGGAAGTG CCTCAAAGCA AAGGCAAGCA 7260
AAGGAACCCC ACGATGAACT TGCTCTTTTC CTTTGATGAG CCTCCCCCA GGTGTATTTC 7320 15 AGCAGACCCC GGGGACCCAC CCCCACTGGG CCTGCTGGCC TCCCTCGGCT CCAGCCCAAT 7380 GCCCCAGCTG GCCTTCCCCA GCCTGCAAGG AGCCTGTAGC ATGGCAAATC TGCCTGCTGT 7440 ATGCTATTTT CTTAGATCTT GGTACATCCA GACAGGATGA GGGTGGAGGG AGAGCTATTT 7500 AACACAAATC CTAAGATTT TTTCTGCTCA GGAAGGGTG AAATAGCTGG CAGATACAAA 7560
AGACAGTGGC TTTTATCATT TTAAATGGTA GGAATTTAAG TGTGACTTC AGGGAGAAAC 7620
AAACTTGCAA AAAAAAAAA TCTCAGGCCA TGTTGGGGTA ACCCAGCAAG GGCCAGTGAT 7680
GATTTCCCCC AGCTCATCCC CTTATTTTCC CACAACCCAA CCATTCTCTA AAGCAGGACA 7740
GTGAATAGGT CTTAGGCCAG TGCACACAGG AAGAAATTGA GGCTTATGGATAGGA TGGGGATGAC 7800 20 TTCCCTAAGA TCCCATGGGA CAAGGATGTG GCAAGGCTTG GATGAGATGG GGCACCAGTG 7860 CCCAGGAATT TGAACATTTT CCTTTACCCA GGAAATCTCC GGAGCCAACA CCACCACCC 7920 25 CCCAGGAATT TGAACATTT CCTTTACCCA GGAAATCTCC GGAGCCAACA CCACCACCCC 7920
CAGGGGGTCT CCCCACCCA CCCCATTTAC AGGGTGAGCT CAGCCTGCA TGAGCAGAGG 7980
AAAATATTAT TAATGCTCTC TGAGTCTTTA CAACAGGAGC TCTTACCTCA TAGATGTGGG 8040
CTCTGTTTTGG GGAAGATGCA AGGAAGTAAT GAGAAGCCCA GGAAATTTCT CCACCTGTT 8100
TTATGGCCTA AATAGCTTCA GGATGTATCT TAGCTGCACT CCAACATTGC ATCCTTTCTG 8160
GGGTGAAGAA TCTGGGCCAA CCAGGGGTCC TTGGGCCTCT AGAAGCCAC AGTAGGCCTC 8220
TCTTTGTGGG AATGGAAGGG GACAGTTTGC TTTTAGTGCT GGCCCTCTCT GTGGGTGTGG 8280 30 CCTGCAAAGG AACCAACAGA CCCTATGCTG GGGACTCTAA CATGTGAGCT CATTAAATTC 8340 TTCCAGCATT CTAAAGGAGG GTTTGTGATT GTCACCATTT ACTGATGAGG AAACTAAGGC 8400 TCCTAGGGGA GAAATCACTT GCCCACAGTT CCACAGCTAG TGAGTGAATG AACCAGGATT 8460
TCCTAGGGGA GAAATCACTT GCCCACAGTT CCACAGCTAG TGAGTGAATG AACCAGGATT 8460
TAAACCGGTT TTTTCTCACT ACAGAGACAA TATTTTTCCA CCATTGTATC TCACACATTTTT 8520
CCCAGGAGGT TACCCATAAC AGAAGAGACT AGAGTGGAAC AGATACGTCA GTGGATAAAG 8580
CTCAAAGCAA ACAACAGTAA GCTTAAAATT CCTTCATAGT CTCATGTTTT ACGTTCACAA 8640
TTCATGCAAA ATTTGCATTC CACTTTCTGA TTTAGCCTTG TTGTTTTTAA TATGACTCTA 8700 35 TATGACGGAC CCTAGGTCAG CTGGTCTTCA GCTTGACCCT AGAATTGACT CTAGGAGCAG 8820 40 TGACCCTGCT GCCTCCCAGA GCCAGTTATA GGCTCAAGAT CAAGACCAAC TGACCTTCTC 8880 CTAGGCAGCT CCTTTGGTGT GTGGGTGCTC TGACCTCACT GTTCATGAGG GGACCTCAAC 8940
TAAGGCATCT TCCAGTTGGG TGCTGGAAGG AACCCATTAA CTCACACTAG AATGATGAGG 9000
ATTTGCTCAT CTGGCGTGGA GAAGGATGAG CCCACAAAAC CCTAAAGGGA AAAGAGAAGC 9060
TGGACACAGC TGTACTCAGC AGATTCCTGA ATGCTAGGCT GGAAAGTGGT GCCTGTTGTC 9120
CAAGTTGGAA AGGCTCCTGA CTTTACCCTA ACCACACATTA ATTACTCGGT GCCTACAGCC 9180 45 GGGGTCTGGA AGGCTCCTCA CTTTACCCTA GCCACACATA ATTACTGGGT GCCTACAGCA 9240 CCTAGCACCT TGGAGGGGGC ACTATTAGGA AATCGAGATT ACTATGGCAC AATTAATTCC 9300 TGGGTAAGGC ATGGGGTTGT GGTGGACAGA GCTCAGTCTT TAGTTTGAAC GAAAACATAC 9360 ATACATGAAA AACATACATG AAAAAAGGAC CCTCATCAAC ATTAGAAGGG GTAGATTTGG 9420 50 AGACTTTAG GCAGGAAAC AGGACGCAA GGCCAGGAACCCA GTGAATACTC 9480
AGCACTTTAG GCAGGAAAC AGGACGCAA GGCCAGGAACCCA GTGAATACTC 9480
AGACCGAGG ATGCAGATGA CTTATTTAGC AAAATGGTCA CTTCTGTGAC ATAGCTGGAG 9540
AAAGGATGGG TAACAGCTTG CCAGAGCCAC TTGGAACAAG GGCAAATCTC AGTGTCTGGG 9600
GCAAAAGATG ATGCATTTCC CTCTGACCCA TCATGTTTAT TCATCCTCCA CTCCCCATTG 9660 CCACACTAGC TCTTGCTGTA AGTCCTCACC AGGATCTACA TTTCCTCGTC GCTGGTGGGA 9720 55 ACCCCTTAGA GTACATAGAG GTATCAGTCC AGTAAGACTG CTCTACACAA CAGAAGTGAG. 9780 GCCCAGGGAG TAGCAGCCAG GCCCTTATCC TGTTACCTCT GCAGGAGTGA CTGCCCAACC 9840 CAGATCCAGA GACATTGAAG GAAATGATAA TTCCTTGGTA CCTCACTGCC TTGGGACAAA 9900
ATGAAGAAAG CCACCCTTCC TTAGGCTGCA GCTTGCCACT CCTGGGCTGG GTAAACAGGT 9960
CATCAGCACC AGGCTCAACC AGGAGTAACA TTCTGGAAGA CATGGGTGAG CCCAAGAGGA 10020
AGCATGAACA GGACGCTGTT CCTAAGTCAT GTCAACAGGT TGTGCTGGGC CAGGATCCCC 10080
AGGGAAAAAA ATGGTCAACC CAACTGGAGG GTAGGTTAGA AGAAAAAAAA CATAAACGTG 10140 60 GATAGTCATG TCATCTCAAA TCCCTGACTT GGCTTCCCCA TTACTTGACA GTCTGAGCTC 10200 CTTCTTAGCC TGTGACCAGC TTCAAATCAC AGCCAAGTAA AACAAGGAAA TAGGAAAAGT 10260 CTICTTAGCC 1G1GACCAGC TTCAAATCAC AGCCAAGTAA AACAAGGAAA TAGGAAAAGT 10260
AAATCCAACT AGAAGAGACA AGCCGAGATT CAGATTTGTT TACTCCTCCC ATGCAAAGTT 10320
TCCCTGTTGG AGGTTTTCCA TGTATACATG TCTAGAAGTG ATAGAATGCA AGGCCTTGGC 10380
TTTGTCTTGC AGGGATCTGC CTTTGAGGTC ATAGACTGAA CAGCAGGGAG AGAGGTTAGT 10440
GGTGGAGTGT GGGGGGAGCT GTTCTAGCTC CAGTTTCTTC TGACACATTT TTCAGGATCA 10500
TGGATCTGAT CCTCCGAAGC ACAGCAGAGA TATCTAAGCC ATATTTGTGC ACATGAGACT 10650
ACTCTTCTAG TTTTTAGTA ACCAGGGAT GCCCTCCCC AGCCTCCCCAGA ACACCATCCCCACA 65 70 TCTTGTAGAG ATCAAGCCAG TCTTTTGCAT CCCACCTGCC CACCTCCAGA AGAGATGGGA 10680 AAAGGTCATC AAAGGGCATT CACCAACTGA AATCCACTCA TGAATGTTAG GTCTCTAAAA 10740 GGAGGCATCA ACACTCACAA TGGTAGCCTC CAAACCTAGC ATCCCACCTA TCTAAGAGCT 10800 GGAGGCATCA ACACICACAA IGGIAGCCIC CAAACCIAGC AICCCACCIA ICTAAGAGCI 10800 CAGGGGTGGT CCACTGGGGC AGATACAAGG GAAGTGCAAG GGCTCAGGAT GAAAGAAAAT 10860 CTATTGGGAA GAGTTTTAGG GGCTTGATCA TTATGGGGCT TCCTTCTATA TCTGAGAACT 10920 GCTCTGGGTG GTGAGATGTG GACTCTGATC CTTAATTGGA ATGTTCGGAG AATGAGTGTC 10980 TGGTGGCCTT GAAGTGTTGG ACAGAAAAGT ATCAGTATAA AAGCCTGGAG CTCAGGGTAA 11040 75

18, 20, 25, 36;

TTAATGTAGT TCATGGTTCC TTAGTGAGCA GGACTCTTGG ATGTGGAGGA GAAAGGGTCA 11100 TAGGAAGTAA ACCACCAAAA TTACAAAATT GAGTCTCTGT ACAATTACTT CAGTGCCTTT 11160 GGGCTTATGA ATACAAATCA GTGGGCCTTC TCTATGATGG TCCAACAAAC TCTCAGTGTC 11220 CACCCTGTCC CTGTATCTCC CATGGAAGAT GAATAATGTC AGGTGTTCTT TGGGTCAAAG 11280
GCCCCAGGGC AGTCTGGAGG CTTAGAGGGC AGAGTGGTGT AGGTGTTCATGT AAAGTTAGGC 11340
TTCTGAGGGG TCAGGCAGAA TATGGTGTCC ATATCTTCCA TAGCTCTGCA GATTCTTGGA 11400
TGAAGTCAAG CACAGTTTGC TAGACCCAGG TCACTCCTCT GAGTATAACT AGGACCCATG 11460 5 AGTGAAACTT AATAGCTGTA AGGAAGAACC TGCTGTCTGC CAGAGAGGAT AAGCTGCCCA 11520 TCTCAGCAGC TGTCTAAAAG AAGGCAGGTG TCTCTTTAAA GGGAAGAGAA GCATTGGTGA 11580 10 AATGGATTTC AGGTCACTTC CATTCCAGAT GGGTGAGATC TTGTGGAGCT GGGATCATGT 11640 TTGAACTCAT TCATACCTGT AGAGCACGAA TCCAAGTAGA TTGTGTTTGG TCTGTACAGG 11700 CTGAAGCCCC CTGCTCTCCC ACCCAAGTGC CCCCACTGAG CAGGCCAACA TGCTGTTGTG 11760 GCCACATATA CTGGGCTGAT CCAGGCTGGT TATCACCAAA CAGCAAACCA TAGGGAACAG 11820 CTGCTTTGCC ATAGACCCAA TACCCATGTA GATCTCTCAT GAGAGCAGCC ATAACTCAGA 11880 CCCACTGACC AACAGGGCCA TGAGTGACAG CCAGAACCAG TGAAGGTCCA AGTAGGACAC 11940 15 AGAGCAGGGC TITTCTTACC ATACACATTA TCTCCAGAGG TTATTTCTAC CCCACTCCCT 12000 ATTCAAGGCC TGTTGGAGCA CACTGCAAAA GCAAAAGCAC AGTAACTCAA TTTACACATG 12060 ATTATAATCA TTTCCAGTGC ACACATTTCA TCACCAGGTG GATCCTGAGC TAGCCCATGT 12120 AAATCCGGGT TAACCCATAT TGGTAATCAT ACTCAAAAGC ACTTTTCACC CTACATTCTA 12180 AAATCCGGG1 TAACCCCATAT TGGTAATCAT ACTCAAAAGC ACTTTTCACC CTACATTCTA 12180
CTAGCCAATC AAAGACAAAG AGTTGTGGCC TCTACCATTG CCTTGGCTTC TGGACACCCT 12240
CACAAGCTAT CCCAAGGTTC CCGCTCAACT CCAGGGAGGC TGACATCTTC ACATCCACTG 12300
GGCATATAAT ATTGCATGAG ACCAAAGTCT CCACACTCTT TGCAGCCTCC TCCATGAATC 12360
CCAATGGCCT GCACTTGTAC AGTTTGGGTG TTTGATAGAT AAAGCACGTA TGAGAAGAGA 12420
AAACAAAATA AATCAACTTT TTAAAAAAGC CAGCACTGTG CTGTCAATGT TTTTTTTTTC 12480
TTTTCAATTC TAGCTCAGAA AAGCAGAAAG TAAAATAATGT CAGGTCAAATG AATATCAGAT 12540 20 25 ATATTTTTTG ACTGTACATT ACAGTGAAGT GTAATCTTTT TACACCTGCA AGTCCATCTT 12600 ATTTATTCTT GTAAATGTTC CCTGACAATG TTTGTAATAT GGCTGTGTTA AAAAATCTAT 12660 ACAATAAAGC TGTGACCCTG Seq ID NO: 98 <u>Protein sequence:</u>
Protein Accession #: NP\_008981.1 30 35 GIREFNPPRO TEINTYROSI NEPHOSPHAT ASERECEPTO RTYPETHOMO SAPIENSMAS 60 LAALALSLLL RLQLPPLPGA RAQSAPGGCS FDEHYSNCGY SVALGTNGFT WEQINTTEKP 120
MLDQAVPTGS FMMVNSSGRA SGQKAHLLLP TLKENDTHCI DFHYYFSSRD RSSPGALNVY 180
VKVNGGPQGN PVWNVSGVVT EGWVKAELAI STFWPHFYQV IFESVSLKGH PGYIAVDEVR 240
VLAHPCRKAP HFLRLQNVEV NVGQNATFQC IAGGKWSQHD KLWLQQWNGR DTALMVTRVV 3
NHRRFSATVS VADTAQRSVS KYRCVIRSDG GSGVSNYAEL IVKEPPTPIA PPELLAVGAT 360 40 YLWIKPNANS IIGDGPIILK EVEYRTTTGT WAETHIVDSP NYKLWHLDPD VEYEIRVLLT 420 RPGEGGTGPP GAPLTTRTKC ADPVHGPQNV EIVDIRARQL TLQWEPFGYA VTRCHSYNLT 480 VQYQYVFNQQ QYEAEEVIQT SSHYTLRGLR PFMTIRLRLL LSNPEGRMES EELVVQTEED 540 VPGAVPLESI QGGPFEEKIY IQWKPPNETN GVITLYEINY KAVGSLDPSA DLSSQRGKVF 600 KLRNETHHLF VGLYPGTTYS FTIKASTAKG FGPPVTTRIA TKISAPSMPE YDTDTPLNET 660 45 DTTITVMLKP AQSRGAPVSV YQLVVKEERL QKSRRAADII ECFSVPVSYR NASSLDSLHY 720 FAAELKPANL PVTQPFTVGD NKTYNGYWNP PLSPLKSYSI YFQALSKANG ETKINCVRLA 780 TKAPMGSAQV TPGTPLCLLT TGASTQNSNT VEPEKQVDNT VKMAGVIAGL LMFIIILLGV 840 MLTIKRRRNA YSYSYYLSOR KLAKKOKETO SGAQREMGPV ASADKPTTKL SASRNDEGFS 900 SSSQDVNGFT DGSRGELSOP TLTIQTHPYR TCDPVEMSYP RDQFQLAIRV ADLLQHITQM 960 50 SSSQVVNOTI DOSKGELSQF ILTIQITIF IK ICDF VENISTI ADEQUATIVA ADEQUAT LLGFVRQVKF LNPPEAGPIV VHCSAGAGRT GCFIAIDTML DMAENEGVVD IFNCVRELRA 1200 55 QRVNLVQTEE QYVFVHDAIL EACLCGNTAI PVCEFRSLYY NISRLDPQTN SSQIKDEFQT 1260 LNIVTPRVRP EDCSIGLLPR NHDKNRSMDV LPLDRCLPFL ISVDGESSNY INAALMDSHK 1320 QPAAFVVTQH PLPNTVADFW RLVFDYNCSS VVMLNEMDTA QFCMQYWPEK TSGCYGPIQV EFVSADIDED IHRIFRICN MARPQDGYRI VQHLQYIGWP AYRDTPPSKR SLLKVVRRLE 1440 KWQEQYDGRE GRTVVHCLNG GGRSGTFCAI CSVCEMIQQQ NIIDVFHIVK TLRNNKSNMV 1500 60 ETLEQYKFVY EVALEYLSSF Seq ID NO: 99 DNA sequence Nucleic Acid Accession #: NM\_002988.1 Coding sequence: 71-340 (underlined sequences correspond to start and stop codons) 65 21 41 51 CCGGCACGAG AGGAGTTGTG AGTTTCCAAG CCCCAGCTCA CTCTGACCAC TTCTCTGCCT GCCCAGCATC ATGAAGGGCC TTGCAGCTGC CCTCCTTGTC CTCGTCTGCA CCATGGCCCT 70 CTGCTCCTGT GCACAAGTTG GTACCAACAA AGAGCTCTGC TGCCTCGTCT ATACCTCCTG 180 GCAGATTCCA CAAAAGTTCA TAGTTGACTA TTCTGAAACC AGCCCCCAGT GCCCCAAGCC AGGTGTCATC CTCCTAACCA AGAGAGGCCG GCAGATCTGT GCTGACCCCA ATAAGAAGTG 300
GGTCCAGAAA TACATCAGCG ACCTGAAGCT GAATGCCTGA GGGGCCTGGA AGCTGCAGAG
GCCCAGTGAA CTTGGTGGGC CCAGGAGGGA ACAGGAGCCT GAGCCAGGGC AATGGCCCTG 420
CCACCCTGGA GGCCACCTCT TCTAAGAGTC CCATCTGCTA TGCCCAGCCA CATTAACTAA 480
CTTTAATCTT AGTTTATGCA TCATATTTCA TTTTGAAATT GATTTTCTATTTT GTTGACTGC 540 75 ATTATGAAAT TAGTATTTTC TCTGACATCT CATGACATTG TCTTTATCAT CCTTTCCCCT 600



Nucleic Acid Accession #:

Coding sequence: 67-363 (underlined sequences correspond to start and stop codons) 5 GAGACATTCC TCAATTGCTT AGACATATTC TGAGCCTACA GCAGAGGAAC CTCCAGTCTC 60 AGCACCATGA ATCAAACTGC GATTCTGATT TGCTGCCTTA TCTTTCTGAC TCTAAGTGGC 120 ATTCAAGGAG TACCTCTCT TAGAACCGTA CGCTGTACCT GCATCAGCAT TAGTAATCAA 180 CCTGTTAATC CAAGGTCTTT AGAAAAACTT GAAATTATTC CTGCAAGCCA ATTTTGTCCA 240 CGTGTTGAGA TCATTGCTAC AATGAAAAG AAGGGTGAGA AGAGATGTCT GAATCCAGAA 300
TCGAAGGCCA TCAAGAATTT ACTGAAAGCA GTTAGCAAGG AAATGTCTAA AAGATCTCCT 360
TAAAACCAGA GGGGAGCAAA ATCGATGCAG TGCTTCCAAG GATGGACCAC ACAGAGGCTG 420
CCTCTCCCAT CACTTCCCTA CATGGAGTAT ATGTCAAGCC ATAATTGTTC TTAGTTTGCA 480 10 GTTACACTAA AAGGTGACCA ATGATGGTCA CCAAATCAGC TGCTACTACT CCTGTAGGAA 540 15 GGTTAATGTT CATCATCCTA AGCTATTCAG TAATAACTCT ACCCTGGCAC TATAATGTAA 600 GCTCTACTGA GGTGCTATGT TCTTAGTGGA TGTTCTGACC CTGCTTCAAA TATTTCCCTC 660 ACCTTTCCCA TCTTCCAAGG GTACTAAGGA ATCTTTCTGC TTTGGGGTTT ATCAGAATTC TCAGAATCTC AAATAACTAA AAGGTATGCA ATCAAATCTG CTTTTTAAAG AATGCTCTTT 780
ACTTCATGGA CTTCCACTGC CATCCTCCA AGGGGCCCAA ATTCTTTCAG TGGCTACCTA 840
CATACAATTC CAAACACATA CAGGAAGGTA GAAATATCTG AAAATGTATG TGTAAGTATT 900
CTTATTTAAT GAAAGACTGT ACAAAGTATA AGTCTTAGAT GTATATATTT CCTATATTGT 960
TTTCAGTGTA CATGGAATAA CATGTAATTA AGTACTATGT ATCAATGAGT AACAGGAAAA 1020 20 TTTTAAAAAT ACAGATAGAT ATATGCTCTG CATGTTACAT AAGATAAATG TGCTGAATGG 1080 TTTTCAAATA AAAATGAGGT ACTCTCCTGG AAATATTAAG 25 Seq ID NO: 104 Protein sequence Protein Accession #: NP\_001556.1 21 31 41 .30 MNQTAILICC LIFLTLSGIQ GVPLSRTVRC TCISISNQPV NPRSLEKLEI IPASQFCPRV 60 EIIATMKKKG EKRCLNPESK AIKNLLKAVS KEMSKRSP Seq ID NO: 105 DNA sequence 35 Nucleic Acid Accession #: NM 015068.1 Coding sequence: 1170-2243 (underlined sequences correspond to start and stop codons) 41 40 GTAACAACCG TCACCCTGGG TCCCGACTGC CCACCTCCTC CTCCTCCCCC TCCCCCCAAC 60 AACAACAACA ACAACAACTC CAAGCACACC GGCCATAAGA GTGCGTGTGT CCCCAACATG 120 ACCGAACGAA GAAGGGACGA GCTCTCTGAA GAGATCAACA ACTTAAGAGA GAAGGTCATG 180 AAGCAGTCGG AGGAGAACAA CAACCTGCAG AGCCAGGTGC AGAAGCTCAC AGAGGAGAAC 240 ACCACCCTTC GAGAGCAAGT GGAACCCACC CCTGAGGATG AGGATGATGA CATCGAGCTC 300 45 CGCGGTGCTG CAGCAGCTGC TGCCCCACCC CCTCCAATAG AGGAAGAGTG CCCAGAAGAC 360 CTCCCAGAGA AGTTCGATGG CAACCCAGAC ATGCTGGCTC CTTTCATGGC CCAGTGCCAG 420 ATCTTCATGG AAAAGAGCAC CAGGGATTTC TCAGTTGATC GTGTCCGTGT CTGCTTCGTG 480 ACAAGCATGA TGACCGGCCG TGCTGCCCGT TGGGCCTCAG CAAAGCTGGA GCGCTCCCAC 540 TACCTGATGC ACAACTACCC AGCTTTCATG ATGGAAATGA AGCATGTCTT TGAAGACCCT 600 CAGAGGCGAG AGGTTGCCAA ACGCAAGATC AGACGCCTGC GCCAAGGCAT GGGGTCTGTC 660 ATCGACTACT CCAATGCTTT CCAGATGATT GCCCAGGACC TGGATTGGAA CGAGCCTGCG 720 50 CTGATTGACC AGTACCACGA GGGCCTCAGC GACCACATTC AGGAGGAGCT CTCCCACCTC 780 GAGGTCGCCA AGTCGCTGTC TGCTCTGATT GGGCAGTGCA TTCACATTGA GAGAAGGCTG 840 GCCAGGGCTG CTGCAGCTCG CAAGCCACGC TCGCCACCCC GGGCGCTGGT GTTGCCTCAC 900 55 ATTGCAAGCC ACCACCAGGT AGATCCAACC GAGCCGGTGG GAGGTGCCCG CATGCGCCTG 960 ACGCAGGAAG AAAAAGAAAG ACGCAGAAAG CTGAACCTGT GCCTCTACTG TGGAACAGGA 1020
GGTCACTACG CTGACAATTG TCCTGCCAAG GCCTCAAAGT CTTCGCCGGC GGGAAACTCC 1080
CCGGCCCCGC TGTAGAGGGA CCTTCAGCGA CCGGGCCAGA AATAATAAGG TCCCCACAAG 1140
ATGATGCCTC ATCTCCACAC TTGCAAGTGA TGCTCCAGAT TCATCTTCCG GGCAGACAC 1200 60 CCCTGTTCGT CCGAGCCATG ATCGATTCTG GTGCTTCTGG CAACTTCATT GATCACGAAT 1260 ATGTTGCTCA AAATGGAATT CCTCTAAGAA TCAAGGACTG GCCAATACTT GTGGAAGCAA 1320 TTGATGGGCG CCCCATAGCA TCGGGCCCAG TTGTCCACGA AACTCACGAC CTGATAGTTG 1380 ACCTGGGAGA TCACCGAGAG GTGCTGTCAT TTGATGTGAC TCAGTCTCCA TTCTTCCCTG 1440
TCGTCCTAGG GGTTCGCTGG CTGAGCACAC ATGATCCCAA TATCACATGG AGCACTCGAT 1500
CTATCGTCTT TGATTCTGAA TACTGCCGCT ACCACTGCCG GATGTATTCT CCAATACCAC 1560
CATCGCTCCC ACCACCAGCA CCACAACCGC CACTCTATTA TCCAGTAGAT GGATACAGAG 1620
TTTACCAACC AGTGAGGTAT TACTATGTCC AGAATGTGTA CACTCCAGTA GATGAGCACG 1680 65 TCTACCCAGA TCACCGCCTG GTTGACCCTC ACATAGAAAT GATACCTGGA GCACACAGTA 1740 TTCCCAGTGG ACATGTGTAT TCACTGTCCG AACCTGAAAT GGCAGCTCTT CGAGATTTTG 1800 **7**0 . TGGCAAGAAA TGTAAAAGAT GGGCTAATTA CTCCAACGAT TGCACCTAAT GGAGCCCAAG 1860 TTCTCCAGGT GAAGAGGGGG TGGAAACTGC AAGTTCTTA TGCACCTAAT GAGCCCAACA 1820
ATTTTACTAT CCAGAATCAG TATCCTCGCC TATCTATTCC AAATTTAGAA GACCAAGCAC 1980
ACCTGGCAAC GTACACTGAA TTCGTACCTC AAATACCTGG ATACCAAACA TACCCCACAT 2040
ATGCCGCGTA CCCGACCTAC CCAGTAGGAT TCGCCTGGTA CCCAGTGGGA CGAGACGGAC 2100 75 AAGGAAGATC ACTATATGTA CCTGTGATGA TCACTTGGAA TCCACACTGG TACCGCCAGC 2160 CTCCGGTACC ACAGTACCCG CCGCCACAGC CGCCGCCTCC ACCACCACCA CCGCCGCCGC 2220 CTCCATCTTA CAGTACCCTG <u>TAA</u>ATACCTG TCATGTCCTT CAGGATCTCT GCCCTCAAAA 2280

NM 001565.1

TTTATTCCTG TTCAGCTTCT CAATCAGTGA CTGTGTGCTA AATTTTAGGC TACTGTATCT 2340 TCAGGCCACC TGAGGCACAT CCTCTGAA ACGCTATGG AAGGTTAGGG CCACTCTGGA 2400
CTGGCACACA TCCTAAAGCA CCAAAAGACC TTCAACATTT TCTGAGAGCA ACAGAGTATT 2460
TGCCAATAAA TGATCTCCA TTTTTCCACC TTGACTGCCA ATCTAACTAA AATAATTAAT 2520
AAGTTTACTT TCCAGCCAGT CCTGGAAGTC TGGGTTTTAC CTGCCAAAAC CTCCATCACC 2580 ATCTAAATTA TAGGCTGCCA AATTTGCTGT TTAACATTTA CAGAGAAGCT GATACAAACG 2640 CAGGAAATGC TGATTTCTTT ATGGAGGGGG AGACGAGGAG GAGGAGGACA TGACTTTTCT 2700 TGCGGTTTCG GTACCCTCTT TTTAAATCAC TGGAGGACTG AGGCCTTATT AAGGAAGCCA 2760 AAATTATCGG TGCAGTGTGG AAAGGCTTCC GTGATCCTCT CGCTGCACCC TTAGAAACTT 2820 10 CACCGTCTTC AAACTCCATT TCCATGGTTC TGTTAATTCT CAAGGAGCAG CAACTCGACT 2880 GGTTCTCCCA GGAGCAGGAA AAACCCTTGT GACATGAAAC ATCTCAGGCC TGAAAAGAAA 2940 GTGCTCTCTC AGATGGACTC TTGCATGTTA AGACTATGTC TTCACATCAT GGTGCAAATC 3000 ACATGTACCC AATGACTCCG GCTTTGACAC AACACCTTAC CATCATCATG CCATGATGGC 3060 TTCCACAAAG CATTAAACCT GGTAACCAGA GATTACTGGT GGCTCCAGCG TTGTTAGATG 3120 15 TTCATGAAAT GTGACCACCT CTCAATCACC TTTGAGGGCT AAAGAGTAGC ACATCAAAAG 3180 GACTCCAAAA TCCCATACCC AACTCTTAAG AGATTTGTCC TGGTACTTCA GAAAGAATTT 3240 TCATGAGTGT TCTTAATTGG CTGGAAAAGC ACCAGCTGAC GTTTTGGAAG AATCTATCCA 3300 TGTGTCTGCC TCCATATGCA TCTGGGCATT TCATCTTCAG TCCCCTCATT AGACTGTAGC 3360 ATTAGGATGT GTGGAGAGAG GAGAAATGAT TTAGCACCCA GATTCACACT CCTATGCCTG 3420 ATTAGGATOT GTIGAGAGAG GAGAAATGAT TAGCACCCA GATTCACACT CETATGCC13420
GAAGGGGGAC ATCTTTGAAG AAGAGGAATT AGGGCTGTGG ACACTGTCTT GAGGATGTGG 3480
ACTTCCTTAG TGAGCTCCAC ATTACTTGAT GGTAACCACT TCAAAAGGAT CAGAATCCAC 3540
GTAATGAAAA AGGTCCCTCT AGAGGATGGA GCTGATGTGA AGCTGCCAAT GGATGAAAAG 3600
CCTCAGAAAG CAACTCAAAG GACTCAAAGC AACGGACAAC ACAAGAGTTG TCTTCAGCCC 3660
AGTGACACCT CTGATGTCCC CTGGAAGCTT TGTGCTAACC TGGGACTGCC TGACTTCCTT 3720 20 25 TAGCCTGGTC CCTTGCTACT ACCTTGAACT GTTTTATCTA ACCTCTCTTT TTCTGTTTAA 3780 TTCTTTGCTA CTGCCATTGA CCCTGCTGCA GGATTTGTGT CATTTTCCTG CCTGGTTGCT 3840 GAGACTCCAT TTTGCTGCCA CACACAGAGA TGTAAGAGGC AGGCTTTAAT TGCCAAAGCA 3900 CAGTTTGAGC AGTAGAAAAC AACATGGTGT ATATCTCAAA TTGCCTGACA TGAAGAGGAG 3960 TCTAACGGTG AAGTTTCACT TTTCATCAGC ATCATCTTTC ACATGTTCAT TATCATCCGC 4020 TCTTATTCTT GCATGTTTAA ACACTTAAAA TTTTTAGTAT AATTTTTAGT GTGTTTTGAA 4080 GTGGTGACTA GGCTTTCAAA ÁACTTCCATT GAATTACAAA GCACTATCCA GTTCTTATTG 4140 30 TTAAACTAAG TAAAAATGAT AAGTAACATA GTGTAAAATA TTCCTTTACT GTGAACTTCT 4200 TACAATGCTG TGAATGAGAG GCTCCTCAGA ACTGGAGCAT TTGTATAATA ATTCATCCTG 4260 TTCATCTTCA ATTTTAACAT CATATATAAT TTCAATTCTA TCAATTGGGC CTTTAAAAAAT 4320 35 CATATAAAAG GATATAAAAT TTGAAAAGAG AAACCTAATT GGCTATTTAA TCCAAAACAA 4380 CTITITITITI TCCTTCAATG GAATCAGAAA GCTTGTCAAT CACTCATGTG TTTTAGAGTA 4440
ATTACTTTTA AAATGGTGCA TTTGTGCTTC TGAACCTATTT TGAAGAGTCA CTTCTGTTTA 4500
CCTCAAGTAT CAATTCATCC TCCATACATT TGAATTCAAG TTGTTTTTTTG TCAAATTTAC 4560
AGTTGTCAAT TGATCTTCAA GCTGCAGGGT GCCTAGAAAT GGGCCGTTGT CTGTAGCCCT 4620 40 GGCATGTGCA CACGGACATT TGCCACCACT GCAAGCAAAA GTCTGGAGAA GTTCACCAAC 4680 GACAAGAACG ATTAGGGAAA ATATGCTGCT GTGGGTTAAC AACTCAGAAA GTCCCTGATC. 4740 CACATTTGGC TGTTTACTAA AGCTTGTGAT TAACTTTTTG GCAGTGTGTA CTATGCTCTA 4800 TTGCTATATA TGCTATCTAT AAATGTAGAT GTTAAGGATA AGTAATTCTA AATTTATTAT 4860 TCTATAGTTT TGAAGTTTGG TTAAGTTTCC TTTCACTCAA TTGATTTATT TTGTTGTTAA 4920 TCAAATTTAT GTTAATTGGA TCCTTTAAAT TTTTTTTGGC ATTTTCCAAC AAAAATGGCT 4980 TTATTCATAA GAAAGGAAAA AAATCAATGG AATTTGATAT CTAAAGAAGT TAGAAAGGGA 5040 45 GCAAAATAAA AAACATAAAG GAGATAGATG AATTAGTAAG CAAATCAGTA GTCGAGTITT 5100 TCAAACTGGC AAAATTAATT AATTGACTTT TAGCCCAAAT TTACATTGTT AATTAAATCA 5160 AGAAGGAAGA AGATCTAAGA GCTCCCATTG ATAGGCAAGC CTAGAGAGAA CTAGCTAAAT 5220 50 TTATCATGCT AGGATATTGA AACACAGAAA GTTTACATAC ATTTATGAAG GGTCAATTTA 5280 GTTTGGACAG TGAGGTATTT GTCTTAGTGG AAAAAAGGAG AATTAGTCTG ATCAAATCGT 5340
GAAGTAATAC AGTGAACTTG CAGGTGCACA AAATAAGAGG GCCACATCTA TATGGTGCAG 5400
TCTGGAATTC TGTTTAAGTT TGTAGGTACC TCTTGGACTT CTGAATTGAT CCAGTTGTCA 5460
TCCACCACAG ACATCTCACA TCAGATACAG ACAGTTCCAA GATTGACAAC AGAGAACAAC 5520
CTGCTGGAAA GACCTGGGCA GAAATGGAGA GCCCTGCGGG AACCATGCTA CATTTTCATC 5580 55 TAAAGAGAGA ATGCACATCT GATGAGACTG AAAGTTCTTT GTTGTTTTAG ATTGTAGAAT 5640 GGTATTGAAT TGGTCTGTGG AAAATTGCAT TGCTTTTATT TCTTTGTGTA ATCAAGTTTA 5700 AGTAATAGGG GATATATAAT CATAAGCATT TTAGGGTGGG AGGGACTATT AAGTAATTTT 5760 AAGTGGGTGG GGTTATTTAG AATGTTAGAA TAATATTATG TATTAGATAT CGCTATAAGT 5820 60 GTTATAAAAG TGATAAATAA AAACCCTTGC TTTTACCCCT GTCAGTAGCC CTCCTCCTAC 6120 65 CACTGAACCC CATTGCCCCT ACCCCTCCTT CTAACTTTAT TGCTGTATTC TCTTCACTCT 6180 ATATTTCTCT CTATTTGCTA ATATTGCATT GCTGTTACAA TAAAAATTCA ATAAAGATTT 6240 AGTGGTTAAG TGC Seq ID NO: 106 Protein sequence:

70 NP\_055883.1 Protein Accession #: 51 41 31

MTERRRDELS EEINNLREKV MKQSEENNNL QSQVQKLTEE NTTLREQVEP TPEDEDDDIE 60

LRGAAAAAAP PPPIEEECPE DLPEKFDGNP DMLAPFMAQC QIFMEKSTRD FSVDRVRVCF 120 VTSMMTGRAA RWASAKLERS HYLMHNYPAF MMEMKHVFED PQRREVAKRK IRRLRQGMGS 180 VIDYSNAFQM IAQDLDWNEP ALIDQYHEGL SDHIQEELSH LEVAKSLSAL IGQCIHIERR 240

Seq ID NO: 107 DNA sequence Nucleic Acid Accession #:

LARAAAARKP RSPPRALVLP HIASHHOVDP TEPVGGARMR LTQEEKERRR KLNLCLYCGT 300 GGHYADNCPA KASKSSPAGN SPAPL

NM\_003679.1

Coding sequence: 47-1507(underlined sequences correspond to start and stop codons) 31 41 10 GGCACGAGCA GAAGCAACAA TAATTGTGAA AAATACTTCA GCAGTT<u>ATG</u>G ACTCATCTGT 60 CATTCAAAGG AAAAAAGTAG CTGTCATTGG TGGTGGCTTG GTTGGCTCAT TACAAGCATG CTITCTTGCA AAGAGGAATT TCCAGATTGA TGTATATGAA GCTAGGGAAG ATACTCGAGT GGCTACCTTC ACACGTGGAA GAAGCATTAA CTTAGCCCTT TCTCATAGAG GACGACAAGC 240
CTTGAAAGCT GTTGGCCTGG AAGATCAGAT TGTATCCCAA GGTATTCCCA TGAGAGCAAG 300
AATGATCCAC TCTCTTTCAG GAAAAAAGTC TGCAATTCCC TATGGGACAA AGTCTCAGTA 360
TATTCTTTCT GTAAGCAGAG AAAATCTAAA CAAGGATCTA TTGACTGCTG CTGAGAAATA 420 180 15 TATICTITICT GTAAGCAGAG AAAATCTAAA CAAGGATCTA TIGACTGCTG CTGAGAAATA 420 CCCCAATGTG AAAATGCACT TTAACCACAG GCTGTTGAAA TGTAATCCAG AGGAAGGAAT 480 GATCACAGTG CTTGGATCTG ACAAAGTTCC CAAAGATGTC ACTTGTGACC TCATTGTAGG 540 ATGTGATGGA GCCTATTCAA CTGTCAGATC TCACCTGATG AAGAAACCTC GCTTTGATTA 600 CAGTCAGCAG TACATTCCTC ATGGGTACAT GGAGTTGACT ATTCCACCTA AGAACGGAGA 660 TTATGCCATG GAACCTAATT ATCTGCATAT TTGGCCTAGA AATACCTTTA TGATGATTGC 720 ACTTCCTAAC ATGAACAAAT CATTCACATG TACTTTGTTC ATGCCCTTTG AAGAGTTTGA 780 AAAACTTCTA ACCAGTAATG ATGTGGTAGA TTTCTTCCAG AAATACTTTC CGGATGCCAT 840 CCCTCTAATT GGAGAGAAC TCCTAGTGCA AGATTCTTC CTGTTGCCTG CCCAGCCCAT 900 GATATCTGTA AAGTGCTCTT CATTTCACTT TAAATCTCAC TGTTTACTGC TGGGAGATGC 960 20 CCTCTAATT GGAGAGAAAC TCCTAGTGCA AGATTTCTTC CTGTTGCCTG CCCAGCCCAT 900
GATATCTGTA AAGTGCTCTT CATTTCACTT TAAATCTCAC TGTGTACTGC TGGGAGATGC 960
AGCTCATGCT ATAGTGCCGT TTTTTGGGCA AGGAATGAAT GCGGGCTTTG AAGACTGCTT 1020
GGTATTTGAT GAGTTAATGG ATAAATTCAG TAACGACCTT AGTTTTGTGT TTCCTGTGTT 1080
CTCAAGATTG AGAATCCCAG ATGATCACGC GATTTCAGAC CTATCCATGT ACAATTACAT 1140
AGAGATGCGA GCACATGTCA ACTCAAGCTG GTTCATTTTT CAGAAGAACA TGGAGAGAT 1200
TCTTCATGCG ATTATGCCAT CGACCTTTAT CCCTCTCTAT ACAATGGTCA CTTTTTCCAG 1260
AATAAGATAC CATGAGGCTG TGCAGCGTTG GCATTGGCAA AAAAAGGTGA TAAACAAAGG 1320
ACTCTTTTTC TTGGGATCAC TGATAGCCAT CAGCAGTACC TACCTACTTA TACACTACAT 1380
GTCACCACGA TCTTTCCTCT GCTTGAGAAG ACCATGGAAC TAGGATAGCTC ACTTCCGGAA 1440 25 30 GTCACCACGA TCTTTCCTCT GCTTGAGAAG ACCATGGAAC TGGATAGCTC ACTTCCGGAA 1440 GTCACCACGA TCTTTCCTCI GCTTGAGAAG ACCAIGGAAC IGGATAGCIC ACTICCGGAA 1440
TACAACATGT TTCCCCGCAA AGGCCGTGGA CTCCCTAGAA CAAATTTCCA ATCTCATTAG 1500
CAGGTGATAG AAAAGGTTTTG TGGTAGCAAA TGCATGATTTC TCTGTGACC AAAATTAAGC 1560
ATGAAAAAAA TGTTTCCATT GCCATATTTG ATTCACTAGT GGAAGATAGT GTTCTGCTTA 1620
TAATTAAACT GAATGTAGAG TATCTCTGTA TGTTAATTGC AATTACTGGT TGGGGGGTGC 1680
ATTTTAAAAA ATGAAACATG CAGATCCCT CAATTACACA CACTCAAGGTT GAGTGATTCT 1740 35 AACTATAAAA GTGCAATGAC TAAGATCCTT CACTTCTCTG AAAGTAAGGC CCTAGATGCC 1800 40 TCAGGGAAGA CAGTAATCAT GCCTTTTCTT TAAAAGACAC AATAGGACTC GCAACAGCAT 1860 45 GGTGAGATCT GGGTTCACTG CAACCTCTGC CTCCTGGGCT CAAGCAATCC TCCCACTTCA 2280 GCCTCCCAAA TAGCTGGGC TACCATGGTA TTTTTCAGTA GAGACCGGGT CTTGCCATGC 2340
TGCCCAGGCC AGTCTCAAAC TCCTGGCCTC ATGTGATCTG CCCACCTCAG CCTCCCAAAG 2400 TACAGGATT AGAGTTGTGA GCCACCGTG CCAGCCCAGA GTTACCTCCAAAG 2400
TACAGGGATT AGAGTTGTGA GCCACCGCTG CCAGCCCAGA GTTACCCTC AAAGATAAGA 2460
AAAAGGCTAT TAATATCATA CTAAGTGAAG GACAGGAAAG GGTTTTATTC ATAAATTAAA 2520
TGTCTACATG TGCCAGAATG GAAAGGAAAC AAGGGAGAC AACTTTATA GAAATACAAA 2580
GCCATTACTT TATTCAATTT CAGACCCTCA GAAGCAATTTAAAAA CTAATTTAT TCTTTCGACTA 2640 50 CATACTGCAG CAGAACCAGC AATACACTTG ATTTTTAAAA GCACATTTAG TGAAATGTTT 2700 55 60 AAACAAAGAA AAAGACTIT GAGTCTGTAG GGGCAGCAAT TTGGGGGAAG CAAATATATG 3180
GGAGTTTGCC TTGTAGATTC CTCTGGTGGT GGTCTCCAGG CTGACAAGGA TTCAAAGTTG 3240 GGAGTTIGCC TIGTAGATTC CICTGGIGGT GGICLUCAGG CIGACAGGA I ICAAAGI 10 3240
TCTCTGAAAC TCCTCTTTGT CATACTGCAC ATATAAAACG TCTTTTGTTT CCAACAAGAG 3300
GATTICTTTI TCATTCTAGA ATTATCTCCT TGATAACTTG ATCAGATATA GGACATGACA 3360
CTGAATAGAG TCCAACAGTA CAAAAAAAAT TCAGTATGTT CTAGCTACTT CACACATGTG 3420
TACGCGACAG TTATTTTTAC AGTAAGGTAT TTTCGAGAAA AATGCATTAC GTGTTTTTGGA 3480
AAATAGAGTA ATTTAAAAAA TATATTTGAA ATGAAAATTC CCAACACATT AGAAAGTGAT 3540 65 GATGTTAGAT GCCCATCGTG TGCCACAAGT GGTTTTTTCA TTATGTAAAG CACCCGTTGA 3600 70 ATTAAAAGAA TITGTTTTTG TTCAACCTCT TCCTGAGGCC CAAGAGCATA TGGGCAATTC 3660 GGATTTCCTG CTGGACCACA AGGTTCTGTT GATATTACAT AGAAACGGGT ATTCCAGACA 3720 CTTCTTATGA TGAAAGTCCA AAAGTGGCAT CCAATTTAAG GCCCCATCTT TCGTTGCCAT 3780 TCTTCATTCC TACAAAGGAC GAACTTGGAT TACATCAACT TTGGACCCAT TGGTTTTGTC 3840 GCTGTCGTCA ACTGACAGTG ATTCACCACT GGTGATGATA AAAATGATGG AAGAAGAGTT 3900 GAAAGTCACT TITTTCTTTG GCCTGTCCCC ATCTTTCTGT GACATCACAA TGGGTCTGAT 3960 75 CTGCATTTCA CTTCCAGCTG CTGGTAGGTC TTTAGCAGGC CTCTGGCACC TCAGCAGTCG 4020 GAGGCACAGA AGCTGCAAAA GGGATCTTCG AAACTGGGCA GAGAAAAAAT AAAGTGGAAT 4080

ATTAAGTAAA AGTTGGGCAC TAATCTGGAT TAACATTCGA GGAAATCAGT TGAGCTGATT 4140 TAAGTTGTTT TTTGTTTGTT AGCAGGTGTG GATGTGGGGT TATGTGGTCA TGCTCAGATC 4200 TAAGTTGTTT TTTGTTTGTT AGCAGGTGTG GATGTGGGGT TATGTGGTCA TGCTCAGATC 4200
TACCTAAATC ACCCCAGAGC TTTATGTCTT TTATTCATTC TAAATCTTAT TAACCGGAAT 4260
ATGTAGGACC ATTTCAATAC CTTGTAATCC TCCAAGCTTC AATCTGCACA CACTTTCTAT 4320
GAGGGCAGGT ACAACTATTA AGAGATTTTG AACATTAAGT TAAGTCCACAA ATATTCAGTG 4380
GGCATCTACT AGGTGACAGC CACTGTGCTA TAATTAGAGA CTTTTTACTA TAAGCATCAA 4440
AAACAGATAA GGCTCTTCCT GGCAGAGTTT ACAGCCTGGT GTACTTGCTA ATGTCTCTTT. 4500
AATTAGGTGA AGAATTATTT TTTTCTATCG AAATTACTAA TCAGTTGGGG AAAAAAAAA 4560 5 TATAGCAGAC AGCACTAATG TCATCAACAA ACATTGTTCT TCTCCGTGTC CTGGGTACAA 4620 10 CATCGAATAA TATTTCTTGG CCTCCTTTCC GCTTCTCCTC TCTGCTGTTC CTCTCTACAA 4680 GAACCTGGGA GGCCAACGCC TAAAGATCAT AATATCACAA TGGAAGGAAC CTAGAATTCCT 4740
AAATGACTGC ATAGGACAGA TCCCATCTCC TCCACCCAAT ACATTATTAG ACTGAACTGT 4800
GACCTGAAAT GAGCAATAAA CTCTGTATTA ATTCACTGAA ATGTTGGGGT TGCTTGTTAT 4860
AGTAGTCGGT CCATCATGAC CAGTAAAACA TAAATCAAAA GTTAATGTAA TTGTTATCCC 4920 ATTATTTAGA GCGAAATAAA TGTTGAATAT ATGGACTTTC TCAGATTAGG AAATACCAAT 4980 15 ТААААТАТА АТАААТА**G**CT Seq ID NO: 108 Protein sequence: NP 003670.1 Protein Accession #: 20 51 41 MDSSVIQRKK VAVIGGGLVG SLQACFLAKR NFQIDVYEAR EDTRVATFTR GRSINLALSH 60 RGRQALKAVG LEDQIVSQGI PMRARMIHSL SGKKSAIPYG TKSQYILSVS RENLNKDLLT 120 AAEKYPNVKM HFNHRLLKCN PEEGMITVLG SDKVPKDVTC DLIVGCDGAY STVRSHLMKK 180 25 PRFDYSQQYI PHGYMELTIP PKNGDYAMEP NYLHIWPRNT FMMIALPNMN KSFTCTLFMP 240 FEEFEKLLTS NDVVDFFQKY FPDAIPLIGE KLLVQDFFLL PAQPMISVKC SSFHFKSHCV 300 LLGDAAHAIV PFFGQGMNAG FEDCLVPDEL MDKFSNDLSL CLPVFSRLRI PDDHAISDLS 360
MYNYIEMRAH VNSSWFIEQK NMERFLHAIM PSTFIPLYTM VTFSRIRYHE AVQRWHWQKK 4
VINKGLFFLG SLIAISSTYL LIHYMSPRSF LCLRRPWNWI AHFRNTTCFP AKAVDSLEQI 480 30 **SNLISR** Seq ID NO: 109 DNA sequence NM\_006115.1 Nucleic Acid Accession #: 35 Coding sequence: 236-1765 (underlined sequences correspond to start and stop codons) 31 51 GCTTCAGGGT ACAGCTCCCC CGCAGCCAGA AGCCGGGCCT GCAGCCCCTC AGCACCGCTC 60 CGGGACACCC CACCCGCTTC CCAGGCGTGA CCTGTCAACA GCAACTTCGC GGTGTGGTGA 120 40 ACTOTOTGAG GAAAAACCAT TTTGATTATT ACTOTCAGAC GTGCGTGGCA ACAAGTGACT 180 GAGACCTAGA AATCCAAGCG TTGGAGGTCC TGAGGCCAGC CTAAGTCGCT TCAAAATGGA 240 ACGAAGCGT TTGTGGGGTT CCACGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGCT

500

CCACGGAGACCTTGATGAGC TGAAGGCATACATC AGCATGAGTG TGTGGACAAG

CCACGGAGACACTTGTGGAGC TGCAGGGCA GAGCCTGCTG AAGGATGAGG CCCTGGCCAT

360

CGGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCTTCA CCTGCCTCCC

480

TCTGGGAGTG CTGATGAAGG GACAACATCT TCACCTGGAG ACCTTCAAAG CTGTCTTGA

540


CGGACTTGAT GTGCTCCTTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGCT

540 45 TGGACTTGAT GTGCTCCTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGCT 600 GGATTTACGG AAGAACTCTC ATCAGGACTT CTGGACTGTA TGGTCTGGAA ACAGGGCCAG 660 TCTGTACTCA TTTCCAGAGC CAGAAGCAGC TCAGCCCATG ACAAAGAAGC GAAAAGTAGA 720 660 50 TGGTTTGAGC ACAGAGGCAG AGCAGCCCTT CATTCCAGTA GAGGTGCTCG TAGACCTGTT CCTCAAGGAA GGTGCCTGTG ATGAATTGTT CTCCTACCTC ATTGAGAAAG TGAAGCGAAA 840 GAAAAATGTA CTACGCCTGT GCTGTAAGAA GCTGAAGATT TTTGCAATGC CCATGCAGGA 900
TATCAAGATG ATCCTGAAAA TGGTGCAGCT GGACTCTATT GAAGATTTGG AAGTGACTTG 960
TACCTGGAAG CTACCCACCT TGGCGAAATT TTCTCCTTAC CTGGGCCAGA TGATTAATCT 1020
GCGTAGACTC CTCCTCCCC ACATCCATGC ATCTTCCTAC ATTTCCCCGG AGAAGGAAGA 1080 55 GCAGTATATC GCCCAGTTCA CCTCTCAGTT CCTCAGTCTG CAGTGCCTGC AGGCTCTCTA 1140 TGTGGACTCT TTATTTTTCC TTAGAGGCCG CCTGGATCAG TTGCTCAGGC ACGTGATGAA 1200 CCCCTTGGAA ACCCTCTCAA TAACTAACTG CCGGCTTTCG GAAGGGGATG TGATGCATCT 1260 GTCCAGAGT CCCAGCTCA GTCAGCTAAG TGTCCTGAGT CTAAGTGGGG TCATGCTGAC 1320
CGATGTAAGT CCCGAGCCCC TCCAAGCTCT GCTGGAGAGAG GCCTCTGCCA CCCTCCAGGA 1380
CCTGGTCTTT GATGAGTGTG GGATCACGGA TGATCAGCTC CTTGCCCTCC TGCCTTCCCT 1440
GAGCCACTGC TCCCAGCTTA CAACCTTAAG CTTCTACCGGG AATTCCATCT CCATATCTGC 1500 60 CTTGCAGAGT CTCCTGCAGC ACCTCATCGG GCTGAGCAAT CTGACCCACG TGCTGTATCC 1560 CTTGCAGAGT CTCCTGCAGC ACCICATCGG GCTGAGCAAT CTGACCCACG TGCTGTATCC 1560
TGTCCCCCTG GAGAGTTATG AGGACATCCA TGGTACCCTC CACCTGGAGA GGCTTGCCTA 1620
TCTGCATGCC AGGCTCAGGG AGTTGCTGTG TGAGTTGGGG CGGCCCAGCA TGGTCTGGCT 1680
TAGTGCCAAC CCCTGTCCTC ACTGTGGGGA CAGAACCTTC TATGACCCGG AGCCCATCCT 1740
GTGCCCCTGT TTCATGCCTA ACTAGCTGGG TGCACATATC AAATGCTTCA TTCTGCATAC 1800
TTGGACACTA AAGCCAGGAT GTGCATGCAT CTTGAAGCAA CAAAGCAGCC ACAGTTTCAG 1860
ACAAATGTTC AGTGTGAGTG AGGAAAACAT GTTCAGTGAG GAAAAAAACAT TCAGACAAAT 1920 65 70 GTTCAGTGAG GAAAAAAAGG GGAAGTTGGG GATAGGCAGA TGTTGACTTG AGGAGTTAAT 1980 GTGATCTTTG GGGAGATACA TCTTATAGAG TTAGAAATAG AATCTGAATT TCTAAAGGGA 2040

GATTCTGGCT TGGGAAGTAC ATGTAGGAGT TAATCCCTGT GTAGACTGTT GTAAAGAAAC 2100

TGTTGAAAAT AAAGAGAAGC AATGTGAAGC AAAAAAAAA AAAAAAAA

Seq ID NO: 110 Protein sequence:
Protein Accession #: NP\_006106.1



AQLVTGTSFS GPTVGMAIQN SICSPDFSGG VNMDHSTSIL GVASSIAHEL GHSLGLDHDL 360 PGNSCPCPGP APAKTCIMEA STDFLPGLNF SNCSRRALEK ALLDGMGSCL FERLPSLPPM 420 PGNSCPCPGP APAKTCIMEA STDFLPGLNF SNCSRRALEK ALLDGMGSCL FERLPSLPPM 420
AAFCGNMFVE PGEQCDCGFL DDCVDPCCDS LTCQLRPGAQ CASDGPCCQN CQLRPSGWQC 480
RPTRGDCDLP EFCPGDSSQC PPDVSLGDGE PCAGGQAVCM HGRCASYAQQ CQSLWGPGAQ 540
PAAPLCLQTA NTRGNAFGSC GRNPSGSYVS CTPRDAICGQ LQCQTGRTQP LLGSIRDLLW 600
ETIDVNGTEL NCSWVHLDLG SDVAQPLLTL PGTACGPGLV CIDHRCQRVD LLGAQECRSK 660
CHGHGVCDSN RHCYCEEGWA PPDCTTQLKA TSSLTTGLLL SLLVLLVLVM LGAGYWYRAR 720
LHQRLCQLKG PTCQYRAAQS GPSERPGPPQ RALLARGTKS QGPAKPPPPR KPLPADPQGR 780
CPSGDL PGPG AGIPPL VVPS RPAPPPPTVS SI VI CPSGDLPGPG AGIPPLVVPS RPAPPPPTVS SLYL 10 Seq ID NO: 113 DNA sequence NM 002416 Nucleic Acid Accession #: Coding sequence: 40-417 (underlined sequences correspond to start and stop codons) 15 41 51 . ATCCAATACA GGAGTGACTT GGAACTCCAT TCTATCACTA TGAAGAAAAG TGGTGTTCTT 60
TTCCTCTTGG GCATCATCTT GCTGGTTCTG ATTGGAGTGC AAGGAACCCC AGTAGTGAGA 120
AAGGGTCGCT GTTCCTGCAT CAGCACCAAC CAAGGGACTA TCCACCTACA ATCCTTGAAA 180 GACCTTAAAC AATTTGCCCC AAGCCCTTCC TGCGAGAAAA TTGAAATCAT TGCTACACTG 240 20 AAGAATGGAG TTCAAACATG TCTAAACCCA GATTCAGCAG ATGTGAAGGA ACTGATTAAA 300 AAGTGGGAGA AACAGGTCAG CCAAAAGAAA AAGCAAAAGA ATGGGAAAAA ACATCAAAAA 360 AAGTGGGAGA AACAGGTCAG CCAAAAGAAA AAGCAAAAGA ATGGGAAAAA ACATCAAAAA 3 AAGAAAGTTC TGAAAGTTCG AAAATCTCAA CGTTCTCGTC AAAAGAAGAC TACA<u>TAA</u>GAG 420 ACCACTTCAC CAATAAGTAT TCTGTGTTAA AAATGTTCTA TTTTAATTAT ACCGCTATCA 480 TTCCAAAGGA GGATGGCATA TAATACAAAG GCTTATTAAT TTGACTAGAA AATTTAAAAC 540 ATTACTCTGA AATTGTAACT AAAGTTAGAA AGTTGATTTT AAGAATCCAA ACGTTAAGAA 600 TTGTTAAAGGCAT GATTTTAGCA ATACCCATGT CTACCACCAC CCAGTTGAAAT TTCATCATG 660 TTAAAGACAA GATGTGAA GAGAAGACCT AGGCTTCCAA GATCTCCAAC CTCCAGAGAG 720 25 CTCACAACAG CTGCCTGGAA GAGCAGCCCT AGGCTTCCAC GTACTGCAGC CTCCAGAGAG 780 TATCTGAGGC ACATGTCAGC AAGTCCTAAG CCTGTTAGCA TGCTGGTGAG CCAAGCAGTT 30 TATCTGAGGC ACATGCCAATT CATCCTCACT CAGCTCATCA TGCTGGTGAG CCAAGCAGTT 840
TGAAATTGAGC CTGGACCATCA CCAAGCTGCT GTGGCCATCA ACCTCGTGAT TTGAATCAGC 900
CTACAGGCCT CACACACAAT GTGTCTGAGA GATTCATGCT GATTGTTATT GGGTATCACC 960
ACTGGAGATC ACCAGTGTGT GGCTTTCAGA GCCTCCTTTC TGGCTTTGGA AGCCATGTGA 1020
TTCCATCTTG CCCGCTCAGG CTGACCACTT TATTTCTTTT TGTTCCCCTT TGCTTCATTC 1080
AAGTCAGCTC TTCTCCATCC TACCACACTC CAGTGCCTT CTTCTCCCAAC ACCCCCACAG 1200
ACTCCTTTCT TGTCCCAATT CATCCTCACT CAGTCCAGCT TAGTTCAACT CCTCCCTCTT 1360 35 AGTGCTTTCT TCTCCCAATT CATCCTCACT CAGTCCAGCT TAGTTCAAGT CCTGCCTCTT 1260 AAATAAACCT TTTTGGACAC ACAAATTATC TTAAAACTCC TGTTTCACTT GGTTCAGTAC 1320 CACATGGGTG AACACTCAAT GGTTAACTAA TTCTTGGGTG TTTATCCTAT CTCTCCAACC 1380 CACATGGGTG AACACTCAAT GGTTAACTAA TTCTTGGGTG TTTATCCTAT CTCTCCAACC 1380
AGATTGTCAG CTCCTTGAGG GCAAGAGCCA CAGTATATT CCCTGTTTCT TCCACAGTGC 1440
CTAATAATAC TGTGGAACTA GGTTTTAATA ATTTTTTAAT TGATGTTGTT ATGGGCAGGA 1500
TGGCAACCAG ACCATTGTCT CAGAGCAGGT GCTGGCTCTT TCCTGGCTAC TCCATGTTGG 1560
CTAGCCTCTG GTAACCTCTT ACTTATTATC TTCAGGACAC TCACTACAGG GACCAGGGAT 1620
GATGCAACAT CCTTGTCTTT TTATGACAGG ATGTTTGCTC AGCTTCTCCA ACAATAAGAA 1680
GCACGTGGTA AAACACTTGC GGATATTCTG GACTGTTTTT AAAAAATATA CAGTTTACCG 1740
AAAATCATAT AATCTTACAA TGAAAAGGAC TTTATAGATC AGCCAGTGAC CAACCCTTTC 1800 40 45 AAAATCATAT AATCTTACAA TGAAAAGGAC TTTATAGATC AGCCAGTGAC CAACCTTTTC 1800
CCAACCATAC AAAAATTCCT TTTCCCGAAG GAAAAGGGCT TTCTCAATAA GCCTCAGCTT 1860
TCTAAGATCT AACAAGATAG CCACCGAGAT CCTTATCGAA ACTCATTTTA GGCAAATATG 1920
AGTTTTATTG TCCGTTTACT TGTTTCAGAG TTTGTATTGT GATTATCAAT TACCACACCA 1980 TCTCCCATGA AGAAAGGGAA CGGTGAAGTA CTAAGCGCTA GAGGAAGCAG CCAAGTCGGT 2040
TAGTGGAAGC ATGATTGGTG CCCAGTTAGC CTCTGCAGGA TGTGGAAACC TCCTTCCAGG 2100
GGAGGTTCAG TGAATTGTGT AGGAGAGGTT GTCTGTGGCC AGAATTTAAA CCTATACTCA 2160 50 CTTTCCCAAA TTGAATCACT GCTCACACTG CTGATGATTT AGAGTGCTGT CCGGTGGAGA 2220 TCCCACCCGA ACGTCTTATC TAATCATGAA ACTCCCTAGT TCCTTCATGT AACTTCCCTG 2280 AAAAATCTAA GTGTTTCATA AATTTGAGAG TCTGTGACCC ACTTACCTTG CATCTCACAG 2340 GTAGACAGTA TATAACTAAC AACCAAAGAC TACATATTGT CACTGACACA CACGTTATAA 2400 TCATTTATCA TATATATACA TACATGCATA CACTCTCAAA GCAAATAATT TTTCACTTCA 2460 AAACAGTATT GACTTGTATA CCTTGTAATT TGAAATATTT TCTTTGTTAA AATAGAATGG 2520 55 TATCAATAAA TAGACCATTA ATCAG 60 Seq ID NO: 114 Protein sequence: NP 002407 Protein Accession #: 31 65 QKKTT 70 Seq ID NO: 115 DNA sequence NM\_003238.1 Nucleic Acid Accession #: Coding sequence: 182-1426 (underlined sequences correspond to start and stop codons) 21 31 41 . . 51 75 CAAGCAGGAT ACGTTTTTCT GTTGGGCATT GACTAGATTG TTTGCAAAAG TTTCGCATCA 60 AAAACAAACA ACAACAACAA AAAACCAAAC AACTCTCCTT GATCTATACT TTGAGAATTG 120

CCTGTCTACC TGCAGCACAC TCGATATGGA CCAGTTCATG CGCAAGAGGA TCGAGGCGAT 300 CCGCGGGCAG ATCCTGAGCA AGCTGAAGCT CACCAGTCCC CCAGAAGACT ATCCTGAGCC 360 CGAGGAAGTC CCCCCGGAGG TGATTTCCAT CTACAACAGC ACCAGGGACT TGCTCCAGGA 420 5 GAAGGCGAGC CGGAGGGCGG CCGCCTGCGA GCGCGAGAGG AGCGACGAAG AGTACTACGC 480 CAAGGAGGTT TACAAAATAG ACATGCCGCC CTTCTTCCCC TCCGAAAATG CCATCCCGCC 540
CACTTCTAC AGACCCTACT TCAGAATTG TCGATTTGAC GTCTCAGCAA TGGAGAAGA 600
TGCTTCCAAT TTGGTGAAAG CAGAGTTCAG AGTCTTTCGT TTGCAGAACC CAAAAGCCAG 660
AGTGCCTGAA CAACGGATTG AGCTATATCA GATTCTCAAG TCCAAAAGATT TAACATCTCC 720 10 AACCCAGCGC TACATCGACA GCAAAGTTGT GAAAACAAGA GCAGAAGGCG AATGGCTCTC 780 CTTCGATGTA ACTGATGCTG TTCATGAATG GCTTCACCAT AAAGACAGGA ACCTGGGATT 840 TAAAATAAGC TTACACTGTC CCTGCTGCAC TTTTGTACCA TCTAATAATT ACATCATCCC 900 AAATAAAAGT GAAGAACTAG AAGCAAGATT TGCAGGTATT GATGGCACCT CCACATATAC 960 15 CAGTGGTGAT CAGAAAACTA TAAAGTCCAC TAGGAAAAAA AACAGTGGGA AGACCCCACA 1020 TCTCCTGCTA ATGTTATTGC CCTCCTACAG ACTTGAGTCA CAACAGACCA ACCGGGGGA 1080
GAAGCGTGCT TTGGATGCGG CCTATTGCTT TAGAAATGTG CAGGATAATT GCTGCCTACG 1140
TCCACTTTAC ATTGATTCA AGAGGGATCT AGGGTGGAAA TGGATACACG AACCCAAAGG 1200
GTACAATGCC AACTTCTGTG CTGGAGCATG CCCGTATTTA TGGAGTTCAG ACACTCAGCA 1260 20 CAGCAGGGTC CTGAGCTTAT ATAATACCAT AAATCCAGAA GCATCTGCTT CTCCTTGCTG 1320 CGTGTCCCAA GATTTAGAAC CTCTAACCAT TCTCTACTAC ATTGGCAAAA CACCCAAGAT 1380 TGAACAGCTT TCTAATATGA TTGTAAAGTC TTGCAAATGC AGCTAAAATT CTTGGAAAAG 1440 TGGCAAGACC AAAATGACAA TGATGATGAT AATGATGATG ACGACGACAA CGATGATGCT 1500
TGTAACAAGA AAACATAAGA GAGCCTTGGT TCATCAGTGT TAAAAAATTT TTGAAAAGGC 1560
GGTACTAGTT CAGACACTTT GGAAGTTTGT GTTCTGTTTG TTAAAAACTGG CATCTGACAC 1620
AAAAAAAGTT GAAGGCCTTA TTCTACATTT CACCTACTTT GTAAGTGAGA GAGACAAGAA 1680 25 GCAAATTTTT TTAAA Seq ID NO: 116 Protein sequence: 30 Protein Accession #: NP\_003229.1 41 11 21 31 MHYCVLSAFL ILHLVTVALS LSTCSTLDMD QFMRKRIEAI RGQILSKLKL TSPPEDYPEP 60 35 EEVPPEVISI YNSTROLLQE KASRRAAACE RERSDEEYYA KEVYKIDMPP FFPSENAIPP 120 TFYRPYFRIV RFDVSAMĚKN ASNLVKAEFR VFRLQNPKAR VPEQRIELYQ ILKSKDLTSP 180 TQRYIDSKVV KTRAEGEWLS FDVTDAVHEW LHHKDRNLGF KISLHCPCCT FVPSNNYIP 240 NKSEELEARF AGIDGTSTYT SGDQKTIKST RKKNSGKTPH LLLMLLPSYR LESQQTNRRK 300 KRALDAAYCF RNVQDNCCLR PLYIDFKRDL GWKWIHEPKG YNANFCAGAC PYLWSSDTQH 360 40 SRVLSLYNTI NPEASASPCC VSQDLEPLTI LYYIGKTPKI EQLSNMIVKS CKCS Seq ID NO: 117 DNA sequence Nucleic Acid Accession #: NM\_000095.1 Coding sequence: 26-2299 (underlined sequences correspond to start and stop codons) 45 21 31 41 CAGCACCCAG CTCCCCGCCA CCGCCATGGT CCCCGACACC GCCTGCGTTC TTCTGCTCAC 60 CCTGGCTGCC CTCGGCGCGT CCGGACAGGG CCAGAGCCCG TTGGGCTCAG ACCTGGGCCC 120 50 GCAGATGCTT CGGGAACTGC AGGAACCAA CGCGGCGCTG CAGGACGTGC GGGACTGGCT 180
GCGGCAGCAG GTCAGGGAGA TCACGTTCCT GAAAAACACG GTGATGGAGT GTGACGCGTG 240 CGGGATGCAG\_CAGTCAGTAC GCACCGGCCT ACCCAGCGTG CGGCCCCTGC TCCACTGCGC 300 GCCCGGCTTC TGCTTCCCCG GCGTGGCCTG CATCCAGACG GAGAGCGGCG GCCGCTGCGG 360 CCCCTGCCCC GCGGCTTCA CGGGCAACGG CTCGCACTGC ACCGACGTCA ACGAGTGCAA 420 CGCCCACCCC TGCTTCCCCC GAGTCCGCTG TATCAACACC AGCCCGGGGT TCCGCTGCGA 480 55 GGCTTGCCCG CCGGGGTACA GCGGCCCCAC CCACCAGGGC GTGGGGCTGG CTTTCGCCAA 540 GGCCAACAAG CAGGTTTGCA CGGACATCAA CGAGTGTGAG ACCGGGCAAC ATAACTGCGT 600 CCCCAACTCC GTGTGCATCA ACACCCGGGG CTCCTTCCAG TGCGGCCCGT GCCAGCCCGG 660 CTTCGTGGGC GACCAGGCGT CCGGCTGCCA GCGCGGCGCA CAGCGCTTCT GCCCCGACGG 720 60 CTCGCCCAGC GAGTGCCACG AGCATGCAGA CTGCGTCCTA GAGCGCGATG GCTCGCGGTC 780
GTGCGTGTGT CGCGTTGGCT GGGCCGGCAA CGGGATCCTC TGTGGTCGCG ACACTGACCT 840
AGACGGCTTC CCGGACGAGA AGCTGCGCTG CCCGGAGCCG CAGTGCCGTA AGGACAACTG 900 CGTGACTGTG CCCAACTCAG GGCAGGAGGA TGTGGACCGC GATGGCATCG GAGACGCCTG 960
CGATCCGGAT GCCGACGGGG ACGGGGTCCC CAATGAAAAG GACAACTGCC CGCTGGTGCG 1020 65 GAACCCAGAC CAGCGCAACA CGGACGAGGA CAAGTGGGGC GATGCGTGCG ACAACTGCCG 1080 CTCCCAGAAC AACGACGACA CAUACOAGGA CAACIGGGG GATGCGIGCG ACAACIGCCG 1080
CTCCCAGAAG AACGACGACC AAAAGGACAC AGACCAGGAC GGCCGGGGGC ATGCGTGCGA 1140
CGACGACATC GACGGCGACC GGATCCGCAA CCAGGCCGAC AACTGCCCTA GGGTACCCAA 1200
CTCAGACCAG AAGGACAGTG ATGGCGATGG TATAGGGGAT GCCTGTGACA ACTGTCCCCA 1260
GAAGAGCAAC CCGGATCAGG CGGATGTGGA CCACGACTTT GTGGGAGATG CTTGTGACAG 1320
CGATCAAGAC CAGGATGAGA ACGGACATCA GGACTCTCGG GACAACTGCC CCACGGTGCC 1380 70 TAACAGTGCC CAGGAGGACT CAGACCACGA TGGCCAGGGT GATGCCTGCG ACGACGACGA 1440
CGACAATGAC GGAGTCCCTG ACAGTCGGGA CAACTGCCGC CTGGTGCCTA ACCCCGGCCA 1500 GGAGGACGCG GACAGGGACG GCGTGGGCGA CGTGTGCCAG GACGACTTTG ATGCAGACAA 1560 GGTGGTAGAC AAGATCGACG TGTGTCCGGA GAACGCTGAA GTCACGCTCA CCGACTTCAG 1620 GGCCTTCCAG ACAGTCGTGC TGGACCCGGA GGGTGACGCG CAGATTGACC CCAACTGGGT 1680 GGTGCTCAAC CAGGGAAGGG AGATCGTGCA GACAATGAAC AGCGACCCAG GCCTGGCTGT 1740 75 GGGTTACACT GCCTTCAATG GCGTGGACTT CGAGGGCACG TTCCATGTGA ACACGGTCAC 1800

TTGATTTCTT TTTTTTATT CTGACTTTTA AAAACAACTT TTTTTTCCAC TTTTTTAAAA 180 A<u>ATG</u>CACTAC TGTGTGCTGA GCGCTTTTCT GATCCTGCAT CTGGTCACGG TCGCGCTCAG 240 GGATGACGAC TATGCGGGCT TCATCTTTGG CTACCAGGAC AGCTCCAGCT TCTACGTGGT 1860
CATGTGGAAG CAGATGGAGC AAACGTATTG GCAGGCGAAC CCCTTCCGTG CTGTGGCCGA 1920
GCCTGGCATC CAACTCAAGG CTGTGAAGTC TTCCACAGGC CCCGGGGGAAC AGCTGCGGAA 1980
CGCTCTGTGG.CATACAGGAG ACACAGAGTC CCAGGTGCGG CTGCTGTGGA AGGACCCGCG 2040
AAACGTGGGT TGGAAGGACA AGAAGTCCTA TCGTTGGTTC CTGCAGCACC GGCCCCAAGT 2100
GGGCTACATC AGGGTGCGAT TCTATGAGGG CCCTGAGCTG GTGGCCGACA GCAACGTGGT 2160
CTTGGACACA ACCATGCGGG GTGGCCGCCT GGGGGTCTTC TGCTTCTCCC AGGAGAACAT 2220
CATCTGGGCC AACCTGCGTT ACCGCTGCAA TGACACCATC CCAGAGGACT ATGAGACCCA 2280
TCAGCTGCGG CAAGCCTAGG GACCAGGGTG AGGACCCGC GGATGACAGC CACCCTCACC 2340
GCGGCTGGAT GGGGGCTCTG CACCCAGCCC AAGGGGTGGC CGTCCTGAGG GGGAAGTGAG 2400
AAGGGCTCAG AGAGGACAAA ATAAAGTGTG TGTGCAGGG

Seq ID NO: 118 Protein sequence:
Protein Accession #: NP\_000086.1

15

20 MVPDTACVLL LTLAALGASG QGQSPLGSDL GPQMLRELQE TNAALQDVRD WLRQQVREIT 60
FLKNTVMECD ACGMQQSVRT GLPSVRPLLH CAPGFCFPGV ACIQTESGGR CGPCPAGFTG 120
NGSHCTDVNE CNAHPCFPRV RCINTSPGFR CEACPPGYSG PTHQGVGLAF AKANKQVCTD 180
INECETGQHN CVPNSVCINT RGSFQCGPCQ PGFVGDQASG CQRGAQRFCP DGSPSECHEH 240
ADCVLERDGS RSCVCRVGWA GNGILCGRDT DLDGFPDEKL RCPEPQCRKD NCVTVPNSGQ 300
EDVDRDGIGD ACDPDADGDG VPNEKDNCPL VRNPDQRNTD EDKWGDACDN CRSQKNDDQK 360
DTDQDGRGDA CDDDIDGDRI RNQADNCPRV PNSDQKDSDG DGIGDACDNC PQKSNPDQAD 420
VDHDFVGDAC DSDQDQDGDG HQDSRDNCPT VPNSAQEDSD HDGQGDACDD DDDNDGVPDS 480
RDNCRLVPNP GQEDADRDGV GDVCQDDFDA DKVVDKIDVC PENAEVTLTD FRAFQTVVLD 540
PEGDAQIDPN WVVLNQGREI VQTMNSDPGL AVGYTAFNGV DFEGTFHVNT VTDDDYAGFI 600
FGYQDSSSFY VVMWKQMEQT YWQANPFRAV AEPGIQLKAV KSSTGPGEQL RNALWHTGDT 660
ESQVRLLWKD PRNVGWKDKK SYRWFLQHRP QVGYIRVRFY EGPELVADSN VVLDTTMRGG 720
RLGVFCFSQE NIIWANLRYR CNDTIPEDYE THQLRQA

Seq ID NO: 119 DNA sequence
Nucleic Acid Accession #: NM\_014211
Coding sequence: 157-1479 (underlined sequences correspond to start and stop codons)

GGGACAGGGC TGAGGATGAG GAGAACCCTG GGGACCCAGA AGACCGTGCC TTGCCCGGAA 6
GTCCTGCCTG TAGGCCTGAA GGACTTGCCC TAACAGACCT CCAACAACTA CCTGGTGATT 120
CCTACTTCAG CCCCTTGGTG TGAGCAGCTT CTCAACATGA ACTACAGCCT CCACTTGGCC 180 40 TTCGTGTGTC TGAGTCTCTT CACTGAGAGG ATGTGCATCC AGGGGAGTCA GTTCAACGTC 240 GAGGTCGGCA GAAGTGACAA GCTTTCCCTG CCTGGCTTTG AGAACCTCAC AGCAGGATAT 300 AACAAATTTC TCAGGCCCAA TTTTGGTGGA GAACCCGTAC AGATAGCGCT GACTCTGGAC AACAAATTIC ICAGGCCCAA TITIGGIGGA GAACCCGTAC AGATAGCGCI GACTCIGGAC 360
ATTIGCAAGTA TCTCTAGCAT TTCAGAGAGT AACATGGACT ACACAGCCAC CATATACCTC 420
CGACAGCGCT GGATGGACCA GCGGCTGGTG TTTGAAGGCA ACAAGAGCTT CACTCTGGAT 480
GCCCGCCTCG TGGAGTTCCT CTGGGTGCCA GATACTTACA TTGTGGAGTC CAAGAAGTCC 540
TTCCTCCATG AAGTCACTGT GGGAAACAGG CTCATCCCCC TCTTCTCCAA TGGCACGGTC 600 45 CTGTATGCCC TCAGAATCAC GACAACTGTT GCATGTAACA TGGATCTGTC TAAATACCCC 660 ATGGACACAC AGACATGCAA GTTGCAGCTG GAAAGCTGGG GCTATGATGG AAATGATGTG 720 GAGTTCACCT GGCTGAGAGG GAACGACTCT GTGCGTGGAC TGGAACACCT GCGGCTTGCT 780 50 GAGTICACCI GGCTGAGAGG GAACGACTCT GTGCGTGGAC TOGAACACCT GCGCTTGCT 780
CAGTACACCA TAGAGCGGTA TITCACCTTA GTCACCAGAT CGCAGCAGGA AGCAACAAA 840
ACCTACGTTC CTTCCACTTT CCTGGTGGTG TTGTCCTGGG TTTCATTTTGGAA 900
ACCTACGTTC CTTCCACTTT CCTGGTGGTG TTGTCCTGGG TTTCATTTTG GATCTCTCTC 960
GATTCAGTCC CTGCAAGAAC CTGCATTGGA GTGACGACCG TGTTATCAAT GACCACACTG 1020
ATGATCGGGT CCCGCACTTC TCTTCCCAAC ACCACACTGCT TCATCAAAGGC CATCGATTGT 1080
TACCGTGGGA TCTGCTTTAG CTTTGTGTTT GGGGCCTTGC TAGCAAATATGC AGTTGCTCAC 1140 55 TACAGTTCCT TACAGCAGAT GGCAGCCAAA GATAGGGGGA CAACAAAGGA AGTAGAAGAA 1200 GTCAGTATTA CTAATATCAT CAACAGCTCC ATCTCCAGCT TTAAACGGAA GATCAGCTTT 1260 GTCAGTATTA CTAATATCAT CAACAGCTCC ATCTCCAGCT TTAAACGGAA GATCAGCTT 1260
GCCAGCATTG AAATTTCCAG CGACAACGTT GACTACAGTG ACTTGACAAT GAAAACCAGC 1320
GACAAGTTCA AGTTTGTCTT CCGAGAAAGA ATGGGCAGGA TTGTTGATTA TTTCACAATT 1380
CAAAACCCCA GTAATGTTGA TCACTATTCC AAACTACTGT TTCCTTTGAT TTTTATGCTA 1440
GCCAATGTAT TTTACTGGGC ATACTACATG TATTTTTGAG TCAATGTTAA ATTTCTTGCA 1500
TGCCATAGGT CTTCAACAGG ACAAGTAAAT GATGTAAATG GTATTTTTAGG CCAAGTGTGC 1560
ACCCACACCC AATGGTGCTA CAAGTGACTG AAATAATATT TGAGTCTTTC TGCTCAAAGA 1620 60 ATGAAGCTCC AACCATTGTT CTAAGCTGTG TAGAAGTCCT AGCATTATAG GATCTTGTAA 1680
TAGAAACATC AGTCCATTCC TCTTTCATCT TAATCAAGGA CATTCCCATG GAGCCCAAGA 1740
TTACAAATGT ACTCAGGGCT GTTTATTCGG TGGCTCCCTG GTTTGCATTT ACCTCATATA 1800
AAGAATGGGA AGGAGACCAT TGGGTAACCC TCAAGTGTCA GAAGTTGTTT CTAAAGTAAC 1860
TATACATGTT TTTTACTAAA TCTCTGCAGT GCTTATAAAA TACATTGTTG CCTATTTAGG 1920
GAGTAACATT TTCTAGTTTT TGTTTCTGGT TAAAATGAAA TATGGGCTTA TGTCAATTCA 1980
TTGGAAGTCA ATGCACTAAC TCAATACCAA GATGAGTTTT TAAATAATGA ATATTATTTA 2040
ATACCACAAC AGAATTATCC CCAATTTCCA ATAAGTCCTA TCATTGAAAA TTCAAATATA 2100
AGTGAAGAAA AAATTAGTAG ATCAACAATC TAAACAAATC CCTCGGTTCT AAGATACAAT 2160
GGATTCCCCA TACTGGAAGG ACTCTGAGGC TTTATTCCC CACTATGCAT ATCTTATCAT 2220
TTTATTATTA TACACACATC CATCCTAAAC TATACTAAAG CCCTTTTCCC ATGCATGGAT 2280 ATGAAGCTCC AACCATTGTT CTAAGCTGTG TAGAAGTCCT AGCATTATAG GATCTTGTAA 1680 65 70 TTTATTATTA TACACACATC CATCCTAAAC TATACTAAAG CCCTTTTCCC ATGCATGAT 2280
GGAAATGGAA GATTTTTTTG TAACTTGTTC TAGAAGTCTT AATATGGGCT GTTGCCATGA 2340
AGGCTTGCAG AATTGAGTCC ATTTTCTAGC TGCCTTTATT CACATAGTGA TGGGGTACTA 2400 75

GAGCAACACT CTCCCAGTGG CAGATCCCCT GTATCATTCC AAGAGGAGCA TTCATCCCTT 2520
TGCTCTAATG ATCAGGAATG ATGCTTATTA GAAAACAAAC TGCTTGACCC AGGAACAAGT 2580
GGCTTAGCTT AAGTAAACTT GGCTTTGCTC AGATCCCTGA TCCTTCAGC TGGTCTGCTC 2640
TGAGTGGCTT ATCCCGCCATG AGCAGGAGCG TGCTGGCCCT GAGTACTGAA CTTTCTGAGT 2700
AACAATGAGA CACGTTACAG AACCTATGTT CAGGTTGCGG GTGAGCTGCC CTCCCAAAT 2760
CCAGCCAGAG ATGCACATTC CTCGGCCAGT CTCAGCCAAC AGTACCAAAA GTGATTTTTG 2820
AGTGTGCCAG GGTAAAAGGCT TCCAGTTCAG CCTCAGTTAT TTTAGACAAT CTCGCCATCT 2880
TTAAATTTCTT AGCTTCCTTG TCTAATAAAAT GCACGGCTTT ACCTTTCCTG TCAGAAATAA 2940 5 10 ACCAAGGCTC TAAAAGATGA TITCCCTTCT GTAACTCCCT AGAGCCACAG GTTCTCATTC 3000 CTTTTCCCAT TATACTTCTC ACAATTCAGT TTCTATGAGT TTGATCACCT GATTTTTTA 3060 ACAAAATATT TCTAACGGGA ATGGGTGGGA GTGCTGGTGA AAAGAGATGA AATGTGGTTG 3120 -TATGAGCCAA TCATATTTGT GATTTTTTAA AAAAAGTTTA AAAGGAAATA TCTGTTCTGA 3180 AACCCCACTT AAGCATTGTT TTTATATAAA AACAATGATA AAGATGTGAA CTGTGAAATA 3240 15 AATATACCAT ATTAGCTACC CACC Seq ID NO: 120 Protein sequence: Protein Accession #: NP\_055026.1 20 · 41 31 51 MNYSLHLAFV CLSLFTERMC IQGSQFNVEV GRSDKLSLPG FENLTAGYNK FLRPNFGGEP 60 VQIALTLDIA SISSISESNM DYTATIYLRQ RWMDQRLVFE GNKSFTLDAR LVEFLWVPDT 120 YIVESKKSFL HEVTVGNRLI RLFSNGTVLY ALRITTTVAC NMDLSKYPMD TOTCKLOLES 180 25 WGYDGNDVEF TWLRGNDSVR GLEHLRLAQY TIERYFTLVT RSQQETGNYT RLVLQFELRR 240 NVLYFILETY VPSTFLVVLS WVSFWISLDS VPARTCIGVT TVLSMTTLMI GSRTSLPNTN 300 CFIKAIDVYL GICFSFVFGA LLEYAVAHYS SLQQMAKDR GTTKEVEEVS ITNIINSSIS 360 SFKRKISFAS IEISSDNVDY SDLTMKTSDK FKFVFREKMG RIVDYFTIQN PSNVDHYSKL 420 LFPLIFMLAN VFYWAYYMYF 30 Seq ID NO: 121 DNA sequence Nucleic Acid Accession #: NM\_001854 Coding sequence: 163-5582 (underlined sequences correspond to start and stop codons) 35 AACCATCAAA TTTAGAAGAA AAAGCCCTTT GACTTTTTCC CCCTCTCCCT CCCCAATGGC 60 TGTGTAGCAA ACATCCCTGG CGATACCTTG GAAAGGACGA AGTTGGTCTG CAGTCGCAAT 120 TTCGTGGGTT GAGTTCACAG TTGTGAGTGC GGGGCTCGGA GATGGAGCCG TGGTCCTCTA 180 40 GGTGGAAAAC GAAACGGTGG CTCTGGGATT TCACCGTAAC AACCCTCGCA TTGACCTTCC TCTTCCAAGC TAGAGAGGTC AGAGGAGCTG CTCCAGTTGA TGTACTAAAA GCACTAGATT 300 TTCACAATTC TCCAGAGGGA ATATCAAAAA CAACGGGATT TTGCACAAAC AGAAAGAATT 360 CTAAAGGCTC AGATACTGCT TACAGAGTTT CAAAGCAAGC ACAACTCAGT GCCCCAACAA 420 CTAAAGGCTC AGATACTGCT TACAGAGTTT CAAAGCAAGC ACACCICAGT GCCCCAACAA 420
AACAGTTATT TCCAGGTGGA ACTTTCCCAG AAGACTTTTC AATACTATTT ACAGTAAAA 480
CAAAAAAAGG AATTCAGTCT TTCCTTTTAT CTATATATAA TGAGCATGGT ATTCAGCAAA 540
TTGGTGTTGA GGTTGGGAGA TCACCTGTTT TTCTGTTTTGA AGACCACACT GGAAAACCTG 600
CCCCAGAAGA CTATCCCCTC TTCAGAACTG TTAACATCGC TGACGGGAAG TGGCATCGGG 660 45 TAGCAATCAG CGTGGAGAAG AAAACTGTGA CAATGATTGT TGATTGTAAG AAGAAAACCA CGAAACCACT TGATAGAAGT GAGAGAGCAA TTGTTGATAC CAATGGAATC ACGGTTTTTG 50 GAACAAGGAT TITGGATGAA GAAGTTTITG AGGGGGACAT TCAGCAGTTT TTGATCACAG GTGATCCCAA GGCAGCATAT GACTACTGTG AGCATTATAG TCCAGACTGT GACTCTTCAG 900
CACCCAAGGC TGCTCAAGCT CAGGAACCTC AGATAGATGA GTATGCACCA GAGGATATAA 960
TCGAATATGA CTATGAGTAT GGGGAAGCAG AGTATAAAAGA GGCTGAAAGT GTAACAGAGG 1020 GACCCACTGT AACTGAGGAG ACAATAGCAC AGACGGAGGC AAACATCGTT GATGATTTTC 1080 55 AAGAATACAA CTATGGAACA ATGGAAAGTT ACCAGACAGA AGCTCCTAGG CATGTTTCTG 1140 GGACAAATGA GCCAAATCCA GTTGAAGAAA TATTTACTGA AGAATATCTA ACGGGAGAGG 1200 ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA TGAAAACAAA GAAATAGACG 1260 GCAGGGATTC TGATCTTCTG GTAGATGGAG ATTTAGGCGA ATATGATTTT TATGAATATA 1320 AAGAATATGA AGATAAACCA ACAAGCCCCC CTAATGAAGA ATTTGGTCCA GGTGTACCAG 1380 CAGAAACTGA TATTACAGAA ACAAGCATAA ATGGCCATGG TGCATATGGA GAGAAAGGAC 1440 AGAAAGGAG ACCAGCAGTG GTTGAGCCTG GTATGCTTGT CGAAGGACCA CCAGGACCAG 1500 60 CAGGACCTGC AGGTATTATG GGTCCTCCAG GTCTACAAGG CCCCACTGGA CCCCCTGGTG 1560 ACCCTGGCGA TAGGGGCCCC CCAGGACGTC CTGGCTTACC AGGGGCTGAT GGTCTACCTG 1620 GTCCTCCTGG TACTATGTTG ATGTTACCGT TCCGTTATGG TGGTGATGGT TCCAAAGGAC 1680 65 CAACCATCTC TGCTCAGGAA GCTCAGGCTC AAGCTATTCT TCAGCAGGCT CGGATTGCTC 1740 TGAGAGGCCC ACCTGGCCCA ATGGGTCTAA CTGGAAGACC AGGTCCTGTG GGGGGGCCTG 1800 GTTCATCTGG GGCCAAAGGT GAGAGTGGTG ATCCAGGTCC TCAGGGCCCT CGAGGCGTCC 1860 AGGGTCCCCC TGGTCCAACG GGAAAACCTG GAAAAAGGGG TCGTCCAGGT GCAGATGGAG 1920 GAAGAGGAAT GCCAGGAGAA CCTGGGGCAA AGGGAGATCG AGGGTTTGAT GGACTTCCGG 1980 70 GTCTGCCAGG TGACAAAGGT CACAGGGGTG AACGAGGTCC TCAAGGTCCT CCAGGTCCTC 2040 CTGGTGATGA TGGAATGAGG GGAGAAGATG GAGAAATTGG ACCAAGAGGT CTTCCAGGTG 2100 AAGCTGGCCC ACGAGGTTTG CTGGGTCCAA GGGGAACTCC AGGAGCTCCA GGGCAGCCTG 2160 GTATGGCAGG TGTAGATGGC CCCCCAGGAC CAAAAGGGAA CATGGGTCCC CAAGGGGAGC 2220 CTGGGCCTCC AGGTCAACAA GGGAATCCAG GACCTCAGGG TCTTCCTGGT CCACAAGGTC 2280 CAATTGGTCC TCCTGGTGAA AAAGGACCAC AAGGAAAACC AGGACTTGCT GGACTTCCTG 2340 75 GTGCTGATGG GCCTCCTGGT CATCCTGGGA AAGAAGGCCA GTCTGGAGAA AAGGGGGCTC 2400 TGGGTCCCC TGGTCCACAA GGTCCTATTG GATNNCCGGG CCCCGGGGA GTAAAGGGAG 2460

AAAGTACTGG GTTGACTCAG AGAGTCGCTG TCATTCTGTC ATTGCTGCTA CTCTAACACT 2460 GAGCAACACT CTCCCAGTGG CAGATCCCCT GTATCATTCC AAGAGGAGCA TTCATCCCTT 2520

CAGATGGTGT CAGAGGTCTC AAGGGATCTA AAGGTGAAAA GGGTGAAGAT GGTTTTCCAG 2520 GATTCAAAGG TGACATGGGT CTAAAAGGTG ACAGAGGAGA AGTTGGTCAA ATTGGCCCAA 2580 GATICAAAGG TOACATGGGT CTAAAAGGTG ACAGAGGAGA AGTTGGTCAA ATTGGCCCAA 2580
GAGGNAAGA TGGCCCTGAA GGACCCAAAG GTCGAGGCCAGGT 2640
CTTCAGGTCA AGCAGGAGAA AAGGGAAAAC TTGGAGTTCC AGGATTACCA GGATATCCAG 2700
GAAGACAAGG TCCAAAGGGT TCCACTGGAT TCCCTGGGTT TCCAGGTGCC AATGGAGAG 2760
AAGGTGCACG GGGAGTAGCT GGCAAACCAG GCCCTCGGGG TCAGCGTGGT CCAACGGGTC 2820
CTCGAGGTTC AAGAGGTGCA AGAGGTCCCA CTGGGAAACC TGGGCCAAAG GGCACTTCAG 2880
GTGGCGATGG CCCTCCTGGC CCTCCAGGTG AAAGAGGTCC TCAAGGACCT CAGGGTCCAG 2940
TTGGATTCCC TGGACCAAAA GGCCCTCCTG GACCACCAGG AAGGATGGC TGCCCAGGAC 3000
ACCCTGGGCCA ACGTGGGGAG ACTGGATTTC AAGGCAAGAC CGGCCCTCCT GGGCCAGGG 3060 5 ACCCTGGGCA ACGTGGGGAG ACTGGATTTC AAGGCAAGAC CGGCCCTCCT GGGCCAGGGG 3060 10 GAGTGGTTGG ACCACAGGGA CCAACCGGTG AGACTGGTCC AATAGGGGAA CGTGGGTATC 3120 CTGGTCCTCC TGGCCCTCCT GGTGAGCAAG GTCTTCCTGG TGCTGCAGGA AAAGAAGGTG 3180 CAAAGGGTGA TCCAGGTCCT CAAGGTATCT CAGGGAAAGA TGGACCAGCA GGATTACGTG 3240 CAAAGUUTUA TUUAGUTUU LAAGGTATU CAGGGAAAAA AAGGCAGG TGCCAAG GGAGAAAAAAG 3240
GTTTCCCAGG GGAAAAGAGGT CTTCCTGGAG CTCAGGGTGC ACCTGGACTG AAAGGAGGG 3300
AAGGTCCCCA GGGCCCACCA GGTCCAGTTG GCTCACCAGG AGAACGTGGG TCAGCAGGTA 3360
CAGCTGGCCC AATTGGTTTA CGAGGGCGC CGGGACCTCA GGGTCCTCCT GGTCCAGCTG 3420
GAGAGAAAGG TGCTCCTGGA GAAAAAGGTC CCCAAGGGCC TGCACGGGAGAAACGAGCAGAAAAAAGGTCCTGT TGGTCTCCCA GGGCCAAAAAAAAGGTCCTGCCGG CTCCCCTGGG GAAAAAAAGGTAAAAAAGGTAGAAAAAATG 3600 15 ACAAGGGTGA AATTGGTGAG CCGGGACAAA AAGGCAGCAA GGGTGGCAAG GGAGAAAATG 3600 GCCCTCCCGG TCCCCCAGGT CTTCAAGGAC CAGTTGGTGC CCCTGGAATT GCTGGAGGTG 3660 20 ATGGTGAACC AGGTCCTAGA GGACAGCAGG GGATGTTTGG GCAAAAAGGT GATGAGGGTG 3720 CCAGAGGCTT CCCTGGACCT CCTGGTCCAA TAGGTCTTCA GGGTCTGCCA GGCCCACCTG 3780 GTGAAAAAGG TGAAAATGGG GATGTTGGTC CATGGGGGCC ACCTGGTCCT CCAGGCCCAA 3840 GAGGCCCTCA AGGTCCCAAT GGAGCTGATG GACCACAAGG ACCCCCAGGT TCTGTTGGTT 3900 CAGTTGGTGG TGTTGGAGAA AAGGGTGAAC CTGGAGAAGC AGGAAACCCA GGGCCTCCTG 3960 GGGAAGCAGG TGTAGGCGGT CCCAAAGGAG AAAGAGGAGA GAAAGGGGAA GCTGGTCCAC 4020 25 CTGGAGCTGC TGGACCTCCA GGTGCCAAGG GGCCGCCAGG TGATGATGGC CCTAAGGGTA 4080 ACCCGGGTCC TGTTGGTTTT CCTGGAGATC CTGGTCCTCC TGGGGAACTT GGCCCTGCAG 4140 GTCAAGATGG TGTTGGTGGT GACAAGGGTG AAGATGGAGA TCCTGGTCAA CCGGGTCCTC 4200 CTGGCCCATC TGGTGAGGCT GGCCCACCAG GTCCTCCTGG AAAACGAGGT CCTCCTGGAG 4260 CTGCAGGTGC AGAGGGAAGA CAAGGTGAAA AAGGTGCTAA GGGGGAAGCA GGTGCAGAAG 4320 GTCCTCCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGACC TGCAGGAAAG CCTGGTCCAG 4380 30 AAGGTCTTCG GGGCATCCCT GGTCCTGTGG GAGAACAAGG TCTCCCTGGA GCTGCAGGCC 4440 AAGATGGACC.ACCTGGTCCT ATGGGACCTC CTGGCTTACC TGGTCTCAAA GGTGACCCTG 4500 GCTCCAAGGG TGAAAAGGGA CATCCTGGTT TAATTGGCCT GATTGGTCCT CCAGGAGAAC 4560 35 AAGGGGAAAA AGGTGACCGA GGGCTCCCTG GAACTCAAGG ATCTCCAGGA GCAAAAGGGG 4620 ATGGGGGAAT TCCTGGTCCT GCTGGTCCCT TAGGTCCACC TGGTCCTCCA GGCTTACCAG 4680 GTCCTCAAGG CCCAAAGGGT AACAAAGGCT CTACTGGACC CGCTGGCCAG AAAGGTGACA 4740 GTGGTCTTCC AGGGCCTCCT GGGCCTCCAG GTCCACCTGG TGAAGTCATT CAGCCTTTAC 4800 CAATCTTGTC CTCCAAAAAA ACGAGAAGAC ATACTGAAGG CATGCAAGCA GATGCAGATG 4860 ATAATATTCT TGATTACTCG GATGGAATGG AAGAAATATT TGGTTCCCTC AATTCCCTGA 4920 40 AACAAGACAT CGAGCATATG AAATTTCCAA TGGGTACTCA GACCAATCCA GCCCGAACTT 4980 GTAAAGACCT GCAACTCAGC CATCCTGACT TCCCAGATGG TGAATATTGG ATTGATCCTA 5040 45 ATCCTTTTAT CAAAACACTG TATGATGGTT GTACGTCCAG AAAAGGCTAT GAAAAAACTG 5460 50 TCATTGAAAT CAATACACCA AAAATTGATC AAGTACCTAT TGTTGATGTC ATGATCAGTG 5520 ACTITIGGTGA TCAGAATCAG AAGTTCGGAT TTGAAGTTGG TCCTGTTTGT TTTCTTGGCT\_5580 ACTITIGGTGA TCAGAATCAG AAGTICGGATTIGAAGTIGG TCCTGTTIGT TTICTTIGGT 5380

AAGATTAAGA CAAAGAACAT ATCAAATCAA CAGAAAATGT ACCTTTGGTGC CACCAACCCA 5640

TITTGTGCCA CATGCAAGTT TTGAATAAGG ATGTATGGAA AACAACGCTG CATATACAGG 5700

TACCATTAG GAAATACCGA TGCCTTTGTG GGGGCAGAAT CACAGACAAA AGCTTTGAAA 5760

ATCATAAAGA TATAAGTTGG TGTGGCTAAG ATGGAAACAG GGCTGATTCT TGATTCCCAA 5820

TITCTCAACTC TCCTTTTCCT ATTTGGAATTT CTTTTGGTGCT GTAGAAAAACA AAAAAAGAAA 5880

AATATATATT CATAAAAAAAT ATGGTGCTCA TTCTCATCCA TCCAGGATGT ACTAAAAACA 5940

TGTGTTTAAT AAATTGTAAT TATTTTTGT ACAGTTCTTAT ACTGTTATCT GTGTCCATTT 6000 55 CCAAAACTTG CACGTGTCCC TGAATTCCGC TGACTCTAAT TTATGAGGAT GCCGAACTCT 6060 GATGGCAATA ATATATGTAT TATGAAAATG AAGTTATGAT TTCCGATGAC CCTAAGTCCC 6120 60 TTTCTTTGGT TAATGATGAA ATTCCTTTGT GTGTGTTT

Seq ID NO: 122 Protein sequence:
Protein Accession #: NP\_001845

5

10

15

20

25

30

35

40

45

50

55

60

65


75

sa di cela

GADGLPGPPG TMLMLPFRYG GDGSKGPTIS AQEAQAQAİL QQARIALRGP PGPMGLTGRP 540 GPVGGPGSSG AKGESGDPGP QGPRGVQGPP GPTGKPGKRG RPGADGGRGM PGEPGAKGDR 600 GFDGLPGLPG DKGHRGERGP QGPPGPPGDD GMRGEDGEIG PRGLPGEAGP RGLLGPRGTP 660 GAPGQPGMAG VDGPPGPKGN MGPQGEPGPP GQQGNPGPQG LPGPQGPIGP PGEKGPQGKP 720 GLAGLPGADG PPGHPGKEGQ SGEKGALGPP GPQGPIGXPG PRGVKGADGV RGLKGSKGEK 780 GEDGFPGFKG DMGLKGDRGE VGQIGPRGXD GPEGPKGRAG PTGDPGPSGQ AGEKGKLGVP GLPGYPGRQG PKGSTGFPGF PGANGEKGAR GVAGKPGPRG QRGPTGPRGS RGARGPTGKP 900 GPKGTSGGDG PPGGPGERGP QGPQGPVGFP GPKGPFGPPG RMGCPGFBFGS KGAKGPTGKP 500
GPKGTSGGDG PPGPPGERGP QGPQGPVGFP GPKGPFGPPG RMGCPGFBPGQ RGETGFQGKT 560
GPPGPGGVVG PQGPTGETGP IGERGYPGPP GPPGEQGLPG AAGKEGAKGD PGPQGISGKD 1020
GPAGLRGFPG ERGLPGAQGA PGLKGGEGPQ GPPGPVGSPG ERGSAGTAGP IGLRGRPGPQ 1080
GPPGPAGEKG APGEKGPQGP AGRDGVQGPV GLPGPAGPAG SPGEDGDKGE IGEPGQKGSK 1140
GGKGENGPPG PPGLQGPVGA PGIAGGDGEP GPRGQQGMFG QKGDEGARGF PGPPGFIGLQ 1200
GLPGPPGEKG ENGDVGPWGP PGPPGPRGPQ GPNGADGPQG PPGSVGSVGG VGEKGEPGEA 1260
GNPGPPGEAG VGGPKGERGE KGEAGPPGAA GPPGAKGPPG DDGPKGNPGP VGFPGDPGPP 1320 GELGPAGQDG VGGDKGEDGD PGQPGPPGPS GEAGPPGPPG KRGPPGAAGA EGRQGEKGAK 1380 GEAGAEGPPG KTGPVGPQGP AGKPGPEGLR GIPGPVGEQG LPGAAGQDGP PGPMGPPGLP 1440 GEKGPPGKG EKGHPGLIGL IGPPGEQGEK GIPGFYGEQG EPGARGDGGI PGPAGPLGPP 1500
GPPGLPGPPG PKGNKGSTGP AGQKGDSGLP GPPGPPGPPG EVIQPLPILS SKKTRRHTEG 1560
MQADADDNIL DYSDGMEEIF GSLNSLKQDI EHMKFPMGTQ TNPARTCKDL QLSHPDFPDG 1620
EYWIDPNQGC SGDSFKVYCN FTSGGETCIY PDKKSEGVRI SSWPKEKPGS WFSEFKRGKL 1680 LSYLDVEGNS INMVQMTFLK LLTASARQNF TYHCHQSAAW YDVSSGSYDK ALRFLGSNDE 1740 EMSYDNNPFI KTLYDGCTSR KGYEKTVIEI NTPKIDQVPI VDVMISDFGD QNQKFGFEVG 1800 **PVCFLG** Seq ID NO: 123 DNA sequence Nucleic Acid Accession #: NM\_015886 Coding sequence: 485-1261 (underlined sequences correspond to start and stop codons) GAATTCCCCC CCCCCCCCC TCACTTGGTG TGTCTATATG TCTGGCAGAC ATTATCAGCA CATTCTCTGT TGTTACCTGT GATTCATTTT TTCTTCACTC TCCAGGTGAA TTTCAATTGC 120 TGAAAATTTC CCACTGAAAA TATGCAGTAA TATATTTTGT GGTTCAGACA TTTGGGGCAA 180 ATGGTTCACA TICATTTAG GGTTAGTGGT CATGCTGTTT ATTTTTCTCT GCTATACAAA 240
GTTCCTCTTA GGGGTCTGCC TCATGACACT AAAAAATGAA TAGAGATTCT ACTGTAGGTT 300
ATCTCCTAGG CTTGAGTTCA ACATTTGTTT GGATTTTTTGA AGAAAGTCAA ATCAAGCAAT 360
GCTCCCAAAT GATGTCTTTG TAAATTCATA CCCTCTGGCC CTATTTTTTT TCATAGACCC 420 TAACTCTACC TTTCTGCTTT AAAGCAAAGT AAACTCGGTG GCCTCTTCTT CTCCACCCCT 480 CAAAATGATA GCAATCTCTG CCGTCAGCAG TGCACTCCTG TTCTCCCTTC TCTGTGAAGC 540 AAGTACCGTC GTCCTACTCA ATTCCACTGA CTCATCCCCG CCAACCAATA ATTTCACTGA 600 TATTGAAGCA GCTCTGAAAG CACAATTAGA TTCAGCGGAT ATCCCCAAAG CCAGGCGGAA 660 GCGCTACATT TCGCAGAATG ACATGATCGC CATTCTTGAT TATCATAATC AAGTTCGGGG 720 CAAAGTGTTC CCACCGGCAG CAAATATGGA ATATATGGTT TGGGATGAAA ATCTTGCAAA 780 ATCGGCAGAG GCTTGGGCGG CTACTTGCAT TTGGGACCAT GGACCTTCTT ACTTACTGAG 840 ATTTTTGGGC CAAAATCTAT CTGTACGCAC TGGAAGATAT CGCTCTATTC TCCAGTTGGT 900 CAAGCCATGG TATGATGAAG TGAAAGATTA TGCTTTTCCA TATCCCCAGG ATTGCAACCC ATATGGAGAG AGAATTITGC ACATATTATA CATATTITGT GCTAATCTTG TTTTCCTCTT 1380 AGTATTCCTT TGTATAAATT AGTGTTTGTC TAGCATGTTT GTTTAATCCT TTGGGAATTC Seq ID NO: 124 <u>Protein sequence:</u>
Protein Accession #: NP\_056970.1 51 MIAISAVSSA LLFSLLCEAS TVVLLNSTDS SPPTNNFTDI EAALKAQLDS ADIPKARRKR 60 YISQNDMIAI LDYHNQVRGK VFPPAANMEY MVWDENLAKS AEAWAATCIW DHGPSYLLRF 120 LGQNLSVRTG RYRSILQLVK PWYDEVKDYA FPYPQDCNPR CPMRCFGPMC THYTQMVWAT 180 SNRIGCAIHA CQNMNVWGSV WRRAVYLVCN YAPKGNWIGE APYKVGVPCS SCPPSYGGSC 240 TDNLCFPGVT SNYLYWFK

Seq ID NO: 125 DNA sequence
Nucleic Acid Accession #: NM\_001793
Coding sequence: 54-2543 (underlined sequences correspond to start and stop codons)

GCGGAACACC GGCCGCCGT CGCGGCAGCT GCTTCACCCC TCTCTCTGCA GCC<u>ATG</u>GGGC 60
TCCCTCGTGG ACCTCTCGCG TCTCTCCTCC TTCTCCAGGT TTGCTGGCTG CAGTGCGCGG 120
CCTCCGAGCC GTGCCGGGCG GTCTTCAGGG AGGCTGAAGT GACCTTGGAG GCGGGAGGCG 180
CGGAGCAGGA GCCCGGCCAG GCGCTGGGGA AAGTATTCAT GGGCTGCCCT GGGCAAGAGC 240



RNSDOCID: <WO

TOCCTGGGAG CCCTCGGCCC GCGCCAAGCT GGGTGCTGTT GCTGCGGCTG CTGGCGTTGC 120 TGCGGCCCC GGGGCTGGGT GAGGCATGCA GCTGCGCCCC GGCGCACCCT CAGCAGCACA 180 TCTGCCACTC GGCACTTGTG ATTCGGGCCA AAATCTCCAG TGAGAAGGTA GTTCCGGCCA 240 GTGCAGACCC TGCTGACACT GAAAAAATGC TCCGGTATGA AATCAAACAG ATAAAGATGT 300
TCAAAGGGTT TGAGAAAGTC AAGGATGTTC AGTATATCTA TACGCCTTTT GACTCTTCCC 360 5 TCTGTGGTGT GAAACTAGAA GCCAACAGCC AGAAGCAGTA TCTCTTGACT GGTCAGGTCC TCAGTGATGG AAAAGTCTTC ATCCATCTGT GCAACTACAT CGAGCCCTGG GAGGACCTGT 480 CCTTGGTGCA GAGGGAAAGT CTGAACTACT GAACCCTGG GAGGACCTG

CCTTGGTGCA GAGGGAAAGT CTGAATCAT CACTACCATCT GAACCCTGG TGCCAAATCA

540

CCACCTGCTA CACAGTACCC TGTACCATCT CGGCCCCTAA CGAGTGCCTC TGGACAGACT

660

GGCTGTTGGA ACGAAAGCTC TATGGTTACC AGGCTCAGCA TTATGTCTGT ATGAAGCAT

660

TTGACGGCAC CTGCAGCTGG TACCGGGGCC ACCTGCCTCT CAGGAAGGAG TTTGTTGACA

720

TCGTTCAGCC CTAGTAAGGA CCAGTGACCA TCACT TCAAGAGTCC TGAAGATCAA

780 10 GCCAGTTCTC CTTCCCTGCA GAGCTTTGGC CATTACCACC TGACCTCTTG CTGCCAGCTA 840 ATAAGAAGTG CCAAGTGGAC AGTCTGGCCA CTGTCAAGGC AGGGAAGGGG CCATGACTTT 900 15 TCTGCCCTGC CCTCAGCCTG TTGCCCTGCC TCCCAAACCC CATTAGTCTA GCCTTGTAGC 960 TGTTACTGCA AGTGTTTCTT CTGGCTTAGT CTGTTTTCTA AAGCCAGGAC TATTCCCTTT 1020 CCTCCCAGG AATATGTGTT TTCCTTTGTC TTAATCGATC TGGTAGGGGA GAAATGGCGA 1080 ATGTCATACA CATGAGATGG TATATCCTTG CGATGTACAG AATCAGAAGG TGGTTTGACA 1140 20 Seq ID NO: 128 <u>Protein sequence:</u>
Protein Accession #: NP\_003247.1 11 21 31 41 25 MPGSPRPAPS WVLLLRLLAL LRPPGLGEAC SCAPAHPQQH ICHSALVIRA KISSEKVVPA SADPADTEKM LRYEIKQIKM FKGFEKVKDV QYIYTPFDSS LCGVKLEANS QKQYLLTGQV 120
LSDGKVFIHL CNYIEPWEDL SLVQRESLNH HYHLNCGCQI TTCYTVPCTI SAPNECLWTD 180 WLLERKLYGY QAQHYVCMKH VDGTCSWYRG HLPLRKEFVD IVOP 30 Seq ID NO: 129 DNA sequence NM\_007207.2 Nucleic Acid Accession #: Coding sequence: 143-1591 (underlined sequences correspond to start and stop codons) 35 11 21 31 41 CCACGCGTCC GCAATGAAGC CGAGTGAATG GGGGCTGAAT GTGCGAGTCC ATAGCTGAAG 60 AGGAGCGCCA GATGGTGGAG GAATACACTT ATTTATGAAA CTGTCTTGAG TTCTTCTTGA 120 ATTGCCAGTT TTCAGCCTCC TCATGCCTCC GTCTCCTTTA GACGACAGGG TAGTAGTGGC 180 40 ACTATCTAGG CCCGTCCGAC CTCAGGATCT CAACCTTTGT TTAGACTCTA GTTACCTTGG 240 CTCTGCCAAC CCAGGCAGTA ACAGCCACCC TCCTGTCATC GCCACCACCG TTGTGTCCCT 300 CAAGGCTGCG AATCTGACGT ATATGCCCTC ATCCAGCGGC TCTGCCCGCT CGCTGAATTG 360 TGGATGCAGC AGTGCCAGCT GCTGCACTGT GGCAACCTAC GACAAGGACA ATCAGGCCCA 420 AACCCAAGCC ATTGCCGCTG GCACCACCAC CACTGCCATC GGAACCTCTA CCACCTGCCC 480 45 TGCTAACCAG ATGGTCAACA ATAATGAGAA TACAGGCTCT CTAAGTCCAT CAAGTGGGGT 540 GGGCAGCCCT GTGTCAGGGA CCCCCAAGCA GCTAGCCAGC ATCAAAATAA TCTACCCCAA TGACTTGGCA AAGAAGATGA CCAAATGCAG CAAGAGTCAC CTGCCGAGTC AGGGCCCTGT 660 CATCATTGAC TGCAGGCCCT TCATGGAGTA CAACAAGAGT CACATCCAAG GAGCTGTCCA 720 CATTAACTGT GCCGATAAGA TCAGCCGGCG GAGACTGCAG CAGGGCAAGA TCACTGTCCT 780
AGACTTGATT TCCTGTAGGG AAGGCAAGGA CTCTTTCAAG AGGATCTTTT CCAAAGAAAT 840
TATAGTTTAT GATGAGAATA CCAATGAACC AAGCCGAGTG ATGCCCTCCC AGCCACTTCA 900 50 CATAGTCCTC GAGTCCCTGA AGAGAAGG CAAAGAACCT CTGGTGTTGA AAGGTGGACT 960 TAGTAGTTTT AAGCAGAACC ATGAAAACCT CTGTGACAAC TCCCTCCAGC TCCAAGAGTG 1020 CCGGGAGGTG GGGGGCGCG CATCCGCGGC CTCGAGCTTG CTACCTCAGC CCATCCCCAC 1080 55 CACCCCTGAC ATCGAGAACG CTGAGCTCAC CCCCATCTTG CCCTTCCTGT TCCTTGGCAA 1140 TGAGCAGGAT GCTCAGGACC TGGACACCAT GCAGCGGCTG AACATCGGCT ACGTCATCAA 1200 CGTCACCACT CATCTTCCCC TCTACCACTA TGAGAAAGGC CTGTTCAACT ACAAGCGGCT 1260 GCCAGCCACT GACAGCAACA AGCAGAACCT GCGGCAGTAC TTTGAAGAGG CTTTTGAGTT 1320 CATTGAGGAA GCTCACCAGT GTGGGAAGGG GCTTCTCATC CACTGCCAGG CTGGGGTGTC 1380 60 CCGCTCCGCC ACCATCGTCA TCGCTTACTT GATGAAGCAC ACTCGGATGA CCATGACTGA 1440 TGCȚTATAAA TTTGTCAAAG GCAAACGACC AATTATCTCC CCAAACCTTA ACTTCATGGG 1500 GCAGTTGCTA GAGTTCGAGG AAGACCTAAA CAACGGTGTG ACACCGAGAA TCCTTACACC 1560 GCAGTIGCIA GAGI ICOAGG AAGACCIAAA CAACGGIGIG ACACCAGAAA ICCI IACACC 1500
AAAGCTGATG GGCGTGGAGA CGGTTGTGGACAATGGTCT GGATGGAAAG GATTGCTGCT 1620
CTCCATTAGG AGACAATGAG GAAGGAGGAT GGATTCTGGT TITITTTTT TTTTTTTT 1680
TTGTAGTTGG GAGTAAAGTT TGTGAATGGA AACAAACTTG GTTAAACACT TTATTTTTAA 1740
CAAGTGTAAG AAGACTATAC TTTTGATGCC ATTGAGATTC ACCTTCCACA AACTGGCCAA 1800 65 ATTAAGGAGG TTAAAGAAGT AATTTTTTT AAGCCCAACC ATTAAAAATT TAATACAACT 1860 TGGTTTCTCC CCCTTTTTCC TTTAAAGCTA NTTTGTAAAA GTTTATGAG Seq ID NO: 130 Protein sequence:
Protein Accession #: NP\_009138.1 70 75 MPPSPLDDRV VVALSRPVRP QDLNLCLDSS YLGSANPGSN SHPPVIATTV VSLKAANLTY MPSSSGSARS LNCGCSSASC CTVATYDKDN QAQTQAIAAG TTTTAIGTST TCPANQMVNN 120 NENTGSLSPS SGVGSPVSGT PKQLASIKII YPNDLAKKMT KCSKSHLPSQ GPVIIDCRPF 180

MEYNKSHIQG AVHINCADKI SRRRLQQGKI TVLDLISCRE GKDSFKRIFS KEIIVYDENT 240
NEPSRVMPSQ PLHIVLESLK REGKEPLVLK GGLSSFKQNH ENLCDNSLQL QECREVGGGA 300
SAASSLLPQP IPTTPDIENA ELTPILPFLF LGNEQDAQDL DTMQRLNIGY VINVTTHLPL 360
YHYEKGLFNY KRLPATDSNK QNLRQYFEEA FEFIEEAHQC GKGLLIHCQA GVSRSATIVI 420
AYLMKHTRMT MTDAYKFVKG KRPIISPNLN FMGQLLEFEE DLNNGVTPRI LTPKLMGVET 480 5

Seq ID NO: 131 DNA sequence Nucleic Acid Accession #:

NM\_005409.3

- Coding sequence: 94-378 (underlined sequences correspond to start and stop codons) 10
  - 21 31 TTCCTTTCAT GTTCAGCATT TCTACTCCTT CCAAGAAGAG CAGCAAAGCT GAAGTAGCAG 60

CAACAGCACC AGCAGCAACA GCAAAAAACA AACATGAGTG TGAAGGGCAT GGCTATAGCC 120 15 TTGGCTGTGA TATTGTGTGC TACAGTTGTT CAAGGCTTCC CCATGTTCAA AAGAGGACGC 180
TGTCTTTGCA TAGGCCCTGG GGTAAAAGCA GTGAAAGTGG CAGATATTGA GAAAGCCTCC 240 ATAATGTACC CAAGTAACAA CTGTGACAAA ATAGAAGTGA TTATTACCCT GAAAGAAAAT 300

ATAATGTACC CAAGTAACAA CTGTGGACAAA ATAGAAGTGA TTATTACCCT GAAAGAAAT 300
AAAGGACAAC GATGCCTAAA TCCCAAATCG AAGCAAGCAA GGCTTATAAT CAAAAAAGTT 360
GAAAGAAAGA ATTTTAAAA ATATCAAAAC ATATGAAGTC CTGGAAAAAGG GCATCTGAAA 420
AACCTAGAAC AAGTTTAACT GTGACTACTG AAATGACAAG AATTCTACAG TAGGAAACTG 480
AGACTTTCT ATGGTTTTGT GACTTTCAAC TTTTGTACAG TTATGTGAAG GATGAAAGGT 540
GGGTGAAAAGG ACCAAAAAACA GAAATACAGT CTTCCTGAAT GAATGACAAT CAGAATTCCA 600
CTGCCCAAAG GAGTCCAGCA ATTAAATGGA TTTCTAGGAA AAGCTACCTT AAGAAAGGCT 660
GGTTACCATC GGAGTTTACA AAGTGCTTTC ACGTTCTTAC TTGTTGTATT ATACATTCAT 720
GCATTTCTAG GCTAGAGAAC CTTCTAGATT TGATGCTTAC AACTATTCTG TTGTGACTAT 780
GAGAACATTT CTGTCTTCTAG AAGTTATCTG TCTGTATTGA TCTTTATGCT ATATTACTAT 840
CTGTGGTTAC AGTGGAGAAC ATTGACATTAT TACTGGAGTC AAGCCCTTAT AAGTCAAAAG 900
CATCTATGTG TCGTAAAAGCA TTCCTCAAAC ATTTTTTCAT GCAAATACAC ACTTCTTTCC 960
CCCAAATATCA TGTAGCACAT CAATATGTAG GGAAACATC TATGCATCA TTTGGTTTTGT 1020
TTTATAACCA ATTCATTAAA TGTAATTCAT AAAATGTACT ATGAAAAAAA TTATACCGCTA 1080
TGGGATACTG GCAACAGTGC ACATATTTCA TAAACCAAATT AGCAGCACCG GTCTTAATTT 1140 20 25

30

TGGGATACTG GCAACAGTGC ACATATTTCA TAACCAAATT AGCAGCACCG GTCTTAATTT 1140 GATGTTTTTC AACTTTTATT CATTGAGATG TTTTGAAGCA ATTAGGATAT GTGTGTTTAC 1200 TGTACTTTTT GTTTTGATCC GTTTGTATAA ATGATAGCAA TATCTTGGAC ACATTTGAAA 1260


TACAAAATGT TTTTGTCTAC CAAAGAAAAA TGTTGAAAAA TAAGCAAATG TATACCTAGC 1320 35 

- 40 Seq ID NO: 132 <u>Protein sequence:</u>
  Protein Accession #: NP\_005400.1
- 51 41
- MSVKGMAÍAL AVILCATVVQ GFPMFKRGRC LCIGPGVKAV KVADIEKASI MYPSNNCDKI 60 EVIITLKENK GQRCLNPKSK QARLIIKKVE RKNF 45

Seq ID NO: 133 DNA sequence

- NM\_012342 Nucleic Acid Accession #:
- Coding sequence: 373-1155 (underlined sequences correspond to start and stop codons) 50
- 31 41 51
- CTGGCGCGGG CGGGAGCTGC GGCGGATACC CTTGCGTGCT GTGGAGACCC TACTCTCTTC 60 GCTGAGAACG GCCGCTAGCG GGGACTGAAG GCCGGGAGCC CACTCCCGAC CCGGGGCTAG 120 55 CGTGCGTCCC TAGAGTCGAG CGGGGCAAGG GAGCCAGTGG CCGCCGACGG GGGACCGGGA 180
- CGTGCGTCCC TAGAG TCGAG CGGGCAAGG GAGCCAGTGG CCGCCGACGG GGGACCGGA 180
  AACTTTTCTG GGCTCCTGGA GAGCCCTGTA GCCGCGCTCC ATGCTCCGGC AGCGGCCCGA 240
  AACCCAGCCC CGCCGCTGAC GGAGCCCGCC GCTCCGGGCA GGCCCCATGC CCTGCGCGCT 300
  CCGGGGGTCG TAGCTGCCGC CGAGCCGGGG CTCCGGAAGC CGCCGGGGCC GCCGCGCCG 360
  TGCGGGGCCT CAATGGATCG CCACTCCAGC TACATCTTCA TCTGGCTGCA GCTGGAGCTC 420
  TGCGCCATGG CCGTGCTGCT CACCAAAGGT GAAATTCGAT GCTACTGTGA TGCTGCCCAC 480 60 TGTGTAGCCA CTGGTTATAT GTGTAAATCT GAGCTCAGCG CCTGCTTCTC TAGACTTCTT 540 GATCCTCAGA ACTCAAATTC CCCACTCACC CATGGCTGCC TGGACTCTCT TGCAAGCACG 600
- GATCCTCAGA ACTCAAATTC CCCACTCACC CATGGCTGCC TGGACTCTCT TGCAAGCACG 600
  ACAGACATCT GCCAAGCCAA ACAGGCCGA AACCACTCTG GCACCACCAT ACCCACATTG 660
  GAATGCTGTC ATGAAGACAT GTGCAATTAC AGAGGGCTGC ACGATGTTCT CTCTCCCC 720
  ACGAGGTGAGG CCTCAGGACA AGGAAACAGG TATCAGCATG ATGGTAGCAG AAACCTTATC 780
  ACCAAGGTGC AGGAGCTGAC TTCTTCCAAA GAGTTGTGGT TCCGGGCAGC GGTCATTGCC 840
  GTGCCCATTG CTGGAGGGCT GATTTTAGTG TTGCTTATTA TGTTGGCCCT GAGGATGCTT 900
  CGAAGTGAAA ATAAGAGGCT GCAGGATCAC CGGCAACAGA TGCTCCCG TTTGCACTAC 960 65
- CGAAGGAAA ATAAAAAAGGAGA CAGATTCAAAAAGGAGA AGTTAGACTT GGAATGCATG 1020 GTGCCGGTCA GTGGGCACGA GAACTGCTGT CTGACCTGTG ATAAAATGAG ACAAGCAGAC 1080 70
- CTCAGCAACG ATAAGATCCT CTCGCTTGTT CACTGGGGCA TGTACAGTGG GCACGGGAAG 1140
  CTGAGCAACG ATAAGATCCT CTCGCTTGTT CACTGGGGCA TGTACAGTGG GCACGGGAAG 1140
  CTGGAATTCG TA<u>TGA</u>CGGAG TCTTATCTGA ACTACACTTA CTGAACAGCT TGAAGGCCTT 1200
  TTGAGTTCTG CTGGACAGGA GCACTTTATC TGAAGACAAA CTCATTTAAT CATCTTTGAG 1260
  AGACAAAATG ACCTCTGCAA ACAGAATCTT GGATATTTCT TCTGAAGGAT TATTTGCACA 1320
  GACTTAAATA CAGTTAAATG TGTTATTTGC TTTTAAAATT ATAAAAAGCA AAGAGAAAGC 1380 75 TTTGTACACA CTGTCACCAG GGTTATTTGC ATCCAAGGGA GCTGGAATTG AGTACCTAAA 1440

AAATATATAT ATTTTGTCTG A



TAAACAAAA TGTGCCCTAT GTAAGCTTCT ACATCTTGAT TTATTGTAAA GATTTAAAAG 1500

VTLTCTAENQ LERTVNSLNV SAISIPEHDE ADEISDENRE KVNDQAKLIV GIVVGLLLAA 540 LVAGVVYWLY MKKSKTASKH VNKDLGNMEE NKKLEENNHK TEA

5 Seq ID NO: 137 DNA sequence Nucleic Acid Accession #: XM\_030559 Coding sequence: 1-119 (underlined sequences correspond to start and stop codons) 10 ATGAACCGCA GCCACCGGCA CGGGGCGGGC AGCGGCTGCC TGGGCACTAT GGAGGTGAAG 60 AGCAAGTTTG GAGCTGAATT TCGTCGGTTT TCGCTGGAAA GATCAAAACC TGGAAAATTT 120 GAGGAGTTTT ATGGATTACT ACAACATGTT CATAAGATCC CCAATGTTGA CGTTTTGGTA 180 GGCTATGCAG ACATCCATGG AGACTTACTA CCTATAAATA ATGATGATAA TTATCACAAA 240 GCTGTTTCAA CGGCCAATCC ACTGCTTAGG ATATTTATAC AAAAGAAGGA AGAAGCAGAC 300 GCTGTTTCAA CGGCCAATCC ACTGCTTAGG ATATTTATAC AAAAGAAGGA AGAAGCAGAC
TACAGTGCCT TTGGTACAGA CACGCTAATA AAGAAGAAGA ATGTTTTAAC CAACGTATTG
360
CGTCCTGACA ACCATAGAAA AAAGCCACAT ATAGTCATTA GTATGCCCCA AGACTTTAGA
420
CCTGTGTCTT CTATTATAGA CGTGGATATT CTCCCAGAAA CGCATCGTAG GGTACGTCTT
480
TACAAATACG GCACGGAGAA ACCCCTAGGA TTCTACATCC GGGATGGCTC CAGTGTCAGG
540
GTAACACCAC ATGGCTTAGA AAAGGTTCCA GGGATCTTTA TATCCAGGCT TGTCCCAGGA
600
GGTCTGGCTC AAAGTACAGG ACTATTAGCT GTTAATGATG AAGTTTTAGA AGTTAATGGC
720
AACCTCATCA TAACAGTGAG ACCGGCAAAC CAGAGGAATA ATGTTGTGAG GAACAGTCGG
780 15 20 ATAGAAGTTT CAGGGAAGAG CCTTGATCAA GTAACAGACA TGATGATTGC AAATAGCCGT 720
AACCTCATCA TAACAGTGAG ACCGGCAAAC CAGAAGATA ATGTTGTAGA GAACAGTCGG 780
ACTTCTGGCA GTTCCGGTCA GTCTACTGAT AACAGCCTTC TTGGCTACCC ACAGCAGATT 840
GAACCAAGCT TTGAGCCAGA GGATGAAGAC AGCGAAGAAG ATGACATTAT CATTGAAGAC 900
AATGGAGTGC CACAGCAGAT TCCAAAAAGCT GTTCCTAATA CTGAGAGCCT GGAGTCATTA 960
ACACAGATAG AGCTAAGCTT TGAGTCTGGA CAGAATGGCT TTATTCCCTC TAATGAAGTG 1020
AGCTTAGCAG CCATAGCAÁG CAGCTCAAAC ACGGAATTTG AAACACATGC TCCAGATCAA 1080
AAACTCTTAG AAGAAGATGG AACAATCATA ACATTA<u>TGA</u> 25 30 Seq ID NO: 138 <u>Protein sequence:</u>
Protein Accession #: XP\_030559 31 41 51 35 MNRSHRHGAG SGCLGTMEVK SKFGAEFRRF SLERSKPGKF EEFYGLLQHV HKIPNVDVLV 60 GYADIHGDLL PINNDDNYHK AVSTANPLLR IFIQKKEEAD YSAFGTDTLI KKKNVLTNVL 120 RPDNHRKKPH IVISMPQDFR PVSSIIDVDI LPETHRRVRL YKYGTEKPLG FYIRDGSSVR 180 VTPHGLEKVP GIFISRLVPG GLAQSTGLLA VNDEVLEVNG IEVSGKSLDQ VTDMMIANSR 240 NLIITVRPAN QRNNVVRNSR TSGSSGQSTD NSLLGYPQQI EPSFEPEDED SEEDDIIIED 300 NGVPQQIPKA VPNTESLESL TQIELSFESG QNGFIPSNEV SLAAIASSSN TEFETHAPDQ 360 40 KLLEEDGTII TL

It is understood that the examples described above in no way serve to limit the true scope of this invention, but rather are presented for illustrative purposes. All publications, sequences of accession numbers, and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

# WHAT IS CLAIMED IS:

1 .	1.	•	A memod of detecting a breast cancer-associated transcript in a con-
2	from a patient, th	he me	thod comprising contacting a biological sample from the patient with a
3	polynucleotide th	hat se	lectively hybridizes to a sequence at least 80% identical to a sequence
4	as shown in Tab	les 1-	25. ·
1.	. 2		The method of claim 1, wherein the biological sample comprises
2	isolated nucleic	acids.	
1	3	• .	The method of claim 2, wherein the nucleic acids are mRNA.
1	4		The method of claim 2, further comprising the step of amplifying
2	nucleic acids be	fore th	ne step of contacting the biological sample with the polynucleotide.
1	5		The method of claim 1, wherein the polynucleotide comprises a
2	sequence as show	wn in	Tables 1-25.
•			
1	. 6	·•	The method of claim 1, wherein the polynucleotide is immobilized on
2	a solid surface.		
1	7		The method of claim 1, wherein the patient is undergoing a therapeutic
2	regimen to treat	breas	t cancer.
1	8	S.	The method of claim 1, wherein the patient is suspected of having
2	breast cancer.		
1	9		An isolated nucleic acid molecule consisting of a polynucleotide
1	sequence as sho		
2	sequence as sno	MII III	Tables 1-23.
1	. 1	0.	The nucleic acid molecule of claim 9, which is labeled.
1	1	1.	An expression vector comprising the nucleic acid of claim 9.
1	. 1	2.	A host cell comprising the expression vector of claim 11.

Ţ	13.	An isolated polypeptide which is encoded by a nucleic acid molecule
2	having polynucleotide	sequence as shown in Tables 1-25.
1	14.	An antibody that specifically binds a polypeptide of claim 13.
1	15.	The antibody of claim 14, further conjugated to an effector componen
1	16.	The antibody of claim 15, wherein the effector component is a
2	fluorescent label.	
1	17.	The antibody of claim 15, wherein the effector component is a
2	radioisotope or a cyto	oxic chemical.
1	18.	The antibody of claim 15, which is an antibody fragment.
1	19.	The antibody of claim 15, which is a humanized antibody
1.	20.	A method of detecting a breast cancer cell in a biological sample from
2	a patient, the method	comprising contacting the biological sample with an antibody of claim
3	14.	
1	21.	The method of claim 20, wherein the antibody is further conjugated to
2	an effector componen	t.
1	22.	The method of claim 21, wherein the effector component is a
2	fluorescent label.	
1	23.	A method for identifying a compound that modulates a breast cancer-
2	associated polypeptide	e, the method comprising the steps of:
3	(i) cont	acting the compound with a breast cancer-associated polypeptide, the
4	polypeptide encoded b	by a polynucleotide that selectively hybridizes to a sequence at least
5	80% identical to a seq	uence as shown in Tables 1-25; and
6	(ii) det	ermining the functional effect of the compound upon the polypeptide.
1	24.	A drug screening assay comprising the steps of

2	(i) administering a test compound to a mammal having breast cancer or a cell
3	isolated therefrom;
4	(ii) comparing the level of gene expression of a polynucleotide that selectively
5	hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a
6	treated cell or mammal with the level of gene expression of the polynucleotide in a control
7	cell or mammal, wherein a test compound that modulates the level of expression of the
8	polynucleotide is a candidate for the treatment of breast cancer.

## (19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 1 August 2002 (01.08.2002)

PCT

# (10) International Publication Number WO 2002/059377 A3

(51) International Patent Classification<sup>7</sup>: G01N 33/48, C07K 16/18, C12N 15/12

C07K 14/47,

47,

(21) International Application Number:

PCT/US2002/002242

(22) International Filing Date: 24 January 2002 (24.01.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/263,965 24 January 2001 (24.01.2001) US 60/265,928 2 February 2001 (02.02.2001) US 09/829,472 9 April 2001 (09.04.2001) US 60/282,698 9 April 2001 (09.04.2001) US 60/288,590 4 May 2001 (04.05.2001) US 60/294,443 29 May 2001 (29.05.2001)

- (71) Applicant: PROTEIN DESIGN LABS [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080-7019 (US).
- (72) Inventors: MACK, David, H.; 2076 Monterey Avenue, Menlo Park, CA 94025 (US). GISH, Kurt, C.; 37 Artuna Avenue, Piedmont, CA 94611 (US). AFAR, Daniel; 435 Visitacion Avenue, Brisbane, CA 94005 (US).

(74) Agent: HALLUIN, Albert, P.; Howrey Simon Arnold & White LLP, 301 Ravenswood Avenue, Box 34, Menlo Park, CA 94025 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

(88) Date of publication of the international search report: 1 April 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR

MODULATORS OF BREAST CANCER

can be used to identify modulators of breast cancer.

(57) Abstract: Described herein are genes whose expression are up-regulated or down-regulated in breast cancer. Related methods and compositions that can be used for diagnosis and treatment of breast cancer are disclosed. Also described herein are methods that

BNSDOCID: <WO\_\_\_02059377A3\_I\_>

C 2002/0493

Intermenal Application No
PCT/US 02/02242

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 CO7K14/47 GOIN C12N15/12 G01N33/48 C07K16/18 According to International Patent Classification (IPC) or to both national classification and IPC Minimum documentation searched (classification system followed by classification symbols) IPC 7 C07K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, Sequence Search, WPI Data, PAJ, BIOSIS C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Citation of document, with indication, where appropriate, of the relevant passages Category 1-19,23, DATABASE SWISSPROT 'Online! X 1 May 1992 (1992-05-01), "ODPA human" XP002254869 accession no. EBI 24 Database accession no. P08559 abstract 1 - 24WO 99/33869 A (CORIXA CORP) X 8 July 1999 (1999-07-08) cited in the application the whole document WO 98/45328 A (CORIXA CORP) 1 - 24X 15 October 1998 (1998-10-15) cited in the application the whole document Patent family members are listed in annex. Further documents are listed in the continuation of box C. Special categories of cited documents: tater document published after the international filing date or priority date and not in conflict with the application but 'A' document defining the general state of the art which is not cited to understand the principle or theory underlying the considered to be of particular relevance invention 'E' earlier document but published on or after the international \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to filing date involve an inventive step when the document is taken alone document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another "f particular relevance; the claimed invention :nnsidered to involve an inventive step when the scombined with one or more other such docu-combination being obvious to a person skilled citation or other special reason (as specified) dou: document referring to an oral disclosure, use, exhibition or other means in the section document published prior to the international filing date but later than the priority date claimed \*8\* document member of the same patent family Date of mailing of the international search report Date of the actual completion of the international search 0 9, 01, 04 18 September 2003 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,


Stolz, B

Form PCT/ISA/210 (second sheat) (July 1992)

Fax: (+31-70) 340-3016

Interremental Application No
PCT/US 02/02242

	BILON) DOCUMENTS CONSIDERED TO BE RELEVANT		
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim N	0.
X	WO 00/22130 A (CHIRON CORP) 20 April 2000 (2000-04-20) cited in the application the whole document	1-24	-
X	WATSON M A ET AL: "ISOLATION OF DIFFERENTIALLY EXPRESSED SEQUENCE TAGS FROM HUMAN BREAST CANCER" CANCER RESEARCH, AMERICAN ASSOCIATION FOR CANCER RESEARCH, BALTIMORE, MD, US, vol. 54, no. 17, 1 September 1994 (1994-09-01), pages	1-24	
-	4598-4602, XP000576043 ISSN: 0008-5472 the whole document		
<b>X</b>	BURGER A M ET AL: "Detection of novel genes that are up-regulated (Dil2) or down-regulated (T1A12) with disease progression in breast cancer" MEDLINE, XP002217698 the whole document	1-24	
X	MARTIN K J ET AL: "LINKING GENE EXPRESSION PATTERNS TO THERAPEUTIC GROUPS IN BREAST CANCER" CANCER RESEARCH, AMERICAN ASSOCIATION FOR CANCER RESEARCH, BALTIMORE, MD, US, vol. 60, no. 8, 15 April 2000 (2000-04-15), pages 2232-2238, XP001026395 ISSN: 0008-5472 the whole document	1-24	
X	BERTUCCI F ET AL: "Gene expression profiling of primary breast carcinomas using arrays of cancidate genes" HUMAN MOLECULAR GENETICS, OXFORD UNIVERSITY PRESS, SURREY, GB, vol. 9, no. 20, 2000, pages 2981-2991, XP002225994 ISSN: 0964-6906 the whole document	1-24	
·			



Box I	Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)
This Inte	rnational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
2.	Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Int	ernational Searching Authority found multiple inventions in this international application, as follows:
	see additional sheet
1.	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. <u>x</u>	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
	see PCT/ISA/210 annex
Яета	The additional search fees were accompanied by the applicant's protest.
	No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1998)

# FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1

claims 1-24 (partially):

as far as they relate to the first gene of Table 1, pyruvate dehydrogenase  ${\sf El}$  subunit alpha, and its uses

Inventions 2 - 4800

claims 1-24 (partially):

as far as they relate to any of the about 4800 genes listed in Tables 1--25

BNSDOCID: <WO\_\_\_\_02059377A3\_i\_>

formation on patent family members

Internal Application No PCT/US 02/02242

Patent document dted in search report		Publication date		Patent family member(s)	Publication date
WO 9933869	Α	08-07-1999	US	6379951 B1	30-04-2002
•			· US	6365348 B1 ·	02-04-2002
	•		ΑU	2010699 A	19-07-1999
			CA	2316397 A1	08-07-1999
	•		EP	1042360 A2	11-10-2000
		•	JP	2002507387 T	12-03-2002
•			WO	9933869 A2	. 08-07-1999
			US	6410507 B1	25-06-2002
•		•	US	6432707 B1	13-08-2002
			US	2001018058 A1	30-08-2001
		·	ZA	9811800 A	23-06-1999
WO 9845328	Α	15-10-1998	US	6225054 B1	01-05-2001
			AU	6956098 A	30-10-1998
			BR	9808509 A	18-09-2001
•			ΕP	1127893 A2	29-08-2001
•			EP	0975666 A2	02-02-2000
			JΡ	2001521384 T	06-11-2001
			NO	994932 A	07-12-1999
			PL	336349 A1	19-06-2000
			TR	9903154 T2	21-08-2000
		•	WO	9845328 A2	15-10-1998
			US	2003125536 A1	03-07-2003
			US	6586570 B1	01-07-2003
		•	US	2002111467 A1	15-08-2002
			US	2002068285 A1	06-06-2002
			US	2002165371 A1	07-11-2002
			ZA	9802968 A	27-10-1998
•			HU	0001270 A2	28-07-2000
			US	6344550 B1	05-02-2002
WO 0022130	Α	20-04-2000	. AU	1316200 A	01-05-2000
			EP	1121437 A2	08-08-2001
		•	, JP	2002527066 T	27-08-2002
·			WO	0022130 A2	20-04-2000
			US	6468790 B1	22-10-2002
			US	2002009739 A1	24-01-2002